

DIRECT INVITATION OF TENDERS

Sub: Tender for the supply of material to DYCMM(CWE), MATUNGA Central Railway
Opening 29-05-2012 at 11:30 AM

Tenders are invited from firms registered with depot, COS C.Rly, RDSO, NSIC, DLW, CLW and Rly. Bd. for the supply of following items. You are requested to submit your offer on Rly. tender form or on your letter head against each tender separately.

- 1) Rate should be quoted in both Words and Figures.
- 2) Rate of CST/MST/VAT/E.Duty etc. should be clearly notified.
- 3) No Octroi Duty will be paid but OEC will be issued if mentioned in quotation.
- 4) Packing & forwarding charges if any should be clearly brought out.
- 5) Offer should be valid for a minimum period of 60 days.
- 6) Delivery term should be FREE at DYCMM(CWE), MATUNGA.
- 7) Delivery should be Ex-stock or earlier, as possible.
- 8) Offer should be to the specification / Drg.No. Brand Name of the item to which offer is made should be indicated clearly.
- 9) Vendor must quote MRP along with quoted rates with their offer whenever the MRP is printed on the packages.
- 10) Offer with Advance payment terms will not be accepted.
- 11) Following documents to be submitted along with offer (1) valid registration with DYCMM(CWE), MATUNGA or with COS office (with vendor code). (2) Authorization letter of principal. (3) RDSO approval if any. (4) Previous performance statement (5) Sample if so quoted etc.
- 12) If you do not want to quote, regret letter must be sent or faxed.
- 13) Sample & Drg. to be seen in this office.
- 14) Special Condition of Contract :-
 - (i) Tenders must clearly indicate the exact rate/ amount of Sales Tax(VAT) claimed by them, as may be applicable. They should also indicate the section of Maharashtra Value Added Tax Act, 2002, based on which such a rate of VAT has been quoted.
 - (ii) The rate/amount of Sales Tax even when included in the rate quoted by a Tender must be spelt out separately. Where the rate/amount of Sales Tax/ VAT included in the rate is Nil, this should be specially stated.
 - (iii) If, any ambiguity is left by the Tenderer in the matter of clearly indicating the chargeable S.T/VAT, the purchaser shall evaluate the offers by taking into account the highest rate S.T/VAT as known to the purchaser as applicable for determining the inter-se ranking of the offers. The purchaser's decision in this regard will be final and no claim regarding applicability of S.T/VAT or otherwise will be entertained after opening of the Tender. The purchaser will, however, still reserve the right not to pay any S.T/VAT not specifically claimed / indicated clearly or unambiguously by the tenderers.
- 15) In cases of delays in contractual delivery, full LD will be levied as per IRS conditions of contract and being a Contract Provision no request for LD waiver will be considered, notwithstanding any past instances of such waiver or Levy of token

DYCMM(CWE), MATUNGA

Tender Opening Date 29-05-2012 at 11:30 AM

Sr No	Tender No	PL No	Description	Quantity	Unit
1	42125180	35	RUBBER SANDWITCH MOUNTING ASSEMBLY FOR SIEMENS TRACTION MOTOR TYPE 1TB 2022- OTAO3 TO DRG.NO.WR/MX/E1-1926-2-AC-DC-TM-269 ITEM NO.2,3,4 & 5 ONLY (DAMPER ASSEMBLY)	45.000	Nos./01
			<i>Remarks:-</i>		
2	42125258	41	UL LISTED ST 08 THREAD SLINT PTFE TAPE SIZE 15 MM WIDE X 0.07 MM THICK IN ROLL OF 6 MTRS (TAPE COLOUR SHOULD BE YELLOW) DENSITY 65 TO 95 GM/CC SPECIFICATION MIL T-27730A(ASG)OF IS.4-1964 (ONLY UL LISTED FIRM) MISC-T-27730A(ASG) OF IS.04/1964.	1596.000	Nos./01
			<i>Remarks:-</i>		
3	42125384	67	SOLID RUBBER CUSHION TYRE NON-PNEUMATIC, REINFORCED BEAD WIRE AND CORD FABRIC WITH SOFT COAR MAKE GOODLIFT/HINDUSTAN OR GRECKSTER SIZE 23 X 6.50 X 10" FOR FORKLIFT.	8.000	Nos./01
			<i>Remarks:-</i>		
4	42125385	40	WIRE WOUND RESISTANCE AXIAL LEAD SILICON COATED INDUSTRIAL GRADE OF VALUE 15K ohms +- 1%, 6 WATT AND TCR WITHIN 50 +- PPM/DIA CONFIRMING TO IS:8909 OF 1978 OR LATEST MAKE M/S.SURE, M/S.PEC, M/S.YESDEE OR M/S. KIYOSH ONLY.	3000.000	Nos./01
			<i>Remarks:-</i>		
5	42125386	62	M.S.SEAMLESS TUBE HEAVY CONFORMING TO IS: 1239 (PART-I):1990, TABLE 3 OF SIZE 10 MM NORMAL BORE.	300.000	Mtr/22
			<i>Remarks:-</i>		
6	42125387	62	SET OF ALLUMINIUM ALLOY PIPES END BUSH AND HEX CHECK NUTS CONFORMING TO IS:733 OF 1995 AS PER ANNEXURE TO BE SEEN IN THIS OFFICE. (ONE SET CONSISTS OF 10 NOS OF 4 TYPE).	30.000	Set/03
			<i>Remarks:-</i>		
7	42125388	40	ELASTOMERIC SINGLE CORE CABLE FLEX CSP COVERED 750 VOLTS, GRADE 30/0.25MM, SECTION AREA 1.5MM2 AS PER RDSO SPEC.NO. E/14/01 PART-1, REV.II OF FEB.1993. COMPOSITION CLASS SR.NO.4 OF TABLE 1 AND SR.NO.4 OF TABLE NO.2.	3500.000	Mtr/22
			<i>Remarks:-</i>		
8	42125389	40	ELASTOMERIC SINGLE CORE CABLE FLEX. CSP COVERED 750 VOLTS GRADE SIZE 140/0.15MM SECTION AREA 2.5MM2 AS PER RDSO SPEC.NO. E/14/01 PART 1 REV.II OF FEB 1993 SR.NO.5 COMPOSITION CLASS 6 OF TABLE-1 AND SR.NO. 5 OF TABLE NO.2.	3500.000	Mtr/22
			<i>Remarks:-</i>		

Tender Opening Date 29-05-2012 at 11:30 AM

Sr No	Tender No	PL No	Description	Quantity	Unit
9	42125390	40	ELASTOMERIC CABLE SINGLE CORE FLEX. CSP COVERED 3 KV GRADE 603/0.5 SECTION AREA 120 MM2 AS PER RDSO SPEC.NO.E/14/01 PART II OF FEB.1993 SR.NO.1 OF TABLE NO 3 COMPOSITION CLASS 5.	150.000	Mtr/22
			<i>Remarks:-</i>		
10	42125391	40	ELASTOMERIC CABLE SINGLE CORE FLEX. CSP COVERED 750 VOLTS GRADE 126/04 MM. SECTION AREA 16 MM2 AS PER RDSO SPEC.NO.E/14/01 PART II OF FEB.1993 SR.NO.10 OF TABLE 01 COMPOSITION CLASS V & SR.NO.10 OF TABLE NO.2.	1000.000	Mtr/22
			<i>Remarks:-</i>		
11	42125392	40	ELASTOMERIC CABLE SINGLE CORE FLEX.CSP. COVERED 750 VOLTS GRADE SIZE 396/0.4 MM. SECTIONAL AREA 50 MM2 AS PER RDSO SPEC. NO.E/14/01 PART 1 REV. OF FEB. 1993. SR.NO.13 OF TABLE NO.1,SR.NO.13 OF TABLE NO.2 COMPOSITION CLASS 5.	450.000	Mtr/22
			<i>Remarks:-</i>		
12	42125393	42	VOLTMETER DC RANGE 0-150 IN SIZE 96 X 96 SQ.MM PANEL MOUNTING IN DEFLECTION 90 PHASE,DIAL MARKING 0-50-100-150 HAVING DC 2.5 VOLT, METER CONFORMING TO IS:1248/2003 WITH CALIBRATION CERTIFICATE MAKE OF M/S MECO/SONATA/AE ONLY.	100.000	Nos./01
			<i>Remarks:-</i>		
13	42125394	72	LOC HANDY FOGGING MACHINE (SIZE L=350MM, H=330MM,W=150MM) WT=1.5KG (EMPTY) WITH ONE NEW ECONOMICAL GAS KAN CAPACITY=150ML, & ONE LITER PARATHERM PESTICIDE FOR EFFECTIVE MOSQUITO MANAGEMENT.	2.000	Nos./01
			<i>Remarks:-</i>		
14	42125395	93	SALWOOD BENJO IRS K1-65 REF.SR.NO.193 OF IS:1150/1976 SIZE 160 X 95 X 930 X 40MM.	80.000	Nos./01
			<i>Remarks:-</i>		
15	42125396	93	WOODEN FLASE CEILING TILES. SIZE 610 X 610 X 12MM THICK IS:3087/1985. (SAMPLE APPROVED BY CONSIGNEE).	150.000	Nos./01
			<i>Remarks:-</i>		
16	42125397	91	ANODISED ALLUMINIUM BULB MOULDING SIZE 3660 X 15 X 5 X 1.2MM THICK TO IS:737/86.	200.000	Nos./01
			<i>Remarks:-</i>		
17	42125398	91	ANODISED ALLUMINIUM 'E' CHANNEL SIZE 3660 X 25 X 12 X 1.5MM THICK TO IS:737/86.	250.000	Nos./01
			<i>Remarks:-</i>		

Tender Opening Date 29-05-2012 at 11:30 AM

Sr No	Tender No	PL No	Description	Quantity	Unit
18	42125401	93	SALWOOD BENJO IRS K1-65 REF.SR.NO.193 OF IS:1150/1976 SIZE:112 X 87 X 800 X 18MM. <i>Remarks:-</i>	260.000	Nos./01
19	42125402	73	M.S.GALVANISED BOLT WITH NYLOC NUT SIZE M10 X 50MM TO IS:1363/92. <i>Remarks:-</i>	10500.000	Nos./01
20	42125403	73	NYLON SANDVICH ENDLESS BELT AS GIVEN BELOW: 1)SIZE-1805MM X 50MM X 3MM QTY-02 NOS. 2)SIZE-2950MM X 60MM X 3MM QTY-02 NOS. 3)SIZE-4200MM X 60MM X 3MM QTY-02 NOS. (ONE SET=THREE ITEMS=06 NOS.) <i>Remarks:-</i>	1.000	Set/03
21	42125404	73	SET OF SPLIT PIN OF VARIOUS SIZES AS PER IS:549 OR LATEST 1)2.5 X 20MM= 10000 NOS. 2)2.5 X 35MM= 10000 NOS. 3)3.2 X 45MM= 10000 NOS. 4)4.5 X 75MM= 10000 NOS. 5)5.0 X 75MM= 10000 NOS. (NOTE:- ONE SET CONSIST OF 5 ITEMS AND 50,000 NOS.) <i>Remarks:-</i>	1.000	Set/03
22	42125406	73	SET OF ZINC PLATED SPRING WASHERS FLAT SECTION AS PER SIZE 4,5,6,10 & 12 MM AS PER IS:3063/1972 OR LATEST (NOTE- ONE SET CONSISTS OF 100 NOS EACH OF SIZE 4,5,6,10 & 12 MM) . <i>Remarks:-</i>	240.000	Set/03
23	42125409	42	6/16 AMP,2/3 PIN UNIVERSAL SWITCH SOCKET UNSHUTTERED WITH INDICATOR CONFORMING TO IS:3854 & IS:1293 SIMILLAR TO CPL CAT CODE CW 3027/N. <i>Remarks:-</i>	700.000	Nos./01
24	42125410	91	HOLLOW BRONZE BUSH AS PER IS:28/78 GRADE- II,SIZE ID-75MM X OD-125MM X L-125MM. <i>Remarks:-</i>	5.000	Nos./01
25	42125411	73	UNBRAKO/LPS/TVS MAKE HEX HEAD BOLT SIZE M10 X 30MM LONG FULLY THREADED WITH NUT, PROPERTY CLASS 8.8 & 8 RESPECTIVELY TO IS:1364/2002 WITH PLAIN WASHER TO IS: 2016/2001 & SPRING WASHER TO IS:3063/1999 (ONE SET CONSISTS OF 4 NOS HAVING 4 ITEMS.) <i>Remarks:-</i>	10000.000	Set/03
26	42125412	73	SET OF COPPER WASHER AS PER IS:3487/66 IN SIZE OF (1)OD-25MM X ID-10.2MM X 0.5MM THICK. (2)OD-31.75MM X ID-13.5MM X 0.9MM THICK. (3)OD-31.8MM X ID-27.5MM X 0.6MM THICK. (ONE SET CONSIST OF 3 ITEMS) .	2000.000	Set/03

Tender Opening Date 29-05-2012 at 11:30 AM

Sr No	Tender No	PL No	Description	Quantity	Unit
-------	-----------	-------	-------------	----------	------

Remarks:-

27	42125413	76	ELECTRODE SIZE 50 AMP TO SUIT ESAB MAKE AIR PLAZMA CUTTING MACHINE MODEL P.T.31.XL.	60.000	Nos./01
----	----------	----	---	--------	---------

Remarks:-

28	42125414	76	ELECTROD 40 AMP TO SUIT ESAB MAKE AIR PLAZMA CUTTING MACHINE MODEL-P.T.31.XL.	60.000	Nos./01
----	----------	----	---	--------	---------

Remarks:-

29	42125415	62	NON-RETURN VALVE (H) 15 MM WITH STEEL SPRING TO IS:778 CLASS I MAKE LEADER/ JAI/HM & SIMILAR WITH TEST CERTIFICATE. SAMPLE TO BE GIVEN FOR APPROVAL BEFORE BULK SUPPLY.	200.000	Nos./01
----	----------	----	---	---------	---------

Remarks:-

30	42125416	74	ROTATING LIFTING POINT (R.L.P) SIZE M-12 FORGED GR.10, S.W.L=0.75TONNE, AT 45-60 DEGREE, SAFETY FACTOR 4.1 ROTATE AT 360 DEGREE & ARTICULATE AT 180 DEGREE, OF M/S.GUNNEBO OR M/S.ANJA OR M/S.JECO OR M/S.BTA MAKE WITH TEST CERTIFICATE FROM GOVT.APPROVED TEST HOUSE.	14.000	Nos./01
----	----------	----	---	--------	---------

Remarks:-

31	42125417	74	ROTATING LIFTING POINT (RLP) GR.FORGED 10, SIZE M-20, S.W.L=2.5 TONNE, AT 45.60 DEGREE, SAFETY FACTOR 4.1, WT=2.8 KGS, ROTATE 360 DEGREE & ARTICULATE 180 DEGREE OF M/S. GUNNEBO OR M/S.ANJA OR M/S.JECO OR M/S.BTA WITH TEST CERTIFICATE FROM GOVT. TEST HOUSE.	9.000	Nos./01
----	----------	----	--	-------	---------

Remarks:- 1) If MRP is not mentioned in the quotation, the P.O. is liable to be cancelled 2) Ex-stock means within 21 days.3) The Tender is subject to time preference condition, i.e. Offer with favorable delivery term will be accepted, passing over lower offer. However, if delivery is not made in time, D.P. Shall be extended at the rate of the lower offer passed over considering favorable D.P.

DYCMM(CWE), MATUNGA