

# SANPADA DEPOT LOCAL PURCHASE ORDER REGISTER (NON-STOCK)

FROM 01 JUL 2012 TO 31 JUL 2012

SR. NO.	PO No. & DATE	DESCRIPTION	FIRM'S NAME	P.O. QTY. UNIT	TOTAL VALUE	DELIVERY DATE
1	74125197165125 14-JUL-12	Set of Ribbon for Computer Printer 1) Printer Model TVS MSP 455 Classic = 01 No. 2) Printer Model EPSON LQ 2090 = 01 No. ( 01 Set = 02 Nos.).	S.R.ENTERPRISES	2 Set	1140	21-JUL-12
2	74125092165126 18-JUL-12	Set of Speed Sensor connector as per annexure attached (One set of 4 items having 4 Nos.). Make of Harting or M/s Tyco or M/s WAGES (To be procured from OEM authorised dealer with tender specification only.)	S.M.SHAH & CO.	12 Set	95634	25-JUL-12
3	74125096165127 18-JUL-12	Harting Part No. 09400245411 for Jumper Socket Dummy Cover type HAN 24 HPR with cover screw locking M/s HARTING, M/s TYCO or M/s WAGO (To be procured from OEM authorised dealer with tender specification only.)	S.M.SHAH & CO.	35 Nos.	91067	25-JUL-12
4	74125097165128 18-JUL-12	Set of items for BECU sensor connector. One set consists of two items and 40 Nos. of Harting make as follows: [1] HAN 3 HPR closed size - 3A screw locking M20 as per Harting Part No. 19400030950 = 20 Nos. [2] HAN 3 HPR top entry size - 3A screw locking M20 as per Harting Part No. 19400030410 = 20 Nos. of make HARTING/WEGO/SCHALDBAU (OEM authorised dealer certificate and tender specification required).	S.M.SHAH & CO.	1 Set	88536	25-JUL-12
5	74125099165129 18-JUL-12	Hood side entry screw locking HAN 26 HPR of M/s. Harting make as per Part No. 19400240514, make of HARTING/WEGO/SCHALDBAU(OEM authorised dealer certificate and tender specification required).	S.M.SHAH & CO.	9 Nos.	96532	25-JUL-12

# SANPADA DEPOT LOCAL PURCHASE ORDER REGISTER (NON-STOCK)

FROM 01 JUL 2012 TO 31 JUL 2012

SR. NO.	PO No. & DATE	DESCRIPTION	FIRM'S NAME	P.O. QTY. UNIT	TOTAL VALUE	DELIVERY DATE
6	74125102165130 18-JUL-12	Set of male contact HAN 6 HSB Harting Part No. 09310062601 and female contact HAN 6 HSB Harting Part No. 09310062701. One set consists of 2 items of make HARTING/WAGO/SCHALDBAU(OEM authorised dealer certificate and tender specification required).	S.M.SHAH & CO.	20 Set	88200	25-JUL-12
7	74125103165131 18-JUL-12	HAN 6 HPR-AS 9-SV-M 25 of Housing surface mounting as per Harting Part No. 19400061261 of make HARTING/WAGO/SCHALDBAU (OEM authorised dealer certificate and tender specification required).	S.M.SHAH & CO.	3 Nos.	95508	25-JUL-12
8	74125105165132 18-JUL-12	Set of male and female silver plated contacts crimp type of size 1 sq. mm. for HAN E connector as per Harting Part No. 09330006105 And 09330006205 make of Harting. [One set consist of Two Nos.] make of M/s HARTING/TYCO/WAGO only (To be procured from OEM authorised dealer with tender specification only.)	S.M.SHAH & CO.	400 Set	42336	25-JUL-12
9	74125106165133 18-JUL-12	Hood with Screw Locking System type HAN 24 HPR-GS-SV-M50, as per Harting Part No. 19400240514 of make HARTING/TYCO/WAGO only (To be procured from OEM authorised dealer with tender specification only.)	S.M.SHAH & CO.	8 Nos.	81967	25-JUL-12
10	74125107165134 18-JUL-12	A set of APC connector as per annexure attached (One Set = 05 Items) of make HARTING/TYCO/WAGO (To be procured from OEM authorised dealer with tender specification only.)	S.M.SHAH & CO.	1 Set	93209	25-JUL-12

# SANPADA DEPOT LOCAL PURCHASE ORDER REGISTER (NON-STOCK)

FROM 01 JUL 2012 TO 31 JUL 2012

SR. NO.	PO No. & DATE	DESCRIPTION	FIRM'S NAME	P.O. QTY. UNIT	TOTAL VALUE	DELIVERY DATE
11	74125108165135 18-JUL-12	HAN 6 HSB male Insert Screw Size 16 B 400/690 V 35 A, as per Harting Part No.09310062601 Make of Harting for AC/DC Siemens Rake (To be procured from OEM authorised dealer with tender specification only.) of make HARTING/TYCO/WAGO only.	S.M.SHAH & CO.	20 Nos.	39270	25-JUL-12
12	74125109165136 18-JUL-12	HAN 6 HPR hood side entry M-25 screw locking as per Harting Part No. 19400060511 Make of Harting/TYCO/WAGO only (To be procured from OEM authorised dealer with tender specification only.)	S.M.SHAH & CO.	15 Nos.	92752	25-JUL-12
13	74125111165137 18-JUL-12	Set of items for BECU sensor connector as per [1]Harting Part No. 09360083001 = 20 Nos. [2] Harting Part No. 09360083101 = 20 Nos. [3] Harting Part No. 0915006122 = 100 Nos. [4] Harting Part No. 0915006225 = 100 Nos. of make HARTING/WAGO/SCHALDBAU only (OEM authorised dealer certificate and tender specification required).	S.M.SHAH & CO.	1 Set	99999	25-JUL-12
14	74115156165138 18-JUL-12	Set of Hammers as per List of Six items mentioned in the annexure-I of TAPARIA, JHALANI or VENUS make.	JAI DURGA ASSOCIATES	60 Set	51480	06-AUG-12
15	74125134165139 19-JUL-12	Grooved Wooden Block for Supporting A/c Fraction Motor for AC-DC Siemens Rake for maintenance purpose. As per Drg. No. SNPD/HR/02.	TRADELINK	10 Nos.	9490	08-AUG-12
16	74115133165140 19-JUL-12	Insulator Assembly for TDK Traction Motor type 3701 AZ as per Drg.No. CEE/CR/EMU/MTN/2AA/1/037 Item No. 8, 9, 10 & 11.	AAKANKSHA STEEL & ENGINEERING CO..	160 Nos.	98280	12-AUG-12

# SANPADA DEPOT LOCAL PURCHASE ORDER REGISTER (NON-STOCK)

FROM 01 JUL 2012 TO 31 JUL 2012

SR. NO.	PO No. & DATE	DESCRIPTION	FIRM'S NAME	P.O. QTY. UNIT	TOTAL VALUE	DELIVERY DATE
17	74115175165141 19-JUL-12	Modified Door Lock as per Drg.No. ET/RS/C/937 assembled along with M.S.Locking Plate & MS Operating Handle for H.T.Door as per Sketch attached.	AAKANKSHA STEEL & ENGINEERING CO..	20 Nos.	24150	12-AUG-12
18	74125123165142 19-JUL-12	Control unit card for LED based flasher unit (Specification 1-12 pages attached).	PEP ELECTRONICS	20 Nos.	21357	23-JUL-12
19	74115118165143 19-JUL-12	Set of Bihexagonal Ring Spanner, Shallow Offset Chrome Vanadium Steel, Chrome Plated polished Ring, Generally Confirming to IS 2029-1998, Sizes from 6 x 7 mm. to 30 x 32 mm. (One Set Consists of 10 items as per Jhalani Set No. 13/10 of Jhalani, Taparia or Gedore make.).	ARIHANT TUFFLEX AGENCY	80 Set	60210	06-AUG-12
20	74125125165144 19-JUL-12	Set of Premier Hyd. System single acting pump to the specification 1) Working pressure= 1000 kg/cm2, 2)Load Capacity 30 Ton and Extra High Pressure telescopic cyclinder 1)Working Pressure 650 kg/cm2, 2)Load capacity 30 T, 3)Close Height 150 mm, Make Premier/ Enner Pac/Powerleak.	PREMIER CONTROL SYSTEMS	2 Set	96000	25-AUG-12
21	74125138165145 19-JUL-12	Roller bearing for sliding door of AC/DC Coaches as per Drg. No. ICF/MRVC/M-5-8-012, Item No. 6 to 10.	TRADELINK	100 Nos.	41468	24-JUL-12
22	74125140165146 19-JUL-12	Locking system of AC earthing switch BTE type BTE 25.4 PT No. HSBA 331527 of type PCE VES 25.4 make ABB/Patra & Chandra/Siemens equivalent part Nos. only (To be procured from authorised dealer with OEM -GC/TC only) Dealers to quote along with OEM tender tender specific dealership.	HIND ENTERPRISES	1 Nos.	30975	22-AUG-12

# SANPADA DEPOT LOCAL PURCHASE ORDER REGISTER (NON-STOCK)

FROM 01 JUL 2012 TO 31 JUL 2012

SR. NO.	PO No. & DATE	DESCRIPTION	FIRM'S NAME	P.O. QTY. UNIT	TOTAL VALUE	DELIVERY DATE
23	74125141165147 19-JUL-12	Blade (Moving Contact) for AC earthing Switch for VCB type PCEVES 25.4 of BTE type BTE 25.04 for Siemens Motor Coach of make Patra & Chandra/ABB or Siemens equivalent type only. (To be procured from authorised dealer with OEM - GC/TC only) Dealers to quote along with OEM tender tender specific dealership.	HIND ENTERPRISES	6 Nos.	79223	22-AUG-12
24	74125142165148 19-JUL-12	A Set of KABA key for AC earthing Switch Lock 1)Green =03 Nos., 2)Yellow =02 Nos. 3)Blue = 01 No. (One Set consist of 06 Nos.) make M/s Patra & Chandra/ABB or Siemens equivalent only. (To be procured from authorised dealer with OEM -GC/TC only) Dealers to quote along with OEM tender tender specific dealership.	HIND ENTERPRISES	10 Set	49770	22-AUG-12
25	74125143165149 19-JUL-12	H.T. Compartment door interlock as per Patra & Chandra Part No. PCE/1+TL/MRVC/00 make Patra & Chandra/ABB or Siemens equivalent part No. (To be procured from authorised dealer with OEM -GC/TC only) Dealers to quote along with OEM tender tender specific dealership.	HIND ENTERPRISES	5 Nos.	49875	22-AUG-12
26	74125139165150 19-JUL-12	Digital Multimeter with backlight and terminal blocking system 3.5 digit (1999 count large LCD display of model 6030 of KUSAM - MECO or Similar equivalent model of other reputed firm MECO or MOTWANE.	SAM ELECTRICALS	15 Nos.	23591	31-AUG-12
27	74125144165151 19-JUL-12	FRP Blade for 450 mm Sweep 110 V AC Fan as per RDSO Drg. No. RDSO/PE/SK/TL - 0144 (ALT-0) or latest to be procured from RDSO Source or any other source RDSO Source with prior approval.	COMM-TECH COMMERCIAL CORPN.	200 Nos.	59430	31-AUG-12

# SANPADA DEPOT LOCAL PURCHASE ORDER REGISTER (NON-STOCK)

FROM 01 JUL 2012 TO 31 JUL 2012

SR. NO.	PO No. & DATE	DESCRIPTION	FIRM'S NAME	P.O. QTY. UNIT	TOTAL VALUE	DELIVERY DATE
28	74125112165152 19-JUL-12	BUCHANAN CRIMPING SPARE FOR MAINTENANCE OF EMU AC/DC RAKES AS PER HARTING PART. NO. 0999000001 OR EQUIVALENT PRODUCT OF WEIDMULLER OR HYPER TAC OR A21-A 2B (To be procured from OEM authorised dealer with tender specification only.)	VANDANA TRADING & CO.	1 Nos.	94500	19-OCT-12
29	74125194165153 19-JUL-12	12 V, 75 AH fully charged battery similar to 80 D 31 R star plus of TATA GREEN. Make of EXIDE/SUKAM/MICROTEK/TATA GREEN are acceptable only.	S.R.ENTERPRISES	4 Nos.	26988	08-AUG-12
30	74125195165154 19-JUL-12	M.S.Trussele for lifting Bogie as per sketch No. SNPD/HR/03.	TRADELINK	5 Nos.	98297	19-SEP-12
31	74125196165155 19-JUL-12	Set of Spares for 500 KVA, 433 Vm TESLA make Transformer for LT side connections. As per annexure attached. Along with fitment.	TRADELINK	2 Set	99590	05-SEP-12
32	74125193165156 19-JUL-12	Set of Four Items of 'D' range contactors & over load relays for 05 Ton EOT Crane as per annexure attached, make of Telemecanique or L&T or Siemens.	S.R.ENTERPRISES	2 Set	23728	08-AUG-12
33	74125008165157 21-JUL-12	Cloth Synthetic Aluminium Oxide in Roll 38 mm wide GR II No. 100 to IS 715/1966.	SHREYA TRADING CO.	1200 Mtr	22995	22-SEP-12

# SANPADA DEPOT LOCAL PURCHASE ORDER REGISTER (NON-STOCK)

FROM 01 JUL 2012 TO 31 JUL 2012

SR. NO.	PO No. & DATE	DESCRIPTION	FIRM'S NAME	P.O. QTY. UNIT	TOTAL VALUE	DELIVERY DATE
34	74115140165158 30-JUL-12	Set of Gasket for pipe line filters to Drg. No.CEE/CE/EMU/MTN/ET/RS/2/005, Part No.2 and 4 (One Set consist of 02 Nos.).	SONAL TRADERS	200 Set	29558	28-SEP-12
35	74125146165159 30-JUL-12	Set of Addition or Micro Engg or Hittco Tools or IT make HSS drill parallel shank twist drill Jobber series as per the following sizes:- [1] size 3.3 MM, QTY= 05 Nos, [2] size 4.3 MM, QTY= 05 Nos, [3] size 5.2 MM, QTY= 2 Nos, and [4] Size 8.0 MM, QTY.= 01 No. NOTE: One set consists of 13 Nos drill as per IS 5101 of 1969.	SHREYA TRADING CO.	50 Set	18050	22-OCT-12
36	74125147165160 30-JUL-12	Pressure switch complete Ump-1500 V, Im 125 V DC-13, 24 V/1 A, 110 V/0.25 A as per moeller model No. MCS11 - SOND S10-E of Moeller make with test certificate for new AC-DC Siemens rake. Moellar model No. MGS11- SOND 910-E make MOELLAR/ABB/SIEMENS only (To be procured from authorised dealer with test certificate).	B.KHANDELWAL METAL CORPN	15 Nos.	99013	22-OCT-12
37	74125149165161 30-JUL-12	A Set of Items as per annexure attached for front display of siemens AC/DC rakes (01 Set consist of 05 items = 475 Nos.).	B.KHANDELWAL METAL CORPN	1 Set	76553	19-NOV-12
38	74125152165162 30-JUL-12	Activator cleaner similar to product No. 7471 of Henkel Loctite in 100 ml. Bottle. Preferable make of Loctite, Stanvac or Pidillite.	V.M.ENTERPRISES	100 Nos.	42105	30-AUG-12
39	74125153165163 30-JUL-12	1/2" DRIVE QUICK RELEASE FLIP DRIVE RATCHET LENGTH 250 mm OF STANLEY/KOKAN/TRISTAR OR FORCE MAKE CONFIRMED TO IS 7991 OF 1991	SONAL TRADERS	30 Nos.	19305	28-SEP-12

# SANPADA DEPOT LOCAL PURCHASE ORDER REGISTER (NON-STOCK)

FROM 01 JUL 2012 TO 31 JUL 2012

SR. NO.	PO No. & DATE	DESCRIPTION	FIRM'S NAME	P.O. QTY. UNIT	TOTAL VALUE	DELIVERY DATE
40	74125157165164 30-JUL-12	Loctite thread locker similar to Product No.243 of Henkal Loctite in 250 ml. Bottle. Preferable make LOCKTITE/STANVAC or PIDILITE.	H.P. ENTERPRISES	30 Nos.	42746	19-NOV-12
41	74125158165165 30-JUL-12	Set of Adopters, Impact Sockets, Ratchets, Allen Bit Socket, made up of Chromium Vanadium Steel as per Annexure attached (One Set Consists of 08 items, of make STANLEY/STANVILE or TRISTAR.	SONAL TRADERS	20 Set	67851	28-SEP-12
42	74125163165166 30-JUL-12	M.S.Strip Flat to size 25 mm. width and 05 mm. thick in length of 16 feet to IS 226.	SONAL TRADERS	500 Kgs.	28350	22-SEP-12
43	74125165165167 30-JUL-12	Master Controller Key of M/s Schaltbau Code No.1-5974-185111, make SCHALTBAU/PATRA & CHANDA/iKON only.	RELIABLE SUPPLIERS	25 Nos.	89250	27-NOV-12
44	74125166165168 30-JUL-12	Insulated Push Button for Signal Bell as per Drg. No. TQE/2R, AUTEL make or Equivelent make.	AUTEL	100 Nos.	71400	30-OCT-12
45	74125169165169 30-JUL-12	W 963 Ply safe high Voltage self fusing permanent insulation & jacketing tape in size 51 mm X 0.76 mm X 9.1 meter roll suitable for power cable make STANVAC/SUPERON/ZENITH.	MRO ENGINEERS	25 Nos.	28350	22-SEP-12



# SANPADA DEPOT LOCAL PURCHASE ORDER REGISTER (NON-STOCK)

FROM 01 JUL 2012 TO 31 JUL 2012

SR. NO.	PO No. & DATE	DESCRIPTION	FIRM'S NAME	P.O. QTY. UNIT	TOTAL VALUE	DELIVERY DATE
46	74125170165170 30-JUL-12	SET OF M.S. TRAY AS PER SKETCH CLA/HR/TRAY ITEM 1, 2 & 3. (ONE SET CONSIST OF 3. NOS OF TRAY)	TRADELINK	6 Set	16014	22-SEP-12
47	74125172165171 30-JUL-12	Woolen Sheet to size 1 mtr. X 1 mtr. and thickness 8 mm as per IS 1719.	TRADELINK	15 Nos.	20723	22-SEP-12
48	74125174165172 30-JUL-12	Polycarbonate Cover for MG/CP OLR Interlock Box BHEL make as per BHEL Cat. Ref. Ref. A36, ACS1202 Part No. 850787 with Stud, Flat & Spring Washers (Material should be single piece moulding).	YASH & GAURI ENTERPRISES	100 Nos.	8925	30-OCT-12
49	74125176165173 30-JUL-12	Set of Spring contact with mounting block and top plate and bottom contact. Plate as per CU ETP 52.5 X 82 X 2 silver contact pressure 20 to 40 N-M contact opening 10 mm of contact spring with M8-35-SS nut bolt with spring and flat washer for AC- DC changer over switch with test certificate by Govt.approved LAB for AC-DC Siemens rake (01 Set consisting 02 spring contact, 01 mounting block, 01 bottom plate, 01 Top plate, 02 SS bolts, 02 SS Nuts, 04 SS Spring Washer and 04 SS Flat Washers).	VEENY INTERNATIONAL	24 Set	55440	19-NOV-12
50	74125177165174 30-JUL-12	Hydraulic Hand Operated Pipe Bending Machine suitable for 'C' Class Pipe for size 1/2", 1 1/4", 1 1/2" and 2" Compact with two outer dolly block with pins and three leg stands, make HYDROBEND, ATLAS BRAND, QUALITY TOOLS.	ARIHANT TUFFLEX AGENCY	1 Nos.	23288	13-SEP-12

# SANPADA DEPOT LOCAL PURCHASE ORDER REGISTER (NON-STOCK)

FROM 01 JUL 2012 TO 31 JUL 2012

SR. NO.	PO No. & DATE	DESCRIPTION	FIRM'S NAME	P.O. QTY. UNIT	TOTAL VALUE	DELIVERY DATE
51	74125187165175 30-JUL-12	AC-DC Change Over Switch moving contact as per Drg. No. WR/MX/EL/1892/3-SWG-148.	ARIHANT ELECTRICAL INDUSTRIES	12 Nos.	45360	30-OCT-12
52	74125190165176 30-JUL-12	Complete PCB for 25K VAC relay. The PCB shall have input of 110 VDC for supply and 150 VAC for logic input at terminals of instrumentation transformer with ratio 150 V/ 15V. There shall be provision for start delay and end delay in the circuit. The PCB shall have provision to switch ON/OFF control contactor as per railway requirement. Instrumentation transformer shall be connected across HVPT secondary and shall not load PT secondary and PT secondary voltage shall be as per the original design. The PCB shall have DC-DC converter for generating electronic power supply.	POWER CONTROLS	12 Nos.	97020	30-NOV-12
53	74125191165177 30-JUL-12	Complete PCB for sensing over voltage in OHE working at 25 K VAC relay. The PCB shall have input 5 VAC for logic input at terminals of circuit. There shall be provision for start delay in the circuit. The PCB shall have provision to switch ON/OFF control contactor as per railway requirement 5 VAC output shall be available for instrumentation transformer and shall be connected across HVPT secondary and shall not load PT secondary and PT Secondary Voltage shall be as per the original design.	POWER CONTROLS	12 Nos.	92925	30-NOV-12
54	74125192165178 30-JUL-12	DC Contactor for controlling VCB relay in AC-DC retro-fitment coaches. The DC Contactor shall be 15 A / 100 VDC rated. The contactor shall be mounted in enclosure. Enclosure shall have circuit metal connector Male + Female connected. Connector shall be metal type MS 3106 & MS 3102. The make of connector shall be Amphenol/HITECH. The hole diameter for connector shall be 29	POWER CONTROLS	12 Nos.	96075	30-NOV-12

# SANPADA DEPOT LOCAL PURCHASE ORDER REGISTER (NON-STOCK)

FROM 01 JUL 2012 TO 31 JUL 2012

SR. NO.	PO No. & DATE	DESCRIPTION	FIRM'S NAME	P.O. QTY. UNIT	TOTAL VALUE	DELIVERY DATE
		mm. enclosure shall be fabricated of min. 1 mm MS sheet. The enclosure shall be powder painted in siemens grey colour. The size of the enclosure shall be 200 X 200 X 160 mm. approx. Cable used shall be min 0.5 mm sq				
55	74125200165179 30-JUL-12	M.S.Wheel stands as per sketch SNPD/HR/C.	TRADELINK	5 Nos.	89944	22-SEP-12
56	74125201165180 30-JUL-12	Set of Good Lift Solid Rubber Cushion Tyres Front and Rear for Godrej make Fork-Lift to Size 1)Front Tyre No. 7.00 X 12 Qty. 04 Nos. per set, 2)Rear Tyre No. 6.50 X 10 Qty. 04 Nos. per set make of MRF/CEAT/JK TYRES/GOOD LIFT (01 Set = 04 Nos. each).	TRADELINK	1 Set	57144	22-SEP-12
57	74125202165181 30-JUL-12	Alkosign Non-Magnetic White Board size 2.5' x 4' (feet) with heavy duty alluminium frame and hanging hooks.	SHREYA TRADING CO.	1 Nos.	4725	10-SEP-12
58	74125203165182 30-JUL-12	DINNER SET: Consisting 1)Full Plate - Qty. = 06 Nos., 2)Quarter Plate - Qty. = 06 Nos., 3)Spoon - Qty. = 06 Nos., 4)Bowls - Qty. = 06 Nos., 5)Tray - Qty. = 01 No. ( 01 Set - 05 Items). make Bone China or Similar superior quality.	S.R.ENTERPRISES	1 Set	1995	06-AUG-12
59	74125204165183 30-JUL-12	Cups & Soucers (Make Bone China or similar make) Superior Quality. (01 Set = 01 Dozen).	S.R.ENTERPRISES	1 Set	600	06-AUG-12

**SANPADA DEPOT LOCAL PURCHASE ORDER REGISTER  
(NON-STOCK)**

FROM 01 JUL 2012 TO 31 JUL 2012

<b>SR. NO.</b>	<b>PO No. &amp; DATE</b>	<b>DESCRIPTION</b>	<b>FIRM'S NAME</b>	<b>P.O. QTY. UNIT</b>	<b>TOTAL VALUE</b>	<b>DELIVERY DATE</b>
60	74125155165184 30-JUL-12	MULTILEG (4 LEG) SLING OF CAPACITY 10 TON X 2.5 MTR LENGTH WITH POLYSTER FORGED STEEL AT TOPE AND FORGED STEEL 'D' SHACKLE AND HOOK AT BOTTOM WITH TEST CERTIFICATE OF SAMSON BRAND OR SEA LINKER BRAND OR GREEN FIELD AS PER BS 3481 PART 2 IDIN 61360.	TRADELINK	5 Nos.	86316	22-SEP-12