

Sr.	PO No.	Date	DESC.	QTY.	Consignee	FIRM	Total Value
1	92.13.5394 .1. 65469	05.08.13	Set of 67 nos. of HP cartridges for various printers	1	Sr.DPO CSTM	M/s.Omkar Enterprise, 67/69, Mumbai- 400 001.	70300
2	92.13.5259 .1. 65470	05.08.13	Lazer Printers Canon LBP-2900B	6	Sr DFM CSTM	Nmicro System & Services Ulhasnagar-1	40650
3	92.13.5418 .1. 65471	05.08.13	Open Handle Metal Stretcher with rubber grip Size 7.6 " x 22" M.S.Power Coated Pipe of 1" dia x 16 SWG S.S Top Size 6" x 22" of 20 SWG.	20	CMS KYN	M/s. Hans Enterprises, Mumbai-400 003	93000
4	92.13.5427 .1. 65472	05.08.13	6-Lever Pad Lock made in Brass (with extra one key) of 2 " dia Godrej make	55	Sr DCM CSTM	Riddhi Traders. Mumbai-2	9075
5	92.13.5329 .1. 65473	05.08.13	Wire mesh cover guard suitable for F.T. fitting 2 feet long in TL coaches.	600	Sr.SE (TL/AC) LTT	Power Electronics, Mumbai-401 105.	72450
6	92.13.5374 .1. 65474	05.08.13	Low density PVC tube size 16mm with ISI mark as per given Technical specification	2000	SSE(OHE)CLA	M/s Om Sai Samarth Enterprises. Dombivli (W), Thane.	33000
7	92.13.5368 .1. 65475	05.08.13	Bolt cutter (contact/Dropper wire cutter) size 12" make : Taparia	100	SSE(OHE)CLA	Shree Krishna Electric Insulating Corporation. Mumbai-400022	51900
8	92.13.5373 .1. 65476	05.08.13	Low density PVC tube as per technical specification size 20mm ISI mark	2000	SSE(OHE)CLA	M/s T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	29400
9	92.13.5432 .1. 65477	05.08.13	MCB enclosure with SPN MCB 32 Amp 'C' series complete with plastic enclosure suitable for 230 V, 50 Hz AC supply. Make - Havells, Standard.	240	SSE (EM) KYN	SHRI SATGURU ELECTRIC & TRADING CO. Mumbai-400 003.	94800
10	92.13.5429 .1. 65478	05.08.13	Ceiling Rose 6A, 3 plate white colour suitable for 230 Volts, 50 Hz AC supply ISI mark	5000	SSE (EM) KYN	Bharti Enterprises. Mumbai-400 002	98950
11	92.13.5364 .1. 65479	05.08.13	Adjustable spanner Taparia make confirming to IS 6149-1984 grade II chrome finish product no.1171-8 size 205mm, 1172-10 size 255mm, 1173-12 size 305mm	75	SSE(OHE)CLA	Shree Krishna Electric Insulating Corporation. Mumbai-400022	49425
12	92.13.5361 .1. 65480	05.08.13	Bolt cutter heavy duty with interchangeable saw arrangement suitable to cut high tension wire, 4 chain upto ½" dia and having the length 42" Bluestar make.	15	SSE(OHE)CLA	Shree Krishna Electric Insulating Corporation. Mumbai-400022	47790
13	92.13.5367 .1. 65481	05.08.13	Bond press double screw type for quick removal complete with spanner to drg. No. ET/RB/82/M/R2	10	SSE(OHE)CLA	Shree Krishna Electric Insulating Corporation. Mumbai-400022	47860
14	92.13.5191 .1. 65482	05.08.13	AC current transducer type INDO SWEDISH ABB/SITU input 1 AMP 50 Hz output 0.5 MA 750 ohms Aux supply 80:276 AC/DC Accuracy 0.5 %.	4	SSE (SRC) CSTM	M/s. Pearl Enterprises Mumbai 400 007.	88700
15	92.13.5381 .1. 65483	05.08.13	Tyre Sr.no.11-1000-20 16 PR NGL Super with tube sr.no.74.10.00.20	3	SSE/OHE/CLA	Shree Samruddhi Engineering. Navi Mumbai -400 705	52650
16	92.13.5357 .1. 65484	05.08.13	Inverter batteries lead acid type 150 AH 12 volts DC duly charged with electrolyte level indicator etc Exide' make	8	SSE(EM)KYN	Shree Samruddhi Engineering. Navi Mumbai -400 705	90768
17	92.13.5372 .1. 65485	05.08.13	Low density PVC tube size 12mm with ISI mark as per given Technical specification	2000	SSE(OHE)CLA	M/s Om Sai Samarth Enterprises, Dombivli (W), Thane.	27000

Sr.	PO No.	Date	DESC.	QTY.	Consignee	FIRM	Total Value
18	92.13.5225 .1. 65486	05.08.13	Motor 110 V AC TEFC Motor 0.5 HP/ 0.33 HP 1400 RPM capacitor start & run without centrifugal switch (for AC Barriers) suitable for ' Heidz' barrier.WITHOUT Hand Generator as per RDSO specn. No. RDSO/SPN/208/2012.	5	SSE(Sig) Sto/KYN.	M/s Shree Ganesh Enterpries.Mumbai- 400 101	44802
19	92.13.5430 .1. 65487	06.08.13	Integral CFL bollards fitting suitable for 1 x 18 watts 'D' type CFL Lamp 230 Volts. Black finish cylindrical shaped, unqiue design, integral decorative bollard with clear acrylic cover for single CFL. M/s. Bajaj Cat. No. BRBOL 118 clear.	12	Sr.Sec.Eng.Elect. (Maint) CSTM	Diwan Sons. 93-97, Mumbai-400 009	85176
20	92.13.5431 .1. 65488	06.08.13	MCB distribution board 8 way double door with bus bar, Neutral link, earth etc with 1 No. SPN MCB 20A, 6 Nos. SP MCB 6A complete.	35	SSE (EM) KYN	SHRI SATGURU ELECTRIC & TRADING CO. Mumbai-400 003.	97650
21	92.13.5437 .1. 65489	06.08.13	Ignitor for MH fitting 70-400 watt suitable for 230 Volts, 50 Hz AC supply.	220	SSE (EM) KYN	Alfa Engineers, Mumbai- 400 009	96360
22	92.13.5402 .1. 65490	06.08.13	11 KV 5 Amps fuse element (total length 675 mm) confirming to IS: 5792/1970. Altos make	250	SSE/Sub-Stn/CLA	Shree Krishna Electric Insulating Corporation. Mumbai-400022	9870
23	92.13.5433 .1. 65491	06.08.13	Energy conservation T5 lamp roadway lighting luminaires of 4 x 24 W FTL (T5) cat. No. WSF 14424 SG. Of M/s. WIPRO	15	Sr.SEE (M) WB	Diwan Sons. 93-97, Mumbai-400 009	94620
24	92.13.5435 .1. 65492	06.08.13	4 pole MCCB 125A, 50 KA with fixed thermal magnetic release with copper terminal suitable for 415 Volt, 50 Hz AC supply Conf. to IS-13947.	9	SSE (EM) KYN	Alfa Engineers.95, Mumbai- 400 009.	94050
25	92.13.5438 .1. 65493	06.08.13	Clear Acrylic Sheet Transparent good quality (Imported) size 6' x 4' x 3 mm Thick EUROPLAST Thickness 2.8 mm)	82	SSE (T/HF) CLA	To M/S MATRUSHREE TRADING CORPN. MUMBAI -400 004.	98318
26	92.13.5439 .1. 65494	06.08.13	Set of 14 nos. of HP Toner & Cartridges for various printers.	1	Sr. DSTE CSTM	M/s. EXCEL ENTERPRISES,Mumbai.	38914
27	92.13.5379 .1. 65495	06.08.13	11KV 15 amps fuse element (total length 675mm) confirming to IS: 5792/1970 Altos make	250	SSE/Sub.Stn./CLA	Shree Krishna Electric Insulating Corporation. Mumbai-400022	10475
28	92.13.5434 .1. 65496	06.08.13	Endura LED bulkhead fitting, system wattage 10W, Lume 230 volts out put - 600, colour temperature - cool White THD - < 20%, pf > 0.9, IP - 66, IK - 09, with housing high pressure die cast alluminium, front cover poly carbonate front diffuser. Make -	33	Sr.Sec.Eng.Elect. (Maint) CSTM	M/s. HEM ENTERPRISES. Mumbai-400 092.	92400
29	92.13.5390 .1. 65497	07.08.13	MCB 40 amps double pole 130 volts DC HPL make	100	SSE(AC/Cog)CSTM	M/s. Kaltro Enterprises. Thane - 421 501.	53550
30	92.13.5307 .1. 65498	07.08.13	Table top glass, good quality (size as per list enclosed) with two wire hole on both side, machine polished as per annexure attached.	1 set	SSE/ SCADA CSTM	M/s. Shreya Trading Co. Tisai CHS. Diva (E) dist. Thane	58439
31	92.13.5426 .1. 65499	08.08.13	Safety Nett made of 6 MM thick good quality Nylone Rope Rupa Rope / Tuff Rope make	200	SSE (W) CSTM	M/S. PARK & C0, MUMBAI 400077	37590

Sr.	PO No.	Date	DESC.	QTY.	Consignee	FIRM	Total Value
32	92.13.5261 .1. 65500	13.08.13	Quick Setting Cement Pidi patch of Pidilite Industries, 'Perma Plug' in 1 Kg.packets only)	900	SSE(W/M) Byculla	M/S. PARK & CO, MUMBAI 400077	89100
33	92.13.5224 .1. 65501	13.08.13	Flexible copper conductor wire (multi- strand) 1 sq. mm (28/0.2 mm) single core, (100 Mtrs. Coil) without armouring to IRS :S : 76/89 Amdt. No. 3 or latest (Red, Blue,grey & Black each colour 500 Mtrs. Insulation thickness : 1.5 mm (Accepted offer for ' Atlanata Tele Cables' Roorkee, U.K.)	2000	SSE(Sig) Sto/KYN.	M/s. Ankur Electronics, Mumbai. 400 069.	26040
34	92.13.5400 .1. 65502	13.08.13	Spare parts for Diesel Engine, Cummins make, model VTA1710L, installed in 8 wheeler tower wagon No. RU 03892 based at DI as per annexure attached.	1	Sr.SE/TD/DI	M/s. Spark India Associate Nagpur-440002	25144
35	92.13.5425 .1. 65503	13.08.13	Snowcem paints Brick red.	650	H.S.BY	M/S. PARK & CO, MUMBAI 400077	31736
36	92.13.5464 .2. 65505	21.08.13	WRITING BOARD WITH VITREOUS ENAMELLED STEEL SHEET TOP SURFACE - Board colour: White,Purpose: Writing,Writing with: Dry	40	SSE/PSI/LNL	M/s. Alkosign Display Systems, Mumbai 400 052.	90300
37	92.13.5465 .2. 65506	21.08.13	WRITING BOARD WITH VITREOUS ENAMELLED STEEL SHEET TOP SURFACE - Board colour: White,Purpose: Writing,Writing with: Dry Marker Ink,%age Gloss at 60 deg. Lead: 80 min.,Size(mm x mm):	10	SSE/PSI/LNL	M/s. Alkosign Display Systems, Mumbai 400 052.	42000
38	92.13.5456 .1. 65507	21.08.13	Set of crockery & other Items	1	Sr DSC/RPF/CSTM	M/S JASMINE TRADING CO. MUMBAI -400009	10612
39	92.13.5455 .1. 65508	21.08.13	Aquaguard Hi-Flo Water purifier as per tech Specification with on site fitting installation with one year warranty. 'Alfaa' make Sparkle series, dimensions 240 x 142 x 350 operating Voltage 170-265 VAC Power , Rating 25 W , Flow Rate 2 liters per minute (max), Water pressure 0.3 (min) to 2.8 (max.)Kg/cm2 , input water TDS	3	Sr DOM CSTM	M/S JASMINE TRADING CO. MUMBAI -400009	29100
40	92.13.5403 .1. 65509	21.08.13	MCB 'C' curve double pole rating 63 Amp. Breaking capacity 10 KA for 25 KV AC CLS supply changeover pannel Legrand make	90	Sr. SEC ENGR PSI LNL	M/s.Shree Krishna Electric Insulating Corporation. Mumbai-400022	57150
41	92.13.5226 .1. 65510	26.08.13	Safety Poster holder foe out door display with mounting, Pasting & lamination on plywood, Hardwood of 12mm thickness of size of 19" x 29" for NSC Posters.	170	SSE (TL) CSTM	Write Zone Advertising. Mumbai- 400 001.	71336
42	92.11.5571 .1. 65511	26.08.13	Glass door Storewel with 4 Shelves (Book Case) Godrej make Grey colour	1	DRM(W) CSTM	M/s.Godrej & Boyce Mfg.Co.Ltd. Mumbai : 400 079.	21776
43	92.13.5444 .1. 65512	26.08.13	New Printer Ribbon sutable for use with EPSON-2175 printer.	45	Sr DCM CSTM	P.C.ENTERPRISE ,Mumbai 400 001.	9540
44	92.13.5309 .1. 65513	26.08.13	Filing Cabinet for four drawer size:1320mm x 470mm x 620mm D vertical filing cabinet with automatic locking system and duly powder coated finishing. Godrej model STVFXDM4087	3	SSE(AC_COG)CSTM	M/s.Godrej & Boyce Mfg.Co.Ltd. Mumbai : 400 079.	54770

Sr.	PO No.	Date	DESC.	QTY.	Consignee	FIRM	Total Value
45	92.13.5452 .1. 65514	26.08.13	Guage for checking of V belt tension proper hanging arrangement of 4 Kgs.weight with proper finishing & good condition stainless steel.	30	Sr.SEE(TL-AC) CSTM	Hardik Enterprise, Dist Thane 421 201.	94163
46	92.13.5463 .2. 65515	27.08.13	Desktop computer with pre-loaded operating system configuration intel core I 5 operating system microsoft window 7 RC item	3	Sr.DEE(TD)CSTM	Agmatal India Pvt. Ltd. Delhi 110092.	117736
47	92.13.5164 .1. 65516	28.08.13	Inkjet Printer Resolution (in dpi) 4800 1200 size A3, print speed in PPM (A4 size) 28 BW and 24C port 1 USB Duplexing Yes	1	Sr DOM CSTM	M/s. EXCEL ENTERPRISES,Mumbai.	16800
48	92.13.5457 .1. 65517	28.08.13	Vacuum Cleaner with accessories model Euroclean Bravo (Voltage 230VAC, 50 Hz Input Power 800 watts, Vacuum pressure of motor, 1880mm of WC18450 pascals Blower efficiency 17.3 lt /sec., new unit weight 2kg, Dimensions(LXWxH)	1	Sr DMM CSTM	M/s P.C.ENTERPRISE, Mumbai 400 001.	4480
49	92.13.5468 .2. 65518	30.08.13	Desktop Computer with preloaded Operating System, Configuration Intel i 5, Operating System Microsoft Window-7 Rc Item No.45.	2	Sr DSC/RPF/CSTM	Hewlett Packard India Sales Pvt.Ltd, 122002 (Haryana)	77254.8