

Sr.	PO No.	Date	DESC.	TOD	Consignee	FIRM	Total
1	92.13.5401 .1. 65575	01.10.13	HRC fuse base unit 63 Amps 415 Volt as per IS: 9224 part I. safe clip type (Complete with base, carrier & fuse L&T make HRC fuse unit 63A	27.08.13	SSE/Sub-Stn/CLA	M/s Om Sai Samarth Enterprises, Dombivli (W), Thane.	35500
2	92.13.5127 .2. 65576	04.10.13	Spare Ribbon Print Cartridge for Dot Matrix Printer Description: Spare for 24 pin, 136 column 300 Cps Dot Matrix Printer	RC	SSE(SRC)CSTM	HCL INFOSYSTEMS LTD, Noida UTTAR PRADESH - 201301	12863
3	92.13.5519 .1. 65577	11.10.13	Auxiliary Coil duly Epoxy coated of Dr. Beck make for use in Siemens Impedance Bond drg. No. R-ST-12036.	30.09.13	SSE(S) CLA	Hardik International. Mumbai- 400 004.	77112
4	92.13.5527 .1. 65578	11.10.13	RCC manhole cover of size 900 x 600 x50 mm of approximate weight of 70 to 75 kgs. BMC approved	30.09.13	SSE(W) CSTM	To M/S. PARK & Co, GHATKOPAR (E) MUMBAI - 077.	68963
5	92.13.5526 .1. 65579	11.10.13	RCC manhole cover of size 900 x 450 x50 mm of approximate weight of 45 to 50 kgs. BMC approved	30.09.13	SSE(W) CSTM	To M/S. PARK & Co, GHATKOPAR (E) MUMBAI - 077.	53213
6	92.13.5524 .1. 65580	11.10.13	Exide Battery MHD - 800, amararaja	30.09.13	DRM (W) CSTM	M/s. Hans Enterprises, Mumbai-400 003	7100
7	92.13.5484 .1. 65581	11.10.13	Set of Running Capacitors as per annexure "A"attached	17.09.13	Sr.SEE(AC-Sty)CSTM	M/s. Hans Enterprises, Mumbai-400 003	55000
8	92.13.5508 .1. 65582	11.10.13	Holder for non-retrofit camp 10/13/18/26 watts CFL (PL-C) 230 Volts. As per Havells cat. No. LHYC 13000099.	17.09.13	SSEE (Maint) CSTM	Alfa Engineers. Mumbai- 400 009.	77700
9	92.13.5507 .1. 65583	11.10.13	Holder for non-retrofit camp 18/24/36/55 watts FP-L 230 Volts. As per Havells cat. No. LHYC 14000099.	17.09.13	SSEE (Maint) CSTM	Alfa Engineers. Mumbai- 400 009.	79500
10	92.13.5510 .1. 65584	11.10.13	Plastic Drums (Bin) without Lid 50 litres capacity	17.09.13	CMS KYN	M/s. Hans Enterprises, Mumbai-400 003	44000
11	92.13.5462 .1. 65585	11.10.13	VRLA maintenance free battery set, 110V/120AH capacity for traction application (i.e .2/120AH with 54 cells) confirming to RDSO SEPCS(ETI/PSI/157(8/96) and as per IS-1651) or RDSO SPECN No.TRSS-93/96(a) with latest amendment 1.	27.08.13	SSE/PSI/PNVL	Amra Raja Batteries Ltd, Mumbai-400 003.	126187
12	92.13.5476 .1. 65586	11.10.13	Window Curtains with Superior quality polyester with fittings. Curtain Size 85" H x 48" W -9 Nos = 22 Mtrs. (9 Rods- 18 Brackets, 100 Rings, and Stichings Charges) Rod Size- 4"x1" dia & 18 brackets 100 rings.	30.09.13	Sr DCM CSTM	M/s. P.K. Textiles, Thane - 400 004.	8188
13	92.13.5469 .1. 65587	18.10.13	Bed Covers (Blue colour printed) for Single beds Size 60" x 90" Handloom type Jacquard design of thick material.Bombay dyeing as per sample. as per IRS condition.	30.09.13	Sr DCM CSTM	M/S JASMINE TRADING CO., MUMBAI -400009	104250
14	92.13.5490 .1. 65588	18.10.13	1100v grade flexible single core copper conductor PVC insulated,heavy duty,stranded(196/0.4)industrial cable,16 sqmm .size as per IS694-1890 or latest.	08.10.13	Sr.SE(PSI)PNVL.	Jayshree Trading Co., Mumbai-400 078.	77500
15	92.13.5450 .1. 65589	21.10.13	Delux maintainance Engineers/ Technical tools kit with 24 items in nylon carry case as per list attached. (A laminated metal LOGO of Indian Railways to be embossed on each tool Kit).	27.08.13	Sr.SEE(TL-AC)CSTM	Kohli Tecoma, Mumbai-400 034.	93375

Sr.	PO No.	Date	DESC.	TOD	Consignee	FIRM	Total
16	92.12.5592 .1. 65590	22.10.13	Air circulating wall bracket fan 600 mm 24" sweep 250 volts.1400RPM,single phase without regulator,3 blades,50Hz.conf to IS 2997 of 1964.As per Bajaj cat No.Supreme or CGL cat.No.AC 600 wall-I "Bajaj' make)	08.10.13	Sr.SEE(M)CST M.	M/s. H.P. Enterprises. Mumbai - 400 019.	102263
17	92.13.5511 .1. 65591	23.10.13	Spike guards of 4 Sockets-5 Amps with individual swithch 3 mtrs length maxx.	21.10.13	Sr DCM CSTM	M/s PAT AND COMPANY, Mumbai 400 001,	4800
18	92.13.5512 .1. 65592	23.10.13	Plastic Mugs 500 ml.Capacity 6" dia x 8" height	21.10.13	Sr DCM CSTM	M/s.Hemal Enterprises, Mumbai-400 077.	2100
19	92.13.5544 .1. 65593	23.10.13	Refilling of ribbons with black inked nylon fabric for TVSE printers-MSP-245 . Size - 12.7mm x 14 mtrs.	21.10.13	Sr.DCM CSTM	M/s. UNITED (India) Enterprises, Mumbai 400 001.	98711
20	92.13.5513 .1. 65594	23.10.13	Plastic Buckets of 15 liters capacity , 14" dia 18" height	21.10.13	Sr DCM CSTM	M/s.Hemal Enterprises, Mumbai-400 077.	2175
21	92.13.5545 .1. 65595	23.10.13	Refilling of 80 - coloumn printer cartridges with Jet black HD nylon fabric for Epson - LX - 300 printers. 12.7mm x 13 mtrs.	21.10.13	Sr.DCM CSTM	M/s. UNITED (India) Enterprises, Mumbai 400 001.	97052
22	92.13.5369 .1. 65596	23.10.13	Stainless steel bolt size M 12x 60/30mm with nut & flat washer with check nut RDSO specification no., ETI/OHE/18 CORE approved.(C/-SEE-Vadodara in reference to your Authorisation letter No.SEE/08/5369,Dated:17.08.2013 & Letter No.SEE/12-13/MKT/CRLY/SHERA/08194,Dated:19.08.2013.	26.08.13	SSE(OHE)CLA	Sherawali Enterprises, Ulhasnagar-421 002.	40352
23	92.13.5362 .1. 65597	23.10.13	G.I.Bolt hot dip galvanised hex head round neck full threaded with nut and washer and checknut size 20 x 100mm long as per IS.1363 bolt IS 226 nut IS 2016 washer IS 2633 for galvanising / CORE approved.(C/-SEE-Vadodara in reference to your Authorisation letter No.SEE/08/5362,Dated:17.08.2013 & Letter No.SEE/12-13/MKT/CRLY/SHERA/08191,Dated:19.08.2013.	26.08.13	SSE(OHE)CLA	Sherawali Enterprises, Ulhasnagar-421 002.	63221
24	92.13.5363 .1. 65598	23.10.13	G.I.Bolt hot deep galved hex head round neck full threaded with nut and washer and checknut size 20 x 75mm long IS 1363 for bolt IS 2016 for washer, IS 226 for material IS 2633/CORE approved.(C/-SEE-Vadodara in reference to your Authorisation letter No.SEE/08/5363,Dated:17.08.2013 & Letter No.SEE/12-13/MKT/CRLY/SHERA/08192,Dated:19.08.2013.	26.08.13	SSE(OHE)CLA	Sherawali Enterprises, Ulhasnagar-421 002.	46956
25	92.13.5370 .1. 65599	23.10.13	Stainless steel bolt size M10 x 50 x 30mm with nut & two flat washer with checknut RDSO specification no. : ETI/OHE/18 CORE approved.(C/-SEE-Vadodara in reference to your Authorisation letter No.SEE/08/5370,Dated:17.08.2013 & Letter No.SEE/12-13/MKT/CRLY/SHERA/08195,Dated:19.08.2013.	26.08.13	SSE(OHE)CLA	Sherawali Enterprises, Ulhasnagar-421 002.	43596
26	92.13.5491 .1. 65600	23.10.13	Complact fluorecent lamp 18 watts CFL 230 volts,cross pin (2pin type)(XP).As per CGL cat.No.6500XP	08.10.13	Sr.SEE(M)CST M	Arham Enterprise, Mumbai- 080.	83160
27	92.13.5492 .1. 65600	23.10.13	Complact fluorecent lamp 18 watts CFL 230 volts, 4pin type.As per Philips cat.No.PL-C 4pin.	08.10.13	Sr.SEE(M)CST M	Arham Enterprise, Mumbai- 080.	60480

Sr.	PO No.	Date	DESC.	TOD	Consignee	FIRM	Total
28	92.13.5522 .2. 65602	23.10.13	Steel Shelving Cabinet (Adjustable type) Sizable No of Shelves 4 Weight (kg) 86.0 Packing With Despatch/Unit.		Sr DOM CSTM	INDMET PRESS METAL PVT.LTD, NAGPUR-440028	108594
29	92.13.5523 .2. 65603	23.10.13	Composite Office Table with Top Of Prelaminated Particle Board (Veneered) Type of Unit: Double Storage Reference to Fig No. of IS: 8126/1993 :1A & 1B , Lx W x H Nominal: 1500 x 900x 750 mm		Sr DOM CSTM	INDMET PRESS METAL PVT.LTD, NAGPUR-440028	194076
30	92.13.5118 .1. 65604	25.10.13	Megger 500 V Hand operated , Metal body cable insulation Tester suitable for measuring up to 100 mega Ohms as per IS 2992/1987.	08.10.13	SSE/Sig/CLA	M/s. Spark India Associate, Nagpur-440002.	47649
31	92.13.5542 .1. 65605	25.10.13	Computer Dell inspiron One 2020, 3rd gen intel core i3- 3240T Window 8, 4GB Ram, 500 GP HDD Intel HD, Graphic B 20" HD non touch WLED 1 year Manufacture Warraty.	21.10.13	Sr DMM CSTM	M/s. EXCEL ENTERPRISES, Mumbai 400 001	39375
32	92.13.5514 .1. 65606	25.10.13	HP Pavilion model 500-08 in (H6M35AA# ACJ) Processor, A6-5200 Quad Core, Memory 4GB DDR3 RAM, Hard Disk 500GB Hard Disk Optical Drive DVD RW Display HP 18.5" LED Display Ethernet 10/100/1000 LAN Graphics Integrated Intel Graphics Card reader Multi Card Reader Port 4 USB Ports 2.2, Micro Phone Jack, Headphone Jack, VGA Port Keyboard & Mouse Wired Keyboard & Mouse Operating Systems Windows 8.Warranty by manufacturer HP.	21.10.13	Sr DSC/RPF/CSTM	M/s. EXCEL ENTERPRISES, Mumbai 400 001	36435
33	92.13.5440 .1. 65607	25.10.13	Electronic Ballast (Dual Voltage AC/DC)voltage range 88 - 138V AC/DC,input voltage 110V AC/DC,input current 190mA (max) power Factor 0.9 Capacitive frequency 58KHz (max) Efficiency-80% suitable 18watt tube light fitting of LHB type AC coaches,confirming to RCF specification No.EDTS-92 Amendment-I or latest.As per RCF approved sourcess only. (Accepted offer for Intra Electronics make : 'Photen' Brand Model No. 11018 D2 approved by RCF as per RCF Specification EDTS 092).	21.10.13	Sr.SEE(TL/AC)LT(T)	M/s. Sam Electricals, Mumbai 400 002.	121380
34	92.13.5447 .1. 65608	25.10.13	Electronic Ballast suitable for compact flouresent lamp 11 Watts, 4 Pin, Operating on 110V AC (90-140) Volts AC supply RCF Spec No. EDTS. 064 or latest. (Accepted offer for ' Intra electronics' make ' Photen' brand model No. PPL11 110A approved by ICF & RCF).	21.10.13	Sr.SE (TL/AC) LTT	M/s. Sam Electricals, Mumbai 400 002.	96075
35	92.13.5494 .1. 65609	25.10.13	Acrylic Name holder triangular Shape Size-2"x 10" x 1 mm thickness.	17.09.13	Sr DCM CSTM	M/s PAT AND COMPANY, Mumbai 400 001	4176
36	92.13.5587 .1. 65610	25.10.13	LED - 9 watt lamp with suitable stand and driver to work on 230 volts 50 Hz AC supply. The stand shall have still finish and shall be suitable to change the angle of focus in all direction. LED lamp shall have from reputed make and shall have yellow lights.	25.10.13	Sr.SEE (Maint) CSTM	Bharti Enterprises, Mumbai-400 002.	87500
37	92.13.5588 .1. 65611	25.10.13	Spot light with suitable stand with high corrosion resistance powder coated white finish. The wattage of lamp shall have 12 volts 1 x 9 watts or 1 x 10 watts driver. The stand shall have round base suitable to accommodate driver and posible to focus 360 degree . The colour of LED shall have preferably yellow in colour.	25.10.13	Sr.SEE (Maint) CSTM	SHRI SATGURU ELECTRIC & TRADING CO, Mumbai-400 003.	93080

Sr.	PO No.	Date	DESC.	TOD	Consignee	FIRM	Total
38	92.13.5589 .1. 65612	25.10.13	Set of one No. LED 1 watts round shaped LED lights and 02 Nos. of drivers suitable to operate 1 watts LED light at 230 volts 50 C/S. The LED lights shall be suitable to mounted on wooden batton and set consist of LED lamp 1w - 01 No. & Driver - 02 Nos.	25.10.13	Sr.SEE (Maint) CSTM	Bharti Enterprises, Mumbai-400 002.	93808
39	92.13.5590 .1. 65613	25.10.13	Sodium vapour lamp 250 watts, 230 volts, tubler single ended with E-40 thread suitable to Work on 230V AC similar to CGL SV 250W tubuler, Philips SON tubuler.	25.10.13	Sr.SEE (Maint) CSTM	Alfa Engineers.95, Mumbai- 400 009.	82800
40	92.13.5591 .1. 65614	25.10.13	LED tube 8W to 12 watts, wide voltage range 110 to 280 volts fitting 2 feet long along with fixing arrangement. The LED tube in yellow colour.	25.10.13	Sr.SEE (Maint) CSTM	Diwan Sons. 93-97, Mumbai-400 009.	95392
41	92.13.5592 .1. 65615	25.10.13	Metal halide lamp 150 watts double ended with warm light (yellow colour) to work on 230 volts A/C. Philips MHN-TD 150 W.	25.10.13	Sr.SEE (Maint) CSTM	Alfa Engineers.95, Mumbai- 400 009.	85800
42	92.13.5593 .1. 65616	25.10.13	Yellow colour LED tube 18 watts, wide voltage range 110 to 280 volts along with fixing arrangement.	25.10.13	Sr.SEE (Maint) CSTM	SHRI SATGURU ELECTRIC & TRADING CO, Mumbai-400 003.	91400
43	92.13.5531 .1. 65617	29.10.13	Street Light Metal halide fitting 250 watts 230 volts IP 66 protection complete with control gear box and with lamp. Single die-cast alluminium alloy housing with step pot optic reflector and toughened glass cover with frame.As per CGL cat.No.MHSGUN25H/G,HDBI25S /MH(Ballast) and lamp cat.No.MHL 250 W SE Elipctial	24.10.13	Sr.SEE(M)CST M.	Alfa Engineers.95, Mumbai- 400 009.	89982
44	92.13.5532 .1. 65618	29.10.13	Recess mounted cast alluminium round profile luminaire LED 3 x 4/3 watts silver 3000K in powder coated white finish with die-cast alluminium heatsink for efficient heat dissipation and with electronic driver.As per SSK cat.No.Burial 4W SLR WW or M/s.VIN LED Lighting cat.No.VDLR-S3/VDLR-SP3 or Bajaj cat No.220252 BGSL 03 03 WW.	24.10.13	Sr.SEE(M)CST M.	SHRI SATGURU ELECTRIC & TRADING CO, Mumbai-400 003.	83100
45	92.13.5533 .1. 65619	29.10.13	Cast alluminium housing with acrylic cover street light fitting 2 x 36 watt w/o lamp suitable for 230 volts 50 Hz AC supply similar to crompton SCE13236EB and Havells LHRC02236025 complete with electronic ballast 4 pin CFL holder wiring etc.	24.10.13	SSE(EM)KYN	Diwan Sons. 93-97, Mumbai-400 009.	93840
46	92.13.5535 .1. 65620	29.10.13	3 pole MCCB 100 A , 50 KA, 415 volts, 50 Hz AC supply with fixed thermal magnetic release confirming to IS - 13947.	24.10.13	SSE(EM)KYN	Bharti Enterprises, Mumbai-400 002.	87000
47	92.13.5569 .1. 65621	29.10.13	Multi coloured toran with suitable driver in length 9 to 10 mtrs and number of LED lamp not less than 85 Nos. in each toran. The LED toran shell be suitable to work on 230 volts 50 Hz AC supply.	28.10.13	Sr. SEE (Maint) CSTM	SHRI SATGURU ELECTRIC & TRADING CO, Mumbai-400 003.	88000
48	92.13.5489 .1. 65622	30.10.13	Two Line Free Telephone BEETEL M 70	08.10.13	SSE(T/HF) CLA	M/s The Makardhwaj Enterpries, Mumbai-400 005.	98805
49	92.13.5467 .1. 65623	30.10.13	Lamination Film,s A4 Size 30 Boxes, each contain 100 Sheet for laminated Service Certificates of normal Retirement & Valuntary Retirement.	17.09.13	Sr DPO CSTM	M/S. SANJAY ENTERPRISES. MUMBAI 400077.	15593

Sr.	PO No.	Date	DESC.	TOD	Consignee	FIRM	Total
50	92.13.5477 .1. 65624	30.10.13	Automatic transfer switch four pole 100 Amps, AC 33A, 50 Hz, 440 Volts, Automatic with in built time delay. As per Havells cat. No.IHYFSAO 100. Complete with M.S. Fabricated powder coated box and stand conforming to IS IEC 60947-1. (fabricated Box Drg.attached.)	08.10.13	SSEE (Maint) CSTM	Kudos Enterprises, Navi Mumbai-400 705.	69635
51	92.13.5466 .1. 65625	30.10.13	M.S. pipe sleeve 130mm long x 40mm bore heavy duty of belt tensioning device IS No. 1239, PI, RDSO Drg. No. 3940, sheet No. 1. item No. 4, 8, 7, 5.	17.09.13	SSE (TL/AC) LTT	Presstech (India) Pvt.Ltd. Palghar Dist. Thane.	94500
52	92.13.5158 .1. 65626	30.10.13	25mm M.S. Galvanized wire rope flexible with 6/19 core with "D" type lug insulated with PVC outer sleeve 3mm wall thickness length 5 meters (wire rope end to end).	08.10.13	Sr.SE/TD/PNV L	General Sales & Services. 401, Thane - 400 605	105769
53	92.13.5099 .1. 65627	30.10.13	Pedestal fan 450mm 18" sweep 250V, 3 blades RPM 1400 speed 0,1,2,3 and speed control push button H 1700-1300mm type. As per Bajaj cat. No. grace 450mm or CGL cat. No. PFRAPID 450 - OW.	08.10.13	SSE (TL) CSTM	M/s . Reyansh Enterprises, Navi Mumbai 400 708.	35123
54	92.12.5391 .1. 65628	30.10.13	Refrigerator domestic type Capacity 190 Ltrs.to210 Ltrs. frost free suitable to operate on 230 volts,50 Hz,single phase AC power supply with 5 star rating conf.to IS 1470/77	08.10.13	Sr.DEE(TRS.O)CSTM	M/s . Reyansh Enterprises, Navi Mumbai 400 708.	11250
55	92.13.5561 .1. 65629	31.10.13	Four way Multi Purpose key for opening Panel Board, Tube light fitting, Various Inbuilt Latches and PFG fitting cover.	25.10.13	SSE (AC/Cog) CSTM	M/S. OM TRADING CO., Kalyan (E) ,421306.	46000
56	92.13.5570 .1. 65630	31.10.13	LED rope light to work on 230 volts AC. Single length of 100 mtrs. Length White light with adoptor.	28.10.13	Sr. SEE (Maint) CSTM	Alfa Engineers.95, Mumbai- 400 009.	79000
57	92.13.5538 .1. 65631	31.10.13	Fully automatic Star-Delta Motor Starter 75 HP/56 KW, relay range 55-70A, 440 volts, 50 Hz. AC supply confirming to IS -13947	28.10.13	SSE(EM)KYN	Bharti Enterprises, Mumbai-400 002.	69000
58	92.13.5509 .1. 65632	31.10.13	Retro Reflective Stop Board rectangular type Yellow reflective back ground with black words printed STOP size 600 mm X 300 mm in CRC MS 3mm thick in HIG prismatic sheets. Make Avery denission / 3M India / Nikalite as per Drg .No.. RST-11791 Drawing attached with the warranty of 7 Years.	21.10.13	SSE(SIG) CLA	M/s. Globus Enterprise, Mumbai-400 067.	85838
59	92.13.5574 .1. 65633	31.10.13	Insect killer with UV tube size 24" x 2 Nos. UV tube 230 volts with wall and celling mounted fitting arrangment. Make - Pasto fly kil, Fly Nil, Fly Killer machine. (Ultra violet tube)	28.10.13	Sr. SEE (Maint) CSTM	Alfa Engineers.95, Mumbai- 400 009.	89604
60	92.13.5520 .1. 65634	31.10.13	16 mm Wire Rope with Brass lug at both ends to suit ABB AFTC consisting of 1 wire Rope of 2.6 meter length .	28.10.13	SSE(S) CLA	General Sales & Services. 401, Thane - 400 605	64800
61	92.13.5537 .1. 65635	31.10.13	PVC insulated and PVC round sheathed multicore copper conductor cable of size 2 core 1.5 sq.mm 1100 volts confirming to IS-694.	28.10.13	SSE(EM)KYN	M/s Darshan Enterprises.Mumbai-400 092	99820
62	92.13.5521 .1. 65636	31.10.13	16 mm Wire Rope with Brass lug at both ends to suit ABB AFTC consisting of 1 wire Rope of 4.3 meter length.	28.10.13	SSE(S) CLA	M/s. Mak Traders, Mumbai.	79200

Sr.	PO No.	Date	DESC.	TOD	Consignee	FIRM	Total
63	92.13.5572 .1. 65637	31.10.13	Recess mounting mirror optic fitting 3 x 14 watts FTL T5 230 volts with pre anodised aluminium louvers. As per Havells cat. No. LHFCDF3PU1W014 Pre-Ano. Ref. L2 cat. Ceiling cut out size 580 mm x 580 mm.	28.10.13	Sr. SEE (Maint) CSTM	M/s. HEM ENTERPRISES, Mumbai-400 092.	88594
64	92.13.5515 .1. 65638	31.10.13	Marker Disk made Out of 3 mm Aluminium coposite panel intensity prismatic grade reflective sheeting background & lettering from black Alkyd Vinyle 'C' size 230mm dia circle. As per Drawing No. WS /729 . one Clamp to be provided. Make Avery Denission / 3M India / Nikilite with the warranty of 7 Years.	21.10.13	SSE (SIG) CLA	M/s. Hira Enterprise, Mumbai 400 067.	81000
65	92.13.5536 .1. 65639	31.10.13	3 pole MCCB 50 KA , 415 volts, 50 Hz AC supply capacity 200 A with fixed thermal magnetic release conforming to IS - 13947.	24.10.13	SSE(EM)KYN	M/s. HEM ENTERPRISES. Mumbai-400 092.	91800
66	92.13.5568 .1. 65640	31.10.13	Metal halide lamp E/27 cap 70 Watt single ended tubular suitable for 230 volts 50 Hz. AC supply.	28.10.13	SSE (EM) KYN	M/s Darshan Enterprises.Mumbai-400 092	97080
67	92.13.5539 .1. 65641	31.10.13	Piano type multi socket 2 in 1 suitable for 2 pin and 3 pin 6 A top 230 volts, 50 Hz, AC supply, non ceramic type and as per IS 1293.	28.10.13	SSE(EM)KYN	M/s.Diwan Sons, Mumbai-400 009.	90000
68	92.13.5534 .1. 65642	31.10.13	Electronic ballast for 1 x 36 watt FTL lamp suitable for 230 volts 50 Hz AC supply similar to Bajaj - BJHF 1365.531140, Crompton- EBN 1360, Havells - LHBF01904025.	24.10.13	SSE(EM)KYN	M/s Darshan Enterprises.Mumbai-400 092	94050
69	92.13.5518 .1. 65643	31.10.13	Auxiliary Coil insulated terminal for Siemens Impedance Bond as per Drg. No.RST -11412	21.10.13	SSE(S) CLA	M/S. HIND INDUSTRIE, Mumbai 400 016.	64125
70	92.13.5502 .1. 65644	31.10.13	Capacitor set for Siemens Relay Rack A) 25 MFD 160 VDC Size 35 x 55 mm Soldering type - 50 Nos.B) 50 MFD 160 VDC size 35 x 55 mm Soldering type - 50 nos. Rescon , Epcos, SEPL make (Accepted offer for SEPL make each set of 2 items i.e 100 Nos.)	08.10.13	SSE (SIG) CLA	M/s.Puri Electronics. MUMBAI 400 007	18900
71	92.13.5516 .1. 65645	31.10.13	Marker Disk made Out of 3 mm Aluminium coposite panel intensity prismatic grade reflective sheeting background & lettering from black Alkyd Vinyle 'A' size 230mm dia circle. As per Drawing attached. one Clamp to be provided. Make Avery Denission / 3M India / Nikilite with the warranty of 7 Years.	21.10.13	SSE (SIG) CLA	M/s. Hira Enterprise, Mumbai 400 067.	89100