

| Sr | PO No. | Date | DESC. | QTY. | Consignee | Firms Name | Total value |
|----|----------------------|----------|--|------|---------------------|---|-------------|
| 1 | 92.14.5047 .1. 65053 | 17.02.14 | Retro Reflecting Block section Limit Board size 900 mm X 600 mm 3 mm made from 3 mm Aluminium sheet make Avery Denission, 3M, Nikilite as per drawing attached. | 23 | SSE(SIG/STO) KYN. | Hira Enterprise, Mumbai 400 067. | 79350 |
| 2 | 92.14.5048 .1. 65054 | 17.02.14 | Goods Warning Cum Sighting Board (Goods Train size 1800 mm X 535 mm of 3 mm Aluminium sheet with Yellow reflective sheet & Black sheet make Avery Denission, 3 M , Nikilite as per drawing attached. | 18 | SSE(SIG/STO) KYN. | Globus Enterprises, Mumbai- 400 067. | 87300 |
| 3 | 92.14.5046 .1. 65055 | 17.02.14 | ABB Bond Plate with complete set of Nut & Bolt suitable for terminating track lead connection of AFTC as per drawing No. RST-11630 Materials as per SS 304 . | 300 | SSE(SIG/STO) KYN. | Shree Ganesh Enterprises, Mumbai-400 101. | 94500 |
| 4 | 92.14.5036 .1. 65056 | 17.02.14 | Number plate board aluminium size 300 mm x 300 mm x 2 mm thick radium reflective blue background and white radium reflective numbers with two hole 14 mm dia. | 225 | Sr. SE (TD) OHE KYN | T.M. Jayalakshmi & Co., Ulhasnagar - 421 003. | 88875 |
| 5 | 92.10.6036 .1. 65057 | 17.02.14 | Electric Rotary lawn mover make Dinesh EL -500 with 2 Nos. additional lawn cutting Blades, 1) Power- branded High speed electric motor 2 HP single phase 2800 rpm specially designrd for high torque for grass cutting. 2) Cutting Width -400 mm 3) Length of electric cable - 25 mm. 4)Self lubricated wheel mounted. 5)Special side throw arrangment. 6) Innovative design for cutting for cutting adjustments, no spanner or no taking out the blade, just place lever at appropriate notch to get the desired cutting height. warranty:- 12 Months against manufacturing defect. | 1 | DEN (Hort) CSTM | Benson India, Mumbai-400 075. | 29474 |
| 6 | 92.14.5052 .1. 65058 | 17.02.14 | Set of Electronic spare parts for repairing of Mobile Laptop chargers use in TL /AC coaches. One set consist of Eight items | 1 | Sr.SE (TL/AC) CSTM | OM TRADING CO., Kalyan (E) ,421306. | 80570 |
| 7 | 92.14.5013 .1. 65059 | 17.02.14 | Cast aluminium housing MH70 watts luminaires with glass cover IP 65 protection complete with copper ballast, ignitor etc suitable for 230 volts 50 Hz AC supply similar to Bajaj-BGEST0270 MH and Havells - LHRY26170D99 | 21 | SSE/EM/KYN | Hem Enterprises, Mumbai-400 092. | 97571 |
| 8 | 92.14.5014 .1. 65060 | 17.02.14 | PVC reinforced flexible conduit pipe 50 mm OD in grey colour confirming to IS 9537, part IV | 480 | SSE/EM/KYN | Shri Satguru Electric & Trading Co. Mumbai-400 003. | 95760 |
| 9 | 92.14.5018 .1. 65061 | 17.02.14 | T-5 tube 24 watts high efficiency cool day light base, cap G-5, 6500 K suitable for T-5 luminaire 1 x 24 watts, 230 volts 50 Hz AC supply similar to LHST 36114699. Make : Crompton, Havells, Bajaj. | 600 | SSE/EM/KYN | Alfa Engineers, Mumbai- 400 009. | 95868 |
| 10 | 92.14.5012 .1. 65062 | 17.02.14 | Front mounting 24 hrs. programmable electromechanical time switch with battery back up current capacity 16 A similar to Hager cat no. EH 711 and Indoasian cat no.TA912472 suitable for 230 volts 50 Hz AC supply. Make : Hager, Indoasian, Crabtree of Havells. | 40 | SSE/EM/KYN | Darshan Enterprises, Mumbai-400 092 | 92000 |
| 11 | 92.14.5009 .1. 65063 | 17.02.14 | Automatic star delta starter 35 HP SS enclosure suitable for 3 phase 440 volts 50 Hz pump motor with U/V, OLR relay range 28-36 A complete similar to Havells cat no. IHPASDUE, L&T Cat no.SS90705. Make : Havells, C&S, L&T. | 6 | SSE/EM/KYN | Shri Satguru Electric & Trading Co. Mumbai-400 003. | 88440 |

| Sr | PO No. | Date | DESC. | QTY. | Consignee | Firms Name | Total value |
|----|----------------------|----------|---|------|--------------------|---------------------------------------|-------------|
| 12 | 92.14.5008 .1. 65064 | 17.02.14 | Outdoor end termination kit 22 KV (E) screened XLPE AL conductor cable 3 core of size 120 sq.mm conf. to IS Make : Heat shrinkable Reychem 3m, Power tech. | 5 | SSE/EM/KYN | Jeet Engineering Co, Mumbai- 400 068. | 85500 |
| 13 | 92.14.5016 .1. 65065 | 17.02.14 | Press fit modular type 1 way one module 10A switch and 1 way two module 10A switch suitable for 230 volts 50 Hz AC supply similar to Anchor (Roma) code 21011 and 21510(one set = 02 switches). Make - Anchor (Roma), Havells (Crabtree) and Schneider. | 400 | SSE/EM/KYN | Diwan Sons. Mumbai-400 009. | 95100 |
| 14 | 92.14.5053 .1. 65066 | 17.02.14 | Set of Electronic spare parts required for repairing of 18 Watt electronic Invertors use in TL /AC coaches (One set consist four items in 11500 nos,) as per annexure | 1 | Sr.SE (TL/AC) CSTM | OM TRADING CO., Kalyan (E) ,421306. | 92900 |
| 15 | 92.14.5049 .1. 65067 | 17.02.14 | Heavy duty Mobile Garbage Bin Wheel Barrow high density polythene material with lids handles wheels & Axles and solid rubber tyre Capacity 120 litrs.Make Eco or Otto. | 30 | CMS KYN | Hans Enterprises, Mumbai-400 003. | 86550 |
| 16 | 92.13.5640 .1. 65068 | 17.02.14 | Aquaguard Hi-Flo Water purifier as per tech Specification Dimensions (WxDxH) in mm: 307x103x355, Net weight 4.95 kg, Ultra-voilet lamp 16 watts, Power rating : 35 watts, Input voltage 230V AC/ 50Hz , Water pressure minimum : 0.4kg/Sq cm Maximum- 2.0Kg Sq cm, water flow rate 3 liter/minute fuse 2 amps (Slow-blow) Eureka Forbes with on site Fitting installation with one year warranty or Alfaa make Sparkel Series, dimensins 240x 142x350 operating Voltage 170-265 VAC Power, Rating 25W, Flow Rate 2 liters per minut (max) water pressure 0.3 (min) to 2.8 (max) kg/cm2 input water TDS ideal upto 500.(Accepted offer for Eureka Forbes Aquaguard Hi-Flo Water purifier.) | 10 | CMS KYN | Jasmine Trading Co., MUMBAI - 400009 | 96694 |
| 17 | 92.13.5620 .1. 65069 | 17.02.14 | Furniture in Sr DSO Chambers as per Annexure | 1 | Sr DSO CSTM | Royal Furnitures, Mumbai- 400 001. | 94450 |
| 18 | 92.14.5035 .1. 65070 | 17.02.14 | LED Monitor 20" Model Benq.(Accepted offer for Benq led Monitor 20" Model GL2023.) | 1 | Sr DMM CSTM | Excel Enterprises, Mumbai. 400 001. | 6790 |
| 19 | 92.13.5713 .1. 65071 | 17.02.14 | Sofa set (Three Seater) with two Single Sofa size Cushioned Sofa Set (3+1+1) of superior quality dimension 3 seater- 36"D x 36"H x 84" L & 2 Single seater - 36" Dx 36" H x 36" L with chromium legs and black colour cloth printed cover as per photograph with Wooden frame and 3" foam material of good quality make. | 1 | Sr DPO CSTM | P.C.ENTERPRISE, Mumbai 400 001. | 25350 |
| 20 | 92.13.5701 .1. 65072 | 17.02.14 | Water Purifier as per catelogue attached flow rate 2 litrs/minute Eureka forbes, Kent,(Accepted offer for SMARTGUARD). | 13 | Sr DCM CSTM | Jasmine Trading Co., MUMBAI - 400009 | 88400 |
| 21 | 92.14.5054 .1. 65073 | 17.02.14 | Furniture Item as per annexure | 1 | Sr DOM CSTM | Royal Furnitures, Mumbai- 400 001. | 54169 |
| 22 | 92.14.5011 .1. 65074 | 17.02.14 | Electronic ballast for T-5 tube 2 x 24 watt THD < 30% suitable for 230 volts 50 Hz AC supply similar to Bajaj code BJHF 224 P and Crompton EB 224T5A/I, Havells code LHBT01224034. Make : Havells, Bajaj, crompton. | 130 | SSE/EM/KYN | Darshan Enterprises., Mumbai-400 092 | 99450 |
| 23 | 92.13.5651 .1. 65075 | 17.02.14 | Display terminal panel unit with SMPS & logic module ac to dc supply of LG, Samsung & Videocon make. | 12 | SSE/TELE/HF/CLA | Excel Enterprises, Mumbai. 400 001. | 71379 |

| Sr | PO No. | Date | DESC. | QTY. | Consignee | Firms Name | Total value |
|----|----------------------|----------|--|------|---------------------|--|-------------|
| 24 | 92.14.5043 .1. 65076 | 17.02.14 | Water proofing Cement paint of Brick Red (406-S) of Snowcem make 25 Kgs. pack Simcoplus make | 2200 | SSE (W) By. | To PARK & CO., MUMBAI 400077. | 72394 |
| 25 | 92.14.5044 .1. 65077 | 17.02.14 | Water proofing Cement paint of Bone White (204-S) of Snowcem make 25 Kgs. pack Simcoplus make | 2200 | SSE (W) By. | To PARK & CO., MUMBAI 400077. | 72394 |
| 26 | 92.14.5045 .1. 65078 | 17.02.14 | Acrylic Distemper Ivory colour in 20 Kgs. pack of Asian , Shalimar,Berger make. | 2000 | SSE (W) By. | Hans Enterprises, Mumbai-400 003. | 92000 |
| 27 | 92.13.5162 .1. 65079 | 18.02.14 | Executive Table Godrej Model No. WT-716 A, United make(India).Size 1665mm x 900 mm x730 mm with ERU of size 36" x 18" x 27" with Two drawers and two door and shelf Table of size 71" x 35" x 30" | 1 | Sr.DEE (TRS/O) CSTM | D.S.Furniture Works Interior & Enterprises, Mumbai-72. | 17790 |
| 28 | 92.14.5015 .1. 65080 | 20.02.14 | Submersible pump starter DOL 7.5 HP suitable for 415 volts 50 Hz AC supply complete with ON/OFF push button, voltmeter, A-Meter, indication lamp with relay range of thermal magnetic release 12-18 A. Havells cat no.IHSDOANBW and C&S BE1-SSDX204-321 Make : Havells, C&S, L & T. | 19 | SSE/EM/KYN | Bharti Enterprises, Mumbai-400 002. | 99750 |
| 29 | 92.14.5017 .1. 65081 | 24.02.14 | Double door SPN 6 way distribution board complete with 40A SPN MCB 1 No. SP MCB 6A - 4 nos. Neutral Earth bus bar link, similar to Havells cat no. DHDQSHODRW06 suitable for 230 volts 50 Hz AC supply. Make : Havells, Standard, HPL. | 28 | SSE/EM/KYN | Jeet Engineering Co, Mumbai- 400 068. | 95760 |
| 30 | 92.14.5064 .1. 65082 | 24.02.14 | PVC wallcladding fitting with G.I.section consisting of providing and fixing PVC multiple hallow section of approved Grey colour with tong & groove fixture having wall thickness of 1mm in shutter panel,partition etc.to be fixed by G.I.section bidding and screw .Cladding size: 6"inch x 12Feet-20mm thick,Metal section 60x35mm with 1/2"inch Metal screw & 10mm x 10mm bidding. | 800 | SSE(TL)CSTM | General Sales Services, Thane | 68800 |
| 31 | 92.14.5180 .2. 65083 | 24.02.14 | Small EPBAX system configuration add-on items Nos: Standard PBT (DTMF/DECADIC) Phones as per XTS-0001 | 200 | SSE(T/STO)KYN | Coral Telecom Ltd. E-2,SECTOR-63 NOIDA,U.P. 201301 | 63000 |
| 32 | 92.14.5070 .1. 65084 | 25.02.14 | Folding type Wheel Chair (Powder coated steel) Seat width 43 cm,Fixed Arm rest and Leg rest 8" PVC point Castor 24" Solid Spoke Wheel Ishneel Healthcare Pvt.Ltd.Model No.IN1 875-46 as per photo attached. | 12 | Sr DCM CSTM | Hemal Enterprises, Mumbai- 400 077. | 53760 |
| 33 | 92.14.5071 .1. 65085 | 25.02.14 | ISI marked DE-Odourising Cum Disinfectant Fluids Pine Oil base to IS 10758:1983 (reaffirmed 2002) Grade-1 | 50 | Sr DCM CSTM | Pat & Co., Mumbai 400 001 | 2750 |
| 34 | 92.14.5072 .1. 65086 | 25.02.14 | Naphthalene White balls Pure Prime white balls to IS 539/74 | 15 | Sr DCM CSTM | Pat & Co., Mumbai 400 001 | 1725 |
| 35 | 92.14.5073 .1. 65087 | 25.02.14 | 8 Quire rulled Regestars Sunny, Durga, or Naina make | 20 | Sr DCM CSTM | Hemal Enterprises, Mumbai- 400 077. | 5300 |
| 36 | 92.14.5080 .1. 65088 | 25.02.14 | Box Files with Kangaroo Clips.Raja, Classic or Apple Make. | 60 | Sr DCM CSTM | Pat & Co., Mumbai 400 001 | 4800 |

Purchase orders issued during the month of Feb-2014

4==4

| Sr | PO No. | Date | DESC. | QTY. | Consignee | Firms Name | Total value |
|----|----------------------|----------|---|------|-------------------|---|-------------|
| 37 | 92.14.5139 .1. 65089 | 25.02.14 | Excutive Folders, Gel Pens Writing Pads and PPL folders.1) Plastic Folders SPS, Neo, Sagar make-.55 Nos. 2) Gel Pens-Cello, Lexi or Rotomac make-.55 Nos 3) Writing Pads- Durga, Shakti, Naina make-55 Nos 4) Chain Foldrers SPS, Kori, SVS make-.55 Nos. | 55 | Sr DCM CSTM | Hemal Enterprises, Mumbai- 400 077. | 9900 |
| 38 | 92.14.5039 .1. 65090 | 26.02.14 | PS2 /USB Keyboard with 101 Keys. Microsoft , Logitech or lball make. | 10 | Sr DCM CSTM | P.C.ENTERPRISE, Mumbai 400 001. | 4370 |
| 39 | 92.14.5040 .1. 65091 | 26.02.14 | 4 GB Pen Drive Sandisk,HP,Sony,Kingstone make . | 25 | Sr DCM CSTM | P.C.ENTERPRISE, Mumbai 400 001. | 8500 |
| 40 | 92.13.5681 .1. 65092 | 26.02.14 | Supply of Industrial type water filter cum purifier, 20" candle, 20" carbon block, 20" x 2 bowl, 20 watt UB & 300 to 400 L/per hour of Smartguard | 4 | Sr.DEE(TRS-O)CSTM | Jasmine Trading Co., MUMBAI - 400009 | 62089 |
| 41 | 92.14.5020 .1. 65093 | 26.02.14 | Presto Plast switch board (complete board) size 4" x 7", fire proof, shock proof, termite proof, Ivory colour. Confirming to IS 14772. | 2000 | SSEE(maint)CS TM | Rajesh Traders., Mumbai-400 092 | 90000 |
| 42 | 92.14.5021 .1. 65094 | 26.02.14 | Presto Plast switch board (complete board) size 6" x 8", fire proof, shock proof, termite proof, Ivory colour. Confirming to IS 14772. | 1500 | SSEE(maint)CS TM | Alfa Engineers, Mumbai- 400 009. | 99975 |
| 43 | 92.14.5022 .1. 65095 | 26.02.14 | Batten type slim and sleek T5 1x28 watts 230 volts fitting complete with electronic ballast and yellow colour T5 lamp 2700 KA 28 watts. Make - Phillips, Havells, CGL, Bajaj. | 115 | SSEE(maint)CS TM | Alfa Engineers, Mumbai- 400 009. | 99995 |
| 44 | 92.14.5069 .1. 65096 | 26.02.14 | GI earthing strip of size 25 x 3 mm in standard length of 2.7 metres as per sketch | 900 | SSE/EM/KYN | Shri Satguru Electric & Trading Co. Mumbai-400 003. | 99900 |
| 45 | 92.14.5066 .1. 65097 | 26.02.14 | Printed Cotton Bed Sheet of make Bombay Dyeing . for ORH at Parcel Bldg. CSTM (One Set consist of 2 Bedsheets size 60" x 90" & 2 Pillow Covers size 40 x 60 CMS.Total 4 Nos.) | 6 | SSE(CUST) CS | D.M.Rathod, Mumbai 400 028. | 8051 |