

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
1	92.14.5225 .2. 65141	01.04.14	MCB with ISI Mark Rated Short Ckt. Capacity 10 KA Instantaneous Tripping Range: B,No. of Poles (PP= Protected Pole): 4 pole with 3 PP, Rated Volts: 415, Rated Current in Amps: 63.	210	Sr. SEE (Maint) CSTM	ADHUNIK SWITCHGEARS PVT. LTD. DELHI - 110088	96814.2
2	92.14.5227 .2. 65142	01.04.14	MCB with ISI Mark Rated Short Ckt. Capacity 10 KA Instantaneous Tripping Range: B,No. of Poles (PP= Protected Pole): 2 pole with 2 PP,Rated Volts: 240,Rated Current in Amps: 63.	400	Sr. SEE (Maint) CSTM	ADHUNIK SWITCHGEARS PVT. LTD. DELHI - 110088	95112
3	92.14.5230 .2. 65143	01.04.14	MCB with ISI Mark Rated Short Ckt. Capacity 10 KA Instantaneous Tripping Range: B,No. of Poles (PP= Protected Pole): 3 pole with 3 PP,Rated Volts: 415,Rated Current in Amps: 40	350	Sr. SEE (Maint) CSTM	ADHUNIK SWITCHGEARS PVT. LTD. DELHI - 110088	100086
4	92.14.5222 .2. 65144	01.04.14	Single Phase Propeller Type Ventilating Fans.(Exhaust Fans) Number of poles: 4,Sweep size in mm: 380	60	Sr. SEE (Maint) CSTM	M/S GARG UDYOG, DELHI - 110085	120414
5	92.13.5702 .1. 65145	03.04.14	RJ- 45 ( Register Jack -45 ) make. D Link , Digisole, TP Link, Netgear.	5000	SSE/T/HF/CLA	M/s. Ankur Electronics, Mumbai. 400 069.	21000
6	92.13.5567 .1. 65146	03..04.14	Goot make Portable Desoldering station model TP100AS type WELLER, ( Accepted offer for ' MACMEN' make )	2	SSE (SIG) CLA	M/s. Machinery & Equipment. Mumbai-400 003	25763
7	92.13.5643 .1. 65147	03..04.14	Copper Lugs 25 Sq. mm Single Hole for AFTC track lead make Doweell's , Braco, Shakti	3500	SSE(SIG/STO/KY N.	Mohaans Enterprise, Mumbai-400 003.	43864
8	92.14.5031 .1. 65148	03..04.14	Panel push button assembly suitable for 54 x 34 mm Dominos in various colours Red, 450 Nos, Blue 120 nos, grey 600 Nos, blue with White dot 150 nos, and yellow 180 nos. ' KAYBEE' make	1500	SSE/SIG/STO/KY N.	Kaybee agencies, Mumbai-400 016.	51975
9	92.13.5724 .1. 65149	03..04.14	Earth tester hand driver generator metal body four terminal type range 3/30 ohms, alongwith 2 Nos testing kit one hammer, one screw driver, 4 splices, 8 crocodile clip, 4 wire. Nippen' make	12	Sr.SE (TD) PNVL	M/s. Sam Electricals, Mumbai 400 002.	40959
10	92.14.5059 .1. 65150	03..04.14	HRC Fuse 32 Amps 80 KA 500 VA Type TIA Off Set Tag conf.to IS 13703 C&S code No. CTIA 32 Amps.	1800	SSE(TL)CSTM	M/s. Kaltro Enterprises. Thane - 421 501.	79191
11	92.14.5060 .1. 65151	03..04.14	HRC Fuse 35 Amps 80 KA 500 VA Off Set Tag Type TIA conf.to IS 13703 C&S code No. CTIA 35 Amps.	1500	SSE(TL)CSTM	M/s. Kaltro Enterprises. Thane - 421 501.	65993
12	92.14.5061 .1. 65152	03..04.14	HRC Fuse 6 Amps 80 KA 500 VA Type NS Off Set Tag conf.to IS 13703 C&S code No. CNS 6	2500	SSE(TL)CSTM	M/s. Kaltro Enterprises. Thane - 421 501.	66150
13	92.13.5483 .1. 65153	03..04.14	Portable Hand Operated Hydraulic Crimping Tool suitable for Hexagon Range (Cu) 16 Sq.mm crimping forced 60 KN FLIP, TOP, Rotating Head and Safety valve complete with Dies carrying case to Model No.MDC-HT-300. of ADEVICO , IZUMI make.	2	SSEE (Maint) CSTM	Kudos Enterprises, Navi Mumbai- 400 705.	93870
14	92.13.5728 .1. 65154	03..04.14	Portable electric blower machine plastic body 230V, single phase 335 watt, 18000 RPM with all accessories. Make-Wolf Rally India, Black & Deckor, K.P.T.	19	Sr.SE (TD) PNVL	Mak Traders.Pawai Mumbai	21090
15	92.13.5672 .1. 65155	03..04.14	Pole pruner 65 manual (Agrimate) Extendable length 2365-6500 mm, length adjustment 7 stages with 16" tooth curved saw 6.5 m, 2.55 Kgs.	7	SSE (OHE) CLA	Mak Traders.Pawai Mumbai	82677
16	92.13.5722 .1. 65156	03..04.14	25 mm M.S.Galvanized wire rope flexible with 6/19 core with "D" type lug insulated with PVC outer sleeve 3 mm wall thickness length 10 meters (wire rope end to end).	30	Sr.SE (TD) PNVL	General Sales Services, Kalwa (W), Thane	79007

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
17	92.13.5663 .1. 65157	03..04.14	25 mm M.s. galvanised wire rope flexible with 6/19 core with 'D' type lug insulated with PVC outer sleeve 3 mm wall thickness length 5 mtrs. (wire rope end to end).	50	SSE (OHE) CLA	General Sales Services, Kalwa (W), Thane	66106
18	92.13.5655 .1. 65158	03..04.14	Come along clamp (wedge type) for 193 sqmm copper contact wire as per Drg. No. OE/144.	30	SSE (OHE) CLA	General Sales Services, Kalwa (W), Thane	83370
19	92.13.5669 .1. 65159	04.04.14	'U' clamp M.S. galvanized for steel guy wire size 7/3.65. as per Drg. No. F44 (M) R.	400	SSE (OHE) CLA	M/s T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	17640
20	92.13.5662 .1. 65160	04.04.14	Spark Gap Earthing Device item No. 279 (M) to Drg. No. F 279 (M) R8.	300	SSE (OHE) CLA	M/s T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	53550
21	92.13.5658 .1. 65161	04.04.14	Brass clip complete for 242 sqmm catenary wire as per Drg. No. ET/SO/4975.	500	SSE (OHE) CLA	M/s T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	37800
22	92.13.5021 .1. 65162	04.04.14	"U" Clamp M.S. Galvanized for steel guy wire size 7/3.65 as per Drg.No.F-44 (M)R. attached.	400	Sr.SE/TD/PNVL	M/s T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	16590
23	92.13.5664 .1. 65163	04.04.14	25 mm M.s. galvanised wire rope flexible with 6/19 core with 'D' type lug insulated with PVC outer sleeve 3 mm wall thickness length 7 mtrs. (wire rope end to end).	50	SSE (OHE) CLA	General Sales Services, Kalwa (W), Thane	68150
24	92.14.5147 .1. 65164	04.04.14	Two line cordless telephone Panasonic model No. KXTG 2480 BX Uniden, Siemens make .	20	SSE(T/STORE) CLA	M/s. EXCEL ENTERPRISES,Mumbai. 400 001.	99800
25	92.14.5156 .1. 65165	04.04.14	2 Mbps Digital Modems confirming to RDSO Specification No. RDSO/SPN/TC/80/2008 Rev.0.0 amendment 1 with following digital interfaces:- 1) four Nos. of Ethernet 10/100 Base - T-port as per clause no. 2.1.1.5 of RDSO Specification No. RDSO/SPN/TC/80/2008 rev.0.0 Amendment 1 to work as 4-port LAN Extender. <b>Make- CYGNUS</b>	8	SSE(T/STORE) CLA	CYGNUS MICROSYSTEMS PRIVATE LIMITED, Hyderabad 500 051.	92400
26	92.14.5074 .1. 65166	04.04.14	Cotton Mops Size 14" with 5' long Steel Rod.Star. Akshay make.	100	CMS KYN	M/s. Hans Enterprises, Mumbai-400 003.	31400
27	92.13.5736 .1. 65167	04.04.14	Dowell's corrosion inhibiting compound GTZ 8785 (each tube 50 gms.)	250	Sr.SE (PSI) PNVL	Pavan Enterprises, Mumbai-400064.	8395
28	92.13.5737 .1. 65168	04.04.14	Double ended open jaw spanner set chrome vanadium steel chrome plated generally confirming to IS 2028 consisting of following sizes 10x11, 12x13, 14x15, 16x17, 18x19, 20x21, 22x23, 24x27, 25x26, 30x32 mm (set of 10 pieces). Make : Eastman.	100	SSE (OHE) CLA	Jayshree Trading Co. Mumbai-400 078.	41800
29	92.13.5723 .1. 65169	04.04.14	25 mm M.S.Galvanized wire rope flexible with 6/19 core with "D" type lug insulated with PVC outer sleeve 3 mm wall thickness length 3 meters (wire rope end to end).	80	Sr.SE (TD) PNVL	M/s. A.M. Diesel Spares Corporation., Mumbai - 400 070.	74560
30	92.13.5721 .1. 65170	04.04.14	32 mm M.S.Galvanized wire rope flexible with 6/19 core with "D" type lug insulated with PVC outer sleeve 3 mm wall thickness length 15 meters (wire rope end to end).	14	Sr.SE (TD) PNVL	M/s. A.M. Diesel Spares Corporation., Mumbai - 400 070.	86450
31	92.13.5739 .1. 65171	04.04.14	Low density PVC tube as per technical specification (Size 25 mm) with ISI mark (each roll 100 mtrs only) (1) Material polyvinyl chlorides (2) Out side dia : 30mm (3) Inside dia : 25 mm, (4) Thickness : 2.5 mm (5) Dia electric strength : 2.2 KV for 2.5 mm.	4000	SSE (OHE) CLA	M/s T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	76020

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
32	92.14.5019 .1. 65172	04.04.14	SS Hex bolt full thread with 1 No. nut, 1 No. washer, 6mm of size 25, 40, 50 mm length in SS-304 quality confirming to IS-1364/DIN 933 (one set = 3 Nos. Hex bolt of size 25, 40, 50mm with 3 nos. washer and 3 Nos. Nut of each). Make : Kundan, APL, SPL.	2400	SSE/EM/KYN	M/s. HEM ENTERPRISES. Mumbai-400 092.	94234
33	92.13.5726 .1. 65173	04.04.14	¾ Digital true RMS 1000VA ACA/DCA clamp on multimeter with set of lead and carrying case model-DCM 49 A. Meco model No. 2003A	12	Sr.SE (TD) PNVL	M/s. Ankur Electronics, Mumbai. 400 069.	65435
34	92.13.5712 .1. 65174	07.04.14	Electronics Push Button Tele. Tone / Decodic with change over switch Redialing facility LED Indicator & I.D Caller facility	140	SSE/T/HF/CLA	Akshar Marketing. Vasai (W), 401 202.	99960
35	92.13.5742 .1. 65175	07.04.14	Set of moving contact tip and fixed contact tip for HSCB as per Drg.No.ET/Apena/78 and ET/Apena/79. The Hardness of the material to be in the range of 80-100 BHN.	25	SSE (Sub-Strn) CLA	Khodiyar Engineering Works, Mumbai 400 027.	76913
36	92.13.5678 .1. 65176	07.04.14	Tapex type straight through joint kit for 22 KV, 3 x 240 sq mm aluminium XLPE cable complete with all accessories annexure attached. Make - RPG, REPL, XICON.	4	SSE (Cable) CLA	Pristine Engg Services Pvt. Ltd. Mumbai- 400 093.	81450
37	92.13.5732 .1. 65177	07.04.14	Operation counter suitable for CGL make 25 KV SF 6 breaker.	30	Sr.SE (PSI) PNVL	Pristine Engg Services Pvt. Ltd. Mumbai- 400 093.	32906
38	92.14.5162 .1. 65178	07.04.14	SMPS power supply module having +12v, -12DC 18 amp, +5v, -5vDC 10 amp, 450 watts capacity along with power supply Chords	60	SSE(T/STORE) KYN.	M/s The Makardhwaj Enterpriess.Mumbai-400 005.	38745
39	92.14.5151 .1. 65179	07.04.14	Goose Neck microphone of Ahuja make model No. AGN- 500 with Stand HiTUNE BASS HGN 500	35	SSE(T/STORE) CLA	M/s The Makardhwaj Enterpriess.Mumbai-400 005.	47775
40	92.14.5168 .1. 65180	07.04.14	PVC Twin flat wire 1/0.7mm tin coated copper conductor make Finolex, Delton , Network .	4000	SSE(T/STORE) KYN.	M/s. M.N.Engineering Corporation, Bhayander (W) 401 101.	27510
41	92.14.5159 .1. 65181	09.04.14	Dry Cells 1.5 Volt, R-14 cell leak proof make Eveready	500	SSE(T/STORE) KYN.	To M/S. PARK & CO. MUMBAI 400077.	6883
42	92.14.5149 .1. 65182	09.04.14	Multiport Telephone & networking Jack combo I/o Box having 03 Nos. RJ-11 & 1 No. RJ-45 connectivity make Goldmedal,	100	SSE(T/STORE) CLA	M/s. EXCEL ENTERPRISES, Mumbai. 400 001.	49000
43	92.14.5146 .1. 65183	09.04.14	PLAN 1 + 1 System having Boss secretary facility working on single paramaterial model no. 103 redial, flash, pause, mute, tone, pulse, switchable call transfer consultation busy line indicator call privacy intercom facility desk / wall mountable ringer volume colour black, blue, white make Beetel plan 1-1 model B77	30	SSE(T/STORE) CLA	M/s. Ankur Electronics, Andheri (E) Mumbai. 400 069.	69016
44	92.14.5166 .1. 65184	09.04.14	PA horn speakers input power 30W RMS 45 W max power tapping 30/25/20/15W frequency response 240-10,000Hz SPL ( 1W/1M) 108DB, model UHC 30 XT Ahuja,	25	SSE(T/STORE) KYN.	M/s. Ankur Electronics, Andheri (E) Mumbai. 400 069.	27703
45	92.14.5172 .1. 65185	09.04.14	Telephone rossetts single line for RJ-11 connector both side of make Omex.	3500	SSE(T/STORE) KYN.	COMM - TECH COMMERCIAL CORP., Mumbai - 400 025.	26775
46	92.14.5145 .1. 65186	09.04.14	PVC switch board cable 05 pair 0.5mm dia Twisted pair PVC insulated, pvc shethed ATC copper conductor as per Tech. Spe. No. GR/W/R/06 make Bharat Cab,Network.	6000	SSE(T/STORE) CLA	COMM - TECH COMMERCIAL CORP., Mumbai - 400 025.	95508
47	92.14.5150 .1. 65187	09.04.14	PVC switch board cable 20 pair 0.5mm dia Twisted pair PVC insulated , pvc shethed ATC copper conductor as per Tech. Spe. No. GR/W/R/06 make Bharat Cab, Network.	1500	SSE(T/STORE) CLA	COMM - TECH COMMERCIAL CORP., Mumbai - 400 025.	95508

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
48	92.14.5160 .1. 65188	09.04.14	Dry Cells 1.5 Volt, R-6 cell leak proof make Eveready,	2000	SSE(T/STORE) KYN.	H.P.Enterprises, Mumbai- 400 019.	11403
49	92.14.5171 .1. 65189	09.04.14	Thermoshrink Jointing kit for jointing underground quad cable of 0.9 mm cond. Dia RDSO specn.No. IRS/TC/57/2006 or latest IRS/TC/77/2010 Rev.2. ' Western Cablex ' make	40	SSE(T/STORE) KYN.	Western Cablex Engineering Pvt.Ltd, Mumbai-400 058.	97200
50	92.13.5659 .1. 65190	09.04.14	FRP sheet size 2 mtr x 0.5 mtrs x 8 mm thick as per IS. 10192 - 1982 grade	20	SSE (OHE) CLA	M/s. Acme Fibro Products, kalyan 421 301	66780
51	92.14.5232 .1. 65191	09.04.14	Miniature Circuit Breaker enclosure with SPN MCB 32 Amps 'C' series complete with plastic enclosure suitable for 230 volts, 50 Hz supply. Make Havells, Standard.	240	Sr. SEE (Maint) CSTM	Bharti Enterprises. Mumbai-400 002.	93600
52	92.14.5051 .1. 65192	09.04.14	Fabricated MS board manufactured from CRCA sheet dully powder coated of size 1500 x 500 x 400 mm inclusive height of MS stand complete manufacturing from 12 SWG M S sheet except Top Sheet 10 SWG and M S Angle 40 x 40 mm for stand.with 4 Aluminium bus bar for 200A load capacity as per sketch attached.	5	Sr.SEE(M) KYN	Jeet Engineering Co, Mumbai-400 068.	92846
53	92.14.5220 .1. 65193	09.04.14	PVC insulated copper cable 1.5 sq.mm 3 core PVC round sheathed 1100 volt grade cable as per IS 694/1990. Make - Polycab, Havells, HPL. Length of one coil = 90 mtrs.	40	Sr.SE (AC/Sty) CSTM	M/s Darshan Enterprises. Mumbai-400 092	60000
54	92.14.5226 .1. 65194	09.04.14	PVC insulated and sheathed 3 core 2.5 sqmm copper conductor flat cable for submersible motor 1100 volts grade conf. To IS - 694. Make - Polycab, Havells, RR Cable.	800	SSE (EM) KYN	M/s Darshan Enterprises. Mumbai-400 092	84000
55	92.14.5193 .1. 65195	09.04.14	S.S. Hex Bolts full threads with 1 No. Nut, 1 No. washer , 8mm of size length 25,40,50 mm. SS-304 steel quality conf to IS-1364 (One set = 03 bolt with washer and nut).	1300	SSE (EM) KYN	SHRI SATGURU ELECTRIC & TRADING CO, Mumbai-400 003.	83590
56	92.14.5238 .1. 65196	09.04.14	PVC copper cable single core multi strand 2.5 sq.mm as per IS 694.	2000	SSE (AC/Cog) CSTM	M/s. HEM ENTERPRISES, Mumbai-400 092.	58000
57	92.14.5228 .1. 65197	09.04.14	Automatic Star- Delтта starter 15 HP for three phase induction motor suitable for 415 Volts, 50 Hz AC supply with U/V and OLR range 13-18A complete SS Enclosure. Make - C&S, Havells, L&T.	15	SSE (EM) KYN	SHRI SATGURU ELECTRIC & TRADING CO, Mumbai-400 003.	91140
58	92.14.5231 .1. 65198	09.04.14	Marine plywood sheet of thickness 18 to 19 mm size of sheet 6 feet x 4 feet suitable for fixing on wall for fitment of energy meter and associates wiring. Make Vintage Marine ply, Century Marine ply or Margo Marine ply, Unicon Marine ply or Marine Unicon.	15	Sr. SEE (Maint) CSTM	Bharti Enterprises. Mumbai-400 002.	65475
59	92.14.5224 .1. 65199	09.04.14	22 KV XLPE 3 core out door termination size 240 - 400 sqmm.	4	Sr. SEE (Maint) CSTM	Alfa Engineers.95, Mumbai- 400 009.	91992
60	92.14.5219 .1. 65200	09.04.14	Set of cable jointing kit ready to use for power cable of size 31/2 core x 120-185 sqmm and 31/2 core x 240-400 sqmm PVC/XLPE insulated installation upto 1.1 KV dieelectric strength low viscosity re-entrable drying time maximum 10 minutes. Make Polyseal	10	Sr. SEE (Maint) CSTM	Alfa Engineers.95, Mumbai- 400 009.	77280

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
61	92.14.5221 .1. 65201	09.04.14	Set of cable jointing kit ready to use for power cable of size 31/2 core x 16-35 sqmm and 31/2 core x 50-95 sqmm PVC/XLPE insulated installation upto 1.1 KV dielectric strength low viscosity re-entrable drying time maximum 10 minutes. Make Polyseal.	18	Sr. SEE (Maint) CSTM	Alfa Engineers.95, Mumbai- 400 009.	87984
62	92.14.5235 .1. 65202	09.04.14	A set of capacitors (10K 630V-01 No.,22K 630 V-01 No.) One set consist two items in two Nos. for repairing of 18 W invertors use in TL/AC coches. Make - Keltron, Apron.	5000	SSE (TL) CSTM	M/S. OM TRADING CO., Kalyan (E) ,421306.	84000
63	92.14.5233 .1. 65203	09.04.14	A set of switch & socket 6 Amps. 230 V AC Non- Ceramic, with ISI mark, IS : 3854, One set consist ten switches and one socket. Make - SSK, ROMA or Allwyn Electrical Accessories.	500	SSE (TL) CSTM	M/S. OM TRADING CO., Kalyan (E) ,421306.	84000
64	92.14.5164 .1. 65204	09.04.14	Electroplated copper conductor Twin Twisted flexible Red / Black wire of size 14/36 multistrands. 'Satyam ' or Poly powercab.	3500	SSE(T/STORE) KYN.	INDO Enterprises, Pune- 411 109.	26975
65	92.14.5241 .1. 65205	09.04.14	A set of copper tube terminal lugs .( One Set consists of 3 Items & 5000 Nos. ) Make - Braco, Dowells Lotus 1) size 16 sq.mm - Hole Size 6.2 mm - 2000 Nos. 2) size 50 sq.mm - Hole Size 10.2 mm- 2000 Nos. 3) size 70 sq.mm - Hole Size 12.7 mm - 1000 Nos.	1	SSE (AC/Cog) CSTM	M/s Darshan Enterprises, Mumbai-400 092	95900
66	92.13.5563 .1. 65206	11.04.14	Mild steel clothes locker Height in mm 1980, Width in mm 910, Depth in mm 480, No. of Lockers Eight, Weight. In kg. 75.5, 20 x 22 gws CRC seat with 8 lockers system high process with spary painting.	1	Sr.SEE (M) PNVL	D.S.Furniture Works Interior & Enterprises, Mumbai-72.	9225
67	92.14.5143 .1. 65207	11.04.14	Curtain cloth 48" width superior quality with rod Stitching & fixing make Bombay Dying or similar. Sizes as under 1) 115" x 60" Qty. - 8 Nos, 2) 95" x 48" Qty. - 16 Nos, 3) 80" x 48"Qty. - 10 Nos, 4) 100" x 72"Qty. - 15 Nos. (1 set of 49 curtains = 135 mtrs.)	135	SSE(CUST) CSTM	M/s. P.K. Textiles, Thane - 400 004.	50490
68	92.14.5079 .1. 65208	11.04.14	1040 stangard (ST) Epoxy mastic two component High performance surface tolerant Epoxy _ MIO based coating cum primer for prevention of rust and corrosion in 4 Ltrs. Pack as per specification attached make Stanvac Chemicals	72	SSE ( SIG) CLA	M/s. MRO Engineers, Mumbai - 400 080.	51030
69	92.14.5078 .1. 65209	11.04.14	725 stangard PUTC two component acrylic resin polyurethane top coat in 5 Ltrs. Pack as per specification attached make Stanvac Chemicals.	70	SSE ( SIG) CLA	M/s. MRO Engineers, Mumbai - 400 080.	64827
70	92.14.5077 .1. 65210	11.04.14	880 KWIK Patch (L) U.V. curable fibre glass reinforced polyster rapid repair patch water proof weather resistant in size 300 MM x 225 MM x 1.5 MM thick make Stanvac Chemicals.	24	SSE ( SIG) CLA	Excel Engineers, Mumbai-400 101.	68947
71	92.14.5251 .1. 65211	11.04.14	12 V Battery Make - Exide, Amarraja, TATA for TATA Sumo MH-01-AH-1090	1	SSE (Custodian)	To M/S. PARK & CO., MUMBAI 400077	7099
72	92.14.5065 .1. 65212	11.04.14	Aluminium casting powder coated heritage ornamental post of 3 mtrs. Height with arrangment for fixing 3 Lamps of approved shade design make Anchor , Philips	1	SSE(CUST) CSTM	M/S JASMINE TRADING CO. MUMBAI -400009	26825
73	92.14.5163 .1. 65213	11.04.14	Jumper wire PVC insulated Red & white twisted size 1/0.5mm annealed copper conductor drown in 200 mtrs./400 mtrs. Bundles make Deltron, Finolex, Network.	6000	SSE(T/STORE) KYN.	M/s. M.N.Engineering Corporation, Bhayander (W) 401 101.	17010

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
74	92.14.5004 .1. 65214	15.04.14	Aquaguard Water purifier of Aqua sure Model Crystal UV or Similar Dimensions (WXDXH) in mm-(mm) 275x245x380). Hi Flo, In -built Voltage Stabilizer, EMS, Decalcifier Anti Drip. Bajaj Model No.WPx3.	2	CMS KYN	Shree Samruddhi Engineering, Navi Mumbai -400 705.	11601
75	92.13.5676 .1. 65215	16.04.14	Heat shrinkable straight through joint kit for 6.6 KV grade 3x185 sqmm Allum. XLPE cable with all accessories annexure attached. Make - "REPL"	15	SSE (Cable) CLA	Venus Electrical Trading Co., Mumbai-400 002.	88121
76	92.13.5616 .1. 65216	16.04.14	Silicon rubber based self fusible flame retardant tape having film as interline non adhesive. As per RDSO Specification No. MP-IDEM 01.04.05 Dt : 27.10.05. size 25 mm x 0.5 mm x 15 mtrs in a roll. Permacell or equilent product of NITTO DENKO or SCAPA.	30	Sr.SE (TL/AC) LTT	M/s. Bells Organics Limited, Kolkata - 700070.	62969
77	92.13.5741 .1. 65217	16.04.14	Ring spanner set chrome plated generally conforming to IS 2029-1998 of size 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32 Prod No.1912. Jhalani Expert.	50	SSE (OHE) CLA	Calcutta Machinery, Jabalpur (M.P)	41949
78	92.13.5550 .1. 65218	16.04.14	IGBT Eupec part No. 195 GB 66 D suitable for 2.5 KVA & 3 KVA inverter. Make - Eupec, Simikron. (Accepted offer for Semikron Make part No. SKM 195 GB 066 D).	25	SSE (T/L) CSTM	M/s. Sam Electricals, Mumbai 400 002.	46751
79	92.13.5717 .1. 65219	16.04.14	Multipurpose, portable, universal, gearless, hand operated pulling and lifting machine supplied with telescopic operating handle and 20 mtrs. Length of wire rope fitted with 'D' shackle. Capacity : 3.2 Tonne lifting and 5.2 Tonne pulling as per RDSO Specification No. TI/SPC/OHE/TOOL/TL/0990 with A & C slip No. 1 Machine also conforms to IS:5604.	5	Sr. SE (TD) OHE KYN	M/s. Overseas Commercial Corporation, Pune-411 048 (M.S)	83250
80	92.13.5554 .1. 65220	16.04.14	IGBT Eupec part No. 150 GB 60 DLC suitable for 2.5 KVA inverter. 'Semikron' Make part No. SKM - 145 GB 066 D.	30	SSE (T/L) CSTM	M/s. Sam Electricals, Mumbai 400 002.	44195
81	92.13.5553 .1. 65221	16.04.14	IGBT 200 GB 60 DLC of Eupec suitable for 2.5 KVA inverter.	25	SSE (T/L) CSTM	M/s. Reena Enterprises, Mumbai 400 078.	45550
82	92.13.5619 .1. 65222	16.04.14	Domestic Exhaust Fan of 250mm 10" sweep 230 Volts, 1250 RPM, Air delivery 720 cum/Hr.As per CGL Type Brisk Air 250. White colour fan. make Bajaj Maxima DX	70	Sr.SEE(M)CSTM.	M/s. Kaltro Enterprises. Thane - 421 501.	67620
83	92.13.5549 .1. 65223	16.04.14	Set of IGBT Eupec part No. 100 GB 60 DLC & 75 GB 66 D (one set consist two items in two Nos.) for 2.5 KVA inverter.	20	SSE (T/L) CSTM	M/s. Reena Enterprises, Mumbai 400 078.	44540
84	92.13.5552 .1. 65224	16.04.14	IGBT Eupec part No. 300 GB 60 DLC suitable for 5 KVA inverter.	10	SSE (T/L) CSTM	M/s. Reena Enterprises, Mumbai 400 078.	30370
85	92.13.5575 .1. 65225	16.04.14	Battery 7.2 V of capacity 2300 mA for Motorola VHF set GP 328 model No. PTK - 328 EH (Power Time)	46	Sr.SE/DC OHE/Nerul	M/s. Sanchar Communication Systems, New Delhi - 110 020.	51980
86	92.13.5716 .1. 65226	16.04.14	Gearless hand operated pulling & lifting machine having 2 ton lifting & 3 ton pulling capacity with 20 mtrs steel rope alongwith D shackle as RDSO Specification No. TI/OHE/TOOL/TL/0990 with A & C slip No. 1 or latest. (Accepted offer for ISI Marked "MAXPULL" Brand).	6	Sr. SE (TD) OHE KYN	Crushmore Maxban India, Howrah 711 108.	63000
87	92.14.5266 .1. 65227	17.04.14	Single Phase Propeller Type Ventilating Fans (Exhaust Fans) Number of poles: 4,Sweep size in mm: 300.	70	Sr. SEE (Maint) CSTM	M/s SAAHAS INDUSTRIES, UTTAR PRADESH - 201308	118503

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
88	92.14.5261 .1. 65228	21.04.14	Desktop computer with preloaded operating system of Windows 7. Intel core i5 Processor 3 year onsite warranty, WiFi, Wireless keyboard mouse.HP, Lenovo (Acpted offer for Dell inspiron 660s core i3 3220 3rd Gen 4 GB, 1 TB hdd, Win 7 Int, 18.5 " TFT, Dvd-RW Ax210, speakers, wired Mouse/Keyboard. 1 Year Warranty., 15 Month McAfee antivirus model of Lenovo, HP make Model.)	4	Sr DCM CSTM	M/s. EXCEL ENTERPRISES, Mumbai. 400 001.	159200
89	92.14.5067 .1. 65229	21.04.14	Vertical Blinds 4" strip overcoating with fitting	92	SSE(CUST) CSTM	M/S JASMINE TRADING CO., MUMBAI -400009	82800
90	92.14.5153 .1. 65230	21.04.14	2 core PVC insulated shielded wire PA cable 24 strand copper conductor of 0.20 mm ( 24/0.20mm) Brimson make)	4000	SSE(T/STORE) CLA	Rahul Enterprises, Mumbai- 400 056.	24444
91	92.14.5110 .1. 65231	21.04.14	Chlorine Gas Cylinder filled with chlorine Gas net 100 Kgs.including respective adjustment.	15	SSE(WKS) IGP	M/s VAITARNA CONSTRUCTION CO, Shahapur 421 604.	70500
92	92.13.5244 .1. 65232	21.04.14	Mild Steel Clothes Lockers Height in mm: 1980, Width in mm: 910, Depth in mm: 480, Number of Locker: Eight,Syatem High Process with spray Painting.	2	Sr DCM CSTM	D.S.Furniture Works Interior & Enterprises, Mumbai-72.	18450
93	92.14.5130 .1. 65233	22.04.14	Stainless steel hex head bolt full threaded with nut, two plain washer & one spring washer size 8 X 30 mm as per IS .1364 A-316.	600	SSE (Sub-Stn) CLA	R.C.Enterprise, Kolkata-700 034.	22750
94	92.14.5131 .1. 65234	22.04.14	Stainless steel hex head bolt full threaded with nut, two plain washer & one spring washer size 12 X 75 mm as per IS .1364 A-316.	600	SSE (Sub-Stn) CLA	U.P.Engineers, Mathura (U.P) 281 044	59850
95	92.13.5661 .1. 65235	22.04.14	U' clamp copper for two 19/2.05 (0.61 cm <sup>2</sup> ) copper cable item No. M-130 (M) to Drg. No. FM-130 (M) R4.	300	SSE (OHE) CLA	M/s N.K.Enterprises, Ahmadabad-380018.	45600
96	92.13.5671 .1. 65236	22.04.14	Spark gap box type. As per Drg. No. FM 47 E (M) R9.	125	SSE (OHE) CLA	M/s N.K.Enterprises, Ahmadabad-380018.	72250
97	92.13.5660 .1. 65237	22.04.14	U' clamp for 1.3 cm <sup>2</sup> copper cable item No.M 127 (M) to Drg. No.FM 127 (M) R3.	300	SSE (OHE) CLA	M/s N.K.Enterprises, Ahmadabad-380018.	80400
98	92.13.5653 .1. 65238	22.04.14	FRP Ladders of 10 meters (32 feet) length Extendable Technical details is attached as annexure.	6	SSE (OHE) CLA	M/s N.K.Enterprises, Ahmadabad-380018.	73710
99	92.14.5281 .1. 65239	22.04.14	Supply & Installation of Manifold Gas pipe fitting consisting of items, as per annexure enclosed at Base Kitchen, CSTM.(AS PER IRS Condition.).Warranty-1 year.	1	Sr DCM CSTM	Indradeep Enterprises, Mulund (W) 400 008.	198399
100	92.13.5673 .1. 65240	23.04.14	Digimatic outside Micro Meters specification metric/inch range 0.25 mm/0-1 inch resolution 0.001 mm/0.0005 inch. Make - Mitutoyo.	18	SSE (OHE) CLA	A.R. Enterprises, Mumbai-400 003.	72936
101	92.12.5597 .1. 65241	23.04.14	Storage battery lead acid 12 volts 180AH capacity at 20 hours, rate of discharge at 27 degree C, dimension as per IS 7372/74 latest. Make :Exide, EMCO, Kirloskar. ( Accepted offer for ' AMARON' )	6	SSE (OHE) CLA	Anand Sons Corporation, Mumbai-400 004.	85590
102	92.13.5696 .1. 65242	23.04.14	3 Pole power contactor 32A AC - 1 rating with 2 N/O & N/C Aux contacts, standard operating coil 240/440 volts 50 Hz AC conf. to IS - 13947 similar to C&S (TC) cat. TCI D2210 and L&T cat. MNX/CS 94981. Make - L&T, C&S (TC), Havells. (Accepted offer for 'L&T' make).	100	SSE (EM) KYN	A.R. Enterprises, Mumbai-400 003.	69600

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
103	92.13.5740 .1. 65243	23.04.14	Stainless steel bolt full threaded with nut & two flat washer one spring washer and one check nut complete size 10x35 mm RDSO specification No.ETI/OHE/18(4184) B.S.No.6105/1981. (Accepted offer for Make RC).	1000	SSE (OHE) CLA	R.C.Enterprise, Kolkata-700 034.	58750
104	92.13.5730 .1. 65244	23.04.14	Oil and winding temperature indicator for rectifier transformer as per Annexure attached. (Accepted Technical offer as per 'Scientific Controls' model No. 2002).	1	Sr.SE (TD) PNVL	M/s.Kunal Corporation. Electrical,Electronics & Hardware Suppliers, Mumbai-400 002.	74981
105	92.14.5128 .1. 65245	23.04.14	Stainless steel hex head bolt with full threaded with nut two plain washer & one spring washer size 12 X 50 mm as per IS 1364 A-316. (Accepted offer for Make 'RC').	800	SSE (Sub-Stn) CLA	R.C.Enterprise, Kolkata-700 034.	68300
106	92.14.5033 .1. 65246	23.04.14	Supply of Limit switch 2 NO + 1 NC for Heidz make lifting barrier of "Esen" make Model No. LSO-21C. (Accepted offer for 'BOMEN' Make).	155	SSE/SIG/STO/KY N.	Yash Sales Corporation, Mumbai-400 080.	20925
107	92.13.5704 .1. 65247	23.04.14	Slim Line Telephone Model 9259 or 9252 of GE make, BPL, Beetel make. (Accepted offer for BPL make).	100	SSE/T/HF/CLA	M/s The Makardhwaj Enterpries, Mumbai-400 005.	43050
108	92.13.5611 .1. 65248	23.04.14	Refrigerant - R - 407 C suitable for RMPU / PAC of AC coaches.	160	Sr.SE (ETL) CSTM	A.M.Jain & Co, Bhusawal- 425 201 Dist jalgaon.	97440
109	92.14.5135 .1. 65249	23.04.14	sealing Tablet lead for mini group relay (small).	200	SSE(SIG) CLA	Trimurti Enterprises, Kalyan (W) 421 301.	41790
110	92.14.5177 .1. 65250	27.04.14	Protection unit with LD for 10 pair ( Protection strip - IPM ) suitable to existing module Make Krone, GEC, LD- Tech.	800	SSE(T/STORE) KYN.	M/s The Makardhwaj Enterpries, Mumbai-400 005.	49600
111	92.14.5204 .1. 65251	28.04.14	Clear transparent Acrylic sheet of size 6' x 4' x3 mm thick Make : MICA, SMARTECH, POLY-PLAST, Europlast.	50	SSE(T/STORE) KYN.	Mohaans Enterprise, Mumbai-400 003.	66675
112	92.14.5271 .1. 65252	28.04.14	Toner for Copier Machine No.iR4221 Canon.	12	Sr DMM CSTM	M/s. Hans Enterprises, Mumbai-400 003.	20640
113	92.13.5165 .1. 65253	28.04.14	Set of sealing arrangement of point machine detector assembly & Imp bond 1 set consisting of 20ml Bottles of CYN 702-50 bottles (2) ANR - 122 = 5 Bottles (3) ANR - 124 = 25 Bottles (4) 50 Micron Nylon film of 1" width = 5000 mts. Fevicol, Smartseal, Sainik,Polytech Make	2	SSE (OHE) CLA	H.P.Enterprises, Mumbai- 400 019.	24780
114	92.14.5214 .1. 65254	28.04.14	Godrej make Night latch 7 Lever for inside opening main door Godrej make	75	SSE(CUST) CSTM	To M/S. PARK & CO, MUMBAI 400077.	79228
115	92.14.5196 .1. 65255	28.04.14	10 pair Disconnecting IDC Module ( KRONE type ) ' Krone' make	2000	SSE(T/STORE) CLA	M/s The Makardhwaj Enterpries, Mumbai-400 005.	83600
116	92.14.5179 .1. 65256	28.04.14	Megaphone with Hooter in built Amplifier battery operated shoulder hold. 20 watts, 8 ohm, 12V DC 'Fox' Make	12	SSE(T/STORE) KYN.	M/s The Makardhwaj Enterpries, Mumbai-400 005.	23832
117	92.14.5194 .1. 65257	28.04.14	Electronics P.B. Telephone with Tone / Pulse mode , Redialing facility, LED indicator & ID Caller facility Make - Binatone model Concept -700	100	SSE(T/STORE) CLA	M/s The Makardhwaj Enterpries, Mumbai-400 005.	70100
118	92.14.5129 .1. 65258	28.04.14	Stainless steel hex head bolt full threaded with two flat washer & one spring washer with nut & one check nut size 10 X 50 mm as per RDSO Speci.No.ETI/OHE/18(4/84) BS.No.6105/1981.	600	SSE (Sub-Stn) CLA	R.C.Enterprise, Kolkata-700 034.	38800



Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
119	92.14.5123 .1. 65259	28.04.14	PVC insulated armoured cable with copper conductor 8 core, size-2.5 Sq.mm, Voltage grade 1100V as per IS.7098(Pt.1)1988 MAKE:Havells,Polycab, Anchor.	200	SSE (Sub-Stn) CLA	M/s. Hans Enterprises, Mumbai-400 003.	40200
120	92.14.5116 .1. 65260	28.04.14	Electric bulb 230Volt x 100 Watt.Make: Philips, Bajaj, Seema.	2000	SSE (Sub-Stn) CLA	H.P.Enterprises, Mumbai- 400 019.	20979
121	92.14.5201 .1. 65261	28.04.14	Refilling of Ribbons of EPSON -R7P printers with high density Nylon Fabrics size - 12.7 mm x 13 mtrs.	4000	Sr DCM CSTM	UNITED (India) Enterprises, Mumbai 400 001.	99960
122	92.13.5668 .1. 65262	28.04.14	Standard galvanized steel wire of size 7/3.15 mm. As per IS. 2141 Grade.	2	SSE (OHE) CLA	M/s T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	71400
123	92.14.5026 .1. 65263	28.04.14	Tee connector to suit 50 O/D Al. tube and SPIDER, AAC conductor for 25 KV system RDSO Drg. No. ETI/PSI/P/11140.(Accepted offer For SBI Brand.) Guarantee/Warranty- 30 months from the date of Supply & 24 months from the ate of commissioning.)	30	SSE PSI LNL	S.B.Industries, Kolkata-700 038.	67320
124	92.14.5144 .1. 65265	29.04.14	Krone tools from ISO 9000 approved firm Hand held tools for easily connection & disconnection of PVC Cable Terminal 'Sackfine' make	30	SSE(T/STORE) CLA	M/S. SANJAY ENTERPRISES., MUMBAI 400077.	6008
125	92.14.5277 .1. 65266	29.04.14	Battery 12 V, 80 AH Exide MHD -800 ,Amararaja. ( Accepted offer for ' Exide' make )	1	DRM (W) CSTM	To M/S. PARK & CO., MUMBAI 400077	7099
126	92.14.5207 .1. 65267	29.04.14	Clear plastic sheet width 12' & thickness 0.18 mm transparent white colour.	150	SSE (TELE/HF) CLA	Mohaans Enterprise, Mumbai-400 003.	24885
127	92.14.5161 .1. 65268	29.04.14	Wireless Key Board & Mouse combo pack with 3 year warranty lball dusky model make lball.	60	SSE(T/STORE) KYN.	M/s. EXCEL ENTERPRISES, Mumbai. 400 001.	62370
128	92.14.5092 .1. 65269	29.04.14	Kit for repair of AWS Opto coupler cards of Track magnets comprising of component as under A) Opto Coupler SFH610A-4 ( 4 Pin) - 40 Nos. B) Transister BCY 59B - 30 Nos. C) Zener Diode 6.8V/1/4 W -100 Nos. D) Electrolytic Condensers 100ufd/50V - 20 Nos. E) Resistance W/W 10 K ohms / 3.5 W - 20 Nos. F) Resistance Carbon 620 ohms/1/2 W - 20 Nos. G) Resistance Carbon 430 ohms/1/2 W - 20 Nos. H) Resistance Carbon 180 ohms/1/2 W - 20 Nos I ) Resistance Carbon 82 ohms/1/2 W - 20 Nos.	10	SSE(SIG) CLA	COMM - TECH COMMERCIAL CORP, Mumbai - 400 025.	25956
129	92.14.5102 .1. 65270	29.04.14	Set of vadjustable wire wound resistance complete with stud and fixing bracket for Siemens rack of 2 ohm 50 watt -1 No, 3 ohm 50 watt 1 No, 'APR' make	100	SSE(SIG) CLA	COMM - TECH COMMERCIAL CORP, Mumbai - 400 025.	22155
130	92.14.5093 .1. 65271	29.04.14	Lightening arrester unit A2 for AWS as per specification & Drawing attached	200	SSE(SIG) CLA	COMM - TECH COMMERCIAL CORP, Mumbai - 400 025.	84420
131	92.13.5684 .1. 65272	29.04.14	Fan wall mounting oscillating type 400 mm 16" sweep 230 Volts. Built in speed regulator 1400 RPM s/phase, 3 blades 50 Hz. Conforming to 1964. Bajaj wall fan 400 mm size, RPM 1300-1400 type, model Elite).	60	SSE (EM) CSTM	M/s. Kaltro Enterprises, Thane - 421 501.	93870

## Purchase orders issued during the month of April-2014

10=10

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
132	92.14.5148 .1. 65273	29.04.14	Desk type 2 wire one way Electronics Magneto Telephone (DTMF) IRS specification No. TC/79/2000 with latest amendment No.2 or latest. 'ACES' make	30	SSE(T/STORE) CLA	M/s. Aces Enterprise., Vasai Road (E) - 401 210.	86625
133	92.14.5276 .1. 65275	30.04.14	Tyre With Tube of Appolo, MRF,Radiyal, JK, ceat or similar assembly size 185/85/R-16 suitable for Tata Sumo.(Accepted offer for MRF,Radiyal.)	4	DRM (W) CSTM	To M/S. PARK & CO. MUMBAI 400077.	22140