

Sr.	PO No.		DESC.	QTY.	Consignee	Firms name	Total value
1	92.14.5091 .1. 65276	02.05.14	Crank Handle Terminal PBT type for point machine as per Drg. No. K- 12015 simens , Crompton make	250	SSE(SIG) CLA	Rubako Plastic Works, Mumbai-4000010	13073
2	92.14.5088 .1. 65277	02.05.14	Dual Tone warning hooter for level crossing Gate suitable for 24 Volts DC to 110 Volts AC .Make: Mucony, Harshal, Ahuja	12	SSE(SIG) CLA	Pradeep Electromagnetic System, Mumbai - 400084.	22050
3	92.14.5101 .1. 65278	02.05.14	Rubber Gasket for fixing of AWS Magnet cover as per drg. No. RST-11443 attached	3000	SSE(SIG) CLA	K.M.Enterprises, Vasai- (W)	84375
4	92.14.5106 .1. 65279	02.05.14	Set of sealing arrangement of point machine detector assembly & Imp. Bond 1 set consisting of 20 ml. Bottles of each. A) CYN 702- 50 Bottles, B) ANR - 122 5 Bottles, C) ANR 124- 25 Bottles, D) 50 Microns nylon film of 1' width - 5000 Mtrs.	3	SSE(SIG) CLA	Mak Traders, Pawai Mumbai.	29526
5	92.14.5085 .1. 65280	02.05.14	Air Break contactor unit working on 110 Volts of capacity 32A, 2 No + 2 NC Siemens	30	SSE(SIG) CLA	Adinath Electricals. Banglore 560 053.	61718
6	92.13.5067 .1. 65281	02.05.14	25 mm M.S. Galvanized wire rope flexible with 6/19 core with "D" type lug insulated with PVC outer sleeve 3 mm wall thickness length 7 meters (wire rope end to end).	45	Sr. SE (TD) PNVL	General Sales Services, Kalwa (W)	69075
7	92.14.5098 .1. 65282	02.05.14	Protection Cover for TU & ETU for Siemens type AFTC of FRP material with suitable Nuts and Bolts as per drawing No. RST - 11866 attached.	45	SSE(SIG) CLA	M/s T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	46305
8	92.14.5176 .1. 65283	02.05.14	Info - Outlets (I/O) Box single port surface mounting as per specification 1- port CAT5/CAT5E/CAT 6 surface mounting box. Meets TIA/EIA 568A and and ISO/ICE 11801 specification CAN BE punched down with krone supports T568A and T568B wiring mounts Via rear screw hole (Screw included) COLOUR- WHITE Make D-Link,	150	SSE(T/ST ORE) KYN.	Intercon Systems Private Limited. Navi Mumbai-400 614.	24600
9	92.14.5087 .1. 65284	02.05.14	Compact Chain 10 Mtrs. with Pulley block in light weight sturdy 1 Ton weight capacity for erection of Signal units Lifting as per IS 3832	10	SSE(SIG) CLA	M/s. A.M. Diesel Spares Corporation., Mumbai - 400 070.	37600
10	92.14.5254 .1. 65285	05.05.14	Tea & Dinner Set As per Annexure attached.	1	Sr.DEE(G) CSTM	M/s. Hans Enterprises, Mumbai-400 003.	15350
11	92.14.5268 .1. 65286	05.05.14	Self supporting alluminium folding factory ladder (Heavy Duty) light in weight, fire proof, rust proof of size 8' feet height with flat top capacity 100 Kg Arco model No. 152 AFFL.	20	Sr. SEE (Maint) CSTM	M/s Darshan Enterprises.Mumbai-400 092	89000
12	92.14.5270 .1. 65287	05.05.14	Recess mounting LED down lighter with high efficient LED's and glare free opal diffuser complete with driver to work on 230 volts AC supply having cut out dia not none than 75mm, depth 70 mm similar to HLDR-02-09WW-9W of Holonix or LGSR-07W model 04 CGL	30	Sr. SEE (Lift) CSTM	SHRI SATGURU ELECTRIC & TRADING CO. Mumbai-400 003.	85800
13	92.14.5267 .1. 65288	05.05.14	Oriental design land scape luminaire suitable for 1 x 26 watts retro CFL with opal diffuser suitable for pole dia 50 mm similar to model No. LHLC 41126029 (Diffuse) of Havells or BJCPTI 218 opal 2 x 18 'D' type Havells, Bajaj, Philips or CGL.	18	Sr. SEE (Maint) CSTM	Alfa Engineers.95, Mumbai-400 009.	91080

Sr.	PO No.	DESC.	QTY.	Consignee	Firms name	Total value
14	92.14.5187 .1. 65289	05.05.14 Battery charger input voltage 230 Volts, 50 Hz, single phase AC supply out put voltage 110 volt DC, 60 Amps. As per Rly specification attached.	1	Sr. SEE (Maint) CSTM	Kudos Enterprises, Navi Mumbai-400 705.	69195
15	92.14.5189 .1. 65290	05.05.14 Copper wound ballast suitable for 110 Volt, 200 Amps battery charger with CRGO lamination class 'B' insulation to protect charger fluctuation of sub-station voltage & current. Make - Equipment Control or Hind Rectifier.	18	Sr. SEE (Maint) CSTM	Kudos Enterprises, Navi Mumbai-400 705.	84578
16	92.13.5677 .1. 65291	05.05.14 22 KV, 3x240 sqmm, Aluminium XLPE cable + 3x300 sq mm aluminium PILC cable straight through joint kit with suitable ferrule water jacket (Transition kit). with all standard accessories annexure attached. RAYCHEM RPG Make type No. ETRJ. 5778-B-300/240-RAIL TRJ.22 KV (E) PILC/XLPE 3C consisting of 26 items).	4	SSE (Cable) CLA	Vijaya Trading Corporation, Thane-401 107.	81900
17	92.14.5205 .1. 65292	06.05.14 Acrylic sheet of size 4' x 3' x 3mm, highly Transparent, Red colour Make : Micaplast, Polyplast, Europlast.	50	SSE (TELE/Storage) KYN	Mohaans Enterprise, Mumbai-400 003.	33075
18	92.14.5208 .1. 65293	06.05.14 PVC switchboard cable 10 pair 0.5 mm dia. Twisted pair PVC insulated, PVC sheathed ATC Copper conductor ' Bharatcab' make	3000	SSE (TELE/HF) CLA	Jayshree Trading Co. Mumbai-400 078.	99000
19	92.14.5167 .1. 65294	06.05.14 Patch cord 3 Meter length with RJ-45 connector both ends factory crimped cat6 patch cord 3 meters of ' Surelink" make	275	SSE(T/STORE) KYN.	M/s. EXCEL ENTERPRISES, Mumbai. 400 001.	32340
20	92.14.5173 .1. 65295	06.05.14 Electronic Single line Push Button Telephone as per tech Specification no. GR/Tele/sept. 2002 latest BEETEL- I-11	240	SSE(T/Storage)CLA	M/s The Makardhwaj Enterprises, Mumbai-400 005.	93120
21	92.14.5264 .1. 65296	06.05.14 A set of spare for lift 1) Acrylic sheet transparent milky white 3 mm. thick., size 4' x 3' = 15 Nos., 2) Acrylic sheet transparent milky white 5 mm. thick., size 4' x 3' = 15 Nos., 3) Non-woven rib carpet Red colour 3 mm thick., width 6.5 feet = 200 sq. ft., 4) PVC cushion mat Thick. 1.6 mm width 1.5 mtr. = 300 sq. ft.	1	Sr. SEE (Lift) CSTM	M/s. Bharti Enterprises, Mumbai-400 002.	86290
22	92.14.5256 .1. 65297	06.05.14 Industrial Type Water Filter cum Purifier (400-500Ltrs/Hr.),20"Candle,20"Carbon Block,20"x2 Bowl,20 Watt UB. Make: Kent, Aquaguard, Smartguard.	4	Sr.DEE (TRS-O) CSTM	M/S JASMINE TRADING CO., MUMBAI -400009	62200
23	92.13.5560 .1. 65298	07.05.14 Residual Current Circuit Breaker with over current protection 2 pole, 25 Amps, 30 MA, 415 Volt AC, Legrand cat. No. 603379. Siemens make.	30	SSE (AC/Cog) CSTM	Adinath Electricals, Banglore 560 053.	28485
24	92.14.5118 .1. 65299	07.05.14 PTFE insulated cable 7 KV grade flexible tinned copper size 4 Sq.mm. Make Plastic Product Ahmedabad Plastic.	1500	SSE (Sub-Stn) CLA	General Engineering Corporation, Mumbai-400 022.	82290
25	92.13.5727 .1. 65300	07.05.14 PVC insulated single core multi strand flexible copper wire 4 Sq.mm voltage grade 1100V as per IS 694-1990 Make-Deep, Finolex, Polycab.(Red and Black colour).	1500	Sr.SE (TD) PNVL	Anik Trading Corporation. Mumbai-400 004.	40793

Sr.	PO No.		DESC.	QTY.	Consignee	Firms name	Total value
26	92.14.5114 .1. 65301	07.05.14	PTFE insulated cable 7 KV grade flexible tinned copper size 2.5 Sq.mm. Make: Plastic Product Ahmedabad Plastic.	1500	SSE (Sub-Stn) CLA	General Engineering Corporation, Mumbai-400 022.	67290
27	92.14.5236 .1. 65302	07.05.14	A set of Electronic spare parts for repairing of mobile, laptop charger use in TL/AC coaches as under: - 1) IC HEF 2525 (HI-3-2525) -150 Nos. 2) IC IR 2110 -150 Nos. 3) IC 12F 675 -100 Nos. 4) IC SN 74 HC 14N – 400 Nos 5) Transistor / Mosfet IRF 740 – 1000 Nos. 6) Diode IN5408 – 1200 Nos. 7) Diode MUR 460 – 1000 Nos. 8) Diode IN4148 – 1200 Nos. 9) Teflon wire 1.5 sq.mm100 Mtrs each (Black :- 02 Nos. & Red:- 02 Nos. (Total 400 Mtrs.) (one set consist nine items)	1	SSE (TL) CSTM	COMM - TECH COMMERCIAL CORP., Mumbai - 400 025.	66891
28	92.14.5112 .1. 65303	07.05.14	Air break auxiliary contactor relay 110V DC type 3 TH 82-44-OB 4NO +4NC. Siemens make.	50	SSE (Sub-Stn) CLA	General Engineering Corporation, Mumbai-400 022.	48800
29	92.14.5206 .1. 65304	07.05.14	Battery sealed maintainance free 12V/65AH. Exide, Amara Raja, HBL, Microtek make.	16	SSE (T/Store) KYN	Watts & Volts Industries.Bangalor-560 010.	83200
30	92.14.5349 .1. 65305	07.05.14	Wire mesh guard cover suitable for F.T. fitting 2 feet long, powder coated white colour size 660mm x 153mm x 50mm, Depth	2400	SSE (TL) CSTM	Jeet Engineering Co., Mumbai-400 068.	272160
31	92.14.5095 .1. 65306	08.05.14	Nut & Bolt assembly for engine Magnet as per Drg. No. TQLA-192 item no.1 to 8 for AWS	200	SSE(SIG) CLA	Mak Traders, Pawai Mumbai	49600
32	92.14.5100 .1. 65307	08.05.14	Push Button for Siemens signal panel with conect making assembly of various colours (Grey-100 Nos. , Red-100 Nos., Blue with dot- 100 Nos., Yellow - 50 Nos. , Blue - 50 Nos.	400	SSE(SIG) CLA	Comm-Tech Commercial Corporation, Mumbai- 25	15255
33	92.14.5099 .1. 65308	08.05.14	Push Button for operating gate Heidz makes Electrical Lifting Barrier	60	SSE(SIG) CLA	Comm-Tech Commercial Corporation, Mumbai- 25	16133
34	92.14.5313 .1. 65309	08.05.14	Set of Tyre & Tube for TATA Sumo size 195 x 15 , 8 ply rating 'MRF' make	5	SSE (Signal/Store) Kurla	M/S. PARK & Co., MUMBAI 400077.	27129
35	92.14.5195 .1. 65310	08.05.14	Single Line Hand free Telephone with clip facility Binatone make model SPIRIT 200	80	SSE(T/STORE) CLA	Akshar Marketing, Vasai (W), 401 202.	44520
36	92.13.5657 .1. 65311	08.05.14	Bamboo ladder 32'-0" long (9.75 mtrs) as per Drg.no.ET/SO/2677 R3(m) without iron bars. Drg. attached.	30	SSE (OHE) CLA	C.B. Ghorpade, Pune- 411 002.	75000
37	92.13.5501 .1. 65312	08.05.14	LED flash light model Name:Camelet LED Plus,Length 300 mm,Wt.0.30Kg,material used Aircraft aluminium,Lamp-3W LED,Battery type 3xc/Ni cd 2800 mAH,Charging time:8 Hrs,Runtime 300 minutes, Britelite CAMELOT model	25	SSE(OHE) CLA	M/S. PARK & Co., MUMBAI 400077.	98409

Sr.	PO No.		DESC.	QTY.	Consignee	Firms name	Total value
38	92.14.5175 .1. 65313	08.05.14	Rotary switch 2 position (WAY) 4 Pole 10 Amp. Kaycee make model no.ON--ON type 2546B.	35	SSE(T/ST ORE) KYN.	H.P.Enterprises, Mumbai- 400 019.	10474
39	92.14.5056 .1. 65314	08.05.14	Insulation Stretcher Bar Set made of Nylon - 66 as per specification No. IRS-S -40/ 84. One Set Consist as follows. 1) Insulating plate drg. No. T- 10367 - 1 No. 2) Insulating Bush drg. No. T- 10368 - 2 Nos. 3) Insulating Washer Drg. No. T - 10371- 4 Nos 'ARHAM' make	1200	SSE(SIG/S TO) KYN.	Arham Polychem Pvt. Ltd., Kolkata-7000 001.	127260
40	92.14.5285 .1. 65315	09.05.14	Counter Assembly of 6 Digit 100 Ohms 4 VDC non resetable type Keltron make SEC	30	SSE(SIG) CLA	Comm-Tech Commercial Corporation, Mumbai- 25	38408
41	92.14.5107 .1. 65316	09.05.14	Solid state indicating lamp size 22.5 mm to be operated on 220 - 240 V AC " Red, Yellow, Green, colour altos make	600	SSE(SIG) CLA	Comm-Tech Commercial Corporation, Mumbai- 25	77625
42	92.14.5086 .1. 65317	09.05.14	Allen- cap screws M6/SS/ 25 MM with spring washer	5000	SSE(SIG) CLA	M/s . A K Engineering works, Mumbai 400 070.	15750
43	92.14.5094 .1. 65318	09.05.14	M.S.Galvanized Nut & Bolt full threaded along with 2 Nos. of Flat washers and 1 No. of spring washer in One Set. One set consists of A) 10 x 50mm - 4 Nos. B) 12 x 40 mm - 4 Nos. C) 12 x 65mm - 4 Nos. D) 16 x 65 mm - 2 Nos.	150	SSE(SIG) CLA	M/s . Jayshree Traders A/10 Tara Baug Estate, 1st Floor Charni Road Mumbai 400 004.	17798
44	92.14.5274 .1. 65319	09.05.14	Compact Loud Hailer Megaphone model CLH-33, Ahuja make Power out put 5W rated/10W max ,Power source 9V DC6 x UM-3 cells, Microphone- Unidirectional , Dimensions- Horn Dia185mm, Length 300mm Weight- 1 kg. approx with cells.	30	Sr DSC/RPF/ CSTM	COMM - TECH COMMERCIAL CORP., Mumbai - 400 025.	66791
45	92.14.5115 .1. 65320	09.05.14	M.Seal epoxy resin & hardener in putty from seal compound 5801 general purpose MS801. Make: DR.Becktel Eil, Mahindra & Mahindra, Pidilite	200	SSE (Sub-Stn) CLA	Jayshree Trading Co., Mumbai- 400 078.	31500
46	92.14.5348 .2. 2.65321	12.05.14	1) Tarpaulins made from High Density Polyethylene Woven Fabric Range of Area: 10 to 50 Square Metre.- 1800 Sq mtr- 2) Eyelets for Tarpaulins made from HDPE woven fabric : same as at schedule level-200 Nos -- .3) Lashing Ropes for Tarpaulins made from HDPE woven fabric same as at schedule level.-200 Nos.	50	SSE(T/ STORE) KYN.	LAMIFABS & PAPERS (P) LTD, AUNGANGABAD - 431006	84718
47	92.14.5125 .1. 65322	12.05.14	PVC insulated armoured cable with Multi stranded annealed copper conductor 3 core, size-25 Sq.mm, Voltage grade 1100V as per IS.7098(Pt.1)1988.Make:Havells, Polycab,Anchor.	60	SSE (Sub-Stn) CLA	H.N.Enterprises, Mumbai- 400 097.	36288
48	92.14.5126 .1. 65323	12.05.14	PVC insulated armoured cable with Multi stranded annealed copper conductor 3.5 core, size-25 Sq.mm, Voltage grade 1100V as per IS.7098(Pt.1)1988 MAKE-Havells, Polycab,Anchor.	50	SSE (Sub-Stn) CLA	H.N.Enterprises, Mumbai- 400 097.	37748
49	92.14.5346 .1. 65324	13.05.14	Petrol Driven Chain Saw Model No SB 4680, Brand Name- Powerman , Displacement 45 CC, Guide Bar - 45 Cm, Fuel capacity-0.5 ltrs, Cutting Capacity -120 Cm, weight 4.8 Kgs.Additional Maintenance Accessories - Spark Plug Wrench 01 No.,Screw Driver 01 No.,Allen Key 03 No., Fule Mixture Bottle 01 No.	2	SSE(P.WA Y) BY	SB Drive Power Ltd., Mumbai- 400004.	69510
50	92.14.5215 .1. 65325	13.05.14	AC/DC Clamp Meter model 374 Mecro Model No.3690 Auto.	5	SSE(SIG) CLA	M/s. Ankur Electronics, Mumbai. 400 069.	18563

Sr.	PO No.	DESC.	QTY.	Consignee	Firms name	Total value
51	92.14.5347 .1. 65326	13.05.14 Petrol Driven Power Pruner Model S.B. 2600, Technical Parameters - Brand Name-Powerman , Model SB 2600, Power- 1.2 HP, Displacement 25.4 CM3 Adjustmented - Single Position, Bar Length 10" ,Chain(pitch xguage - 3/8" x 0.43' , weight 8.0 kgs.Total Unit Length - Compressed 3 Mtrs, Extended 4 Mtrs., Additional Maintence Accessories- Spark Plug Wrench-01 No.,Screw Driver 01 No.,Allen Key 02 No.,Full Mixture Bottel 01No. Spanner 01 No.	2	SSE(P.WA Y) BY	SB Drive Power Ltd., Mumbai-400004.	66150
52	92.13.5666 .1. 65327	13.05.14 High voltage self fusing permanent insulation and jacketing tape size 51mm x 0.76mm x 9.1 mtrs. As per specification attached Permacel make	125	SSE (OHE) CLA	Excel Engineers, Mumbai-400101.	99225
53	92.14.5312 .1. 65328	13.05.14 Set of LED lights. As per detailed given in annexure 'A'. 1) 6 watts recess mounted circular slim LED luminaire along with suitable driver to work on 230 volts AC cut out diamention between 85 to 95 mm. Similar to Wipro cat. No. CRDL 14R005HP60. 2) 6 watts recess mounted square slim LED luminaire along with suitable driver to work on 230 volts AC cut out diamention between 85 to 95 mm. Similar to Wipro cat. No. CRDL 15005HP60. Make - Wipro, Philips, Bajaj.	1	Sr. SEE (Maint) CSTM	Trident Mercantile Private.Limited, Mumbai- 400023.	90648
54	92.14.5291 .1. 65329	13.05.14 SP98 P7 Silver Galva- bright silver finish cold galvanising compound to protect surface against corosion in 550 ml aerosolcan Stanvac Ultra Bright Zinc Spray in 525 ml Can of M/s Stanvac Chemicals (I) Ltd.)	250	SSE(SIG) CLA	M/s. MRO Engineers, Mumbai - 400080.	89775
55	92.14.5314 .1. 65330	13.05.14 6 watts recess circular LED down lighter having colli motor lens with suitable driver with cut out dimantion 50 to 53 mm. Similar to wipro cat. No. LD35400 XXX-50-XX. Make - Wipro, Philips, Bajaj.	38	Sr. SEE (Maint) CSTM	SHRI SATGURU ELECTRIC & TRADING CO. Mumbai-400003.	89300
56	92.14.5122 .1. 65331	13.05.14 Copper Ring Terminals set as per contain dowels Cat.No.1) RS.7033.Size 16 Sq.mm.ID.12MM=2000 Nos. 2) RS.7037.Size 25 Sq.mm ID.12 MM=2000 Nos. KI Brand Copper Ring Terminal	1	SSE (Sub-Stn) CLA	Shanti Engineering Works, Mumbai- 400068.	25200
57	92.14.5121 .1. 65332	13.05.14 PVC insulated armoured cable with copper conductor 4 core, size-2.5 Sq.mm voltage grade 1100V. As per IS.7098(Pt.1)1988 Make:Havells, Polycab, Anchor.	300	SSE (Sub-Stn) CLA	M/s. Hans Enterprises, Mumbai-400003.	36300
58	92.14.5025 .1. 65333	13.05.14 Control & Distributuion panel for colour light signaling supply three indipendent. single phase, 240V, AC, 50Hz Sources,10KVA/60 Amps for 25KV AC traction system,as per RDSO Speen No. TI/SPC.PSI.cls.0020.with AC Slip 1to 4 and Drg.No. ETI/PSI 0035-4. or latest.(Accepted offer for Systems & Services Power controls.)	2	SSE PSI LNL	Systems & Services Power Control, Ambala Catt 133 001 (Haryana).	56835
59	92.13.5675 .1. 65334	13.05.14 Heat shrinkable straight through joint kit for 2.2 KV Alu. Conductor PVC cable size 3x185 sqmm with all accessories annexure attached. Make - RPG, REPL, XICON.	15	SSE (Cable) CLA	Venus Electrical Trading Co, Mumbai-400002.	90214
60	92.14.5223 .2. 2.65335	15.05.14 FOUR CORE CIRCULAR ARMOURED XLPE CABLES. - Size in Sq. mm: 4 X 25.0	900	Sr. SEE (Maint) CSTM	WINDSOR CABLES PVT. LTD., DELHI - 110033	102068
61	92.14.5229 .2. 2.65336	15.05.14 FOUR CORE CIRCULAR ARMOURED XLPE CABLES. - Size in Sq. mm: 4 X 35.0	700	Sr. SEE (Maint) CSTM	WINDSOR CABLES PVT. LTD., DELHI - 110033	99467

Sr.	PO No.		DESC.	QTY.	Consignee	Firms name	Total value
62	92.14.5155 .1. 65337	19.05.14	RG 06 - video coaxial cable of 21 AWG (1/.0285) Copper clad steel conductors strictly 95% silver coated Copper Braid shield, having 75 ohms impedeance. Polycab make	900	SSE(T/ST ORE) CLA	Galaxy Enterprises, Mumbai 400 002.	11907
63	92.14.5263 .1. 65338	19.05.14	Modified bond plate suitable to fixed on rail web. 1 set of bond plate consist 2 Nos. bond plate, 04 Nos. copper lug, 04 Nos. 7mm taper pin, 02 Nos. 16mm taper pin, 04 Nos. M-6 bolt with washer and nut as per railway drawing No. R-ST-12047. S.S - 304 Grade,	30	SSE/Sig/M /Kyn	V.N.Engineering Works, Thane-400606.	65813
64	92.14.5244 .1. 65339	19.05.14	Lifting & Lowering arrangement for Lifting Alternator Motor capacity 500 kgs.,Lifting Height 4" as per drawing attached.Platform size:2'x 2',Thickness 3 mm.Hydraulic cylinder size:2' approximately ,Dowety pump 1000 Kgs.Capacity ,Lifting Pad size:5"x 6",1/4"Thickness,Pump capacity 1000 Kgs.,Wheel 4 Nos.Size:4"x 2"Rubber Bounded ,2.Nos.Fixed types & 2.Nos.swivel type,,height from ground 8",Handle pipe size:30 mm Dia,14 Swg., Handle height 13" approximate.Drawing attached.	1	Sr.SE(TL/A C)LT(T).	M/s. Jinendra Enterprise, Mumbai 400 003.	96830
65	92.14.5158 .1. 65340	19.05.14	Field Telephone D-8 Cable size 7/0.285 mm galvanized steel and copper strand to C .Rly specification No. C.R.SPECN Telecom N E dt. 07/07/1983.	8000	SSE(T/ST ORE) KYN.	Galaxy Enterprises, Mumbai 400 002.	43848
66	92.13.5281 .1. 65341	19.05.14	Aluminium terminal size 10mm ² cat No. ALS-215 of Dowells & AT -215 of Braco make	10000	Sr.SE(ETL)CSTM	M/s. Sam Electricals, Mumbai 400 002.	15015
67	92.13.5280 .1. 65342	19.05.14	Aluminium terminal size 6mm ² cat No. ALS-313 of Dowells & AT -313 of Braco make.	10000	Sr.SE(ETL)CSTM	M/s. Sam Electricals, Mumbai 400 002.	10815
68	92.13.5279 .1. 65343	19.05.14	Aluminium terminal size 4mm ² cat No. ALS-317 of Dowells & AT -317 of Braco make.	10000	Sr.SE(ETL)CSTM	M/s. Sam Electricals, Mumbai 400 002.	10815
69	92.13.5710 .1. 65344	19.05.14	Thermo Shrinkable Jointing Kit as per RDSO specn. No. RDSO/SPN/TC/57/2006 (Rev.O) or latest TSF-2.	80	SSE(T/HF/ CLA	Western Cablex Engineering Pvt.Ltd. Mumbai-400 058.	67050
70	92.14.5132 .1. 65345	19.05.14	Space heater 1.5 KW, 230 V, dia-33mm, length 75.4 cm for CEE, DEE oil clarify machine. GIRISH HEAT ISI marked.	20	SSE (Sub-Stn) CLA	M/s. M.N.Engineering Corporation, Bhayander (W) 401 101.	21375
71	92.14.5124 .1. 65346	19.05.14	PVC insulated single core multi stranded flexible copper wire size-25 Sq.mm, Voltage grade 1100V as per IS.694-1990. Brimson make	300	SSE (Sub-Stn) CLA	H.N.Enterprises. Mumbai- 400 097.	56700
72	92.14.5248 .1. 65347	20.05.14	Crockeries items 1) Tea Set-Bone China- Six cup,Six saucer, One tea pot, One milk pot, One sugar pot.Laoplas, marvel 2) Thermos Jug-1 ltr capacity, plastic body, inner body steel Milton, Pooja 3) Full plate 6 nos, Size-10-12" laoplas, shubham 4) Quarter plate- 6 Nos. Size-6" laoplas, shubham.5) Spoon- 6 Nos.Medium size- S.S (1 Set).	3	CMS KYN	M/s. Hans Enterprises, Mumbai-400 003.	5550
73	92.14.5273 .1. 65348	20.05.14	Executive Table with Melamine Face chipboard, High quality with adjustable Pedastal system 3 drawer with ERU. United make.Model No. UIE 5018. Size 1800mm L x 900mm W x 770mm H.	1	Sr DFM CSTM	Royal Furnitures, Mumbai- 400 001.	26900

Sr.	PO No.		DESC.	QTY.	Consignee	Firms name	Total value
74	92.14.5255 .1. 65349	21.05.14	S.S.Floor Plate with Aluminium base as per Drawing attached.	2	Sr.SEE(Lift)CSTM	Bhavani Electrical & Mechanical Company, Mumbai-17.	33525
75	92.14.5315 .1. 65350	21.05.14	4 pole power contactor 200A with 1 No and 1 N/C Aux contact with standard AC coil 240/440V confirming to IS-13947, similar to L&T cat. No. MCX 33/AC-1 rating. Make L&T, Havells, C&S.	5	SSE (EM) KYN	M/s. HEM ENTERPRISES, Mumbai-400 092.	86000
76	92.14.5318 .1. 65351	21.05.14	Condenser coil 5 TR capacity made of copper tubes and alluminium fins suitable for 5 TR capacity ductable / package AC units of Voltas, Blue Star, Carrier etc.	6	Sr.SEE (AC/Sty) CSTM	M/s. M.N.Engineering Corporation, Bhayander (W) 401 101.	65490
77	92.14.5311 .1. 65352	21.05.14	Water cooler condenser coil made of copper tube elbow, bends with aluminum fins complete and assembled in MS/G.I. frame and tested with nitrogen gas pressure suitable for storage type water cooler, 150 Ltrs. Capacity of Blue Star, Voltas, Sidwal	15	Sr. SE (AC-Sty) CSTM	M/s. M.N.Engineering Corporation, Bhayander (W) 401 101.	65250
78	92.14.5317 .1. 65353	21.05.14	Expansion valve make Alco/ Emerson model No. TER 26 HW suitable for centralized AC plant and suitable for R22 refrigerent.	4	Sr.SEE (AC/Sty) CSTM	M/s. M.N.Engineering Corporation, Bhayander (W) 401 101.	61000
79	92.13.5453 .1. 65354	21.05.14	Deskjet Multifunction Printer, All-in -One HP Deskjet Ink Advantage 2645 Warrantee : 01 Year by Manufacturing company.	2	Sr.DEE(TD)CSTM	Computer Centre, Mumbai - 400 001	13230
80	92.14.5322 .1. 65355	21.05.14	Set of GI cover 14 SWG for precooling box with panel lock hinges etc. installation of site , size 1) 540 x 230 mm- quantity - 50 Nos. 2) 260 mm x 230 mm - quantity - 50 Nos. as per drawing attached.	1	Sr.SEE (Maint) CSTM	Harsh Industries, Mumbai-400 092.	82560
81	92.14.5316 .1. 65356	21.05.14	Multi coloured toran with suitable driver in length 9 to 10 mtrs and number of lamp not less than 80 Nos. in each toran. The LED toran shall be suitable to work on 230 volts, 50 Hz AC supply. 100 Nos. each of Red, Green, White and Blue.	400	Sr.SEE (Maint) CSTM	SHRI SATGURU ELECTRIC & TRADING CO. Mumbai-400 003.	86400
82	92.14.5321 .1. 65357	21.05.14	Set of GI Cover 14 SWG for battery charging box with panel lock hinges etc. installation at site 1) size 270 x 230 mm- quantity - 60 Nos. 2) 240 mm x 230 mm - quantity - 60 nos. as per Drg. attached.	1	Sr.SEE (Maint) CSTM	Hardik Enterprise, Thane 421 201.	85650
83	92.14.5272 .1. 65358	21.05.14	Vertical Blinds curtain 5 feet material cotton fabric with fitting of any reputed brand.(as per sample enclosed)	2	Sr DFM CSTM	M/S JASMINE TRADING CO., MUMBAI -400009	7369
84	92.14.5319 .1. 65359	21.05.14	MCB enclosure with DP MCB (mini MCB) 32 A plastic enclosure with indication lamp suitable for 230 volts AC, 50 Hz supply similar to standard cat. No. DSMPCDPA 032 and Havells cat. No.DHMPCDPA006-32 Make - Havells, Standard.	240	SSE (EM) KYN	M/s. Reena Enterprises, Mumbai 400 078.	95520
85	92.14.5113 .1. 65360	22.05.14	P.V.C.insulated single core multi stranded flexible copper wire Size1.5 Sq.mm voltage grade 1100V. Colour,Blue , Yellow, Green As per IS 694-1990. Polycab make.	5000	SSE (Sub-Stn) CLA	M/s. Jayshree Trading Co., Mumbai-400 078.	56750
86	92.13.5735 .1. 65361	23.05.14	Condensor tripping device (CTD) for 25 KV SF-6 gas CB for CGL make, type-50 SFGP.	25	Sr.SE (PSI) PNVL	Pristine Engg Services Pvt. Ltd. Mumbai- 400 093.	63281

Sr.	PO No.		DESC.	QTY.	Consignee	Firms name	Total value
87	92.14.5283 .1. 65362	26.05.14	Cable PVC flexible 36/0.3 finolex strand 2.5 sqmm for wiring for point machine in Red,White, Blue, Yellow & Black colour finolex, Polycab, Havells, Zenium	5000	SSE(SIG) CLA	M/s.K.M.Enterprises. Vasai-(W), Thane.	80000
88	92.14.5292 .1. 65363	26.05.14	SS taper pin of ABB Bond plate of size 6mm with Two Nut, One Nylon Nut,Four plain Washer & One spring washer as per Drg. No.RST- 11630	3000	SSE(SIG) CLA	M/s.K.M.Enterprises. Vasai-(W), Thane.	58500
89	92.14.5293 .1. 65364	26.05.14	ZORIC SPRAY 200ML. Rust end contact cleaner in 200 ml tin 'CVC' Multilube	300	SSE(SIG) CLA	Chem- Verse consultants (India) Pvt.Ltd, Mumbai 400 022.	23625
90	92.13.5718 .1. 65365	26.05.14	Ceiling light fitting (Double) with diffuser complete set for LHB type AC coches. As per RCF Drg. No. LW.76011. Alt. 'B' or latest.	40	Sr.SE.TL/A C LT (T)	M/s. United Corporation, Mumbai – 400 053.	74760
91	92.13.5719 .1. 65366	26.05.14	Ceiling light fitting (Single) with diffuser complete set for LHB type AC coches. As per RCF Drg. No. LW.76004. Alt. 'B' or latest.	50	Sr.SE.TL/A C LT (T)	M/s. United Corporation, Mumbai – 400 053.	88200
92	92.14.5289 .1. 65367	27.05.14	Perplex sheet 6' x 4' x 5mm thickness clear for use in operating panel make Swastik	24	SSE(SIG) CLA	M/s. Siddhi Vinayak Enterprises., Mumbai – 400 097.	50376
93	92.13.5733 .1. 65368	27.05.14	Surge monitor suitable for 42 KV lighting arrester. Movster make.	5	Sr.SE (PSI) PNVL	M/s. Shakti Enterprises., Thane (W) – 400 602.	39263
94	92.13.5734 .1. 65369	27.05.14	Surge monitor suitable for 198 KV lighting arrester. Movster make.	4	Sr.SE (PSI) PNVL	M/s. Shakti Enterprises., Thane (W) – 400 602.	31410
95	92.14.5243 .1. 65370	28.05.14	Fire retardant cleat for 4.5 KW alternator as per DEE/W/PL drg. NO.TL-1731/R1 (copy enclosed) (Rev.-1) complete with 02 Nos. Galvanized machine screw size 50 x6 M : 1 with nut and washer to be fitted on both side of the cleat. The material of cleat to be EP/2 of IS-10192.	300	SSE (TL) CSTM	M/s. Jinendra Enterprise, Mumbai 400 003.	83700
96	92.14.5068 .2. 65371	28.05.14	1) REGENCY SERIES - Description : Regency High Back, RC item No. 41 - Qty. 01 No. 2) ECONOMY EXECUTIVE CHAIRS - Description : E-II High Back, RC item No. 48 - Qty. 02 Nos.	1	DRM(W) C	M/s.Godrej & Boyce Mfg.Co.Ltd. Mumbai : 400 079.	24112
97	92.13.5613 .1. 65372	29.05.14	Lavatory light fitting complete 110 V AC with ballast and CFL 4 pin, 11 watts for LHB type AC coaches. As per RCF Drg. No. LW. 76033.ALT.C. or latest.	100	Sr.SE (TL/AC) LTT	M/s. Power Electronics., Mumbai – 401 105.	70875
98	92.13.5367 .1. 65373	29.05.14	Bond press double screw type for quick removal complete with spanner to drg. No. ET/RB/82/M/R2	10	SSE(OHE) CLA	M/s T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	68250
99	92.13.5005 .1. 65374	29.05.14	A set of MS angles of four various sizes. 1) MS Angel 25x25x3 mm 3 mtrs. Qty. – 80 Nos. = 0.264 MT. 2) MS Angel 40x40x5 mm 3 mtrs. Qty. – 40 Nos. = 0.36 MT. 3) MS Angel 50x50x5 mm 3 mtrs. Qty. – 30 Nos. = 0.342 MT. 4) MS I-Beam 150x75 mm 4 mtrs. Qty. - 20 Nos. = 1.08 MT. Total = 2.046 MT.	2.046	Sr.SE (TL/AC) LT(T)	Shree Samruddhi Engineering, Navi Mumbai -400 705.	105267

List of purchase orders issued during the month of May-2014.

9==9

Sr.	PO No.		DESC.	QTY.	Consignee	Firms name	Total value
100	92.14.5174 .1. 65375	29.05.14	SMPS Power supply for existing GPS based digital clock with spike protection circuit 15 Volt/10 Amps. (6 V to 15 V variable)	25	SSE(T/Store)CLA	M/s.Nimit Electronics, Mumbai-400 080.	35175
101	92.14.5385 .2. 65376	30.05.14	Polyprpylene Ropes (3 Strand) Hawserlaid & 8 Strand plaited Consuction; 3 Strand Hawser - lead, Diameter(mm) 6	15050	SSE(WKS)BY	M/s. Axiom Cordages Ltd., Thane 401 501	42591.5