

No.	PO No.	Date	DESC.	QTY.	STATION	Firms Name	TOTAL
1	92.13.5364 .1. 65377	03.06.14	Adjustable spanner Taparia make confirming to IS 6149-1984 grade II chrome finish product no.1171-8 size 205mm, 1172-10 size 255mm, 1173-12 size 305mm.	75	SSE(OHE)C LA	A.R. Enterprises, Mumbai-400 003.	52273
2	92.13.5401 .1. 65378	03.06.14	HRC fuse base unit 63 Amps 415 Volt as per IS: 9224 part I. safe clip type (Complete with base, carrier & fuse)	250	SSE/Sub- Stn/CLA	A.R. Enterprises, Mumbai-400 003.	55125
3	92.14.5262 .1. 65379	03.06.14	Laser jet printer model HP laser jet P-1566	1	DRM (W) CSTM	M/s.Computer Center, Fort, Mumbai-400 001.	9240
4	92.14.5284 .1. 65380	03.06.14	Copper Lug for AFTC track lead connection (Rail Side) as per drg No. R-ST-11788	2200	SSE(SIG) CLA	M/s. RBH Engineering Corporation, Thane.	72765
5	92.14.5325 .2. 65381	03.06.14	MCB WITH ISI MARK RATED SHORT CKT. CAPACITY 10 KA - Instantaneous Tripping Range: C,No.of Poles (PP-Protected Pole) : Single Pole with 1 PP Rated Volts: 240 Rated Current in Amps.10.	1500	SSE (EM) KYN	M/s.ADHUNIK SWITCHGEARS PVT. LTD. DELHI - 110088	102585
6	92.14.5326 .2. 65382	03.06.14	MCB WITH ISI MARK RATED SHORT CKT. CAPACITY 10 KA - Instantaneous Tripping Range: C,No.of Poles (PP-Protected Pole) : Single Pole with 1 PP Rated Volts: 240 Rated Current in Amps.20.	1600	SSE (EM) KYN	M/s.ADHUNIK SWITCHGEARS PVT. LTD. DELHI - 110088	109424
7	92.14.5090 .1. 65383	04.06.14	Galvanized square headed Bolt 19 MM dia 100 MM Length FullThreaded the material shall be of steel T -10	300	SSE/Sig /CLA	M/s. A.K. Engineering Work's, Mumbai – 400 070	17340
8	92.14.5055 .1. 65384	04.06.14	Electronic Buzzer 60 Volt DC for Panel Edison make size 66 x 55 x32 mm	40	SSE(SIG/ST O) KYN.	H.P.Enterprises. Mumbai-400 019.	3234
9	92.14.5352 .1. 65385	04.06.14	Mosquito Screen net with Velcro stitched of Netlon , Polynet Tuffnet.	100	SSE(CUST) CSTM	To M/S. PARK & CO, MUMBAI 400077.	33188
10	92.13.5584 .1. 65386	04.06.14	Iron Cots with mosquitonet Rods. Size- 74.5" L x 36" H x 37"W, Thick Sheet Top good quality Material M.S., Surface-Powder coated, Supported- 1"x1" Sq Tube ,Side Channel-2" Pipe , Stand- 1.75" pipe ,Plywood Top- 12mm Thick Mosquito Net Rod 4 Nos. (48"x1/4").	8	Sr DSC/RPF/C STM	UNITED (India) Enterprises, Mumbai 400 001.	49500
11	92.13.5361 .1. 65387	04.06.14	Bolt cutter heavy duty with interchangeable saw arrangement suitable to cut high tension wire, 4 chain upto 1/2" dia and having the length 42" Taparia make	15	SSE(OHE)C LA	M/s. Jayshree Trading Co, Mumbai-400 078.	53295
12	92.14.5288 .1. 65388	04.06.14	M Seal (general purpose) Epoxy compound Multi purpose industrial grade compound make Pidilite Ind. Ltd. In 1 kg pack of Araseal	200	SSE(SIG/CL A	H.P.Enterprises. Mumbai-400 019.	37590
13	92.13.5368 .1. 65389	04.06.14	Bolt cutter (contact/Dropper wire cutter) size 12" Jalani make	100	SSE(OHE)C LA	M/s. Jayshree Trading Co, Mumbai-400 078.	55000
14	92.14.5242 .1. 65390	04.06.14	Metal clad protected pre-cooling plug 63Amp., 440 Volts AC, 5 pin type as per Shneider cat. No. CP63.	70	SSE (AC/Cog) CSTM	HR Enterprises, Mumbai-400077.	80551
15	92.13.5709 .1. 65391	05.06.14	Thermoshrink Jointing Kit as per RDSO specification No. RDSO/SPN/TC/57/2006 (Rev.O) suitable for 10/20 pair 0.63 mm cond.Dia PIJF Cables (type TSF-1) of 'Western Cables'	150	SSE/T/HF/C LA	M/s.Western Cables Engineering Pvt.Ltd, Mumbai-400 058.	98888
16	92.14.5260 .1. 65392	05.06.14	LCD Colour Monitor of 18.5" of Acer Gateway Monitor KX1853	1	Sr DCM CSTM	M/s. EXCEL ENTERPRISES, Mumbai. 400 001.	6048

No.	PO No.	Date	DESC.	QTY.	STATION	Firms Name	TOTAL
17	92.14.5119 .1. 65393	05.06.14	Silica gel breather 1" BSP with top &bottom aluminium fitting, jar of acrylic tube seamless capacity 1500 grams silica gel blue indicating oil cap acrylic moulded as per Drg.No.42567 & IS32020197 Drg.No.BR/AC/DM/34 model DT-04 with gel.	20	SSE (Sub-Stn) CLA	M/s. Spark India Associate, Nagpur 440002.	20181
18	92.13.5359 .1. 65394	05.06.14	Single phasing preventor VSP-3 (Auto reset 50 volts unbalance) suitable for 3 phase 440 volts 50 Hz. AC supply Minilec VSP-3 , DIN rail mounting arrangement	100	SSE(EM)KYN	M/s. Spark India Associate, Nagpur 440002.	49350
19	92.14.5359 .1. 65395	06.06.14	Antivirus Softwares Kaspersky, Internet Security Antivirus 2014.	80	Sr DFM CSTM	M/s. EXCEL ENTERPRISES, Mumbai. 400 001.	34272
20	92.14.5109 .1. 65396	06.06.14	ThermoShrink Jointing kit for jointing underground 4 -6 quad cable As per IRS-TC/77/2010 or latest (WITHOUT TRANSFORMER)	40	SSE(SIG) CLA	General Auto Electric Corporation, Mumbai-400072.	96400
21	92.14.5111 .1. 65397	06.06.14	Round space heater 100 Watts suitable to operate on 230 Volts AC supply 50Hz.	300	SSE (Sub-Stn) CLA	H.P.Enterprises. Mumbai-400 019.	58275
22	92.13.5725 .1. 65398	06.06.14	I.R.R. Lamp 250 Volt, 250 Watt with screw type porcelain holder.	100	Sr.SE (TD) PNVL	Jayshree Engineering Works.12, Bonfied Lane Kolkata- 700001.	33778
23	92.14.5353 .1. 65399	06.06.14	Filling Cabinet for four drawer Size 54"x 27"x18" vertical Fitting Cabinet with Automatic locking System & duly powder coated finishing	1	SSE /Cog/CSTM	UNITED (India) Enterprises, Mumbai 400 001.	9450
24	92.14.5306 .1. 65400	06.06.14	Lead Acid battery heavy duty 12 V. 180 AH as per IS 7372/74 or latest Exide, model- LC180R	2	SSE PSI LNL	Jayshree Engineering Works.12, Bonfied Lane Kolkata- 700001.	32976
25	92.14.5154 .1. 65401	06.06.14	SMPS Based 48v. DC.50A (two modules of 25A with automatic Switching between the modules) charger for Telecommunication equipment having in built lightening surge arrester (B&C class protection) RDSO specification/ TL/23/99 (VER)4.	1	TCI (HF) CLA	Electric Industries, New Delhi 110020	94178
26	92.14.5384 .1. 65402	10.06.14	Quick setting compound pidi patch of pidilite industries chemistic & perma make in 1 kg pack	850	SSE(WKS) BY	To M/S. PARK & CO, MUMBAI 400077.	88931
27	92.14.5383 .1. 65403	10.06.14	Supply of Water Proofing Paste Sodium Silicate in 1 kg packs (STP Ltd.)	200	SSE(WKS) BY	To M/S. PARK & CO, MUMBAI 400077.	6510
28	92.14.5333 .1. 65404	10.06.14	CFL lamp 45 watt, E/27/B/22 cap suitable for 220/240 volts, 50 Hz AC supply, Cool Day light similar to Havells cat.No. PHFF/045 Crompton make	190	SSE (EM) KYN	Alfa Engineers, Mumbai-400 009.	94996
29	92.14.5337 .1. 65405	10.06.14	Tower fan slim type to work on 230 volt,single phase,40 to 60 watts with remote,similar to Oster BT 150 slim tower fan with Remote	4	Sr.SEE (Maint) CSTM	SHRI SATGURU ELECTRIC & TRADING CO, Mumbai-400 003.	21560
30	92.14.5330 .1. 65406	10.06.14	CFL lamp 65 watt E/27, B/22 cap,Cool Day light suitable for 220/240 volts, 50 Hz AC supply, similar to Havells cat. No. PHFF*#065.	160	SSE (EM) KYN	SHRI SATGURU ELECTRIC & TRADING CO, Mumbai-400 003.	95200

No.	PO No.	Date	DESC.	QTY.	STATION	Firms Name	TOTAL
31	92.14.5190 .1. 65407	10.06.14	G.I. Earthing strip of size 40 x 3 mm in standard length of 2.7 meters as per sketch attached.	500	SSE (EM) KYN	Kudos Enterprises, Navi Mumbai-400 705.	69300
32	92.14.5237 .1. 65408	10.06.14	HRC fuse link type off set tag, TIS type, 40Amps, as per IS No. 13703 (P-2 sec-1) C&S code No. CTIS 40	1500	SSE (TL) CSTM	M/s. Kaltro Enterprises, Thane - 421 501.	77333
33	92.14.5342 .1. 65409	10.06.14	7.5 HP Monoblock pump-motor set, MB series Head - 37 mtr, Discharge - 780 LPM, 3000 rpm, Suction/Delivery pipe 65 x 50mm suitable for three phase,440 volts,50 Hz AC supply similar to Crompton MBN7.52.	3	SSE (EM) KYN	M/s.Rajesh Traders, Mumbai-400 092	89460
34	92.14.5062 .1. 65410	10.06.14	Electron Beam Irradication control cable size 16 Sq.mm to RDSO drg.No.EDPS-179	275	SSE(AC/COG)	Radiant -RSCC Specialty Cable Pvt. Ltd., Hyderabad-502 003.	76438
35	92.14.5140 .1. 65411	11.06.14	Water purifier Alfa Make, Model SPARKLE+, UV Water filter cum purifier, flow rate 2 ltr/min. Manufactured by M/s. ACE Hygiene Product Pvt. Ltd.	2	SSE (AC/Cog) CSTM	Akshar Marketing, Vasai (W), 401 202.	12375
36	92.14.5287 .1. 65412	11.06.14	Electronic Buzzer 60 Volt DC for SM operating panel make Target Electrical	10	SSE(SIG) CLA	Yash Sales Corporation, Mumbai-400 080.	3000
37	92.14.5286 .1. 65413	11.06.14	Electronic Buzzer 24 Volt DC for SM operating panel make Target Electrical	10	SSE(SIG) CLA	Yash Sales Corporation, Mumbai-400 080.	3000
38	92.14.5280 .1. 65414	11.06.14	Fibre glass point ME-34 junction Box in FRP for Feed and relay and transformer resistance, with suitable holes for fixing MS Angles & Hylam sheet and connecting to track for improving track relay voltage and TSR as per Drg.WR/DRM/SG/956/1-3 attached	20	SSE(SIG) CLA	Rubaco Plastic Works, Mumbai - 400 010.	81690
39	92.12.5246 .1. 65415	11.06.14	Stainless steel hex head bolt with nut, two plain Washer & one spring washer size 10 x 30mm as per IS 1364 A-316.	1000	SSE/Sub Stn./CLA	Agrwal Fastners Pvt.Ltd., Mumbai- 400 003.	26250
40	92.13.5402 .1. 65416	11.06.14	11 KV 5 Amps fuse element (total length 675 mm) confirming to IS: 5792/1970	250	SSE/Sub- Stn/CLA	S.Kant & Co., Mumbai-400 002.	17063
41	92.13.5403 .1. 65417	12.06.14	MCB 'C' curve double pole rating 63 Amp. Breaking capacity 10 KA for 25 KV AC CLS supply changeover pannel of L&T make	90	Sr. SEC ENGR PSI LNL	Aayushi Enterprises, Mumbai-400 002.	57645
42	92.14.5380 .1. 65418	12.06.14	Sofa Set (Three Seater)sofa foam 32 density and 4 cuishned seat & back with arm rest. Size 1710.mm W x 720 mm D x 820mm H. Model No.OS.210 .or similar.& Center table size -600 mm x 450 mm	1	Sr DFM CSTM	UNITED (India) Enterprises, Mumbai 400 001.	25500
43	92.14.5393 .2. 65419	12.06.14	1) Computer Table -Size in(L XB XH)mm: 1000 x 600 x 750mm,Keyboard Pullout tray,drawer & Top made of: MDF. 2) Computer Chair (Adjustable Cum Revolving Type) Size in (WXDXH) mm: 725X 725X 1120, Seat (+Adj.): 425 +100,Type: Synchronic Tilt,Seat Size: Single Seat 525 +/- 25,Back Type: Fixed Back,Arm set: With	2	Sr DOM CSTM	FINEX KITCHEN PVT LTD, MAHARASHTRA - 422009	16243

No.	PO No.	Date	DESC.	QTY.	STATION	Firms Name	TOTAL
44	92.14.5307 .1. 65420	12.06.14	CFL lamp 36 watt 4 pin 2G 11 cap for cool day light fitting suitable for 230 V TS 50 HZ AC supply	200	SSEE (TD) SS KYN	Naman & Company, Pune 411034.	18000
45	92.14.5246 .1. 65421	12.06.14	Crockeries and Other items. 1) Flower Vase 6 Nos. 2) Pen Stand-Four Pen Satand with provision of date & Note pad Role & Pin box- 3 Nos.3) Tea set complete-6 cup & 6 saucer Milk & Sugar pot Qty- 3 Sets Make Bone china Laoplas, Marvel . 4) Full Plate 06 Nos,Qtr Plate-06 Nos.Make Make Bone china Laopala, Shubham S/S Spoons 6 Nos.5) Thermos Jug 01 Ltrs Cap.Qty-3 Nos,Make.Milton, Cello .6) Electric Kettle-01 Ltr,Capacity Qty-3Nos,Make Prestige, Bajaj.	1	Sr.Co.12BN/ RPSF/THK	M/s. Hans Enterprises, Mumbai-400 003.	14920
46	92.13.5370 .1. 65422	12.06.14	Stainless steel bolt size M10 x 50 x 30mm with nut & two flat washer with checknut RDSO specification no. : ETI/OHE/18 Make RC	800	SSE(OHE)C LA	R.C.Enterprise, Kolkata-700 034.	51500
47	92.14.5275 .1. 65423	12.06.14	Crockery & Other Items 1) Tea set (6 cups and 6 saucers, one tea pot one milk pot,one sugar pot..Laoplas, marvel) 1 set 2) Dinner set -Bone China (6 quarter plates & 6 full plates, laoplas, shubham .6 spoons S.S etc.) -01 set.3) Thermos Jug-1 ltr capacity, plastic body, inner body steel Milton capacity-1 litre -01 no; .4) Electric kettle Prestige make capacity-1 litre.-01 no. 5) 4 pen stand with date.-01 no.(1Set).	1	Sr DSC/RPF/C STM	M/s. Hans Enterprises, Mumbai-400 003.	6000
48	92.13.5576 .1. 65424	12.06.14	Crow scare made of PVC tube 32mm dia, thickness 3mm, length 200mm, luminous tape red and yellow colour. Nylon rope 3mm dia and 3 meter length.	6000	Sr.SE/TD/P NVL	M/s.K.M.Enterprises, Thane.	70500
49	92.14.5386 .1. 65425	13.06.14	Supply of Welton Tablet for use as disinfecting of water containing 65% available chlorine calcium hypochlorite for in tablet form of 20 Gms Each Aquafit make.	100	SSE(WKS) BY	To M/S. PARK & CO., MUMBAI 400077.	36000
50	92.14.5392 .1. 65426	13.06.14	External surface adhesive scellent in 18 kgs Drum. Of (STP Ltd.)	414	Sr.SE (Wks) CSTM	To M/S. PARK & CO., MUMBAI 400077.	88027
51	92.14.5395 .1. 65427	16.06.14	Heavy Duty Stapler Machines Size HD.125/17. Toyo Make.	40	Sr DCM CSTM	UNITED (India) Enterprises, Mumbai 400 001.	50000
52	92.14.5382 .1. 65428	16.06.14	Plastic Polythene Bags Supreme Quality 50 Microns Size 40"x 30" Black colour for disposal of wastefrom Rly Hospital to KDMC Area.	600	CMS KYN	M/s. Hans Enterprises, Mumbai-400 003.	65400
53	92.14.5197 .1. 65429	17.06.14	HP OMNI 120 Model AMD E 450, 2 GB, 500 GB,hdd,Win 7 Int. screen 20 " TFT , DVD-Rw Wireless,Mouse, Keyboard of HP Make, (IRS CONDITION APPLICABLE)	5	DRM (W) CSTM	M/s. EXCEL ENTERPRISES, Mumbai. 400 001.	160000
54	92.14.5399 .1. 65430	18.06.14	Refrigerator domestic type having capacity 70 to 80 ltrs. Suitable to operate on 220 - 240 volts, 50 Hz AC power supply not less than 3 star rating. Make - Videocon, Electrolux, Godrej.	1	Sr.SEE/AC/ STY/CSTM	M/s.Jeet Engineering Co, Mumbai- 400 068.	8700
55	92.14.5407 .1. 65431	18.06.14	Capacitor 2.25 MFD for Ceiling Fan suitable for 230 volts, 50 Hz AC supply of rating 2.25 MFD 440 volts , EPCOS - B32415G5225J 213. Make - EPCOS, Havells.	450	SSE/EM/KY N	M/s. Reena Enterprises, Mumbai 400 078.	88875

No.	PO No.	Date	DESC.	QTY.	STATION	Firms Name	TOTAL
56	92.14.5409 .1. 65432	18.06.14	LED Light fitting Round shaped with Driver suitable for 1 watts LED Light 230 volts colour Warm White.	40	Sr. SEE (Maint) CSTM	SHRI SATGURU ELECTRIC & TRADING CO., Mumbai-400 003.	30000
57	92.14.5410 .1. 65433	18.06.14	Set of Ceiling and Hanging Crystal Light fitting as per annexure attached. Set consist of three items.	1	Sr. SEE (Maint) CSTM	SHRI SATGURU ELECTRIC & TRADING CO., Mumbai-400 003.	66300
58	92.14.5423 .2. 65434	18.06.14	Desktop Computer with preloaded Operating System Configuration: AMD A6,Operating System: Microsoft Windows 8	1	DEN (NE) CSTM	Hewlett Packard India Sales Pvt.Ltd, Gurgaon 122 002.	39900
59	92.14.5345 .2. 65435 92.14.5413	24.06.14	Self Contained Drinking Water Cooler with (Non CFC Refrigerant)Energy Efficient Compressor Cooling Capacity Ltrs./Hr.: 60,Type: Storage,Storage Capacity Ltrs.: 120,Rate of Max. Energy Consumption Watts: 775	2	Sr. SEE (AC/Sty) CSTM	M/s. Voltas Limited, Mumbai 400 033.	72331
60	92.13.5352 .1. 65436	24.06.14	Metal Shelving Racks (Adjustable type) Type: Open, Height (mm): 1875, Width (mm): 900, Depth (mm): 500, No. of Min. Shelves: 6 Min Weight in Kg : 38.7.	5	Sr DCM CSTM	Famous Steel Corporation, Mumbai-400 012.	20250
61	92.14.5387 .1. 65437	24.06.14	Polyalk WP Chemical solution (Polymeric water Proofing solution in 5 kg pack.) . (Total 50 Packs of 5 Kgs. Each = 250 Kgs.)	50	SSE(WKS) BY	To M/S. PARK & CO., MUMBAI 400077.	48000
62	92.14.5388 .1. 65438	24.06.14	Polyalk EP Chemical solution (Polymeric mortar modifier in 5 kg pack.) .(Total 50 Packs of 5 Kgs. Each = 250 Kgs.)	50	SSE(WKS) BY	To M/S. PARK & CO., MUMBAI 400077.	42750
63	92.14.5030 .1. 65439	24.06.14	Dell Inspiron 660s core I3 3220 3rd Gen, 4 GB,1 TB,hdd,win 7,int,18.5" TFT,Dvd-Rw AX 210, speakers , wired Mouse/ Keyboard, McAfee antivirus. (IRS CONDITION APPLICABLE)	4	Sr DEE/TRSO/ CSTM	M/s. EXCEL ENTERPRISES, Mumbai. 400 001.	154508
64	92.14.5376 .1. 65440	24.06.14	Plastic Polythene bag Supreme quality 50 Microns Size 24"x18" Black colour.	500	CMS KYN	M/s. Hans Enterprises, Mumbai-400 003.	54500
65	92.14.5327 .1. 65441	24.06.14	CFL Lamp 4 pin,36 watt 2 G 11 cap for Cool Day Light fitting, suitable for 230 volts, 50 Hz AC supply. Make - Havells, Surya, Bajaj.	650	SSE (EM) KYN	M/s. HEM ENTERPRISES, Mumbai-400 092.	94250
66	92.14.5377 .1. 65442	24.06.14	Plastic Polythene Bags Supreme Quality 50 Microns Size 40"x 30" Red Colour for Bio-Medical Waste disposal from Hospital (BIO-HAZARDOUS BAGS) to be Printed on bags.	600	CMS KYN	M/s. Hans Enterprises, Mumbai-400 003.	76800
67	92.14.5398 .1. 65443	24.06.14	PVC pipe size 1/2" dia for tapping of distilled water in various battery cells.	1000	SSE (TL) CSTM	M/S. OM TRADING CO., Kalyan (E) ,421306.	27300
68	92.14.5340 .1. 65444	24.06.14	Wall mounting plastic body fans in control light Grey or White colour with speed control similar to WMHiflo LG 18" - 450mm/18" sweep accepted Make: CGL, Bajaj, Almonard, Havells,Orient.	40	Sr.SEE (Maint) CSTM	M/s. Reena Enterprises, Mumbai 400 078.	94400
69	92.14.5278 .1. 65445	24.06.14	Mini ARC Welding Transformer having copper winding 50-100-150 Amps,220 volts AC,1 Phase,50 Hz with set of Welding accessories consisting of 5'feet Welding cable,5'feet Earthing cable,Electrode Holder ,Connecting Lug,Earthing Lugs,Hand Screen with Glasses,Hand Gloves,Chipping Hammer and Wire Brush.Make:MACMEN of make HI-TECH or J.K.	6	SSE (TL) CSTM	M/S. OM TRADING CO., Kalyan (E) ,421306.	84375

No.	PO No.	Date	DESC.	QTY.	STATION	Firms Name	TOTAL
70	92.14.5097 .1. 65446	25.06.14	Polythene sheet yellow colour 500Guage 0.18 mm with 2 Mtrs.width	800	SSE(SIG) CLA	M/s. Hans Enterprises, Mumbai-400 003.	98600
71	92.14.5294 .1. 65447	25.06.14	Various type cartridges as per annexure attached. (As PER IRS CONDITION OF CONTRACS).	1	Sr DMM CSTM	UNITED (India) Enterprises, Mumbai 400 001.	154700
72	92.14.5247 .1. 65448	26.06.14	Crockeries items 1) Tea Set-Bone China- Six cup, Six saucer, One tea pot, One milk pot, One sugar pot. Laopalas, marvel 2) Thermos Jug-1 ltr capacity, plastic body, inner body steel Milton, Pooja 3) Full plate- 6 nos, Size-10-12" laopalas, shubham 4) Quarter plate- 6 Nos. Size-6" laopalas, shubham 5) Spoon S.S.- 6 Nos. Medium size- = (1 set.)	5	CMS KYN	M/s. Hans Enterprises, Mumbai-400 003.	12425
73	92.14.5184 .1. 65449	27.06.14	Hermetically sealed rotary compressor 1.5 TR [4500 K.cal] capacity suitable to operate on R22 refrigerent single phase 230 volts, 50 Hz AC power supply. Of Highly, Model No. SH307CV-C7HUA).	12	Sr. SE (AC- Sty) CSTM	Jayshree Engineering Works, Kolkata- 700001.	94500
74	92.14.5185 .1. 65450	27.06.14	New Hermetically sealed compressor 2 TR capacity suitable for 2 TR Split type Air Conditioners of various make suitable to operate on 230 Volt, 50 Hz AC power supply and refrigerent R-22. The compressor should be similar to Hitachi make model No. Hitachi rotary SH 380-RY-C8 Dy-2. of Highly model No. SH417MV-C8LU).	9	Sr. SE (AC- Sty) CSTM	Jayshree Engineering Works, Kolkata- 700001.	83160
75	92.13.5579 .1. 65451	27.06.14	HP Inkjet Deskjet Advantage 4615 All in One Printer.	2	Sr Co.12 BN/RPSF/T HK	M/s. EXCEL ENTERPRISES, Mumbai. 400 001.	15680