

| Sr. | PO No. | Date | Description | QTY. | Consignee | Firms name | TOTAL |
|-----|----------------------|----------|---|------|-----------------------------|--|-------|
| 1 | 92.13.5711 .2. 65452 | 01.07.14 | STEEL SHELVING CABINET (ADJUSTABLE TYPE) SIZE - LARGE, No. of shelves 4, weight (Kg.) 86.0, | 8 | Sr Co.12 BN/RPSF/TH K | M/s. Indmet Press Metal Pvt. Ltd. Nagpur - 440 028. | 54301 |
| 2 | 92.14.5282 .1. 65453 | 02.07.14 | BOPP Brown Tape for signal Sealing size 96 mm width, 25 Mtrs length & thickness 55 micron . | 1200 | SSE(SIG) CLA | M/s. Trimurti Enterprises, Kalyan (W) 421 301. | 47880 |
| 3 | 92.14.5381 .1. 65454 | 02.07.14 | Book Case wooden with 4 shelves Size-800 W x 320 D x1 900 H, 69 Kgs. .United india make Model No.Combo 805-2 as per Photo attached. | 1 | Sr DFM CSTM | UNITED (India) Enterprises, Mumbai 400 001. | 12500 |
| 4 | 92.14.5108 .1. 65455 | 02.07.14 | Terminal Bank contact of PBT for Siemens point machine | 600 | SSE(SIG) CLA | M/s. Soni Industries, Mumbai 400 012. | 56070 |
| 5 | 92.14.5096 .1. 65456 | 02.07.14 | Pedestrian Pre- recorded warning Bell 40 Watt along with Horn typebidirectional speaker & 15 Watt amplifier operated 110 V AC forlevel crossing gate | 20 | SSE(SIG) CLA | M/s. K.M.Enterprises, Vasai (W) Thane | 35720 |
| 6 | 92.14.5152 .1. 65457 | 02.07.14 | Terminal information repeater (all in one) compatible with PRS & UTS of crystal make. | 10 | SSE(T/STOR E) CLA | M/s. EXCEL ENTERPRISES, Mumbai. 400 001. | 83000 |
| 7 | 92.14.5105 .1. 65458 | 02.07.14 | Set of Neoprene Gasket suitable for the point motors used in Siemens Electric point machine as mentioned below item - A) Gasket for carbon brush window cover Drg. No. RST - 11411/ Sheet- 1 latest alteration Qty - 3 Nos. B) Gasket for motor terminal block- Drg. no. RST - 11411/ Sheet-3 latest alteration qty- 1 No. C) Gasket for reduction gear Box Qty. - 1 No. (one set of 05 Nos.) | 500 | SSE(SIG) CLA | M/s. K.M.Enterprises, Vasai (W) Thane | 37240 |
| 8 | 92.14.5351 .1. 65459 | 02.07.14 | PBT Motor terminal Siemens suitable for Siemens motor as per geared motor assembly Drg. No. F - 5509-00-0209594-001 | 500 | SSE(SIG) CLA | M/s. K.M.Enterprises, Vasai (W) Thane | 58000 |
| 9 | 92.14.5378 .1. 65460 | 02.07.14 | Plastic Polythene Bags Supreme Quality 50 Microns Size 40"x 30" Yellow Colour for Bio-Medical Waste disposal from Hospital (BIO-HAZARDOUS BAGS) to be Printed on bags. | 500 | CMS KYN | M/s. Hans Enterprises, Mumbai-400 003 | 76800 |
| 10 | 92.14.5396 .1. 65461 | 02.07.14 | Tyre along with tube for TATA Sumo size 215/75 R15 100 E- 4025816 make CEAT. | 5 | Dy.CEE© MTP/Dadar | M/s. Hans Enterprises, Mumbai-400 003 | 28750 |
| 11 | 92.13.5604 .1. 65462 | 02.07.14 | SMPS Power supply module having, + 12v, -12v DC 18 Amperes, +5v, -5v DC 10 Amperes, 450 watts capacity, along with power supply chords. Make - INTEX. | 60 | SSE (Tele)/Store/K yn | Computer Center, Mumbai- 400 001 | 35280 |
| 12 | 92.13.5310 .1. 65463 | 02.07.14 | Complete Fan Guard Set for BLDC Fans DC 400mm sweep fixed type as per Sr. DEE (COG) CSTM's Drg. No. 1/a 2013 attached. | 180 | Sr.SEE(TL)C STM | General Auto Electric Corporation. Mumbai-400 072. | 74340 |
| 13 | 92.14.5331 .1. 65464 | 02.07.14 | Exhaust Fan with flap in plastic body size 8" i.e. approx 200 MM sweep make Bajaj model Maxima | 70 | Sr. SEE (Maint) WB | M/s. Kaltro Enterprises, Thane 421 501. | 66150 |
| 14 | 92.14.5269 .1. 65465 | 02.07.14 | Three phase static meter of accuracy class 1.0, 3 x 240 volts, 50 Hz with LCD display of rating 5-20 A confirming to IS-13779. | 22 | SSE (EM) KYN | M/S. HIND INDUSTRIE, Mumbai 400 016. | 41580 |
| 15 | 92.14.5265 .1. 65466 | 02.07.14 | Three phase static energy meter of accuracy class 1.0, 3 x 240 volts, 50 Hz with LCD display of rating 10-60 A confirming to IS-13779. | 20 | SSE (EM) KYN | M/S. HIND INDUSTRIE, Mumbai 400 016. | 39375 |

| Sr. | PO No. | Date | Description | QTY. | Consignee | Firms name | TOTAL |
|-----|----------------------|----------|--|------|----------------------|---|----------|
| 16 | 92.14.5117 .1. 65467 | 02.07.14 | Street light luminaries for 2 x 36 W CFL with acrylic cover similar to Bajaj Cat.No.BJSLF 236. | 70 | SSE (Sub-Stn) CLA | General Auto Electric Corporation. Mumbai-400 072. | 73500 |
| 17 | 92.13.5551 .1. 65468 | 02.07.14 | Steel single bed made out of M.S. Tubular pipe frame & Top 12mm thickness plywood & provision of Mosquito net fitting as per size 74.5"L x 37"W). | 5 | SSE (T/L) CSTM | M/s T.M. Jayalakshmi & Co., Ulhasnagar - 421 003. | 21000 |
| 18 | 92.14.5239 .1. 65469 | 03.07.14 | A set of self tapping sheet metal screw raised head as under: - 1) size 4 No.13 – 10000 Nos. 2) size 6 No.19 – 5000 Nos. | 1 | SSE (TL) CSTM | A.R. Enterprises, Mumbai-400 003. | 43946 |
| 19 | 92.14.5415 .1. 65470 | 04.07.14 | Plastic Cover for 4 - aspect Signal unit cover is opened from front side and bottom side and made of Black Polythene Sheet of 100 micron thickness, Size 1700 MM x 460 MM x 205 MM. On Back side 75 MM wide corner to corner diagonal cross mark of cover colour of 100 Micron thickness to be provided. To tie up cover with signal unit suitable nylon rope of 5 MM dia and 4 Mtrs Length to be provided on front side and of 1.5 Mtrs.length at Centre. | 250 | SSE/SIG/M/K YN. | M/s. Krishna Enterprises, Mumbai 68. | 38000 |
| 20 | 92.14.5212 .1. 65471 | 04.07.14 | Dell Inspiron 660s core i3 3220 3rd Gen, 4 GB,1 TB,hdd,win 7,Int,18.5" TFT,Dvd-Rw AX 210, speakers , wired Mouse/ Keyboard, Three year Warranty, 15 Months McAfee antivirus. | 1 | Sr DCM CSTM | M/s. EXCEL ENTERPRISES, Mumbai. 400 001. | 38627 |
| 21 | 92.14.5259 .1. 65472 | 07.07.14 | Condensor coil made of copper tube and allum fins suitable for 2 TR split air conditioners of various make i.e. Voltas, Videocon, Blue Star, Samsung & L.G. | 9 | Sr.SE (AC/Sty) CSTM | M/s The Makardhwaj Enterpriess, Mumbai-400 005. | 75600 |
| 22 | 92.14.5329 .1. 65473 | 07.07.14 | 3 pole MCCB 63A,50 KA with fixed Thermal Magnetic Release suitable for 415 V,50 Hz AC supply conf. To IS-13947. Make C&S Electric Type CSC3H3 60 Amp 50 KA with Terminal Type CSET 1033). | 12 | SSE (EM) KYN | M/s. R.K. Sales Corporation, Mumbai - 400 004. | 54117 |
| 23 | 92.13.5694 .1. 65474 | 07.07.14 | Open construction electro magnetic ballast for MH lamp 150 watt consisting silicon steel lamination super enamelled copper wire vaccum impriganated resin, terminal block with tapping for 220/240 volts suitable for 230 volts 50 Hz AC supply Crompton make. | 55 | SSE (EM) KYN | M/s. Arham Enterprise, Mumbai - 400 080. | 36902 |
| 24 | 92.14.5183 .1. 65476 | 07.07.14 | Dell Inspiron 660s core I3 3220 3rd Gen, 4 GB,1 TB,hdd,win 7,Int,18.5" TFT,Dvd-Rw AX 210, speakers , wired Mouse/ Keyboard, Three year Warranty, 15 Months McAfee antivirus. | 2 | Sr. DEE (TRS O) CSTM | M/s. EXCEL ENTERPRISES, Mumbai. 400 001. | 77254 |
| 25 | 92.14.5328 .1. 65477 | 07.07.14 | D P Switch 32 A with pilot neon indicator surface type with ISI mark suitable for 230 volts, 50 Hz AC supply. Make - Cona, Anchor, Kalki. | 1000 | SSE (EM) KYN | Kudos Enterprises, Navi Mumbai-400 705. | 94185 |
| 26 | 92.13.5731 .1. 65478 | 08.07.14 | Interlocks and keys for CGL type ILLS & Isolator type ILB along with RT keys,offer (set of One lock ILSS type & One lock ILB type with One common key and One spare key) as per Drg. No. POWER/472 and drg. No.POWER/584 make PEC. | 14 | Sr.SE (TD) PNVL | M/s. Power Equipment Co., Howrah 711 101. | 58065 |
| 27 | 92.14.5402 .2. 65479 | 09.07.14 | SINE WAVE OUTPUT VOLTAGE INVERTER WITH LEAD ACID BATTERY - RATING 2.0 KVA BACK - UP TIME 180 MINUTES, MINIMUM VAH: 8640: - 1 No. & TROOLEY FOR INVERTER - INVERTER RATING 2.0 KVA :- 1 no. | 1 | SSE (EM) KYN | M/S. AXIS POWERTRONICS (P) LTD, MAHARASHTRA - 431136. | 48138.75 |

| Sr. | PO No. | Date | Description | QTY. | Consignee | Firms name | TOTAL |
|-----|----------------------|----------|---|------|-------------------------|--|--------|
| 28 | 92.13.5369 .1. 65480 | 10.07.14 | Stainless steel bolt size M 12x 60/30mm with nut & flat washer with check nut RDSO specification no., ETI/OHE/18 CORE approved. | 700 | SSE(OHE)CLA | U.P.Engineers, Mathura (U.P) 281 044 | 66150 |
| 29 | 92.14.5355 .1. 65481 | 10.07.14 | Mobile Data Card (3G) Dongli of Vodaphone ,Idea, Airtel. | 2 | Sr DCM CSTM | M/s P.C.ENTERPRISE, Mumbai 400 001. | 3960 |
| 30 | 92.14.5394 .1. 65482 | 10.07.14 | Heavy Duty Stapler Pin Packets Size HD. 23/17. Kangaroo make. | 1500 | Sr DCM CSTM | UNITED (India) Enterprises, Mumbai 400 001. | 67500 |
| 31 | 92.14.5357 .1. 65483 | 10.07.14 | Colour Monitor of 18.5" of 'Benq' model No. GL 955. | 1 | Sr DCM CSTM | M/s. EXCEL ENTERPRISES, Mumbai. 400 001. | 5645 |
| 32 | 92.14.5218 .1. 65484 | 10.07.14 | Set of Gun metal foot valve screwed female end metal to metal lift with s s spring gun metal stainer confirming to IS 554 make H.M, Apar, DRP, Sizes & Quantity as under (One set consist of 4 items & 55 Nos.) | 1 | Sr. SEE (Maint) CSTM | Jayshree Trading Co., Mumbai-400 078. | 63900 |
| 33 | 92.14.5258 .1. 65485 | 10.07.14 | M.S. channel 'C' type size 25 x 50 x 25 mm, 3.15 mm thickness, 458 mm lenth, 1.200 Kg weight. | 600 | SSE (TL) CSTM | Jayshree Trading Co., Mumbai-400 078. | 49800 |
| 34 | 92.14.5332 .1. 65486 | 11.07.14 | DC MCB 2 pole,40 Amps,130 volts/220V, Legrand model No. 243240RO or C&S model No. CSMB2DC40. C&S, Legrand, Standard and Havells. | 105 | Sr. SEE (Maint) WB | M/s. HEM ENTERPRISES, Mumbai-400 092. | 92715 |
| 35 | 92.14.5338 .1. 65487 | 11.07.14 | Pedestal fan in plastic body 500 mm sweep,in White and/or Grey colour,to work on 230 volts AC supply. CGL, PFwindstar Farrata 20". Make : CGL, Bajaj, Almonard, Havells. | 30 | Sr.SEE (Maint) CSTM | M/s Darshan Enterprises, Mumbai-400 092 | 94470 |
| 36 | 92.14.5339 .1. 65488 | 11.07.14 | Compact Fluouescent Lamp 23 watts,230 volts,built in Ballast, Colour tempreture in lamp with power factor degree K 6500 'Bajaj' make | 700 | Sr.SEE (Maint) CSTM | M/s. Kaltro Enterprises, Thane 421 501. | 102900 |
| 37 | 92.14.5367 .1. 65489 | 11.07.14 | 0-60° Temperature specific gravity correction termometer for cells stand by battery make: Standard battery, Exide. | 80 | SSE/Sub- Stn)CLA | M/s Kavita Engineering & Electrical Corporation., Mumbai- 400 089. | 77400 |
| 38 | 92.14.5408 .1. 65490 | 11.07.14 | Commercial Electronic Ballast 1 x 36 watts for FTL / CFL fitting suitable for 230 volts, 50 Hz AC supply as per cat. No. BJHF 136. Make - Bajaj, CGL, Havells. | 300 | Sr. SEE (Maint) CSTM | M/s. HEM ENTERPRISES, Mumbai-400 092. | 90600 |
| 39 | 92.14.5411 .1. 65491 | 11.07.14 | Self Priming Pumps CRP Series 1 HP 415 V AC Die cast Alluminium Motor Body, Anti Corrosive Coated Cast Iron parts, built in winding protector Bronze Impeller, Double Sealed Ball Bearing. As per Shakti Material code 9000012014, model CRP - 10. Make - Shakti, Kirloskar, CGL. | 11 | Sr. SEE (Maint) CSTM | M/s. Reena Enterprises, Mumbai 400 078. | 63748 |
| 40 | 92.14.5431 .1. 65492 | 11.07.14 | Electronic Ignitor for 150 Watt Metal Halide/SV - Lamp Bajaj 13JIGN or Havells cat. No. LHNM05000D99 suitable 230 Volt luminarie. | 500 | Sr.SSE (M) KYN | SHRI SATGURU ELECTRIC & TRADING CO, Mumbai-400 003. | 97500 |
| 41 | 92.14.5435 .1. 65493 | 11.07.14 | CFL Lamp 27 Watt E/27 Cap complete with built in Ballast suitable for 230 Volts,50 Hz AC supply Havells PHFT/027. . | 350 | Sr.SSE (M) KYN | Bharti Enterprises, Mumbai-400 002. | 92750 |
| 42 | 92.14.5439 .1. 65494 | 11.07.14 | Recess Mounting Mirror Optic Fitting 3 x 14 watts FTL T5 with Pre Anodised Alluminium Louvers. As per Havells cat. No. LHFCDFF3PU1W014 Pre-Ano. Ref. L2 cat. Ceiling Cut Out size 580 mm x 580 mm. | 15 | Sr.SEE (M) CSTM | M/s. Reena Enterprises, Mumbai 400 078. | 87750 |

| Sr. | PO No. | Date | Description | QTY. | Consignee | Firms name | TOTAL |
|-----|----------------------|----------|--|---------------------------------|------------------------|---|-------|
| 43 | 92.14.5324 .1. 65495 | 14.07.14 | Pit lighting ballast suitable to work on 110 volt AC, capacity 18 watts for operation of CFL 18 watts. | 180 | Sr.SEE (Maint) CSTM | M/s. Pep Electronics, Mumbai 400 083. | 99320 |
| 44 | 92.14.5374 .1. 65496 | 14.07.14 | LED rechargeable hand torch aluminium alloy body with nickel cadmium battery minimum 1000 mtrs long beam focus minimum battery capacity 4/5 S.C.Ni.Cad 1300 m AH and LED 3 WATT ' Nishica' make model - NSM-445 | 40 | SSE/TD/PSI/ KYN | M/S. PARK & CO., MUMBAI 400077. | 64350 |
| 45 | 92.14.5323 .1. 65497 | 14.07.14 | Electronic Ballast suitable for 18 watts CFL for input supply 24 volts AC, 50Hz. | 400 | Sr.SEE (Maint) CSTM | M/s. Pep Electronics, Mumbai 400 083. | 98700 |
| 46 | 92.14.5310 .1. 65498 | 14.07.14 | Battery operated LED based torch light cum flashing hand signal lamp for safety protection of trains while working as per RDSO specn No. RDSO/SPN /195/2008.Rev.2.0 (Draft) without cell. | 50 | Sr. SE (TD) OHE KYN | M/s. Tilak International (Signal) New Delhi - 110 020. | 87413 |
| 47 | 92.14.5372 .1. 65499 | 14.07.14 | Roadways street light suitable for 1 x 85 watts CFL E 27 complete with lamp 85 watts CFL E-27, Make Crompton type SCEN 1385 1 x 85 W CFL - DF, | 50 | SSE/TD/PSI/ KYN | M/s. R.K. Sales Corporation. Mumbai - 400 004. | 42188 |
| 48 | 92.14.5467 .2. 65500 | 14.07.14 | 1) Regency High Back Chair- 1 No. 2) Regency Visitor chair with Armrest. - 4 Nos. | 1 | Sr.DSTE CSTM | M/s.Godrej & Boyce Mfg.Co.Ltd.. Mumbai : 400 079. | 37434 |
| 49 | 92.14.5421 .1. 65501 | 15.07.14 | Health Forcets Chrome plated sparay with 1.5 Mtrs. Pipe & having Hook cupid line of 'Gold - Line' make. | 185 | SSE/CUST/C STM | M/S. PARK & CO., MUMBAI 400077. | 79920 |
| 50 | 92.14.5422 .1. 65502 | 15.07.14 | Self supporting alluminium folding platform Ladder model No 4 of make Wonder,1) Sizes 12' Quantity 4 Nos. 2) Size:- 16' Quantity 2 Nos 3) Size:- 18' Quantity 2 Nos. make Simplex, Step-up, Rolex . | 1 Set of 3 items & 8 Nos. | SSE(W) CSTM | M/S. PARK & CO., MUMBAI 400077. | 78854 |
| 51 | 92.14.5442 .1. 65503 | 15.07.14 | Waterproof, Cutproof, Canvas Handgloves with Rubber coating size 5" X 10" (Appox.)No.10. | 600 | Sr.DOM (G) CSTM | M/s.Hemal Enterprises, Mumbai- 400 077. | 91920 |
| 52 | 92.14.5465 .1. 65504 | 15.07.14 | LED Monitor 'Benq' 20" model No. GL2023A | 1 | Sr.DMM/CST M | M/s. EXCEL ENTERPRISES, Mumbai. 400 001. | 5489 |
| 53 | 92.14.5466 .1. 65505 | 15.07.14 | 1) Flower Pot - 2 Nos.of reputed make 2) Pen Stand - 2 Nos. of reputed make 3) Tea Set Bone china - 2 Sets. laopalas or any reputed make (One set consists of 6 Cups & 6 saucers) 4) Dining Plate - 2 Sets. laopalas or any reputed make (One set consists of full Plate 10-12", Quarter Plate 6", & S.S Spoon - 6 Nos. each) 5) Calculator- 2 Nos.(Citizen 12 Digit) 6)Thermos Jug of 1 Ltr.capacity plastic body & inner body of steel -2 Nos . of make Bajaj, Nova, Philips,Murphy, Prestige, Milton 7) Electric kettle of 1 Ltr.capacity - 2 Nos. of make Bajaj, Nova, Philips,Murphy, Prestige, Milton | 1 | Sr.DOM (G) CSTM | M/S JASMINE TRADING CO., MUMBAI -400009 | 15593 |

| Sr. | PO No. | Date | Description | QTY. | Consignee | Firms name | TOTAL |
|-----|----------------------|----------|---|------|----------------------------|---|--------|
| 54 | 92.13.5635 .1. 65506 | 15.07.14 | Desktop computer with preloaded operating system configuration : Intel core i5-2400, 3.1 GHz, 6 MB cache or higher, operating system : Microsoft window 7, Memory: 2 GB 1066 MHz DD R3 RAM with 8 GB Expandability, HDD: 320 GB 7200 rpm serial ATA HDD or higher, Monitor: 47 cm or larger (18.5 inch or larger) TFT/ LED Digital monitor TCO-05 certified, Keyboard: 104 keys, Mouse: Optical with USB interface. DVD Rom Drive : 8X or better DVD Rom drive. | 2 | SE (P.WAY) East- Kalyan | General Sales Services. Kalwa (W), Thane | 67500 |
| 55 | 92.14.5436 .1. 65507 | 16.07.14 | PLYSAFE self fusing high voltage insulation & Jacketing tape for use 69 KV of size 38 x 0.76 x 9100 mm Stanvac cat. W963. Make - Stanvac. | 55 | Sr.SSE (M) KYN | M/s. MRO Engineers, Mumbai - 400 080. | 86316 |
| 56 | 92.14.5469 .1. 65508 | 16.07.14 | Samsung LED TV 32" | 1 | SSE(CUST) CSTM | M/s. EXCEL ENTERPRISES, Mumbai. 400 001. | 25796 |
| 57 | 92.14.5417 .1. 65509 | 16.07.14 | Plastic Cover for 2 - aspect Signal unit cover is opened from front side and bottom side and made of Black Polythene Sheet of 100 micron thickness, Size 1200 MM x 460 MM x 205 MM. On Back side 75 MM wide corner to corner diagonal cross mark of cover colour of 100 Micron thickness to be provided. To tie up cover with signal unit suitable nylon rope of 5 MM dia and 4 Mtrs Length to be provided on front side and of 1.5 Mtrs.length at Centre. | 250 | SSE/SIG/M/K YN. | M/s. Hira Enterprise, Mumbai 400 067. | 28750 |
| 58 | 92.14.5418 .1. 65510 | 16.07.14 | Plastic Cover for 3 - aspect Signal unit cover is opened from front side and bottom side and made of Black Polythene Sheet of 100 micron thickness, Size 1300 MM x 460 MM x 205 MM. On Back side 75 MM wide corner to corner diagonal cross mark of cover colour of 100 Micron thickness to be provided. To tie up cover with signal unit suitable nylon rope of 5 MM dia and 4 Mtrs Length to be provided on front side and of 1.5 Mtrs.length at Centre. | 200 | SSE/SIG/M/K YN. | M/s. Fairdeal Enterprises, Mumbai - 400 002. | 25200 |
| 59 | 92.14.5120 .1. 65511 | 17.07.14 | P.T.Fuse for ASEA MOCB 22 KV 3.15 Amp 'ESI' make. | 12 | SSE (Sub- Stn) CLA | M/s. La- Petoro Corporation, Mumbai 400 089. | 73575 |
| 60 | 92.14.5366 .1. 65512 | 17.07.14 | Insulation tester megger 500 volts 0 to 100 mega ohm as per IS 2933/33, model 0107 of Agronic with all accessories ABS plastic body IS 2993/33 Nippen make. | 30 | SSE/Sub- Stn)CLA | M/s. Shakti Enterprises., Thane (W) – 400 602. | 33818 |
| 61 | 92.13.5330 .1. 65513 | 22.07.14 | Regulated battery charger in put voltage 415 Volt AC +/- 15 percent, 50 Hz, 3 phase, out put 122 volts DC, rating 6.5 Kw. As per RDSO specification No. RDSO/PE/spec/ AC/0129-2009.(Rev.o) or latest for LHB type AC coaches. Warranty period : 30 months from date of dispatch / 24 months from date of commissioning. | 1 | Sr.SE (TL/AC) LTT | M/s. Hitachi Hi-Rel Power Electronics Pvt. Ltd., Gandhinagar - 382 044, | 104234 |
| 62 | 92.14.5216 .1. 65514 | 23.07.14 | LED PCB board of 32" x 48" LED matrix with 4 nos. of Display control card and One No. of time controller card with microcontroller programmed for various LED Display | 2 | SSE(T/HF)CL A | M/s. EXCEL ENTERPRISES, Mumbai. 400 001. | 63000 |
| 63 | 92.14.5370 .1. 65515 | 23.07.14 | Bolt cutter 12" long for cutting of dropper wire 5 mm dia confirming to IS 5200-1998 'Jhalani' make | 100 | SSE/TD/OHE /KYN | Jayshree Trading Co., Mumbai- 400 078. | 55800 |

| Sr. | PO No. | Date | Description | QTY. | Consignee | Firms name | TOTAL |
|-----|----------------------|----------|---|-------|------------------------------------|---|-----------|
| 64 | 92.14.5335 .1. 65516 | 23.07.14 | Compact Fluorescent Lamp 80/85 watts,230 volts,built in Ballast E 40 As per Bajaj Cat. No. 85 W 4 U Conf. to IS 968/988 | 150 | Sr.SEE (Maint) CSTM | M/s. Kaltro Enterprises, Thane - 421 501. | 80325 |
| 65 | 92.14.5420 .1. 65517 | 24.07.14 | Set of Fixed & Moving Contact Tip for Apena HSCB as per Drg. No. ET/Apena/78 & ET/Apena/79. | 50 | Sr.SE/CO/PN VL | Khodiyar Engineering Works., Mumbai 400 027. | 152145 |
| 66 | 92.14.5430 .1. 65518 | 24.07.14 | Universal Type Starter for 1 x 18 Watt FTL suitable for 230 Volts,50 Hz AC supply Luminaries, Anchor code 42769. | 10000 | Sr.SSE (M) KYN | M/s Darshan Enterprises, Mumbai-400 092 | 90000 |
| 67 | 92.14.5432 .1. 65519 | 24.07.14 | Open Construction HID Lamp Copper Ballast for MH Lamp 150 Watt, Crompton cat. No. HDBI15S/MH suitable 230 Volts 50 Hz AC supply. | 55 | Sr.SSE (M) KYN | M/s. HEM ENTERPRISES, Mumbai-400 092. | 99000 |
| 68 | 92.13.5159 .2. 65520 | 24.07.14 | STEEL SHELVING CABINET (ADJUSTABLE TYPE) SIZE - LARGE, No. of shelves 4, weight (Kg.) 86.0, packing with Despatch Unit: FOR Station of Despatch | 1 | Sr.DEE (TRS/O) CSTM | M/s. Indmet Press Metal Pvt. Ltd. Nagpur - 440 028. | 6787.62 |
| 69 | 92.13.5562 .1. 65521 | 25.07.14 | Attendant indicator complete with PCB electronic circuit as per Drg. No. ICF/STD-7-6. 014 Alt. A bat with separate Reset Switch and LED type Indicating Lamp. | 25 | SSE (AC/Cog) CSTM | M/s. Kontakt Consortium India Pvt. Ltd. Chennai - 600 049. | 48800 |
| 70 | 92.13.5441 .1. 65522 | 25.07.14 | Axial Fan 110V/115V AC,29watts,2250/2600 RPM,6" dia with front grill. As per ICF spen. No. SK-7-6-177 (IS : 3588). | 100 | Sr.SEE(TL/AC)LT(T) | M/s. Kontakt Consortium India Pvt. Ltd. Chennai - 600 049. | 137975 |
| 71 | 92.14.5443 .1. 65523 | 28.07.14 | Plastic Packing rope thickness 1 mm, width 02 to 03 mm in 500/600 Grms. Bundles | 150 | SSE(SIG) CLA | Mohaans Enterprise, Mumbai- 400 003. | 11813 |
| 72 | 92.14.5290 .1. 65524 | 28.07.14 | Solder Wire (Resin Core) 0.18 guage make Khosla, Pai,Esilo, with composition of Tin 60% & lead 40% | 20 | SSE(SIG) CLA | Mohaans Enterprise, Mumbai- 400 003. | 30600 |
| 73 | 92.14.5391 .1. 65525 | 28.07.14 | Insulation Stretcher Bar set made of Nylon - 66, as per Specification No. IRS-S-40/84. one set consist as follows : 1) Insulating Plate Drg. No. T-10367 = 01 No. 2) Insulating Bush Drg. No. T-10368 = 02 Nos. 3) Insulating Washer Drg. No. T-10371 = 04 Nos. Make - ARHAM. | 500 | SSE(SIG/CLA | Arham Polychem Pvt. Ltd. Kolkata-700 001. | 53025 |
| 74 | 92.14.5483 .2. 65526 | 28.07.14 | Laser Printer Resolution (in dpi): Mono 600x600,Paper Size: A4, Print speed in PPM (A4 Size): 14,Port: 1 USB, Memory (in MB): NA, Network card 10/100: NA, Duplexing: NA | 27 | Sr.DPO CSTM & Sr.DCM CSTM | M/s. Redington India Limited, New Delhi - 110 020. | 136243.89 |
| 75 | 92.14.5360 .1. 65527 | 30.07.14 | Dry uncharged lead acid battery 180 AH 12 volts 25 plates make Exide, standard or Amar Raja. | 5 | SSE/TD/OHE /KYN | Jayshree Trading Co, Mumbai- 400 078. | 71500 |
| 76 | 92.14.5400 .1. 65528 | 30.07.14 | Electronic Ballast for compact flourecent 11 Watt tube 110 V AC as per RCF Spen. No. EDTS-064 (Rev.A) or latest. | 600 | SSE (AC/Cog) CSTM | M/s. Pep Electronics, Mumbai 400 083. | 88515 |
| 77 | 92.14.5401 .1. 65529 | 30.07.14 | Electronic Ballast/Inverter 110 Volt AC-DC universal input suitable for 11 Watt 4 pin CFL, as per RFC spen. No. EDTS-064 (Rev.A) with amendment No. 1 and corrigendum 1 or latest. | 650 | SSE (AC/Cog) CSTM | M/s. Pep Electronics, Mumbai 400 083. | 96233 |
| 78 | 92.13.5331 .1. 65530 | 30.07.14 | Complete fan blade suitable for CGL make BLDC 400mm sweef fixed type Railway carriage fan conforming to RDSO spec No. RDSO/PE/spec/TL/0021/2005 (Rev.1). | 350 | Sr.SE (TL/AC) LTT | COMM - TECH COMMERCIAL CORP., Mumbai - 400 025. | 99050 |

| Sr. | PO No. | Date | Description | QTY. | Consignee | Firms name | TOTAL |
|-----|----------------------|----------|--|------|----------------------|--|-------|
| 79 | 92.13.5729 .1. 65531 | 30.07.14 | Indoor current transformer, indoor resin cast wound primary, secondary voltage 33 KV, ILV 36/70/170 KV, 50 HZ 800-400/5-5A, CORE I : 15VA/1, CORE II : 15VA/5PI0, STR:26.6KA.1. sec. as per IEC 60044-1-2003.as per drawing no. KE/4285-CW6-05 attached. | 3 | Sr.SE (TD) PNVL | M/s. Spark India Associate, Nagpur 440002. | 99819 |
| 80 | 92.14.5364 .1. 65532 | 31.07.14 | Control & Distribution panel for colour light signalling supply , three independent, single phase, 240 V AC, 50 Hz sources, 10 KVA /60 amps for 25 KV AC traction system as per RDSO spec no. TI/SPC.PSI.CLS.0020 with AC slip 1 to 4 and drg. No. ETI/PSI/0035-4 or latest. | 2 | SSE/TD/PSI/ KYN | Systems & Services Power Control, Ambala Catt 133 001 (Haryana). | 56835 |
| 81 | 92.14.5365 .1. 65533 | 31.07.14 | Spring charging motor with catCh for ALIND make 25 KV outdoor single pole vacuum circuit breaker YPE 5/20 with control mechanism type BLR. | 3 | SSE/TD/PSI/ KYN | M/s.SETH TRADERS, Mumbai 400023 | 95916 |
| 82 | 92.14.5419 .1. 65534 | 31.07.14 | Block Bell Equipment for 25 KV AC RE area as per RDSO specn. No. IRS-TC- 44/88 with Amendment No. 1 Latest (Rated Voltage 24V DC) | 30 | SSE/SIG/ST O/KYN. | Epsilon Electronic Equipment & Components Pvt. Ltd. Hyderabad-500 062. | 75600 |
| 83 | 92.13.5549 .1. 65535 | 31.07.14 | Set of IGBT Eupec part No. 100 GB 60 DLC & 75 GB 66 D (one set consist two items in two Nos.) for 2.5 KVA inverter 'Simikron' Make part No. SKM 100 GB 63D & SKM 75 GB 63 D | 20 | SSE (T/L) CSTM | M/s. Sam Electricals, Mumbai 400 002. | 51723 |
| 84 | 92.13.5553 .1. 65536 | 31.07.14 | IGBT 200 GB 60 DLC of Eupec suitable for 2.5 KVA inverter 'Simikron' Make part No. SKM 195 GB 66D. | 25 | SSE (T/L) CSTM | M/s. Sam Electricals, Mumbai 400 002. | 48904 |