

Sr	PO No.	Date	DESC.	QTY.	Consigne	Firms name	SUM
1	92.13.5501 .1. 65687	03.11.14	LED flash light Length 300 mm ,Wt.0.30Kg ,material used Aircraft aluminium,Lamp-3W LED,Battery type 3xc/Ni cd 2800 mAH,Charging time:8 Hrs,Runtime 300 minutes Mr. Light Brand model name Bullet D3). as per specification attached.	25	SSE(OHE) CLA	PARK & Co., MUMBAI 400077.	74897
2	92.14.5674 .1. 65688	04.11.14	1) Microwave Oven capacity 20 Ltrs. Make Samsung, LG, Bajaj - Qty. 1 No. @ Rs.9774/- 2) Induction Heater 1900 watt Make Prestige, Bajaj - Qty. 17 Nos. @ Rs. 2590/- each 3) Water purifier Aquaguard Hi- Flo model with 3 stage purifier and water flow capacity of 3 Ltrs. per minute make Eureka forbes - Qty. 1 No. @ Rs. 10975/- (One Set consist of 3 Items & 19 Nos.)	1	SSE(W/M) BYCULLA	M/S JASMINE TRADING CO., MUMBAI -400009	64779
3	92.14.5680 .1. 65689	04.11.14	Digital Signature Certificate (Signing/Encryption with USB token class III-B. Digital Signature with two year Validity from approved License Sources of controller of certification of India. as under A) Digital Signature Certificate with USB token 5 Nos. B) Encryption certificate with USB token -1 No.	6	Sr DMM CSTM	PERV SOFTWARE PVT.LTD., Mumbai- 400025.	20550
4	92.14.5127 .1. 65690	05.11.14	Stainless steel hex head bolt with full threaded with nut two plain washer & one spring washer size 10 X 30 mm as per IS 1364 A-316	1000	SSE (Sub- Stn) CLA	Agarwal Fastners Pvt.Ltd, Mumbai-400003.	31311
5	92.13.5576 .1. 65691	05.11.14	Crow scare made of PVC tube 32mm dia, thickness 3mm, length 200mm, luminous tape red and yellow colour. Nylon rope 3mm dia and 3 meter length.	6000	Sr.SE/TD/ PNVL	M/s. A.M. Diesel Spares Corporation.,Mumbai - 400 070.	73500
6	92.14.5571 .1. 65693	06.11.14	Over voltage protection assembly for 4.5 KW RRU as per RDSO spcen No. RDSO/PE/SPEC/TL/0054-2003 (Rev. 0) with amendment 1&2 or latest.	30	SSE(TL)C STM	Presstech (India) Pvt.Ltd., Mumbai- 400 067.	104998
7	92.14.5655 .1. 65694	06.11.14	CFL Lamp 35 Watts E27 cap suitable for 220/240 volts, 50Hz AC supply, Cool Day light Crompton cat. No. CFL 35W DF 4U 6500K.	320	Sr.SEE(M) CSTM	Bharti Enterprises, Mumbai- 400 002.	95040
8	92.14.5583 .1. 65695	06.11.14	Copper ring terminal lug insulated 2.5 sq.mm size as per Dowell's cat. No. 7073	5000	SSE/Sig/C LA	M/s. Sam Electricals, Mumbai 400 002.	7763
9	92.14.5584 .1. 65696	06.11.14	Copper ring terminal lug insulated 2.5 sq.mm size as per Dowell's cat. No. 7076	5000	SSE/Sig/C LA	M/s. Sam Electricals, Mumbai 400 002.	11138
10	92.14.5585 .1. 65697	06.11.14	Copper ring terminal lug insulated 2.5 sq.mm size as per Dowell's cat. No. 7071	5000	SSE/Sig/C LA	M/s. Sam Electricals, Mumbai 400 002.	7200
11	92.14.5565 .1. 65698	06.11.14	Insulation Rubber Mat for covering area of power panel,Rubber Mat 3mm Thickness woven with polythylene fibre raising its thickness 40mm for covering & insulating 300sq.ft. area.	300	SSE(TL)C STM	Kudos Enterprises, Navi Mumbai-400 705.	62370
12	92.14.5602 .1. 65699	06.11.14	Cast Iron 'L'type Love Joy coupling complete with Spider type of size 110 & 150 lbs.(One set = 48Nos. Of 110 lb & 150 lb.)	48	Sr.SEE(M) KYN	Rahul Enterprises, Mumbai- 400 056.	42228

Sr	PO No.	Date	DESC.	QTY.	Consigne	Firms name	SUM
13	92.14.5623 .1. 65700	06.11.14	Copper "U"Clamp as per drawing No.M-130(R4).	400	SSE(OHE) Nerul.	M/S. HIND INDUSTRIE, Mumbai 400 016.	70980
14	92.14.5553 .1. 65701	06.11.14	Pony Motor 0.75HP,110 volt DC,1440 RPM Foot Mounted 100F with 3"Pulley fitted in Motor with Stand.Make:Thyron,Elgi or Kirloskar.	5	Sr.SE(TL/ AC)LT(T).	M/s. A.M. Diesel Spares Corporation., Mumbai - 400 070.	76950
15	92.14.5566 .1. 65702	06.11.14	LED Tube light T8 Size:600mm with 24.Nos.LED fitted of Philips or Everlite make LED capacity 12W with Driver I/P voltage 90-140 V AC/DC,Specification:supply voltage, 1).90 to 140V AC/DC,with cut off at 140V,2).Power factor-above 95,3).LED make:Everlite/Philips,4).Beam pattern-Lambertian,5) Colour-Cool White, 6) Lumen per watt- 100/M, 7) LED power supply SMPS.	70	SSE (AC/Cog) CSTM	Ciro Energy, Pune- 411038.	81113
16	92.14.5642 .1. 65703	07.11.14	Energy Conservation T5 Lamp Roadway Lighting Luminaire 2 x 24 watts T5 230 volts, Muncell Grey shade finish housing,with clear acrylic bowl and accessories. As per Bajaj cat. No. BTSLF 224 MS.	56	SSEE (Maint) CSTM	M/s. Reena Enterprises, Mumbai 400 078.	99960
17	92.12.5488 .1. 65704	07.11.14	U clamp for two nos.323 sq.mm catenary wires as per drg. No. FM-126(M)R	150	Sr.SE(TD) OHE-KYN	M/s T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	77963
18	92.14.5643 .1. 65705	07.11.14	Road Lighting Luminaire 2 x 36 watts CFL 230 volts, Epoxy Black Powder Coated Sheet Alluminium Housing,with Epoxy White Powder Coated CRCA Sheet Steel Gear Tray,Clear Acrylic Cover and Accessories. As per Bajaj cat. No. BJS LF 236 CFL WEB2.	72	SSEE (Maint) CSTM	M/s. Reena Enterprises, Mumbai 400 078.	99936
19	92.14.5644 .1. 65706	07.11.14	Road Lighting Luminaire 1 x 36 watts CFL 230 volts, Epoxy Black Powder Coated Sheet Alluminium Housing ,with Epoxy White Powder Coated CRCA Sheet Steel Gear Tray,Clear Acrylic Cover and Accessories. As per Bajaj cat. No. BJS LA 136 CFL.	110	SSEE (Maint) CSTM	M/s. Reena Enterprises, Mumbai 400 078.	99990
20	92.13.5735 .1. 65707	07.11.14	Condensor tripping device (CTD) for 25 KV SF-6 gas CB for CGL make, type-50 SFGP.	25	Sr.SE (PSI) PNVL	Pristine Engg Services Pvt. Ltd., Mumbai- 400 093.	63281
21	92.14.5647 .1. 65708	11.11.14	Pressure Gauge (100MM) for Air Brake Van to RDSO,s DRG NO. SK73553 AH No.- 4 (four) or latest to RDSO Specification No.02 with amendment No.3 of April 2010 or latest	150	Sr DOM CSTM	MIDLANDS & Co, Kolkata- 700 031.	99540
22	92.14.5661 .1. 65709	11.11.14	HRC Fuse 40 Amps, DIN type with Blade Contacts, Size-00, Square Body, 80 KA , 415 volt, 50 HZ, as per IS: 13703 (Pt:2/Sec.1) & IEC 269 (Pt:1 & 2) complete with indicator.	700	Sr.SEE(TL))CSTM	M/s. HEM ENTERPRISES, Mumbai-400 092.	73500
23	92.14.5503 .1. 65710	13.11.14	Battery cell capacity Tester for checking of different types of batteries from 4 to 500 Ah voltage range 2,6,12 VDC, MECO model BM-63.	25	SSE (Sub- Stn) CLA	WELCUT DEVICES (P) LTD., Delhi-110006.	29794

Sr	PO No.	Date	DESC.	QTY.	Consigne	Firms name	SUM
24	92.14.5458 .1. 65711	13.11.14	Fuse Link 16 Amps 24 KV, size 41.5 mm dia,514 mm long for Off load 22 KV Isolators As per Drg. No. 413-12.	9	SSE/TD/P NVL	Adinath Electricals, Banglore 560 053.	61718
25	92.14.5676 .1. 65712	14.11.14	Cordless Train speed Logger as per RDSO specification No. TM/SM/334 dated 31.08.2012 or latest.	1	SSE(P-WAY) BIRD	M/s. Votive Marketing Pvt. Ltd., Lucknow - 226 006.	96600
26	92.14.5664 .1. 65713	14.11.14	Quartz Heavy duty movement for 30" dia clock suitable hands working on R-6 cells, make Welshi, J-668, Wellington.	15	SSE(T/S) KYN	V.S.Times Services, Mumbai-400019.	30000
27	92.14.5657 .1. 65714	17.11.14	Energy Conservation T5 Lamp Road way lighting luminaire 4 x 24 watts T5, 230 volts Muncell grey shade finish housing with clear acrylic bowl and accessories IP65 protection. As per Bajaj cat. No. BTSLF 424 DD.	26	Sr.SEE(M) CSTM	H.P.Enterprises, Mumbai-400 019.	44117
28	92.14.5538 .1. 65715	17.11.14	Invertor Battery Lead Acid type 150 AH 12Volts DC dully charged with electrolyte level indicator etc.confirming to IS.Make:Exide,Amco.	7	Sr.SEE(M) KYN	Shree Samruddhi Engineering, Navi Mumbai - 400 705.	80648
29	92.14.5545 .1. 65716	17.11.14	Street Light Luminaries for 2 x 36W CFL with acrylic cover , Bajaj cat.No.BJS LF 236.	85	SSE(PSI) PNVL	A.R. Enterprises, Mumbai-400 003.	84788
30	92.14.5601 .1. 65717	17.11.14	Deep drawn alluminium housing street light fitting with electronic ballast,starter etc.with acrylic cover 2 x 36 watts CFL, Havells cat.No.LHRC02236025 & CG cat.SCE13236 E8 suitable for 230volts 50Hz AC supply.	100	SSE(PSI) PNVL	A.R. Enterprises, Mumbai-400 003.	99750
31	92.14.5659 .1. 65718	17.11.14	Domestic Exhaust fan of 250 mm 10"sweep,230 volts,1150 RPM,air delivery 800 cum/hr.As per Bajaj cat.No.Bajaj maxima DX 250 mm,PVC body and white colour fan.	90	Sr.SEE(M) CSTM	M/s. Kaltro Enterprises, Thane - 421 501.	86468
32	92.14.5654 .1. 65719	17.11.14	Intergral LED Street Light fitting 40-45 Watts 230 volts comprising of epoxy powder coated housing enclosed with Glass cover in frame suitable for 50mm OD pipe.ngress protection IP65. As per Bajaj cat. No. BSLST 30 LED.	10	Sr.SEE(M) CSTM	M/s. Kaltro Enterprises, Thane - 421 501.	56025
33	92.14.5658 .1. 65720	19.11.14	Fan wall mounting oscillating type 400 mm,16" sweep, 230 volts, built in speed regulator, 1400 RPM, single phase, 3 blades, 50 Hz. As per Bajaj cat. No. Bajaj wall fan 400mm size,	60	Sr.SEE(M) CSTM	Tradelink, Mumbai-400 083.	89670
34	92.14.5610 .1. 65721	19.11.14	Set of Material of Contact Cleaner,Battery Cleaner and Battery Coating Make: Stanvac. As per annexure attached.	1	Sr.SE(TL/AC)LT(T).	Excel Engineers, Mumbai-400 101.	94061
35	92.14.5574 .1. 65722	19.11.14	Elctronic Ballast (Dual voltage AC/DC),Voltage range 88-138V AC/DC,Input voltage 110v AC/DC,Input current 190mA(max),Power factor 0.9 capacitive Frequeny 58KHz(max),Efficiency 80%,suitable for 18watts tube light fitting of LHB type AC coaches,conf.to RCF specn.No.EDTS-92,Amdt.-1 or latest.	325	Sr.SE (TL/AC) LT(T)	M/s. Pep Electronics, Mumbai 400 083.	92257

Sr	PO No.	Date	DESC.	QTY.	Consigne	Firms name	SUM
36	92.14.5573 .1. 65723	19.11.14	Electronic Ballast suitable for compact flourescent lamp 11 watts 4 pin,operating on 110V AC (90-140)volts AC supply,RCF specn.No.EDTS 064 or latest.	500	Sr.SE (TL/AC) LT(T)	M/s. Pep Electronics, Mumbai 400 083.	75075
37	92.14.5567 .1. 65724	19.11.14	Minimal voltage Realy (MVR) Model No. MR-9, 110V, 34094, 05A (SIU23) for Control Cabinet of LHB type AC coaches.	4	Sr.SE (TL/AC) LT(T)	M/s. HEM ENTERPRISES, Mumbai-400 092.	88200
38	92.14.5611 .1. 65725	19.11.14	Set of material of Rust Loosing Penetrator and Component odorless ready to use neutral Silicon Elastomer.As per annexure attached.	1	Sr.SE(TL/AC)LT(T).	V.M.Enterprise, Mumbai-400 071.	73500
39	92.14.5656 .1. 65726	20.11.14	Designer LED Street Light Fitting 30-33 Watts 230Volts with Pressure Die-cast housing suitable for secondary roads. As per Wipro cat. No. LRO1 024-XXX-WH-XX.	19	Sr.SEE(M) CSTM	Anand Sons Corporation., Mumbai- 400 004.	74813
40	92.14.5670 .1. 65727	20.11.14	Fuse Link 16 Amps 24 KV, size 41.5 mm dia,514 mm long for Off load 22 KV Isolators as per Drg. No. 413-12.	6	Sr.SE(TD) PSI-KYN	M/s Kavita Engineering & Electrical Corporation., Mumbai- 400 089.	59265
41	92.14.5589 .1. 65728	21.11.14	Perplex sheet 6' x 4' x 5mm thickness clear for use in operating panel make Swastik	40	SSE/Sig/S tore/Kalyan	M/s. Siddhi Vinayak Enterprises., Mumbai – 400 097.	86940
42	92.14.5587 .1. 65729	21.11.14	Counter Assembly of 6 Digit 210 Ohms 24 V DC non resettable type suitable for Siemens type control cum indication panel of 'SEC' make	50	SSE/Sig/S tore/Kalyan	COMM - TECH COMMERCIAL CORP, Mumbai - 400 025.	26044
43	92.13.5649 .1. 65730	21.11.14	32" LED TV Toshiba make Model 32PB200 or Sharp, Hitachi make only.	2	SSE/TELE/HF/CLA	H.P.Enterprises, Mumbai-400 019.	46666
44	92.14.5590 .1. 65731	21.11.14	Motor 110 V AC TEFC Motor 0.5 HP/0.33 HP 1400 RPM Capacitor start & run without centrifugal switch (for AC Barriers) suitable for ' Heidz' barrier WITHOUT Hand Generator as per RDSO specn. No. RDSO/SPN/208/2012.Ver.2.0	10	SSE/Sig/S tore/Kalyan	M/s Shree Ganesh Enterprires. Mumbai- 400 101	99990
45	92.14.5588 .1. 65732	21.11.14	Counter Assembly of 60V for Siemens panel 425 OHMS suitable for Siemens control cum indication panel of SEC make	50	SSE/Sig/S tore/Kalyan	Comm-Tech Commercial Corp, Mumbai - 400 025.	26044
46	92.14.5691 .1. 65733	25.11.14	Set of compact flourescent lamp 9 watts and 11 watts,2 pin ,230 volts,colour temprature in lamp with power factor degree K6500. Make: Surya, Bajaj, CGL, Philips.	700	Sr.SEE(M) CSTM	Diwan Sons, Mumbai-400 009.	94430
47	92.14.5721 .1. 65734	25.11.14	Wooden Foot Rest, made out of good quality plywood with laminated finish size- 18" L x 15" W x 6" Height in one side.as per photograph attached (AS PER IRS CONDITION OF CONTRACT.)	221	Sr DCM CSTM	Royal Furnitures, Mumbai-400 001.	142545
48	92.14.5684 .1. 65735	25.11.14	Terry cot White Aprons with Half Sleeves and One upper Pocket and two Pockets below. Size 40" 42" 44" S Kumar, Raymond, Mafatlal (100 Nos of each Size) (AS PER IRS CONDITION OF CONTRACT.)	300	Sr DCM CSTM	M/s. P.K. Textiles, Thane - 400 004.	107700

Sr	PO No.	Date	DESC.	QTY.	Consigne	Firms name	SUM
49	92.14.5694 .1. 65736	25.11.14	Multi coloured Toran with suitable driver in length 9 to 10 meters and number of lamp not less than 80 Nos. in each Toran. The LED Toran shall be suitable to work on 230 volts, 50 Hz AC supply. 100 Nos. each of Red, Green, White and Blue colour.	400	Sr.SEE(M) CSTM	SHRI SATGURU ELECTRIC & TRADING CO. Mumbai-400 003.	86000
50	92.14.5689 .1. 65737	25.11.14	Fibre Glass reinforced Polyster Enclosure type pole junction Box of size:270 x 170 x 100mm complete with 4.Nos.Terminals for cable loop in & out 2.Nos.	100	Sr.SEE(M) KYN	Bharti Enterprises, Mumbai-400 002.	97400
51	92.14.5702 .1. 65738	25.11.14	Vetra D.C. wireless door bell, transmitter Dc 12 volts, 23 Amps Battery operating range up to 30 meters. As per CONA model No. Vetra 3256.	80	Sr.SEE(M) CSTM	Tradelink, Mumbai-400 083.	48300
52	92.14.5693 .1. 65739	25.11.14	Indication Lamp complete with housing (Two Way) Red & Green LED Lamp 230 volts. Make: Tecknic, Siemens, L&T.	150	Sr.SEE(M) CSTM	Shri Satguru Electric & Trading Co. Mumbai-400 003.	89438
53	92.14.5701 .1. 65740	25.11.14	Set of T5 tube 14/24 Watt G-5 cap suitable for 230 volts, 50 Hz AC supply light fitting. Make: Bajaj, Havells, (One set = 02 Nos. Tube 14/25 Watts).	410	Sr.SEE(M) KYN	Tradelink, Mumbai-400 083.	109778
54	92.14.5667 .1. 65741	25.11.14	Sets of Miniature Circuit Breaker Lexic 'C' curve,single pole,40 Amps and 50 Amps,230 volts.As per Legrand cat.No.603238 of 40 Amps and 603239 of 50 Amps.	87	Sr.SEE(M) CSTM	Kudos Enterprises, Navi Mumbai-400 705.	89610
55	92.14.5668 .1. 65742	25.11.14	Sets of Miniature Circuit Breaker Lexic 'C' curve,single pole,20 Amps and 32 Amps,230 volts.As per Legrand cat.No.603235 of 20 Amps and 603237 of 32 Amps.	190	Sr.SEE(M) CSTM	M/s. HEM ENTERPRISES, Mumbai-400 092.	95760
56	92.14.5669 .1. 65743	25.11.14	Miniature Circuit Breaker enclosure with SPN MCB 32 Amps 'C' series complete with plastic enclosure suitable for 230 volts, 50 Hz supply. Make - Havells, Standard.	240	Sr.SEE(M) CSTM	Kudos Enterprises, Navi Mumbai-400 705.	93600
57	92.14.5690 .1. 65744	25.11.14	Moulded Case Circuit Breaker 800 Amps,4 Pole,415 volts,65 KA breaking capacity with fixed Thermal Magnetic Release.as per C&S cat.No.CSC6S4* conf to IS 13947.	2	Sr.SEE(M) CSTM	M/S. OM TRADING CO., Kalyan (E) ,421306.	95240
58	92.14.5692 .1. 65745	25.11.14	Insect Killer UV tube Size: 24"x 2 Nos.UV tube 230 volts with wall & ceiling mounted Fitting arrangement. Make: Pasto Fly Kill, Fly Nil, Fly killer Machine. (Ultra Voilet Tube).	18	Sr.SEE(M) KYN	Alfa Engineers, Mumbai- 400 009.	86355
59	92.14.5678 .1. 65746	25.11.14	Coir Mattress (3" Coir , 1" Foam) size 74 1/2" x 37" x 4" Product Name Delite of Puma, Kurl- on, Century make	22	SSE(W/M) Byculla	M/s. P.K. Textiles, Thane - 400 004.	83314
60	92.14.5673 .1. 65747	25.11.14	1) Plastic chairs with arms of Omega make model 2061, Dim:- Size 610 L x 565 W x 790 H , make Neelkamal, Cello - Qty. 40 Nos. 2) Synthetic rubberised toilet doormat size 22" x 15" of standard make. - Qty. 10 Nos. 3) Plastic Bucket 20 ltrs. Capacity make flora - Qty. 10 Nos. 4) Plastic Bucket 8 Ltrs. capacity make Flora - Qty. 10 Nos. 5) Plastic mugs capacity 1 ltr. make Flora - Qty. 20 Nos. 6) flask Thermos 1300 ml capacity Outer & Inner Body Steel, make Milton, Cello.	1	SSE(W/M) BYCULLA	M/S JASMINE TRADING CO., MUMBAI -400009	50904

Sr	PO No.	Date	DESC.	QTY.	Consigne	Firms name	SUM
61	92.14.5672 .1. 65748	25.11.14	Printed cotton bedsheet (1 single bed sheet size 60" x 90" + 1 pillow cover size 40cms x 60 cms.) = 1 Set of Bombay dyeing.	99	SSE(W/M) BYCULLA	M/S JASMINE TRADING CO., MUMBAI -400009	58608
62	92.14.5688 .1. 65749	28.11.14	PVC insulated & PVC round sheathed copper cable single core multi strand, 4 sq mm, 1100 volt IS: 694:1990.Make:Bharat Cab, Fenolex, Polycab.	2000	SSE (AC/Cog) CSTM	M/S. OM TRADING CO., Kalyan (E) ,421306.	87000
63	92.14.5660 .1. 65750	28.11.14	A set of Bottle Fuse & Fuse Carrier ,One set consist of Three Fuse & One Carrier ,1) Bottle Fuse 20 Amp - 01. No, 2)Bottle Fuse 10 Amp - 01 No.,3) Bottle Fuse 2 Amps - 01 No. 4) Fuse Carrier for bottle Fuse - 01.No.	1	Sr.SEE(A C- Cog)CST M	M/S. OM TRADING CO., Kalyan (E) ,421306.	91800
64	92.14.5671 .1. 65751	28.11.14	Set of Wire Mesh Guard,White Powder coated.1)Wire Mesh Guard size:3/4"x 3/4"x wire dia 1.5mm,92mm x 240mm,as per sketch attached,Qty:800.Nos.2)Wire Mesh Guard size:3/4"x 3/4"x wire dia 1.5mm,110mm x 290mm,as per sketch attached,Qty:800.Nos.	1	SSE(AC- Cog)CST M.	Jeet Engineering Co, Mumbai-400 068.	74900
65	92.14.5675 .1. 65752	28.11.14	Continuous Rail Thermometer as per RDSO specification no. TM/TL/119 (second reprint incorporated revision upto 13.09.2012 or latest of VOTIVE make	1	SSE(P- WAY) BIRD	Votive Marketing Pvt.Ltd., Lucknow 226 006.	73080
66	92.14.5627 .1. 65753	28.11.14	Complete insulated wheel for single Rail tester of usfd testing Specification no. M&C/NDT/130/2007 (SPE No.66379) of EEC make	16	SSE(P- WAY- USFD) BY.	Pranav Industrial Corporation, Thane-401107.	86400
67	92.14.5685 .1. 65754	28.11.14	STIGA make Brush Cutter / Weed Cutter (Petrol) model no. SB-44 D 1.1KW/1.5 hp,42.7cc. 26 mm tube , tap & go, bike handle, double harness,4 toothed blade, 9.2 kg.(AS PER IRS CONDITION OF CONTRACT.)	5	SSE (P/WAY) PEN	Srushti Consultants & Developers, Mumbai- 400 057.	151200