

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
1	92.15.5259 .1. 65305	05.05.15	Single Function Monochrome Laser Printer Model- Brother HL 1201, SAMSUNG ML-1676P.	11	Sr DCM CSTM	Excel Enterprises, Mumbai. 400 001.	55209
2	92.15.5267 .1. 65306	05.05.15	MCB D-series 3 pole 25 Amp, 40 Amp and 63 Amp with breaking capacity 10 KA suitable for high inrush current load in accordance to IEC/IS 60898 cat. No. DHMCDTPF006-032, DHMCDTPF040, DHMCDTPF063. Make - Havells, Legrand and Schneider Electric. (one set = 03 Nos. MCB set).	23	SSE (EM) KYN	Bharti Enterprises, Mumbai-400 002.	94760
3	92.15.5268 .1. 65307	05.05.15	MS fabricated board to accommodate FASD 25 HP Starter - 02 Nos., MCB 100 A, 35 KA, 440 V - 01 No., On load C/O Switch 63 A, 4P - 01 No., VSP SPP - 02 Nos., Amp Meter - 02 Nos., Indicator lamp - 06 Nos., ON/Off push button - 04 Nos., Cable connector, wiring etc complete as per sketch. Make - Havells, Minilec.	2	SSE (EM) KYN	Jeet Engineering Co., Mumbai- 400 068.	99000
4	92.15.5270 .1. 65308	05.05.15	Berth Light electrical fitting suitable for 220V - 240 volts with 14 watts lamp Screw type.	130	SSEE (Maint) CSTM	M/s. Reena Enterprises Mumbai 400 078.	94900
5	92.15.5271 .1. 65309	05.05.15	Self Adhesive Insulating medium voltage Insulating grade 1.1 KV and Jacketing Tape in size 25mm x 0.5mm x 10 Mtr. roll of M/s. Stanvac Chemicals (I) Ltd. make.	120	SSE (EM) KYN	Excel Engineers, Mumbai-400 101.	88452
6	92.15.5272 .1. 65310	05.05.15	Electronic Ignitor for 150 watts Metal Halide / SV Lamp Bajaj BJIGN or Havells cat. No. LHNM05000D99 suitable for 230V luminaries. Make - Havells, Bajaj, Crompton.	500	SSE (EM) KYN	Shri Satguru Electric & Trading co., Mumbai-400 003.	96500
7	92.14.5812 .2. 65311	05.05.15	SPLIT AIR-CONDITIONER WITH ROTARY COMPRESSOR(R22 REFRIGERANT) - Nominal Cooling Capacity (kcal/hr) in (KW): 6000 (7.0),Min. Room Air Flow (cub.m/h): 800,EER (W/W): 3.10 - 3.29,BEE Star Rating: 3	1	Sr.SEE(AC/ STY)CSTM	Hitachi Home & Life Solutions (India) Limited. Gujrat, 382 727.	40832
8	92.15.5200 .1. 65312	06.05.15	LED based seven segment display board for existing GPS based digital clock using 5mm white glow LED with current limiting resistors to avoid failure of LED.	40	SSE/Tele/st ores/CLA	Hindustan Engineers, Jaipur - 203 013.	98680
9	92.15.5228 .1. 65313	06.05.15	Ni-Mh Nickel Metal Hydro-oxide Battery having 7.2 volt / 2300mAH for Motorola VHF Set GP328	90	SSE (T/S) CLA	M/S. Danbros United,Haryana 122 016.	67050
10	92.14.5252 .1. 65314	06.05.15	Executive Revolving chair with cushion and arms Godrej Model PCH-7201R Size-. 76.3cm Wx 76.3cm Dx 100.9 -122.9 cm H.,Godrej make.	1	Sr DSC/RPF/C STM	M/s.D.S.Furniture Works, Mumbai-72.	5280
11	92.15.5261 .1. 65315	06.05.15	Surge Arrester of Class B type suitable for use with IPS as per specification :- Line of neutral - Neutral to earth ,1- Type Encapsulated / Non- exhausting spark gap, 2- Nominal Voltage , Un:- 230V, 50/60 Hz., 3- Over voltage withstanding capacity: 400V., 4- Lightning Impulse current:- 40KA-10/350 usec,125KA-10/350 usec., 5-Voltage protection level. up less than 2.5KV, 6- Response time < 100 nano seconds, 7-Operating temperature range:- 40 degree C to 85 degree , 8- Mounting on Din Rail, 9- Degree of protection IP 20, 10- Back up Fuse / MPCB:- up to 500 amp Max depending up on panel of Phonexic FLT 50 FLT 35	6	SSE (SIG) KURLA	M/S. MITTAL INDUSTRIES, MUMBAI 400 063.	45675

12	92.15.5263 .1. 65316	06.05.15	Set of Neoprene gasket suitable for the point motors used in Siemens Electric point machine as mentioned below item 1- Gasket for carbon brush window cover drg. No. R-ST- 11411/ Sheet-2, latest alternation Qty. - 3 Nos., 2-Gasket for motor terminal block- Drg. No. R-ST-11411/ Sheet-3 latest alternation- Qty. 1 No. 3- Gasket for reduction gear box. Qty. - 1 No Drg. No R-ST-11893 sheet No 4 . Drawing attached.	500	SSE (SIG) KURLA	R.K.Enterprise, West Bengal 700 137.	26775
13	92.15.5296 .1. 65317	06.05.15	Plain G I Sheet of 22 to 23 Guage size 8 feet x 4 feet of Jindal, Zenith, Indol Make approximately 16 to 17 kgs.	60	SSE (W/M) BYCULLA	PARK & Co., MUMBAI 400077.	96390
14	92.15.5305 .1. 65318	06.05.15	Antique look wall hanging wooden clock with brass finish wall clock 9" dia of Antiq Make.	4	SSE (Tele/Store) CLA	Excel Enterprises, Mumbai. 400 001.	6426
15	92.15.5340 .1. 65319	06.05.15	Tyre and tube for TATA Sumo Tyre size & Make 215175 R15 LT MRFZ VT RADIAL of Ceat Make	5	Sr.DSC RPF CSTM	M/s. Hans Enterprises, Mumbai-400 003.	34375
16	92.15.5242 .1. 65320	06.05.15	DIN type fuse links type HN size 3, Rated current A 315 suitable for HB 800 fuse base LNT cat. No. SF94434. Make - LNT, Siemens and GE.	75	SSE (Sub-Stn) CLA	Adinath Electricals, Bangalore-53.	31650
17	92.15.5247 .1. 65321	06.05.15	Condenser coil made of copper tube and Allum. Fins suitable for 1.5 TR. window model Air conditioner of various make i.e. Voltas, Videocon, Blue Star, Amtrex, L.G. etc. as per sample.	10	Sr. SEE (AC-Sty) CSTM	M/s The Makardhwaj Enterprises, Mumbai-400 005.	70000
18	92.15.5248 .1. 65322	06.05.15	Set of Compressor for Refrigerator of various capacity and various make. 1.Compressor for Godrej model No. G1. Qty.- 10 Nos. , 2. Compressor for Godrej model No. G2. Qty. - 08 , 3. Compressor for Godrej model No. G3. Qty. -10 Nos. The compressor shall be new one Make - Godrej, Hitachi, L.G., Emerson.	One set	Sr. SEE (AC-Sty) CSTM	A.M.Jain & Co., Bhusawal - 425 201.	81878
19	92.15.5063 .1. 65323	06.05.15	Set of PVC insulated copper cable for Window AC, Split AC unit. A) PVC insulated copper cable 3 core 2.5 sqr. mm PVC round sheathed 1100 Volt grade cable as per IS - 694/1990. Make - S.S. Cable, Poly Cab. Qty. = 1000 Mtrs. B) PVC insulated copper cable 3 core 1.5 sqr. mm PVC round sheathed 1100 Volt grade cable as per IS - 694/1990. Make - S.S. Cable, Poly Cab. Qty. = 1000 Mtrs. (One set consist of 2 items & 1000 Mtrs. each.)	1	Sr.SEE(AC/Sty) CSTM	M/s N.K.Enterprises, Ahmadabad-380018.	77800
20	92.15.5232 .1. 65324	06.05.15	11 KV fuse element total length 610 mm fibre glass tube element length 220 mm confirming to IS 5792/1970. Make - Bicco lawari, Kiran, PEC. One set consist of 1. 15 AMP - 400 Nos. 2. 5 AMP - 400 Nos.	1	SSE (Sub-Stn) CLA	A.R. Enterprises.Mumbai-400 003.	37121
21	92.15.5240 .1. 65325	06.05.15	Street lighting luminaries suitable for use with CFL direct fit lamp deep drawn aluminium housing high quality anochsed alum, reflector or elegantly shaped highly transparent UV stabilized acrylic cover with stainless steel toggles high quality long lasting felt fasket with water repellent chemical as per SURYA cat. No. SUL85 CF RF AL DD E40 1 x 85W CFL - Retro, 240 V without ballast and capacitor and with CFL lamp.	60	SSE (Sub-Stn) CLA	Tushar Enterprises. Ratlam.457001	61920
22	92.15.5234 .1. 65326	07.05.15	Fuse link switch single pole blade type used in wave filter circuit to Hind and NGEF rectifier circuit 2000V, 100 AMP. Make - Ferraz, Busman & L&T.	5	SSE/CO/PN VL	M/s. La-Petero Corporation, Mumbai 400 088.	63563
23	92.15.5236 .1. 65327	07.05.15	Set of Condensers 1. Condensor 1 Micro farrade Plus / Minus 5 percentage , 1000 V for rectifier set, Make - ICAR, BOSCH and Siemens. Qty. - 10 Nos. 2).Condensor 0.47 Micro Farrade 2000 V AC for diode protection in rectifier set, Make - Siemens, Bosch and ICAR. Qty. - 20 Nos. 3. Condensor 20 Micro Farrade Plus / Minus 10 Percentage 3100 V DC for surge circuit in rectifier set. Qty. - 06 Nos.	1	SSE/CO/PN VL	A.R. Enterprises.Mumbai-400 003.	45240

24	92.15.5243 .1. 65328	07.05.15	Set of moving contact tip and fixed contact tip for HSCB as per Drg. No. ET/Apena/78 and ET/Apena/79. The hardness of the material to be in the range of 80-100 BHN. As per drawing attached.	25	SSE (Sub-Stn) CLA	Metal Fusion & Alloys, Mumbai-400 011.	85785
25	92.15.5264 .1. 65329	07.05.15	Spike guard 230 volts, 5 amp, 3 pin, 6 sockets & Switches with line indicator, filter ckts, with one switch and 1.5 mtr. Cord of Make fuse,Wax,Regal, Mx.	13	Sr DCM CSTM	M/s PAT AND COMPANY, Mumbai 400 001,	4810
26	92.15.5012 .1. 65330	07.05.15	Rechargegle Emergency Light Powerlite 360 ,Bulb Type:High Flux LED 36W,Brightness:2200 LM,Capacity:Sealed 7 AH,Working Time:5 to 6 Hrs.,Head Size:7**4.5**1.6" inch,Weight:9 kg .Make:SB Drive Power Ltd.model No.Powerlite 360,Vishal Engineering Works model No Briteman 340,Comp Air Equipments Co.model No.266.	4	Sr.SEE (Maint) CSTM	S.B Driver Power Ltd., Mumbai - 400 004.	90000
27	92.15.5277 .1. 65331	07.05.15	Electronic Ballast 2 x 36 Watts CFL lamp suitable for 230 V, 50 Hz AC supply to Philips cat. No. EBT 236 TLD, Crompton cat. No. EBN 236 A.	130	SSE (EM) KYN	M/S. OM TRADING CO., Kalyan (E) ,421306.	95940
28	92.15.5324 .1. 65332	07.05.15	Set of Passive Fire Retardant Coating Chemical. As per annexure attached.	1	SSEE (Maint) CSTM	M/s Anantco Enterprises Pvt.Ltd. Mumbai- 400 069.	33788
29	92.15.5323 .1. 65333	07.05.15	Instant Water Heater 1 litre capacity 230 volts,High voltage of 3 KW for instant heating ultra thick SS innerr tank of superior 304 grade, Rust and Shock proof body with wire and plug top. As per Venus model No. P30. Make - Venus, Bajaj, Havells.	32	SSEE (Maint) CSTM	Reena Enterprises,Mumbai 400 078.	92160
30	92.15.5322 .1. 65334	07.05.15	Industrial rechargeable emergency light with 2 x 20 W 2 feet long tube battery capacity 6V 4.5 Amp.M.ake - BN V Tari, Philips, Surya, Havells, Bajaj.	25	SSE (EM) KYN	Alfa Engineers, Mumbai- 400 009.	68625
31	92.15.5299 .1. 65335	08.05.15	Hinges for location box with suitable nut and bolt for fixing as per Drg No RST-12068 attached.	400	SSE (Sig) CLA	Athaang Engineering Works, Navi Mumbai-400705.	22050
32	92.15.5216 .1. 65336	08.05.15	Rechargeble Ni- Cad battery 3.6v 830 mA capacity for cordless telephone model no. KXTG - 2480, Make Panasonic.	200	SSE (T/S) CLA	M/s. Ankur Electronics, Mumbai. 400 069.	84375
33	92.15.5326 .2. 65337	08.05.15	DESKTOP COMPUTER (WITH PRELOADED OPERATING SYSTEM) - Configuration: Intel Core i3,Operating System: Linux,Chipset: Q8 Series	1	SSE(AC/C OG)CSTM	Lenovo (India) Private Limited, Gurgaon -122002	37029
34	92.15.5246 .1. 65338	08.05.15	Fuse puller suitable for square body, DIN type fuse link for all size of fuse links of size 00,1,2,3. cat. No. 3NX1 011. Make - Siemens, LNT, GE.	20	SSE (Sub-Stn) CLA	Rahul Enterprises, Mumbai- 400 056.	22028
35	92.15.5249 .2. 65339	08.05.15	Self Contained Drinking Water Cooler With (Non Cfc Refrigerant)Energy Efficient Compressor - Cooling Capacity Ltrs/Hr.: 60,Type: Storage,Storage Capacity Ltrs.: 120,Rate Of Max. Energy Consumption Watts: 775	1	Sr. SEE (AC-Sty) CSTM	VOLTAS LTD., MUMBAI - 33	35871
36	92.15.5347 .2. 65340	12.05.15	Desktop Computer (with preloaded OPERATING SYSTEM) Configuration: Intel Core i5,Operating System: Microsoft Windows 8,Chipset: H8 Series	2	Sr DSC/RPF/C STM	M/s. HCL Infosystems Ltd., Noida - 201 301	80359
37	92.15.5315 .2. 65341	12.05.15	DESKTOP COMPUTER (WITH PRELOADED OPERATING SYSTEM)- Configuration: AMD A6 Operating System: Microsoft Windows 8 Chipset: A7 series.	1	DRM (W) CSTM	M/s. HCL Infosystems Ltd., Noida - 201 301	34929

38	92.15.5313 .1. 65342	13.05.15	Air Freshner of 300 MI Capacity Make Yardly, Concord, Premium of English lemon, Lemon,Rose, fragrance.	150	DRM (W) CSTM	M/S Jasmine Trading Co., Mumbai -400009	15675
39	92.15.5183 .1. 65343	13.05.15	C.I. Ball Valve lever operated 3/4" of ISI Make , RMW, Hammer.	200	SSE(W)CS TM	M/s. Hira Enterprise, Mumbai 400 067.	46200
40	92.15.5144 .1. 65344	13.05.15	Thermo Shrinkable jointing Kit - TSF - 2 suitable for 50 pair PIJF cable as per RDSO specn. No. RDSO/SPN/TC/57/2006 - Rev.O- or latest	70	SSE TELE STORE KYN	Western Cablex Engineering Pvt.Ltd., Mumbai-400 058.	59456
41	92.15.5298 .1. 65345	13.05.15	Supply of Z 201 pufseal (1K-s) self expanding polyurethane foam sealent for filling large cavaties in 500 ml can of stanvac chemicals ltd/ superon corium make/ loctie make. Of 'Stanvac'	100	SSE (SIG/ STORE) KALYAN	V.M.Enterprise, Mumbai-400 071.	81375
42	92.15.5238 .1. 65346	14.05.12	Metal reinforced weather strip Gasket for sealing cubical door suitable for Alind make 25 Kv VCB Sample is available in kurla store.	100	SSE (Sub-Stn) CLA	La Petero Corporation', Mumbai-400093.	21825
43	92.15.5231 .1. 65347	14.05.12	G.I. full threaded hexagonal head bolt and nut along with one check nut, 2 Nos. flat washer and 1 No. spring washer. One set consist of 1. Size 12 x 50 mm - 400 Nos. 2. Size 12 x 75 mm - 400 Nos.	1	SSE (Sub-Stn) CLA	Trans Metal Industries, Thane-400607.	28917
44	92.15.5245 .1. 65348	14.05.12	BI-Metalic washer CU-AL Inner dia 12 mm and outer dia 30 mm, thickness 3 mm.	500	SSE (Sub-Stn) CLA	Yogeshwar Engineering, Mumbai- 400063.	8438
45	92.15.5230 .1. 65349	14.05.12	Fuse link / fuse enlement for 25 KV Do fuse, switch total length 800 mm, Do fuse element length 220 mm fibre glasstube RDSO specification No. ETI/PSI/14(1/86 . One set consist of 1. 5 AMP - 400 Nos. 2. 3 AMP - 100 Nos. 3. 2 AMP - 100 Nos.	1	SSE (Sub-Stn) CLA	Power Equipment Co., Howrah 711 033.	37154
46	92.15.5066 .1. 65350	14.05.12	Set of Timers for changeover of AC unit at RRI and Telephone Exchange in Mumbai Division. As per Annexure A .	1	Sr.SE (AC/Sty) CSTM	ULTRATECH, West bengal 700 019.	65000
47	92.15.5186 .1. 65351	14.05.12	Silica Gel breather clear view type model No. DTO-2, Gel capacity - 500 gms, Mounting - 1/2 inch BSP threaded having U/V stabilized poly corbonate container & oil cup filled with Deep Blue Silica Gel as per Drg. No. BR/AC/DM/12.	50	SSE (Sub-Stn) CLA	M/s.Kunal Corporation, Mumbai-400 002.	23063
48	92.15.5251 .1. 65352	14.05.12	Power Contactors-D Model 4 pole AC and DC Control Rated Operational current AC1-80,Poles Composition 4NO,DC Control refrence LC1DT80AFD coil voltage 110V DC	4	SSE (OHE) CLA	M/s. R.K. Sales Corporation, Mumbai - 400 004.	35914
49	92.15.5239 .1. 65353	14.05.12	EL utility lamp as per Surya cat. No 85W, 220-240 V FU 15 mm ES thread type. Make - Bajaj.	100	SSE (Sub-Stn) CLA	M/s. Kaltro Enterprises, Ambernath (E) 421 501.	56070
50	92.15.5282 .1. 65354	14.05.15	M.S.Tee Head Bolt with Nut 25 x 110 MM as per RDSO Drawing No. T- 2660.	5500	SSE (P WAY) BND	Eastern Hardware Mart, Kolkata 700 001.	299338
51	92.15.5284 .1. 65355	14.05.15	M.S.Crossing Bolt with Nut Size 25 x 180 MM as per RDSO Drawing No. T- 11513	4500	SSE (P WAY) BND	Aas Udyog, Kolkata 700 108.	291150

52	92.15.5286 .1. 65356	14.05.15	M.S.Crossing Bolt with Nut Size 25 x 210 MM as per RDSO Drawing No. T- 11516	4.8	SSE (P WAY) BND	Aas Udyog, Kolkata 700 108.	294107
53	92.15.5291 .1. 65357	14.05.15	M.S.Crossing Bolt with Nut Size 25 x 330 MM as per RDSO Drawing No. T- 11528	4.8	SSE (P WAY) BND	Aas Udyog, Kolkata 700 108.	294107
54	92.15.5292 .1. 65358	14.05.15	M.S.Crossing Bolt with Nut Size 25 x 350 MM as per RDSO Drawing No. T- 11530	4.8	SSE (P WAY) BND	Aas Udyog, Kolkata 700 108.	294107
55	92.15.5293 .1. 65359	14.05.15	M.S.Crossing Bolt with Nut Size 25 x 380 MM as per RDSO Drawing No. T- 11532	4.8	SSE (P WAY) BND	Aas Udyog, Kolkata 700 108.	294107
56	92.15.5294 .1. 65360	14.05.15	M.S.Crossing Bolt with Nut Size 25 x 400 MM as per RDSO Drawing No. T- 11534	4.8	SSE (P WAY) BND	Aas Udyog, Kolkata 700 108.	294107
57	92.15.5287 .1. 65361	14.05.15	M.S.Crossing Bolt with Nut Size 25 x 230 MM as per RDSO Drawing No. T- 11518	4.8	SSE (P WAY) BND	Aas Udyog, Kolkata 700 108.	294107
58	92.15.5288 .1. 65362	14.05.15	M.S.Crossing Bolt with Nut Size 25 x 260 MM as per RDSO Drawing No. T- 11521	4.8	SSE (P WAY) BND	Aas Udyog, Kolkata 700 108.	294107
59	92.15.5289 .1. 65363	14.05.15	M.S.Crossing Bolt with Nut Size 25 x 280 MM as per RDSO Drawing No. T- 11523	4.8	SSE (P WAY) BND	Eastern Hardware Mart, Kolkata 700 001.	300960
60	92.15.5290 .1. 65364	14.05.15	M.S.Crossing Bolt with Nut Size 25 x 310 MM as per RDSO Drawing No. T- 11526	4.8	SSE (P WAY) BND	Aas Udyog, Kolkata 700 108.	294107
61	92.15.5280 .1. 65365	14.05.15	M. S. Square Head Bolt with Nut Size 25 x 90 MM Full Head as per RDSO Drawing No. T- 11504	5500	SSE (P WAY) BND	Eastern Hardware Mart, Kolkata 700 001.	282150
62	92.15.5281 .1. 65366	14.05.15	M. S. Fish Bolt with Nut Size 25 x 140 MM as per RDSO Drawing No. T- 1899	5200	SSE (P WAY) BND	Eastern Hardware Mart, Kolkata 700 001.	294934
63	92.15.5300 .1. 65367	14.05.15	HP Laser Jet PRO CP1025 colour Printer Print speed Up to 17PPM Black & 4PPM colour Print. Resolution upto 600x 600 dpi. Print technology resolution HP image Ret 2400 Standard Connectivity 1 Hi Sped USB 2.0,1 built in 10/100 Ethernet, 1 wireless 802.11b/g/n, Standard Memory 64 MB DRAM, 4 MB Flash DUPLEX Print Option Manual (driver support Provided)	1	Sr DFM CSTM	Computer Center, Mumbai-400 001.	13860
64	92.15.5307 .1. 65368	14.05.15	LASER PRINTER - Resolution (in dpi): Mono 600x600,Paper Size: A4,Print speed in PPM (A4 Size):14,Port: 1 USB ,Memory (in MB): NA Network card 10/100: NA ,Duplexing: NA Make-Konika Minolta Page pro150W.	8	Sr DFM CSTM	Konica Minolta Business Solutions India Pvt Ltd., Mumbai- 400 059.	40360

65	92.15.5179 .1. 65369	13.05.12	MASK (cotton) green colour with strip for safety gear purpose for S/walas working in Railway colony/Service Bldg based in Mumbai Divi.	1200	CMS KYN	M/s. Hans Enterprises, Mumbai-400 003.	31200
66	92.15.5180 .1. 65370	13.05.12	Apron green colour size 84 x 65 approx with one side pocket on front with strips use as protective gear.	900	CMS KYN	M/s. Hans Enterprises, Mumbai-400 003.	98100
67	92.14.5002 .1. 65371	14.05.15	Visitors chairs with arms cushion seat & back Model Godrej PCH-7212R H-84cm, D- 58 cm, W-55 cm, Seat Height 45cm.	3	Sr DSC/RPF/C STM	M/s.D.S.Furniture Works, Mumbai-72.	8340
68	92.14.5253 .1. 65372	14.05.15	Visitors chairs with arms cushion seat & back Model Godrej PCH-7212R H-84cm, D- 58 cm, W-55 cm, Seat Height 45cm.	1	Sr DSC/RPF/C STM	M/s.D.S.Furniture Works, Mumbai-72.	8340
69	92.15.5187 .1. 65373	14.05.15	Mild Steel Clothes Locker , Height in mm 1980, Width in mm 910 mm, Depth in mm 480 , Number of Lockers Eight, Weight in Kgs 75.5 confirming to IS: 3314:1984 Reaffirmed 2005 , Second Revision, fitted with electroplated steel handles and number plates.	2	SSE CUSTODIA N CSTM	V.M.Enterprise, Mumbai-400 067	21000
70	92.15.5256 .1. 65374	14.05.15	Plastic Cover for 2- aspect Signal unit cover is opened from front side and bottom side and made of Black Polythene Sheet of 100 micron thickness, Size 1200 MM x 460 MM x 205 MM. On back side 75 MM wide corner to corner diagonal cross mark of cover colour of 100 Micron thickness to be provided. To tie up cover signal unit suitable nylon rope of 5 MM dia and 4 mtrs. Length to be provided on front side and of 1.5 Mtrs. Length at Centre as per drg. No. R-ST-12075.	800	SSE (SIG/ STORE) KALYAN	Hira Enterprise, Mumbai 400 067.	97600
71	92.15.5258 .1. 65375	14.05.15	Plastic Cover for 4 - aspect Signal unit cover is opened from front side and bottom side and made of Black Polythene Sheet of 100 micron thickness, Size 1700 MM x 460 MM x 205 MM. On back side 75 MM wide corner to corner diagonal cross mark of cover colour of 100 Micron thickness to be provided. To tie up cover signal unit suitable nylon rope of 5 MM dia and 4 mtrs. Length to be provided on front side and of 1.5 Mtrs. Length at Centre as per drg. No. R-ST-12073.	610	SSE (SIG/ STORE) KALYAN	KRISHNA ENTERPRISES, Mumbai-400 068.	98332
72	92.15.5257 .1. 65376	14.05.15	Plastic Cover for 3 - aspect Signal unit cover is opened from front side and bottom side and made of Black Polythene Sheet of 100 micron thickness, Size 1360 MM x 460 MM x 205 MM. On back side 75 MM wide corner to corner diagonal cross mark of cover colour of 100 Micron thickness to be provided. To tie up cover signal unit suitable nylon rope of 5 MM dia and 4 mtrs. Length to be provided on front side and of 1.5 Mtrs. Length at Centre as per drg. No. R-ST-12074.	740	SSE (SIG/ STORE) KALYAN	FAIRDEAL ENTERPRISES,MU MBAI-400 002	98790
73	92.15.5283 .1. 65377	14.05.15	M.S.Crossing Bolt with Nut Size 25 x 160 MM as per RSSO Drawing No. T- 11511	4500	SSE (P WAY) BND	B3 INDUSTRIES, Howrah-711204	264600
74	92.15.5279 .1. 65378	14.05.15	M. S. Square Head Bolt with Nut Size 25 x 90 MM Half Head as per RDSO Drawing No. T-11504	5500	SSE (P WAY) BND	MOHINDRA ENTERPRISES, Punjab-144004.	268683
75	92.14.5686 .1. 65379	18.05.15	Glyphosate 41% SL (SWEEP) The material shall be in form of a homogenous pale yellow to light Brown colored liquid. It shall be free from visible suspended matter and sediment, Glyphosat containt as IPA Salt (% by w/w) 41.0 +- 5% (38.95 to 43.05) Sp.gr.@20'C - 1.17 +- 0.02, pH (1% aqueous Soln.) 4.50 to 6.80, Persist Foam (ml after 1 Min - 60.00 Max, solution stability (2% in 342 ppm hard water) - shall give a clear or opa;escent solution.	300	SSE(P/WA Y) KASARA	A.M.Jain & Co., Bhusawal - 425 201	96390

76	92.15.5140 .1. 65380	19.05.15	Thermoshrink Jointing Kit suitable for straight through / derivation transformer joints of 6 quad cables IRS TC - 77-2012 or latest amendment.	40	SSE TELE STORE KYN	Western Cablex Engineering Pvt.Ltd. Mumbai-400 058.	103185
77	92.15.5309 .1. 65381	19.05.15	110 V AC LED Signal Lightening Unit retrofitable in existing CLS Unit as per RDSO specification RDSO.SPN.153.2011 Rev.4.1 LED Route Signal of GEC make	50	SSE SIG.CONST/KYN.	Comm-Tech Commercial Corpn, Mumbai - 400 025.	300000
78	92.15.5310 .1. 65382	19.05.15	110 V AC LED Signal Lightening Unit retrofitable in existing CLS Unit as per RDSO specification RDSO.SPN.153.2011 Rev.4.1 LED Shunt Signal of GEC make	50	SSE SIG.CONST/KYN.	Comm-Tech Commercial Corpn, Mumbai - 400 025.	300000
79	92.15.5311 .1. 65383	19.05.15	110 V AC LED Signal Lightening Unit retrofitable in existing CLS Unit as per RDSO specification RDSO.SPN.153.2011 Rev.4.1 LED Calling on Signal of GEC make	20	SSE SIG.CONST/KYN.	Comm-Tech Commercial Corpn, Mumbai - 400 025.	142000
80	92.13.5386 .1. 65384	20.05.15	25KV composite sectioning insulator as per RDSO specification no., TI/SPC/OHE/INSCOM/1070 latest. as per IRS conditions.	50	SSE(OHE) CLA	M/s. Goldstone Infratech Limited, Secunderabad - 500 003.	187885
81	92.15.5022 .1. 65385	21.05.15	RJ-45 Register -Jack - 45 connector.Make:D Link, Digisole.	2500	SSE(T/STORE) KYN	HIND INDUSTRIE, Mumbai 400 016.	21893
82	92.15.5368 .1. 65386	21.05.15	Commercial Heavy duty Water Purifier with Flow water 600 Ltrs/Hrs.,capacity having min.8 to 10 ltrs/minute with over all diamensions between H -1270 to 1290,D-320 to 350 and W-400 to 450mm,Weight not more than 35 Kgs.with UV Lamps 25-30 watts having power wattage 200 to 250 watts to work on Min.pressure of water at 0.4 Kg/Sq.cm and Max.pressure of water 2.0 Kg/Sq.cm protected with Fuse complete with Level monitoring system and Pre Cooler attachment Eureka Forbes Ltd.Model AG 600 DF.(As per IRS condition.)	8	Sr.SEE(M) CSTM	M/S EUREKA FORBES LIMITED., MUMBAI -400009	272000
83	92.15.5365 .2. 65387	21.05.15	TUBULAR FLUORESCENT Double Capped (T-5) Lamps for General Lighting service for Day Light RATED WATTAGE 14 Watts , INTIAL LUMEN (MIN) 1000. COLOUR F 6500 .	1200	Sr. SEE(M)CS TM	SURYA ROSHNI LIMITED, New Delhi - 110008.	101256
84	92.15.5235 .1. 65388	21.05.15	Set of motor current breakers 1. Motor current breaker open execution with thermal and electro magnetic releases. 110 V DC, Range - 1.6 - 2.4 Amps. Qty. - 06 Nos. 2. Motor current breaker in open type execution with thermal and electro magnetic releases. 110 V DC, Range - 6.5 - 9.5 Amps. Make - Seimens, L and T and Telemecanique.	1	SSE/CO/PN VL	HIND INDUSTRIE, Mumbai 400 016.	39319
85	92.15.5328 .1. 65389	21.05.15	Hermetically Sealed Compressor 5.5 TR.capacity Kirloskar Copeland make model No.ZR72A-TFC 522 scroll type with service valve suitable to operate on 415 volt ,50 Hz AC supply and suitable for Air conditioning purpose R-22 Refrigerent. Make : Copeland.	3	Sr.SEE(AC-STY)CSTM	Himanshu Industries,Mumbai - 400 097.	58050
86	92.14.5697 .1. 65390	22.05.15	Cast alluminium Control Gear box for 2 x 400Watt MH lamps complete with copper Ballast - 02 Nos. Ignitor - 02 Nos. Condensor - 02 Nos. Wiring, Terminals, Fuse etc. complete. Bajaj code 160624 of Bajaj make code 160624.	15	Sr.SEE(M)KYN	A.M.Jain & Co., Bhusawal - 425 201.	35927
87	92.15.5064 .1. 65391	22.05.15	G.M. Gate Valve 2 inch Screwed Female Ends to BSP,Solid Wedge, Non Rising Stem and Screwed in bonnet confirming to IS-778 class 1. Make:- Apar Udyog, Hind Metal Work.	50	SSE (EM) KYN	M/s. Vineet Traders THANE 401 105.	68198
88	92.14.5608 .1. 65392	22.05.15	Roadway street light suitable for 1 x 85 watts CFL E 27 complete with lamp 85 watts , As per Bajaj cat No. BJSFL 85 RFCFL E 27.Make Bajaj, Havells Surya.	65	Sr.SEE(M)KYN	Trimuti Enterprises, Ratlam 457 001.	72735

89	92.14.5510 .1. 65393	25.05.15	Decorative low bay fitting 2x26 watts CFL 230 volts complete with electronic ballast, prismaic refrator or housing and with 02 Nos. of 26 watts CFL lamp. As per Bajaj cat. No. BLRI 226 CFL WEB2.Make - Bajaj, CGL, Philips, Havells.	32	Sr.SEE (Maint) CSTM	A.M.Jain & Co., Bhusawal - 425 201.	76704
90	92.15.5275 .1. 65394	25.05.15	PVC armoured Cable with Copper Conductor size 4 core x 6 sq.mm, Multi Stranded 650/1100 volts grade conf. to IS 1554 Part I type of armouring Steel armouring. Make - S.S. Cable Industries, Bharat Cab, Dashmesh Cable.	500	SSEE (Maint) CSTM	S.S. Cable Industries., Punjab - 141 010.	98428
91	92.15.5327 .1. 65395	25.05.15	Hermetically Sealed Compressor 7.5 TR.capacity Kirloskar Copeland model No.QR11MITFT 550 New equivalent model of Copeland / Emerson ZR11M3 TWD 551 suitable to operate on 415 volt ,50 Hz AC supply and suitable for Air conditioning R-22 Refrigerent of model zr 11 Copeland make.	1	Sr.SEE(AC-STY)CSTM	M/s. Himanshu Industries., Mumbai - 400 097.	40500
92	92.15.5329 .1. 65396	25.05.15	Compact Fluorescent lamp 18 watts CFL 230Volts Cross pin 2 Pin type-XP.As per CGL No.6500 and 2700 XP. White and Yellow colour .Make :Bajaj,CGL,Philips. (Accepted offer for Make Bajaj 18W PLC 6500K).	1100	SSEE (Maint) CSTM	M/s. R.K. Sales Corporation, Mumbai - 400 004.	83045
93	92.15.5325 .1. 65397	25.05.15	PVC insulated multistand copper conductor single core cable 1.0 sq mm 1100 volts confirming to IS-694. Make - Bharat Cab.	13700	SSE (EM) KYN	Bharat Cable Corporation, Delhi.	83488
94	92.15.5332 .1. 65398	25.05.15	S.S Hex Bolt full threaded with 01.No.Nut,01No.Washer,6mm of size,25,40,50mm length and 8mm of size,25,40,50mm length conf.to IS-1364/DIN 933.(One set =6mm and 8mm Bolt with 6 Nos.Washer and 6.Nos.Nut each).	900	SSE (EM) KYN	FAIRDEAL ENTERPRISES,MU MBAI-400 002	31410
95	92.15.5297 .1. 65399	26.05.15	415 Offline contact cleaner non flammable plastic safe residueless contact cleaner in 700 MI can as per specification attached make Stanvac chemicals, suoeron, corium along with authorized delar certificate.	65	SSE (SIG/STORE) KALYAN	M/s. Sunchem Industries, Mumbai - 400 009.	12431
96	92.15.5276 .1. 65400	26.05.15	Three phase Static Meter of accuracy class 1.0,3 into 240 volts with LCD display of rating 10-60 Amps conf. To IS-13779 similar to HPL cat. No. TPPL1510000000 and LNT Make WM301BC7D10. Make - Jaipur, Maxwell, HPL and LNT.	50	SSE (EM) KYN	Mak Traders,Pawai	73500
97	92.14.5744 .1. 65401	26.05.15	Telephone receiver 4-Way coil cord with RJ 9 connectors on both end of length 60 cm without stretching. Make:- Land Line , Link Tek, Lotus Tele.	3000	SSE(T/S)KYN	HIND INDUSTRIE, Mumbai 400 016.	44100
98	92.14.5180 .2. 65402	26.05.15	SMALL EPBAX SYSTEM CONFIGURATION ADD ON ITEMS- DESCRIPTION STANDARD PBT (DTMF DECADEIC) PHONES AS PER XTS-0001.	200	SSE(T/STO)KYN	Matrix Cosmec Pvt. Ltd. Gujarat- 390 010.	68030
99	92.15.5295 .1. 65403	29.05.15	External Surface Adhesive scelent in 18 Kgs. Drums of Shalimar Tar product.	450	SSE WKS CSTM	Park & Co. MUMBAI 400077.	96456
100	92.15.5314 .1. 65404	29.05.15	1) Ratchet pipe threader with handle die threader of size 15 to 25 mm in steel Box packing. Qty. 5 Set. 2) Ratchet pipe threader with handle die thraeder of size 32 to 50 mm in steel Box packing. Qty. 5 Set.3) Ratchet pipe threader with handle die threader of size 65 to 80 mm in steel w/o Box packing. qty. 1 Set.4) Ratchet pipe threader with handle die threader of size 100 mm in steel w/o Box packing. qty. 1 set. Make Indor, Formen (One set consist of 4 Items and 12 Sets)	1	SSE WKS CSTM	Park & Co. MUMBAI 400077.	48375
101	92.15.5150 .1. 65405	29.05.15	48 V/25 Amp. SMPS based battery charger in 1 plus 1- configuration using 2 modules of 25 Amp. each, automatic switching between the modules- charger for telecommunication equipment having in built lightening surge arrester - B & C class protection as per RDSO/SPN/TL/23/99 - Ver.4	1	SSE Tele Store CLA	Punjab Communication Ltd, Chandigarh -160071	103316

102	92.15.5331 .1. 65406	29.05.15	Fully automatic Star - Delta motor starter for 50HP /37 KW AC-3 rating , 415 Volts ,3 phase 50Hz Induction Motor conf.to IS 13947 of Havells make	7	SSE EM KYN	M/s. R.K. Sales Corporation, Mumbai - 400 004.	113190
103	92.15.5359 .1. 65407	29.05.15	Set of spare parts for model no.SMC 4-100 Accel make compressor as per annexure attached.Make Accel, Kirloskar.	1	SR. SEE AC/STY CSTM	M/s. M.N. Enterprises,Thane 421 306.	95772
104	92.15.5360 .1. 65408	29.05.15	Set of Cable Jointing Kit ready to use for power cable of size:3 1/2 core x 240-400 sq.mm and 3 1/2 core x 120-185 sq.mm PVC/XLPE insulated installation upto 1.1 KV Dielectric strength low viscosity re-enterable drying time maximum 10 minutes.Make: REPL,Raychem,Polyseal.	10	SR. SEE M CSTM	M/s Darshan Enterprises, Mumbai-400 092	77200
105	92.15.5366 .1. 65409	29.05.15	Metal Halide lamp 150 watts single ended E 27 Cap suitable for 230 volt Tunnel light fitting tubular in shape.Make:Havells,Philips,Bajaj,Surya and Crompton.	120	SR. SEE M KYN	Shri Satguru Electric & Trading co., Mumbai-400 003.	97800
106	92.15.5367 .1. 65410	29.05.15	Plastic switch board of size: 6 inch x 6 inch x 2 inch confirming to IS 14772 / CML No.3853371 to Press Fit code PF 403.Make:Press Fit,Presto Plast,Precision.	900	SR. SEE M KYN	Shri Satguru Electric & Trading co., Mumbai-400 003.	89114
107	92.15.5363 .1. 65411	29.05.15	Set of electrical items as per list enclosed.	1	SR. SEE M CSTM	Reena Enterprises, Mumbai 400 078.	7563
108	92.15.5358 .1. 65412	29.05.15	Set of spare parts for model no.SMC 4-65 Accel make compressor as per annexure attached.	1	SR. SEE AC/STY CSTM	M.N. Enterprises, Thane 421 306.	97724
109	92.15.5361 .1. 65413	29.05.15	Set of Cable Jointing Kit ready to use for power cable of size:3 1/2 core x 16-35 sq.mm and 3 1/2 core x 50-95 sq.mm PVC/XLPE insulated installation upto 1.1 KV Dielectric strength low viscosity re-enterable drying time maximum 10 minutes.Make: REPL,Raychem,Polyseal.	18	Sr. SEE(M)CS TM	M/s. HEM ENTERPRISES, Mumbai-400 092.	87840
110	92.15.5362 .1. 65414	29.05.15	LED Flood light fitting 30 watts 230 volts with high pressor die-cast housing confirming to IP-65.As per Bajaj model No.BJFL 30 W LED.Make:Bajaj,Philips,CGL.	13	Sr. SEE (M)CSTM	Reena Enterprises ,Mumbai 400 078.	92131
111	92.15.5376 .2. 65415	29.05.15	Single Phase Propeller Type Ventilating Fans (Exhaust Fans)Number of poles: 4,Sweep size in mm: 450	40	SSEE (Maint) CSTM	GARG UDYOG, DELHI - 110085	112275.2
112	92.15.5377 .2. 65416	29.05.15	Single Phase Propeller Type Ventilating Fans (Exhaust Fans)Number of poles: 4,Sweep size in mm: 380	45	SSEE (Maint) CSTM	GARG UDYOG, DELHI - 110085	90310.5