

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	Total Value
1	92.15.5010 .1. 65462	01.07.15	Portable Rechargeable LED Light similar to Powerlite 540 model,50 watts, height:1.8M yellow,Luminous Flux:5000LM, Emitting Efficiency: 100LM/W.,Luminaire Efficiency:90%, Effective Beam Angle:120oC,Life Span: 80000h,Rated Voltage :48 V,Rated Capacity: 2AH,Charging Time:6 Hours, Discharge Time:10 Hours For 100% Light,20 Hours For 50% Light,Weight:19 KG.	2	Sr.SEE (Maint) CSTM	S.B.Drive Power Ltd. Mumbai- 400 004	92000
2	92.15.5387 .1. 65463	01.07.15	5 pin socket 6 Amps, 250 volt AC shultered type similar to S&K cat. No. NV-219.	500	SSE (TL) CSTM	OM TRADING CO., Kalyan (E) ,421306.	86000
3	92.15.5426 .1. 65464	01.07.15	1) LED light fitting. 20 Watts 9" dia round type 230 volts with suitable Drive- Qty- 10 Nos.2) LED light fitting. 22 Watts 9" dia square type 230 volts with suitable Drive- Qty- 12 Nos. 3) LED light fitting. 24 Watts 12" dia square type 230 volts with suitable Drive- Qty- 4 Nos ( 1 set consist of 3 items and 26 Nos. )	1	SSEE (Maint) CSTM	Diwan Sons, Mumbai-400 009.	70052
4	92.15.5428 .1. 65465	01.07.15	Mirror light decoretive type fitting having LED 8 watts with suitable driver to work on 230 volts AC. over all length not less than 12" with suitable fixing arrangement.	30	SSEE (Maint) CSTM	Alfa Engineers, Mumbai- 400 009.	89340
5	92.15.5422 .1. 65466	01.07.15	36 watts LED Wagon light fitting with translucent diffuser, toughened glass, anti glare mechanism to operate on 230 volts, 50 Hz. As per Shakti model No. SZF1240W.	23	SSEE (Maint) CSTM	Tradelink, Mumbai-400 083.	145636
6	92.15.5423 .1. 65467	01.07.15	Compact fluorescent lamp 36 watts 4 pin 2G 11 cap for cool day light fitting suitable for 230 volts, 50 Hz supply. Make - Bajaj, CGL, Philips, Wipro.	1700	SSEE (Maint) CSTM	Darshan Enterprises, Mumbai-400 092	145350
7	92.15.5424 .1. 65468	01.07.15	MCB enclosure with double pole (mini MCB) 32 Amps. Plastic enclosure with indication lamp suitable for 230 volts AC, 50 Hz supply similar to standard cat. No. DSMPCDPA 032 and Havells cat No. DHMPCDPA 006-32.	350	SSEE (Maint) CSTM	Hem Enterprises, Mumbai-400 092	138950
8	92.15.5425 .1. 65469	01.07.15	Recess mounting LED luminaire of size 2' x 2', 36 watts. Similar to Bajaj model No. BCJBLR 36 W ZIN VUH or Shakti model No. SZC45 36 W.	20	SSEE (Maint) CSTM	Tradelink, Mumbai-400 083.	121640
9	92.15.5429 .1. 65470	01.07.15	1) dovee- lh recess mounting led down light fitting 10 watts 230 volts as per bajaj cat no. Bzslh 12 w wh white, 2) dovee- lh recess mounting led down light fitting 20 watts 230 volts as per bajaj cat no. Bzslh 24 w wh white quantity - 30 nos. Each ( one set consist of 2 items & 60 nos. )	1	SSEE (Maint) CSTM	Shri Satguru Elect & Trading Co., Mumbai-400 003.	132930
10	92.15.5345 .1. 65471	02.07.15	General Purpose Plaster of Paris for Leveling of surface in 1 kg. Packs. Make- Kings, Khatri, Walcoat.	600	SSE (Sig/Store) KYN.	Park & Co., Mumbai 400077.	9576
11	92.15.5443 .1. 65472	02.07.15	Cartridges as per annexure attached Rate Contract No.2MP/HP/Cartridges/RC/2012 dt.05/05/2015.	1	Sr DMM CSTM	Jai Media, Mumbai-400088	62649
12	92.15.5344 .1. 65473	03.07.15	Modified bond plate for side connection of AFTC suitable to be Fixed rail Wed.1 Set of bond plate consists of -2 Nos. , bond plate -4 Nos., Copper lug -4 Nos., 7 mm taper pin -2 Nos., 16 mm taper pin - 4 Nos., M-6 bolt with Washer and Nut as per Railway Drawing No. R-ST- 12047 SS -304 Grade.	40	SSE (SIG/STOR E) KYN.	Prasad Construction Company, Thane 421 503.	78920

13	92.15.5342 .1. 65474	03.07.15	S S Taper Pin size 16 mm dia 82 mm length taper from 19 mm to 16 mm along with One Hexagonal Nut, one check nut , One plain washer and One spring washer as per drg. No. RST 12004.	700	SSE (SIG/STOR E) KYN.	Raghav Enterprise, Kolkata-700007	55125
14	92.15.5334 .1. 65475	03.07.15	Acrylic Distemper Ivory colour in 20 Kgs. Pack of Berger make.	2000	SSE (W/M) BY	Park & Co., Mumbai 400077.	99000
15	92.15.5475 .1. 65476	15.07.15	Ncode Class-III B - Singning certificate with 2 Yrs validity with Crypto USB token FIPS 140-2 level. Note : 1) Digital Signature Certificate (DSC) is to be issued as per CCA India guidelines. 2) Crypto USB token - FIPS 140-2 level 2 certified as per CCA India guidelines.	4	Sr.DMM CSTM	NES TECH, Mumbai-400 037.	13000
16	92.15.5354 .1. 65477	20.07.15	Refrigerant R-407C suitable for RMPU/ PAC of AC coaches.	160	SSE(AC/Cog)CSTM	A.M.Jain & Co., Bhusawal - 425 201.	77448
17	92.15.5352 .1. 65478	20.07.15	Emergency battery charger single phase for LHB type AC coaches confirming to RCF spec. No.EDTS-163 (Rev-C) Amendment No.1 or Latest.	2	SSE(TL/AC)LT(T)	Electro Waves Electronics, Parwanoo-173220.	71400
18	92.15.5353 .1. 65479	20.07.15	Refrigerant Freon gas R-22	122	SSE(AC/Cog)CSTM	Hindustan Refrigeration, Delhi.110002.	61366
19	92.15.5285 .1. 65480	20.07.15	M.S.Plate Screw as per RDSO Drawing No. T- 3912.	9000	SSE (PW)Way BND	Kalindi Rail Udyog, Howrah. 700003.	319950
20	92.15.5356 .1. 65481	20.07.15	Electronic Ballast for 11Watts 4 pin CFL tube operating on 110V AC/Dc(Universal input)as per RCF Specification No.EDTS-064.	500	Sr.SEE(TL-AC)LT(T).	Sam Electricals, Mumbai 400 002.	72450
21	92.14.5371 .1. 65482	20.07.15	Bolt cutter 18 inch long for cutting of dropper wire 7mm dia confirming to IS 5200-1998	50	SSE/TD/OHE/KYN	Prime Machine Tools, A.P. 500 003	35438
22	92.15.5457 .1. 65483	20.07.15	Set of spares parts for Centralised AC plant of RRI & Non RRI Locations of Mumbai Division as per annexure 'A'	1	Sr.SEE(AC-	M.N. Enterprises, Kalyan (E) 421 306.	147250
23	92.15.5416 .1. 65484	20.07.15	PVC armoured cable with alluminium conductor size 2 core x 4 sq mm multistrand 650/1100 volts. Grade confirming to IS 7098 part - I 1988.	3300	SSEE (Maint) CSTM	Reena Enterprises, Mumbai 400 078.	143220
24	92.15.5449 .1. 65485	20.07.15	Composite Gear Unit electronic suitable for 1 x 150 Watt MH / SON lamp suitable for 230 volts,50 HZ AC supply to Havells cat. No HGW01115D37.	55	SSEE (M) KYN	Shri Satguru Elect. & Tradin Co., Mumbai - 03	138909
25	92.15.5418 .1. 65486	20.07.15	PVC armoured cable with alluminium conductor size 2 core x 10 sq mm multistrand 650/1100 volts. Grade confirming to IS 7098 (part - I 1988.	2300	SSEE (Maint) CSTM	Reena Enterprises, Mumbai 400 078.	146050
26	92.15.5451 .1. 65487	20.07.15	CFL lamp 27 watts E/27 Cap complete with built in ballast suitable for 230V, 50HZ AC supply similar to Havells PHFT / 027.	560	SSEE (M) KYN	Shri Satguru Elect. & Tradin Co., Mumbai - 03	139888
27	92.15.5112 .1. 65488	20.07.15	High voltage self fusing permanet insulation and jacketing tape size 38 mm x 0.76 mm x 9.1 meters. As per specification attachedof Permacel make .	100	SSE (OHE) Nerul	V.M.Enterprise, Mumbai-400 071.	60375

28	92.15.5448 .1. 65489	20.07.15	Powder Coated MS Fabricated Board complete with 15 KVA Control Card,Battery Charger,2.Nos.4 Pole MCCB 100A, 2 Nos. 4 Pole Power Contactor,DG Key,Auto Manual Rotary switch,Main DG Rotary switch,Stop,Start Push Button,A-Meter DC, Oil Guage, Oil temp Gauge, 05.Nos.LED Indication Lamp, 08.Nos.SP MCB, CT 03.Nos, Wiring and Cable Connector etc.as per sketch attached.	2	SSEE (M) KYN	A.R. Enterprises,Mumbai- 400 003.	145261
29	92.15.5461 .1. 65490	21.07.15	Water Purifier Sparkle model of Alfa make as per catalogue attached flow rate 2 ltrs/minute.	14	Sr DCM CSTM	Jasmine Trading Co., Mumbai- 400009	95060
30	92.15.5460 .1. 65491	21.07.15	Plastic chairs Neelkamal model no CHR 2005 having size of 560 L x 566 W x 835 H.	150	Sr.DEE(TR S/O)CSTM	D.S.Furniture Works Interior & Enterprises, Mumbai- 72.	109688
31	92.15.5462 .1. 65492	22.07.15	Cartridges & Toner Make HP, CANON, KONICA, EPSON. As per annexure attached.	1	Sr.DMM CSTM	Pat & Co., Mumbai 400 001,	111416
32	92.15.5472 .1. 65493	23.07.15	Adjustable Wrench fully polished chrome plated to size: 6 inch x 150 mm. Foreman, Taparia, Eastman make.	100	Sr.DEE(TRS- O) CSTM	Alfa Engineers, Mumbai- 400 009.	98000
33	92.15.5439 .1. 65494	23.07.15	Waterproof, Cutproof, Canvas Handgloves with Rubber coating size 5" X 10" ( Appox. No.10).	600	Sr.DOM (G) CSTM	Jasmine Trading Co., Mumbai- 400009	93000
34	92.15.5197 .1. 65495	23.07.15	Telephone rosettes single line for RJ-11 connector both side of DHURV make.	2500	SSE/Tele/ stores/KYN	Hind Industrie, Mumbai 400 016.	19530
35	92.15.5470 .1. 65496	23.07.15	Silicon type drop forged steel pipe turn indication hardened teeth to size:12 inch x 300 mmlength. Foreman, Taparia, Eastman make.	60	Sr.DEE(TRS- O) CSTM	Alfa Engineers, Mumbai- 400 009.	96000
36	92.15.5469 .1. 65497	23.07.15	Set of plastic Mallet Hammers to size:(1) 25 mm, (2) 30 mm,(3) 40 mm,(4) 50 mm.One set consist four Nos. Taparia,Foreman,Eastman make.	14	Sr.DEE(TRS- O) CSTM	Alfa Engineers, Mumbai- 400 009.	96600
37	92.15.5471 .1. 65498	23.07.15	Silicon type drop forged steel pipe turn indication hardened teeth to size:10 inch x 250 mmlength. Foreman, Taparia, Eastman make.	85	Sr.DEE(TRS- O) CSTM	Diwan Sons, Mumbai-400 009.	96475
38	92.15.5473 .1. 65499	23.07.15	Adjustable Wrench fully polished chrome plated to size: 8 inch x 200 mm. Foreman, Taparia, Eastman make.	80	Sr.DEE(TRS- O) CSTM	Diwan Sons, Mumbai-400 009.	96000
39	92.15.5436 .1. 65500	23.07.15	Platform Trolley capacity 500 Kgs.Platform Size:760 x 610mm(30 inch x 24 inch).as per Drg.encloded.Height from ground 8 inch,Top plate thickness 3mm,Handle pipe dia 30mm(14 SWG),Handle height 30 inch,(Wheel Cast Iron Bonded) total 4 Nos.,2 Nos. fixed type and 2 Nos. Swivel Castor.Side support 150mm (10 SWG). Drg. attached.	4	SSE(TL)C STM	Jeet Engineering Co., Mumbai- 400 068.	60120
40	92.15.5437 .1. 65501	23.07.15	High Lifting Hydraulic Pallet Truck special type capacity 1500 Kgs.lift,610mm Forklength,810mm overall Fork width,610mm distance between Fork 290mm.,Heavy special leak proof hydraulic with C.I. Tandem wheel and front wheel with sealed double ball bearing for movement. Drg. attached.	1	SSE(TL)C STM	Jeet Engineering Co., Mumbai- 400 068.	97100
41	92.15.5438 .1. 65502	23.07.15	Syringe Hydrometer with glass,rubber bulb and Dingimeter (Battery Hydrometer).Make: Thinson.	240	SSE(TL)C STM	OM TRADING CO., Kalyan (E) ,421306.	66000
42	92.15.5458 .1. 65503	23.07.15	M.S.plate with enamelled paint.Size:24 inch x 30 inch x 20 SWG gauge with Two folds size:30 mm & 15 mm & 8 holes capsule size:17 x 10 mm& 8 round holes size: 12 x 12 mm.	200	SSE (TL) CSTM	OM TRADING CO., Kalyan (E) ,421306.	96000

43	92.15.5217 .1. 65504	24.07.15	PVC insulated PVC sheathed 32 pair Indoor cable type 0.4 mm disanealed tinned copper KAPCO Brand	1000	SSE (T/S) CLA	Bharat Cable Corporation, Delhi. 110 052	89675
44	92.15.5446 .1. 65505	24.07.15	Miniature Circuit breaker Lexic 'C' Curve Double pole 32 Amps,230V,Breaking capacity 10KA. As per Legrand cat.No.603271.	195	SSEE (Maint) CSTM	Hem Enterprises, Mumbai-400 092.	119340
45	92.15.5447 .1. 65506	24.07.15	Miniature Circuit breaker Lexic 'C' Curve Triple pole 63 Amps,230V,Breaking capacity 10KA. As per Legrand cat.No.603291	75	SSEE (Maint) CSTM	Darshan Enterprises, Mumbai-400 092	109050
46	92.15.5467 .1. 65507	27.07.15	Sodium Hypochlorite USP Certified F.D.A. Approved with Available 4 to 6% Chlorine of Linex, CLORIVET, SNOWCEM. 40 litres plastic can with Chlorine test certificate.	1500	CMS KYN	Hans Enterprises, Mumbai-400 003.	27600
47	92.15.5465 .1. 65508	27.07.15	Rubber Squeezer with handle (wooden body) 3' x 4" , 5' x 1/5" to FH Rubber size 3' x 2 x 1.4" thick rubber Nut bolt of wooden handle 5' long. Make Kleaner.	100	CMS KYN	Hans Enterprises, Mumbai-400 003.	27400
48	92.15.5474 .1. 65509	27.07.15	New tyres & tubes (tubeless tyres) size 205/65 RIS make - Good year.	4	Sr.DPO CSTM	Park & Co., Mumbai 400077.	24750
49	92.15.5466 .1. 65510	27.07.15	Polythene Garbage Bags (Preferably) Green colour Size 26" x 20" of not less than 50 microns for small size having dustbins,	400	CMS KYN	Hans Enterprises, Mumbai-400 003.	53200
50	92.15.5468 .1. 65511	27.07.15	Heavy duty Two Wheeler Plastic Garbage Bin With Lids & with Handle of 240 liters.Capacity. Make Ecco, Attitude, E-tech.	20	CMS KYN	Hans Enterprises, Mumbai-400 003.	88000
51	92.15.5420 .1. 65512	27.07.15	PVC armoured cable with copper conductor size 2 core x 4 sq mm multistrand 650/1100 volts. Grade confirming to IS 1554 (part - I).	1700	SSEE (Maint) CSTM	Reena Enterprises, Mumbai 400 078.	147645
52	92.15.5453 .1. 65513	27.07.15	Miniature Circuit breaker Lexic 'C' Curve Single Pole 20 Amps,230V.Breaking capacity 10KA. As per Legrand cat.No.603235.	550	SSEE (M) CSTM	Reena Enterprises, Mumbai 400 078.	106700
53	92.15.5419 .1. 65514	27.07.15	PVC armoured cable with copper conductor size 2 core x 2.5 sq mm multistrand 650/1100 volts. Grade confirming to IS 1554 (part - I).	2200	SSEE (Maint) CSTM	Reena Enterprises, Mumbai 400 078.	144870
54	92.15.5454 .1. 65515	27.07.15	Miniature Circuit breaker Lexic 'C' Curve Double Pole 63 Amps,230V.Breaking capacity 10KA. As per Legrand cat.No.603274.	120	SSEE (M) CSTM	Reena Enterprises, Mumbai 400 078.	120480
55	92.15.5459 .1. 65516	29.07.15	Wheel detection sensor with 10 Meter cable for Siemens MSDAC.	7	SSE/Sig/C LA	Siemens Ltd., Navi Mumbai - 400 708.	1065840
56	92.15.5417 .1. 65517	30.07.15	PVC armoured cable with alluminium conductor size 2 core x 6 sq mm multistrand 650/1100 volts. Grade confirming to IS 7098 (part - I) 1988.	2900	SSEE (Maint) CSTM	Reena Enterprises, Mumbai 400 078.	147465
57	92.15.5518 .1. 65518	31.07.15	HP Black cartridge No.860.	1	AMM (Dsl) Kalyan	Jai Media, Mumbai-400088	931