

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
1	92.15.5005 .1. 65551	03.09.15	Continuous Rail Thermometer as per RDSO specification No. TM/TL/119 second reprint incorporated revision upto dated 13.09.2012.	1	SSE (P/WAY) PNVL	M/s. Votive Marketing Pvt. Ltd. Lucknow.	65772
2	92.15.5007 .1. 65552	03.09.15	Electronic Toe Load Measuring device as per RDSO specification No. TM/SM/ETLMD/218 second reprint incorporated revision upto dated 13.09.2012.	1	SSE (P/WAY) PNVL	M/s. Votive Marketing Pvt. Ltd. Lucknow.	74235
3	92.15.5494 .1. 65553	07.09.15	M.S.Galvanized Nut and Bolt full threaded along with 2 Nos. of Flat washers and 1 No. of spring washer in One Set. One set consists of A- 10 x 50mm - 4 Nos. B- 12 x 40 mm - 4 Nos. C- 12 x 65mm - 4 Nos. D- 16 x 65 mm - 2 Nos.	200	SSE (SIG) KURLA	Mak Traders, Mumbai 400 072.	19640
4	92.15.5490 .1. 65554	07.09.15	16 MM wire rope with Brass lug at both ends to suit ABB AFTC consisting of 1 wire rope of 4.3 meter length	80	SSE (SIG) KURLA	Mak Traders, Mumbai 400 072.	70240
5	92.15.5491 .1. 65555	07.09.15	16 MM wire rope with Brass lug at both ends to suit ABB AFTC consisting of 1 wire rope of 2.6 meter length	100	SSE (SIG) KURLA	Mak Traders, Mumbai 400 072.	57500
6	92.15.5493 .1. 65556	07.09.15	Plastic Cover Dectector Cover Fastening for Siemens point machine size:- L- 13.3 cm, W- 8.8 cm., H- 6 cm., as per C.Rly Drg. No. R-ST- 12061 attached.	500	SSE (SIG) KURLA	Kaybee Agencies, Mumbai 400 016	39060
7	92.15.5495 .1. 65557	07.09.15	Solder wire (resin core) 0.18 guage with composition of Tin 60% & Lead 40% make Khosla , Pai,Esilo	20	SSE (SIG) KURLA	Fairdeal Enterprises, Mumbai-400 002	21200
8	92.15.5266 .1. 65558	08.09.15	Box type APP. Super heavy duty 25 KVAR power capacitor bank 3 phase 415 volt, 50 Hz delta connection confirming to latest IS.Make - Havells India 25 KVR Heavy Duty Cat. No. QHHTMB5025XO	6	SSE (EM) KYN	R.K. Sales Corporation, Mumbai - 400 004.	33075
9	92.15.5390 .1. 65559	08.09.15	Rotary Hammer Drill Machine suitable for 5mm - 24mm.,800 watts, 235 volts, 50 Hz, 1150 RPM. Weight 5 Kg. as per Ralli Wolf cat. No. 93240.	6	SSEE (Maint) CSTM	Trimurti Enterprises, Kalyan 421 301.	52583
10	92.15.5427 .1. 65560	08.09.15	Ceiling ventilating fan 260 mm x 260 mm, 220-240 volts, 50 Hz, 19W, 1050 RPM minimum, White colour complete with all accessories, model Crisp Air Premia - CV. Make - Usha, Bajaj, CGL.	10	SSEE (Maint) CSTM	Trimurti Enterprises, Kalyan 421 301.	19100
11	92.15.5506 .1. 65561	08.09.15	Cable PVC insulated and sheathed Copper Conductor with Multi Strands Flexible size 2 Core x 1.0 Sqmm 1100 volts. Confirming to IS 694-1990. Make - Bharat Cab, Vishal Brand, Dasmesh Cable, Finolex, Poly cab.	7000	Sr.SEE (Maint) CSTM	Mak Traders, Mumbai 400 072.	91000
12	92.15.5492 .1. 65562	10.09.15	GLF jacket wrap with rubber mastic tape for prevention against abrasion cut on cables in size of 51 mm x 1.26 mm x 2.6 Mtrs.Rolls Make Stanvac Chemicals	24	SSE (SIG/STORE) KALYAN	MRO Engineers, Mumbai - 400 080.	40824
13	92.14.5796 .1. 65563	14.09.15	Push Button for operating gate Heidz makes Electrical Lifting Barrier Make Siemens , L&T, ,Schinder Electrical.	50	SSE(SIG/STORE) KYN	Mak Traders, Mumbai 400 072.	11138
14	92.14.5783 .1. 65564	16.09.15	CFL Lamp 45 watt E/27 Cap. Suitable for 220/240V/50Hz. AC supply, Cool Day Light ,similar to Havells cat. No. PHFF/045. Make - Havells, Surya, Bajaj, Crompton, Philips.	195	SSE (EM) KYN	Singh Sons India, New Delhi - 110 006.	58354
15	92.15.5504 .1. 65565	16.09.15	Compact Intelligent Solar LED Light Luminaire 15 watts Alluminium Alloy housing plus Steel Glass Lampshade 48 LED's Super bright 1200 Lumens, brightness equal to 160 watts normal lamp. Approx size : 720 x 224 x 44mm, Cell type - Mono Crystalline, No. of Cells - 24. Type of Battery Cells - Lithium-Ion. Voltage - 3.7 Volt. Charging Capacity - 48 WH/97.68 WH, Estimated Lifespan - 5 years. Installation height 5 to 6 mtrs. as per Tempcon model No. TE-SL-15W-5H. Make - Tempcon Eng. Pvt. Ltd.	7	Sr.SEE (Maint) CSTM	Tempcon Engineering Pvt. Ltd. Mumbai - 400 050.	136500
16	92.15.5388 .1. 65566	16.09.15	A Set of Self Tapping Sheet Metal Screw Raised Head. One set consists of 16 items in 110000. Nos. as per annexure 'A' attached.	1	SSE (TL) CSTM	Trimurti Enterprises, Kalyan 421 301.	43995
17	92.15.5430 .1. 65567	16.09.15	polymeric housed lightning arrester, having a duty cycle rating of 10 KA peak, the arrester comprises A single unit fitted with pressure relief device and is self supporting suitable for outdoor use as per technical details attached. Make - Tyco Bowthorpe and surge arrester type (Accepted offer for Make RAYCHEM RPG LTD.)	6	SSE (OHE) Nerul	Vijaya Trading Corporation, Thane- 401 107.	91350

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
18	92.15.5509 .1. 65568	16.09.15	High Power LED Fitting size 130 mm x 130 mm x 25 mm depth in two Colour, Out side Colour Blue and Inside Colour White 64 x 64 mm size with Driver , Input voltage 90 to 140 volt DC Out put 300 MA plus/ minus 3 percent, 24 volt - 48 volt, 9 watt.	50	SSE (TL) CSTM	OM TRADING CO. Kalyan (E) ,421306.	66938
19	92.15.5516 .1. 65569	16.09.15	Digital Temperature with Humidity meter measuring range 10 degree Celsius to 50 degree Celsius i.e. 23 degree Fahrenheit to 122 degree Fahrenheit Make:Mextech,K-Meco,CE,HTC.	225	SSE (AC/Cog) CSTM	OM TRADING CO. Kalyan (E) ,421306.	146250
20	92.14.5696 .1. 65570	18.09.15	Fully Automatic 25HP Star Delta Starter with SPP suitable for Ac-3 duty 415V 50Hz AC complete with Powder coated sheet enclosure similar to L and T cat.No.94364.Make;L&T.	15	SSEE(M)KYN	Satish Kumar Gupta. Firozpur Cantt-152 001.	77850
21	92.15.5485 .1. 65571	18.09.15	Alluminium Wall Extension Ladder as per IS 4571 / 1977 and as per specification :-1-.Length:10.9 Mtr.after extension and close height 6.1 Mtr. 2-.Width-380 mm. 3-.Cross section-66.6 mm x 31.7 mm x 4 mm Thick. 4-. Steps from 25.4 mm 1 inch dia floted aluminium pipe fitted at interval of 300 mm in section upto complete length. 5-.With following good quality accessories-i.Pulley,(ii- Nylon rope of sufficient length, iii- Rubber Pad, iv-. Safety Lock.	2	SSE(OHE)DI	Brijesh Enterprise, GUJARAT, 380 016	20349
22	92.15.5488 .1. 65572	18.09.15	Multi purpose portable Universal Gearless Hand Operated Pulling and Lifting Machine supplied with telescopic operating handle and 20 mtrs length of wire rope fitted with 'D' Shackle capacity:3.2 Ton Lifting and 5.2 Ton Pulling as per RDSO specification No. TI/SPC/OHE/TOOL/PL/0990 with A and C slip No. 1 or latest.Machine also confirms to IS 5604.	4	SSE(OHE)DI	Crushmore Maxban India. Howrah 711 108.	71400
23	92.15.5489 .1. 65573	18.09.15	Gearless Hand Operated Pulling and Lifting Machine having 2 Ton Lifting and 3 Ton Pulling capacity with 20 mtrs. Steel Rope along with 'D' Shackle as per RDSO specification No. TI/SPC/OHE/TOOL/PL/0990 with A and C slip No. 1 or latest.	3	SSE(OHE)DI	Overseas Commercial Corporation, Pune-411 048	39542
24	92.15.5444 .1. 65574	18.09.15	22KV 200A,DO Fuse unit fixed and moving top and bottom contacts with fibre glass tube.Make:RE and E Corp.,Damsa,Atlas. One set- 01 Fibre tube with top and bottom moving contact plus Fixed insulator top and bottom contact.	78	SSEE (M) KYN	A.M. Diesel Spares Corporation., Mumbai - 400 070.	97461
25	92.15.5455 .1. 65575	18.09.15	Set of Single Row Deep Groove Ball Bearing Make NBC,FAG,SKF from authorities/ dealers or stockist. a. 6306-Qty :60Nos.,b. 6307-Qty :40Nos.,c. 6308-Qty :30Nos., d.6201-Qty :200Nos.,e. 6200-Qty :200Nos., f.6202-Qty :200Nos. One set consist of 6 items and 730 Nos.	1	SSEE (M) WB	Kudos Enterprises, Mumbai-400 705.	60795
26	92.15.5507 .1. 65576	18.09.15	Cable PVC Insulated and Sheathed Copper Conductor with Multi Strands Flexible size 3 Core x 1.0 Sqmm 1100 volts. Confirming to IS 694-1990. Make - Bharat Cab, Vishal Brand of Dashmesh Cable, Finolex, Poly cab.	5000	Sr.SEE (Maint) CSTM	A.M. Diesel Spares Corporation., Mumbai - 400 070.	72975
27	92.15.5224 .1. 65577	18.09.15	Single line hand free Telephone with clip facility Make Beetel model No. M51.	150	SSE (T/S) CLA	The Makardhwaj Enterpries, Mumbai-400 005.	90405
28	92.15.5312 .1. 65578	21.09.15	110 V AC LED Signal Lightening Unit retrofitable in existing CLS Unit as per RDSO specification RDSO.SPN.153.2011 Rev.4.1 with latest unit to be given as 1. Red Aspect Main Signal - 12 Nos. @ Rs. 8100/- each, 2.Yellow Aspect Main Signal - 12 Nos. @ Rs. 8100/- each., 3. Green Aspect Main Signal - 10 Nos. @ Rs. 9100/- each (One set consist of 3 items and 34 Nos.) Make General Auto Electric Corporation.	1	SSE SIG.CONST/KYN.	General Auto Electric Corporation. Mumbai-400072.	285400
29	92.15.5431 .1. 65579	21.09.15	Thermostat stem length 175 mm with L type fixing bracket ,20 A, 230 V AC temperature range 0-60/10-90/25-75/30-90/30-120 deg C -Drg. attached. Test certificate of OEM must be submitted.	55	SSE (TD) PSI KYN	H.P.Enterprises, Mumbai- 400 019.	10395
30	92.15.5408 .1. 65580	21.09.15	LED Rechargeable Hand Torch aluminium alloy body with Nickel Cadmium battery minimum 1000 mtrs long beam focus minimum battery capacity 4/5 S.C.NI.Cad 1300 m AH and LED 3 watt. Make - Nishika model NS-M-445.	40	Sr.SE (TD) PSI KYN	Park and Co., GHATKOPAR (E)	63960
31	92.15.5406 .1. 65581	22.09.15	3 3/4 Digit 3999 count 600A, AC-DC autoranging Digital Clamp Meter with Frequency and Duty Cycle. Technical specification attached in annexure. Make: Meco, Waco, Motwani, Fluke, Nippen, Rishabh.	20	Sr.SE (TD) PSI-KYN	Impulse Technocrats. Gurgaon.	36480
32	92.15.5484 .1. 65582	23.09.15	Tensometer Tension Dynamometer of dial 60 capacity 3000 kgs.Weight 9 Kgs Tech.Specn.capacity 3000 Kgs.dial size 63 mm grad/divn.25 Kgs. Accuracy better than plus / minus 1 percent of YOTA Brand Tensometer Model TS-3	2	SSE(OHE)DI	Birdman Chemeng Pvt. Ltd., KOLKATA 700 017.	45747

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
33	92.15.5480 .1. 65583	23.09.15	Tree Cutter Manual Operated Portable type 5 meter long in section grade of 25 KV AC Traction. Make : PEC as per Drg. No. POWER / 554	4	SSE(OHE)DI	Power Equipment Co., Howrah 711 033	31059
34	92.12.5611 .1. 65584	24.09.15	Office Steel Chairs type with arms Delux quality as per photo attached.	5	CMS KYN	UNITED (India) Enterprises, Mumbai 400 001.	10125
35	92.15.5421 .1. 65585	29.09.15	Electronic ballast for 1 x 36 watts FTL lamp suitable for 230 volts 50 Hz AC supply of Bajaj Make Model No. BJHF 136S/531140.	1200	SSEE (Maint) CSTM	HEM ENTERPRISES. Mumbai-400 092.	124788
36	92.15.5410 .1. 65586	29.09.15	Safety Belt for full body harness Class - P. as per annexure - B attached and as per IS:3521/1999, amendment 1,2 or latest.	50	Sr.SE (TD) PSI- KYN	Moral Enterprises Mumbai 400080.	40500
37	92.15.5531 .1. 65651	09.09.15	Steel sliding door unit with prelaminated partical board top and shelf 48 x 46 x 18" Godrej Make.	1	Sr.DMM CSTM	Reliable Furniture MUMBAI 400 086	9450
38	92.15.5552 .1. 65652	10.09.15	Paper Shredder Machine Make K TECH model OS080D cross cut	1	Sr.DSC/RFP- CSTM	Akshar Marketing. Vasai (W), 401 202.	5063
39	92.15.5534 .1. 65653	16.09.15	1) Tea set : BONE CHINA- LAOPLAS MARVEL 2)Thermos Jug : capacity - 1 Ltr. Plastic body, inner body steel. MILTON, POOJA . 3) Dinner set with spoons 6 nos.	1	CMS KYN	Jasmine Trading Co., Mumbai -400009	4600
40	92.15.5541 .1. 65654	16.09.15	Crank Shaft std. size make Accel or similar. As per sample suitable for model No. SMC 4-100 compressor.	2	SSEE (AC/Sty) CSTM	Om Trading Co., Kalyan 421 306	138000
41	92.15.5542 .1. 65655	16.09.15	Spare material for SMC 4-100 compressor 1. Bushing with coller - Qty. 4 Nos. 2. Bush for Piston Pin- Qty.- 4 Nos. 3. Gasket- Qty.- 5 Nos. 4. Suction Valve Retaining plate- Qty. - 4 Nos. & Spare material for SMC 4-65 compressor 5. Crank Shaft- Qty. 2 Nos. 6. Bushing with collar - Qty.- 4 Nos. 7. Suction Valve Retaining plate- Qty. - 4 Nos.	1	SSEE (AC/Sty) CSTM	Om Trading Co., Kalyan 421 306	144973
42	92.15.5538 .1. 65656	16.09.15	LED 60 watts Dome fitting clear acrylic with suitable hooks for suspension.The fitting shall suitable driver to work on 230 volt with coloured temperature 6500 K cool white LED of make CREC, Osram, Philips, PMEA, Bajaj.	25	SSEE(M)CSTM	Shri Satguru Elect Mumbai-400 003.	147572
43	92.15.5537 .1. 65657	18.09.15	Set of light fitting 1. LED light fitting recessed mounting 6 Watts 230 volts similar to Polycab PCDLG6R, Bajaj Cat. No. BGSLO sleek 6 WRD. Make Polycab, C&S, Bajaj, Havells, CGL. Qty. - 40 Nos. 2. LED Light Fitting recessed mounting 15 watts 230 Volts similar to Bajaj Cat. No. BGSLO Sleek 15 WHSQ- Make Bajaj, helonix , Shakti, CGL. Qty.- 30 Nos. 3. LED Strret Light fitting 20 watts 240 volts AC 50 hz. Cast alluminium housing ,clear toughened glass pipe mounting as per Shakti Cat. No. SZSL 20 W Make shakti Fixtures Pvt. ltd. Bajaj,Holonix, CGL. Qty. - 20 nos.	1	SSEE(M)CSTM	Tradelink, Mumbai-400 083.	139841
44	92.15.5539 .1. 65658	18.09.15	LED white light toran patti suitable to work on 230 volts AC.	200	SSEE (Maint) CSTM	Reena Enterprises, Mumbai 400 078.	98000
45	92.15.5540 .1. 65659	18.09.15	Par light 54 lamp of 3 watts LED 230 volts as per model No. LP001 or equivalent RGB with DMX control. Make - Big Dipper Laser Science Tech. Co. Ltd. or similar.	10	SSEE (Maint) CSTM	Reena Enterprises Mumbai 400 078.	82000
46	92.15.5520 .1. 65660	22.09.15	Tyre and Tube for TATA Sumo LT MRFZ VT RADIAL. Tyre size 215/75/ R15 Make MRF.	4	Sr.DSC RPF CSTM	Park & Co. Mumbai	29021
47	92.15.5526 .1. 65661	22.09.15	1- Toner TNP 28 S/ IUP15 for Konica Minolta Laser printers - Qty.- 2 Nos. 2- Toner TN-1020 -for Brother HL-1201 Laser Printers Qty. 11 Nos. 3 - HP Ink cartridges 678 Black for HP-1515 printers Qty. 6 Nos. 4 - HP Ink Cartridges 678 Colour for HP-1515 printers - Qty- 2 Nos.	1	Sr.DCM CSTM	Pat & Co., Mumbai 400 001,	28750
48	92.15.5594 .1. 65662	22.09.15	1- Executive Folder with button - A 4 size Make SPS Kori, SVS Qty. 25 Nos., 2- Writing pads 1/8 size 20 pages with cover ,Make Durga, Shakti, Naina .,Qty.- 35 Nos. 3- Gel pens - Make Cello , Lexi , Rotomac Qty. - 35 Nos., 4- Plastic Foldes F/S Size, One side transparent and 1 side coloured Make SPS, Kori, SVS Qty.- 35 Nos. (One set consist of 4 items and 130 Nos.)	1	Sr.DCM CSTM	P C Enterprise, Mumbai - 400 001	4780

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
49	92.15.5593 .1. 65663	24.09.15	Bond Joint Protected Type with Solid head 484mm long for 105 LBS Rail (FF) to Drg.No.ET/RB-12/18 R2 and Spcification No.D8D/1971.	95	SSE(OHE) Nerul	Metal Fusion and alloys MUMBAI 400 011	132668
50	92.15.5523 .1. 65664	28.09.15	120/132 W BARE UHP LAMP suitable for BARCO projector part No. B 9842807/R764741. Make - Philips, Osaram ,Barco.	32	SSE (Tele/Store) CLA	Excel Enterprises, Mumbai. 400 001.	446400
51	92.15.5224 .1. 65665	30.09.15	LINEN MATERIAL AS PER ANNEXURE ATTACHED.	1	SSE (Wks) Custodian CSTm	Jasmine Trading Co., Mumbai -400009	248954
52	92.15.5533 .1. 65666	30.09.15	First Aid box (Empty) Aluminium 20 guage , Size:- 47 Cms. Length x 17 Cms. Width x 11 Cms. Height (The Box will have Partition inside with Handle, Latch, and Eye for pad locking arrangment The Box will have sticker for Red Cross) Make Indian as per photo attached.	50	CMS KYN	Hans Enterprises, Mumbai - 400 002	46250
53	92.15.5535 .2. 65667	30.09.15	All-in-One Desktop Computer with preloaded Operating system , Configuration Intel Pentium with 22 nm technology and Haswell Architecture operating systems- Microsoft windows 8. RC ITEM NO. 27.	3	Sr.Comm.off/12B N/RPSF/THK.	Hewlett Packard India Sales Pvt. Ltd. Gurgaon - 122 002.	116550
54	92.15.5536 .2. 65668	30.09.15	Desktop computer (with preloaded operating system) - configuration: Intel Core i3, Operating system: Microsoft Windows 8, Chipset: H8 Series. (RC Item Sr.No. 29).	2	Sr.DCM CSTM	KBS Computers Pvt Ltd. Mumbai 400710	65658.6
55	92.15.5553 .2. 65669	30.09.15	Self Contained Drinking Water Cooler with (Non CFC Refrigerant) Energy Efficient Compressor Cooling Capacity Ltrs/Hr: 150, Type: Storage, Storage Capacity Ltrs.: 150, Rate of Max. Energy Consumption Watts: 1550 (RC Item Sr.No.4).	2	SSEE (AC/Sty) CSTM	Voltas Ltd. MUMBAI 400033	91821.5
56	92.15.5567 .2. 65670	30.09.15	SPLIT AIR -CONDITIONER WITH ROTARY COMPRESSOR (R22 REFRIGERANT)-Nominal Cooling Capacity (kcal/hr) in (KW):6000 (7.0),Min.Room Air Flow (cub.m/h):800,EER (W/W):3.10-3.29,BEE Star Rating:3.	2	SSEE (AC/Sty) CSTM	Universal Comfort Products Ltd.,Mumbai - 400 033.	77407