

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
1	92.15.5464 .1. 65587	01.10.15	Furniture Items 1- Wooden Store well with 4 Shelves with 2 drawer in side, Frame made out of prelaminated board of 18 mm thickness with locking systems Size- 76"H x 36"W x 19"D. 2) Wooden computer table frame made out of 18mm and Top 25mm thick prelaminated partial board with locking system. One box drawer and one large file storage, CPU storage and printer storage with keyboard tray. Size- 36" L x 18" D X 2.5'H	1	Sr DSC/RPF/CS TM	UNITED (India) Enterprises, Mumbai 400 001.	20813
2	92.15.5483 .1. 65588	01.10.15	Binnocular Model B-8 x 25 N / 8-16 x 25 zoom PCI of Samsung / Olympus/ Cannon make.	2	SSE(OHE)DI	T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	5250
3	92.15.5440 .1. 65589	05.10.15	Furniture Items as per Annexure	1	Sr DEE/(TD) CSTM	Godrej & Boyce Mfg. Co .Ltd., Mumbai : 400 079.	761299
4	92.15.5463 .1. 65590	05.10.15	Supply & Fixing of Curtain with eyelets stitching style. Size 84"Hx48" bottom Suitable fold material as per sample.	2	Sr DSC/RPF/CS TM	JASMINE TRADING CO., MUMBAI -400009	1740
5	92.15.5197 .1. 65591	13.10.15	Telephone rosettes single line for RJ-11 connector both side of Accepted offer for O-max)	2500	SSE/Tele/stores/KYN	The Makardhwaj Enterprises, Mumbai-400 005.	19125
6	92.15.5169 .1. 65592	13.10.15	Laser Printer Resolution (in dpi): Mono 600x600,Paper Size: A4, Print speed in PPM (A4 Size): 14,Port: 1 USB, Memory (in MB): NA, Network card 10/100: NA, Duplexing: NA (Accepted offer for Samsung ML 1676 mono laser printer specs 16ppm, 500 monthly duty cycle)	1	DRM (W) CSTM	EXCEL ENTERPRISES, Mumbai. 400 001.	5513
7	92.15.5233 .1. 65593	13.10.15	HRC fuses used in USHA rectifier sets 1250 Amp, 1450 Volt with striker button. Make - Ferraz, Busman and L&T.	5	SSE/CO/PNV L	Kunal Corporation, Mumbai-400 002.	63563
8	92.15.5389 .1. 65594	13.10.15	Laminated Bearing Spring as per RDSO sketch 89069 for mark III Tower wagon with Deflection Test Certificate from Govt. approved lab.	4	SE (TD) OHE DI	Lakshmi Enterprise, Howrah, 711101.	148800
9	92.15.5411 .1. 65595	13.10.15	Ribbon catridges. Line Printer T6100	10	Sr.DPO CSTM	UNITED (India) Enterprises, Mumbai 400 001.	6300
10	92.15.5160 .1. 65596	14.10.15	PA horn speakers input power 30 W RMS 45 W max power tapping 30/25/20/15 W frequency response 240-10,000 Hz SPL 1W/1M 108DB, model UHC 30 XT Ahuja.	40	SSE TELE STORE KYN	Ankur Electronics, Mumbai. 400 069.	70785
11	92.14.5131 .1. 65597	15.10.15	Stainless steel hex head bolt full threaded with nut, two plain washer and one spring washer size 12 X 75 mm as per IS .1364 A-316.	600	SSE (Sub-Stn) CLA	R.C. Enterprise, Kolkata-700 034.	69300
12	92.13.5369 .1. 65598	15.10.15	Stainless steel bolt size M 12x 60/30mm with nut and flat washer with check nut RDSO specification no., ETI/OHE/18 Make-RC.	700	SSE(OHE)CL A	R.C. Enterprise, Kolkata-700 034.	73500
13	92.15.5283 .1. 65599	19.10.15	M.S.Crossing Bolt with Nut Size 25 x 160 MM as per RSSO Drawing No. T- 11511	4500	SSE (P WAY) BND	Eastern Hardware Mart, Kolkatta.700025.	280238
14	92.15.5396 .1. 65600	21.10.15	Heavy Duty Rubberised Hand Gloves for working on 33 KV voltage,7500 Volt working potential, IS4770-1968/1997. Make - Jyot.Note:1) Manufacturing Month and Year printed on each pair.,2)Testing Date printed on each pair.,3)IS mark printed on each pair.	86	SSE/PSI/PNV L	A.M.Jain & Co., Bhusawal - 425 201.	49214
15	92.15.5479 .1. 65601	26.10.15	Set of Come Along Clamp. 1- Come Along Clamp Wedge Type for 193 sq. mm copper contact wire. Qty: 02 Nos., 2- Wedge type automatic Come Along Clamp for 65 sq. mm catenary wire. Drg. No. CW/TD/DC-AC/P/002. Qty: 02 Nos., 3- Wedge type automatic Come Along Clamp for 242 sq. mm catenary wire. Qty: 02 Nos. Make: PEC, Khatri Casting, Shree Ram.	1	SSE(OHE)DI	T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	6825

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
16	92.15.5240 .1. 65602	26.10.15	Street lighting luminaries suitable for use with CFL direct fit lamp deep drawn aluminium housing high quality anochsed alum, reflector or elegantly shaped highly transparent UV stabilized acrylic cover with stainless steel toggles high quality long lasting felt fasket with water repellent chemical as per SURYA cat. No. SUL85 CF RF AL DD E40 1 x 85W CFL - Retro, 240 V without ballast and capacitor and with CFL lamp. Make - SURYA	60	SSE (Sub-Stn) CLA	DRD IMPEX PVT.LTD. Gurgaon-122001.	46913
17	92.15.5162 .1. 65603	27.10.15	Two line cordless telephone panasonic make model no. KXTG2480.	18	SSE TELE STORE CLA	A.M.Jain & Co., Bhusawal - 425 201.	113184
18	92.14.5608 .1. 65604	27.10.15	Roadway street light suitable for 1 x 85 watts CFL E 27 complete with lamp 85 watts , As per Bajaj cat No. BJSLF 85 RFCFL E 27.Make Bajaj,	65	Sr.SEE(M)KY N	R.K. Sales Corporation, Mumbai - 400 004.	87019
19	92.14.5284 .1. 65605	28.10.15	Copper Lug for AFTC track lead connection Rail Side as per drg. No. R-ST- 11788	2200	SSE(SIG) CLA	Electro Power India TELANGANA 500029.	64680
20	92.15.5400 .1. 65606	28.10.15	Electronic single line push button telephone as per technical specification No. TEC/GR/CP/TEL-002/05 JAN 2010 having features like key pad lock, ringer volume control, tone and pulse swichable redial, mute, flash, pause.	1000	SSE/Tele/stor e/Kurla	A.B.ENTERPRISES, Rajasthan 341512.	450000
21	92.15.5477 .1. 65607	28.10.15	Laser Printer Resolution (in dpi): Mono 600x600,Paper Size: A4, Print speed in PPM (A4 Size): 14,Port: 1 USB, Memory (in MB): NA, Network card 10/100: NA, Duplexing: NA.	17	DRM (W) CSTM	Y N C SYSTEMS. MUMBAI, Mumbai -400067.	77622
22	92.15.5409 .1. 65608	28.10.15	Analogue Display Metal Body, Hand Driven Insulation Tester, range - 2500 volt 1000 MΩ confirming to IS 2992-1987 or latest with accessories required i.e a .Test Lead - 1 pair., b .Multistranded flexible 2.5 sq mm copper wire with high PVC rubber insulation Red colour - 10 Mtrs.,c . Multistranded flexible 2.5 sq mm copper wire with high PVC rubber insulation Black colour - 10 Mtrs.,d .Rexine carrying case.,e. One year Calibration Certificate is required of Nippen make	5	Sr.SE (TD) PSI-KYN	SHUBHADA ELECTROTECH SERVICES, Nashik- 422003.	27710
23	92.15.5482 .1. 65609	28.10.15	Water Purifier Sparkle model of Alfa make model No.Sparkle + UV water filter cum purifier , flow rate 2 ltrs/minute manufactured by ACE Hygiene Product Pvt.Ltd. Note : AMC Rate and Conditions as per annexure attached.	7	SSE(AC-COG)CSTM	Akshar Marketing,Vasai (W), 401 202.	43313
24	92.15.5278 .1. 65610	29.10.15	Galvanised Steel M-16 Bolt size 16mm x 50mm x 38mm with Nut steel galvanised punched washer A-18 and Steel galvanised spring washer B-16 as per RDSO Drg.No.ETI/C/0073 MOD-A or latest.	5000	Sr.SE(TD)OH E-KYN	KASERA ELECTRICALS PVT. LTD. Kolkatta.700006	89250
25	92.15.5595 .2. 65671	05.10.15	Split Air-Conditioner with Rotary Compressor (R22 Refrigerant) Nominal Cooling Capacity (kcal/hr) in (KW): 4500 (5.2), Min. Room Air Floe (cub.m/h): 700, EER (W/W): 3.10 - 3.29, BEE Star Rating:3.	2	Sr.SE (AC-Sty) CSTM	Universal Comfort Products Ltd., Mumbai - 400 033.	60155
26	92.15.5605 .1. 65672	05.10.15	679 nos. of Designation Badges for Goods Guards = 444, SM = 45, Dy. SM = 70, ASM = 91, CASM = 9, CYM = 2, and Dy. CYM =18 and 621 nos. of name plates to be made in bilingual i.e. Hindi and English should be of Brass Nickel plated material which would be long lasting	1300	Sr DOM (G) CSTM	RADIANT METAL ENGRAVERS. Raigad.	97988
27	92.15.5616 .2. 65673	05.10.15	HP 400 GI All-in- One Desktop Computer with preloaded Operating system Configuration Intel Pentium with 22nm technology and Haswell Architecture, Opreting Syatem Linux.	6	Sr DFM CSTM	HEWLETT PACKARD INDIA SALES PVT. LTD. Gurgaon - 122 002.	211050

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
28	92.15.5614 .2. 65674	05.10.15	All-in-one Desktop computer with preloaded Operating System. Configuration: Intel Pentium with 22 nm technology and Haswell Architecture, Operating System: Microsoft Windows 8.	2	Sr DEE(TD) CSTM	HEWLETT PACKARD INDIA SALES PVT. LTD. Gurgaon - 122 002.	77700
29	92.15.5615 .2. 65675	05.10.15	Self Contained Drinking Water Cooler with (Non CFC Refrigerant) Energy Efficient Compressor Cooling Capacity Ltrs/Hr: 40, Type: Storage, Storage Capacity Ltrs.: 80, Rate of Max. Energy Consumption Watts: 575. (RC Item Sr.No.2).	2	Sr.SEE (AC/Sty) CSTM	VOLTAS LTD. MUMBAI- 400033	55615
30	92.15.5587 .1. 65676	06.10.15	32 inch LED TV of model UA 32FH 4003 of SAMSUNG Make with Tata sky standard Set Top Box alongwith Antena, Remote & all required cord cable & accessory with one month mega pack included warranty for TV One year by Manufacturer, Tatasky 3 months	2	SSE (Tele/sStore) CLA	EXCEL ENTERPRISES, Mumbai. 400 001.	52650
31	92.15.5544 .1. 65677	06.10.15	Chilled water cooling coil of 25 TR capacity complete with G.I. Drain Pan filter & coil frame etc. size 38" x 30" x 10 row M.S. support to coil and MS heater for inlet & outlet connection size 1½".	1	SSEE (AC/Sty) CSTM	OM TRADING CO, Kalyan (E) ,421306.	148000
32	92.15.5597 .1. 65678	07.10.15	LED Flood Light Luminaire 150-160 watts, 230 volts with advance optical system similar to Surya model No. SLE FL 160W IP65 LUMOS.Make : Surya, C&S, Bajaj, GE, Wipro, CGL.	7	Sr.SEE (Maint) CSTM	SHRI SATGURU ELECTRIC & TRADING CO. Mumbai-400 003.	134050
33	92.15.5592 .1. 65679	07.10.15	Office Storewell (ALMIRAH) size 60" x 36" x 24" D. 20 Guage oven baked paint having 4 shelves making 5 compartments 20 SWG. And parts 20 guage steel sheet provided with vertical stiffener in the centre and fixed to the door by spot welded provided with locking system controlled by 6 lever up pickable lock with SS key in duplicate handle should be electroplated.	8	SSE (SIG) CLA	V.M.Enterprises. MUMBAI(W) 400 067.	58500
34	92.15.5599 .1. 65680	07.10.15	LED Panel Light Fitting 20-22 watts, 230 volts size 1' x 1' slim type similar to Surya cat. No. SLE FP 20 R11.Make : Surya, Bajaj, C&S, Wipro.	75	Sr.SEE (Maint) CSTM	SHRI SATGURU ELECTRIC & TRADING CO. Mumbai-400 003.	145050
35	92.15.5543 .1. 65681	07.10.15	60 TR FRP Cooling Tower of modular design with high efficiency complete with Fan assembly, Sprinklers, Ladder, Motor Canopy, Header fittings, Motor with IP55 Protection, Foundation with MS stand of suitable design and capacity and all fixing accessories. Make : Choksi ,National.	1	SSEE (AC/Sty) CSTM	OM TRADING CO, Kalyan (E) ,421306.	148000
36	92.15.5598 .1. 65682	07.10.15	LED Street Light Fitting 30 watt, 230 volts complete with driver similar to Surya model No. SLE UL 30W IP65 LXN.Make : Surya, Bajaj, C&S, GE, Wipro.	32	Sr.SEE (Maint) CSTM	SHRI SATGURU ELECTRIC & TRADING CO. Mumbai-400 003.	132160
37	92.15.5656 .2. 65683	14.10.15	Unitary Type Room Air- Conditioner Fitted With Rotary Compressor (HCFC Refrigerant) Nominal Cooling Capacity (kcal/hr) in (KW): 4500 (5.2),Min. Room Air Flow (cub.m/h): 700,EER (W/W): 2.9 - 3.09,BEE Star Rating: 3	9	Sr.SEE (AC/Sty) CSTM	Universal Comfort Products Ltd., Mumbai - 400 033.	214413
38	92.15.5585 .1. 65684	14.10.15	Photoconductor and Drum kit for digital heavy duty photocopier machine Richo Airico MP 2550 B with servicing & installation.	1	Sr.DOM CSTM	PAT AND COMPANY, Mumbai 400 001,	23950
39	92.15.5613 .1. 65685	14.10.15	Cupboards H 78" x W 36" x D19" with 4 shelves weights 60-65 Kgs. Of 22 SWG - Door, 24 SWG - Body M.S. Steel.	7	CMS KYN	D.S.Furniture Works, Mumbai-72.	78435
40	92.15.5551 .1. 65686	15.10.15	Hermetically sealed Compressor reciprocating type 1.5 TR capacity suitable to operate on R22 refrigeration single phase power supply 230 volts, 50 Hz. As per Emerson model No. CR 22 K6M PFI-131 suitable for 1.5 TR window model air conditioner. original test certificate of the manufacturer required. Make - Kirloskar Model CR 22K6 mpfi131 . Warranty 16 months.	16	SSEE (AC/Sty) CSTM	Himanshu Industries, Mumbai - 400 097.	146700

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
41	92.15.5546 .1. 65687	19.10.15	Fluorescent lamp holder G 13 end fixing for T8 9.5 mm. thickness Poly Carbonet body PBT rotor phospher bronze contacts, 2A, 250 VAC with stainless steel spring type T 130/ROHS/G13-F-41/A1.	5000	SSE (TL) CSTM	POWER ELECTRONICS. Mumbai-401105.	23100
42	92.15.5562 .1. 65688	19.10.15	Set of Fix and Moving Contact Tip for Apena HSCB as per Drg. No. ET/ Apena/ 78 and ET/Apena/79 attached.	50	SSE(Co)PNV L	Balaji Enterprises, Bhopal- 462016.	146475
43	92.15.5532 .1. 65689	20.10.15	Toner for copier machine iR2422L No. 28 NGP Canon make.	24	DRM BB	Hans Enterprises, Mumbai- 400 003.	42000
44	92.15.5554 .1. 65690	21.10.15	2 core x 300 sq.mm XLPE insulated, PVC sheathed, 1.1 KV grade Aluminium Conductor G.I. strip armoured cable, confirming to IS 7098 (part-I) of 1988 or latest.	300	SSE (Cable) CLA	DURGA INDUSTRIES, DELHI -110040.	119575
45	92.15.5555 .1. 65691	21.10.15	Heat shrinkable Out door termination kit for 6.6 KV Alu. Conductor XLPE screened size 3 x 185 sq.mm cable with all accessories, as per annexure attached. Make -REPL.	20	SSE (Cable) CLA	VENUS ELECTRICAL TRADING CO.Mumbai- 400002.	78570
46	92.15.5557 .1. 65692	21.10.15	2 core x 185 sqmm XLPE insulated, PVC sheathed, 1.1 KV grade aluminium conductor. G.I. strip armoured cables, confirming to IS 7098 (part-I) of 1988 or latest.	500	SSE (Cable) CLA	DURGA INDUSTRIES, DELHI -110040.	137753
47	92.15.5559 .1. 65693	26.10.15	Portable Air Blower 600 / 800 watt, 230 volt AC 16000 RPM, Raliwolf model No. RB 600, Black & Deckor model No. KJ x 5000 and BOSCH Model No. GBL-800. Make : Black & Deckor, Raliwolf,	16	SSE (Sub- Stn) CLA	PARK AND COMPANY, MUMBAI 400077.	24282
48	92.15.5560 .1. 65694	26.10.15	Earth Megger Battery Operated Digital E/R Tester 3 Terminals model - Kusum Mecco model No. 1520 with all accessories. Make : Kusum Mecco	4	SSE (Sub- Stn) CLA	VIKAS INSTRUMENTS. KOLKATA-700001.	51672
49	92.15.5564 .1. 65695	26.10.15	Expansion Type Terminal Connector to suit 50 dia Alu. Tubular Bus Bar to Terminal Pad of 25 KV LT/ISO/CB Inrupter of RDSO Drg.No. ET/PSI/ P/11060 or latest. SBI make.	27	SSE(Sub- Stn)CLA	S.B.Industries, Kolkata.700 038.	107730
50	92.15.5548 .1. 65696	28.10.15	MCB 'D' series 3 pole 16 Amp, 20 Amp & 32 Amp with braking capacity 10 KA suitable for high inrush current load in accordance to IEC 60898 240/415 V, 50 Hz. Cat. No. DHMCDFFP006-032 Havells makes. Havells, Legrand & Schneider Electric.(Accepted offer for Make Schneider Electric MCB 'D' Series, 3 Pole 1 type A9N3P16 D 16 Amps 1 Nos 2 type.)	47	SSE (EM) KYN	R.K. Sales Corporation. Mumbai - 400 004.	86856
51	92.15.5549 .1. 65697	28.10.15	MS fabricated board of size 1500 x 500 x 400 mm complete 4 Nos., busbar, 1 No. 250A, 35 KA, 4 pole MCCB MS stand etc as per sketch attached. (Approx WT. 68 Kgs)	5	SSE (EM) KYN	Tradelink, Mumbai-400 083.	149825
52	92.15.5550 .1. 65698	28.10.15	MS fabricated board of size 1200 x 500 x 400 mm with MS stand 1.2 mtrs. Fabricated MS angle 40 x 40 x 6 mm complete with AL busbar 40 x 10 mm etc. complete with powder coating paint. (Approx wt = 60 Kg).	15	SSE (EM) KYN	Tradelink, Mumbai-400 083.	144675
53	92.15.5649 .1. 65700	29.10.15	1) Partition cloth made in gabardine cloth Blue & white stitched in middle Make Mafatlal, Bombay Dyeing a) size 20' x 10' Qty:- 2 Nos. b) size 10' x 10' Qty.2 Nos. 2) FF quality coir 2" thick Red colour Door Mat size 4' x 3' standard quality Qty:- 25 Nos. 3) Brass heavy duty door fitting :- a) Aldrop 14" Qty:- 1 No. b) Hinges 16" Qty:- 6 Nos. c) Towerbolts 18":- Qty. 2 Nos. d) Knob 4" dia Qty:- 2 Nos. e) Nut/Bolt Qty:- 6 Nos. Make Nav- Bharat, Oliva (Total 1 set consist of 5 items and 17 Nos.) Required quantity 6 Sets. 4) Coir mat powerloom or Handloom V type design red colour 2 mtr. width x 8 mm thickness of reputed make Qty:- 120 Square meter. 5) Brass Rod 1" x 7' x 20 guage required for fixing of coir mate to steps. of standard quality. Qty:- 81 Nos.	1	SSE (WKS/CUST) CSTM	JASMINE TRADING CO. MUMBAI -400009	226995
54	92.15.5530 .1. 65701	29.10.15	Modular terminal block of 2.5 Sq. mm 2 IN 2 Out type disconnect type of Wago/Phoenix make as per RDSO specn. No. RDSO/SPN/189/2004 the current capacity of 16 amps and more the terminal should have marking at centre to view description from front.(Accepted offer for Make Wago Cat No. 280-874.)	3000	Sr.SE (Conv) S&T THK.	ELECTRO POWER INDIA.TELANGANA 500029.	149972

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
55	92.15.5647 .1. 65702	29.10.15	MATERIAL REQUIRED FOR G M CAMP OFFICE AS PER ANNEXURE AND PHOTO ATTACHED.	1	SSE (Wks) CSTM	JASMINE TRADING CO. MUMBAI -400009	265249
56	92.15.5648 .1. 65703	29.10.15	1)Stitched window Curtain with providing eyelet 1 1/4" Ring (dia) each 10 Nos. of fixing G.M.Make , Hi- tech Size:- a) 6' x 4' Qty:- 30 Nos. b) 73/4' x 4' Qty.:- 20 Nos. 2) Plastic Chair with back & seat cushion made of Fibre black colour size of Height - 900 mm x width - 560 mm & depth 590 mm Make Supreme, ornet, Nilkamal as per photo attached. Qty:- 6 Nos.	1	SSE (WKS/CUST) CSTM	JASMINE TRADING CO. MUMBAI -400009	42900