

Sr	PO No.	Date	Description	QTY.	Consignee	Firms Name	TOTAL
1	92.15.5671 .1. 65744	01.12.15	1 set of Cartridges Toners consist of 4 Items and 23 Nos.	1	Sr DSO CSTM	Jai Media, Mumbai-400088	22177
2	92.15.5753 .1. 65745	02.12.15	Exhaust fan metal body size 225 mm 9" sweep 230 volts complete with all accessories. Bajaj Make Model BAHAR WG Size 225mm.	150	Sr. SEE (Maint) CSTM	Kaltro Enterprises, Thane- 421 501.	143325
3	92.15.5561 .1. 65746	02.12.15	Petrol Driven Power Pruner Model S.B. 2600 with Maintenance Accessories	2	SSE (Sub- Stn) PNVL	S.B.Drive Power Ltd., Mumbai- 400 004.	69615
4	92.15.5779 .2. 65747	02.12.15	Single Phase Propeller Type Ventilating Fans (Exhaust Fans) Number of poles: 4, Sweep size in mm: 300	85	Sr. SEE (Maint) CSTM	Garg Udyog, Delhi - 110085	144394
5	92.15.5783 .2. 65748	04.12.15	Set of a Black ,Colour Ink Cartridges and Tonners as per annexure attached.	1	Ch.OS (TD) CSTM	Jai Media, Mumbai- 400088	300492
6	92.15.5674 .1. 65749	08.12.15	Set of Fibre glass measuring tape.(1):-5 Meters length-Qty:-60.Nos.,(2):-10 Meters length-Qty:-60.Nos.,(3):-15 Meters length-Qty:-60.Nos.,(4):-30 Meters length-Qty:-40 Nos of Freemans.	1	SSE(CO)PN VL	Siddhi Vinayak Enterprises, Mumbai - 400 097.	27038
7	92.15.5672 .1. 65750	08.12.15	CO2 Gas type Fire Extinguisher 4.5 Kg capacity confirming IS: 15683. as per IS: 7285 (Latest) b) wheel valve as per IS: 3224 (Latest) c) Discharge Rubber Hose (wire braided 10 mm dia Horn) and d) Fully charged with CO2 gas confirming IS: 307 (latest) of 'Fireteks' brand.	65	SSE (SIG) CLA	Krunal Engineering Works, Thane- 400 605.	261422
8	92.15.5746 .1. 65751	08.12.15	Berger Bison White 20 kgs. Pack acrylic Distemper.	400	SSE (WKS) CSTM	Park & Co., Mumbai 400077.	19796
9	92.15.5529 .1. 65752	08.12.15	Auxillary coil duly epoxy coated of dr. Beck make for use in Simens impedance Bond as per drg. No. RST- 12036.	15	SSE (SIG) CLA	The Makardhwaj Enterprises, Mumbai- 400 005.	51000
10	92.15.5706 .1. 65753	08.12.15	Induction Flood Light Luminaires 200 watts suitable to work 140-265 volt AC having body of integral pressure die cast alluminium and toughned glass cover with IP 65 protection model No. KI 302- 150 T of Karee Lighting and Mahindra	11	Sr. SEE (Maint) CSTM	Karee Lighting India, New Delhi - 110062.	143000
11	92.15.5658 .1. 65754	08.12.15	Canon LBP 2900B Laserjet Printer	2	Sr. DEE (TD) CSTM	Excel Enterprises, Mumbai. 400 001.	14600
12	92.15.5763 .1. 65755	08.12.15	Metal Halide Single Ended Lamp E/40/E/27 cap screw type 15 watts suitable for 230 volts , 50 Hz AC supply conf. to IS 9947 of Make: Bajaj	400	SSE (EM) KYN	Satish Kumar Gupta, Firozpur Cantt-152 001.	147200
13	92.15.5755 .1. 65756	08.12.15	Integral Flood Light comprises of pressure die cast all. Housing anodised reflector toughened heat resistant glass cover suitable for 150W MH Double Ended Lamp complete with Control Gear & Lamp. CGL cat. No. 1115IH 09 of Make - CGL	70	SSE (EM) KYN	A.R. Enterprises, Mumbai-400 003.	165596
14	92.15.5646 .1. 65757	08.12.15	Siemens make Shunt signal group type A-RT-RG-A065 suitable for LED signal without base.	10	SSE (SIG) CLA	General Auto Electric Corporation, Mumbai- 400072.	585795

Sr	PO No.	Date	Description	QTY.	Consignee	Firms Name	TOTAL
15	92.15.5611 .1. 65758	08.12.15	Recess mounted LED luminaire 40 Watts, 230 Volts suitable for armstrong celing. As per Surya cat. No. SLE DS 42 22R 02.	43	Sr. SEE (Maint) CSTM	Kaltro Enterprises, Thane- 421 501.	135450
16	92.15.5528 .1. 65759	09.12.15	Furniture items 1 set	1	SSE (W/Cust) CSTM	United (India) Enterprises, Mumbai 400 001.	68000
17	92.15.5612 .1. 65760	09.12.15	Stainless Steel Stay wire 7x19M 12/6-1 const. marine grade 6 mm dia, breaking load 1500 Kgs. confirming to ISS 3459/2004 .	1000	Sr. SEE (Maint) CSTM	Bharat Wires Ropes Ltd. Mumbai - 400013.	104047
18	92.15.5652 .1. 65761	10.12.15	Shunt Bond of Siemens AFTC as per Drg. No. R-ST 12076.	25	SSE (SIG) CLA	Victory industries, Mumbai- 400 008.	75600
19	92.15.5714 .1. 65762	10.12.15	Plastic Drums (Bins) without Lid 50 litrs capacity make Polysset, Milan, Pawan	200	CMS KYN	Hans Enterprises, Mumbai-400 003.	90400
20	92.15.5725 .1. 65763	10.12.15	RB 500 of Ralliwolf make as per specification.	20	SSE (SIGNAL) KURLA	Park & Co., Mumbai 400077.	31143
21	92.15.5717 .1. 65764	10.12.15	Desk type 12 way DTMF telephone as per RDSO specification No. IRS-TC 80/2000 with ammendment-1.	20	SSE (SIGNAL) KURLA	Epsilon Electronic Eqpt & Corpn P Ltd. Hyderabad-500 062.	37800
22	92.15.5728 .1. 65765	10.12.15	Exide Battery 12 Volt 80 AH.	2	SSE (W) LNL	Marine Engg & Eqpt Co., Mumbai-400 009.	13320
23	92.15.5715 .1. 65766	10.12.15	Heavy duty Mobile Garbage Bin Wheel Barrow high density polythene material with lids handles wheels & Axles and solid rubber tyre Capacity 120 litrs.Make Aristo, Eco or Otto.	30	CMS KYN	Hans Enterprises, Mumbai-400 003.	84450
24	92.15.5765 .1. 65767	10.12.15	PVC insulated multistrand single core copper cable 1.0 sq.mm 1100 volts confirming to IS 694 of Bharat Cab or Kapco.	23000	SSE (EM) KYN	Bharat Cable Corporation, Delhi 110 052.	123165
25	92.15.5653 .1. 65768	10.12.15	SKF Oil seal Ball Bearing 6203Z of FAG make.	800	SSE (SIG) CLA	A.R. Enterprises, Mumbai-400 003.	63840
26	92.15.5645 .1. 65769	11.12.15	Universal LED ECR mini group type A-RT-RG-A064 (UECR) of Siemens	80	SSE (SIG) CLA	General Auto Electric Corporation, Mumbai-400072.	594048
27	92.15.5711 .1. 65770	11.12.15	Hermetically sealed compressor 2 TR. Capacity suitable for 2 TR. split type Air conditioners of various make suitable to operate on 230 V, 50 Hz AC power supply and refrigerent R-22.	15	SSE (AC-Sty) CSTM	M.N. Enterprises, Thane 421 306.	135750
28	92.15.5760 .1. 65771	11.12.15	Recess mounting LED 2' x 2' luminarie 36 watt white powder coated alluminium housing with LED super slim design of C&S make code No. LTCR SLM 36W 2 x 2).	35	SSE (EM) KYN	Kaltro Enterprises, Thane- 421 501.	137813

Sr	PO No.	Date	Description	QTY.	Consignee	Firms Name	TOTAL
29	92.15.5744 .1. 65772	11.12.15	Powderd coated M.S. Fabricated board complete with 20KVA Control Card, Battery Charger, 02 No. 63A 4 pole MCCB, 02 Nos. 4 pole contactors , Control MCB - 03 Nos., Control Relay-08.Nos., CTR-60/5A-04.Nos., Auto Manual Selector switch-01.No.,DC Ammeter,DC Voltmeter, Single Phase Preventor, Aux Contact etc.Technical detail list attached.Make-DJ Electro Control,Union Electric Hardware Co.	1	SSEE (M) KYN.	Union Electric Hardware Co., Mumbai-400 003.	97181
30	92.15.5710 .1. 65773	11.12.15	Hermetically sealed compressor reciprocating type 1 TR. Capacity suitable to operate on single phase power supply R-22 Refrigerent 230 Volts and 50 Hz as per Emerson model No. KCJ515 HAE B422 or KCJ513 HAE B422 suitable for water cooler .	18	SSE (AC- Sty) CSTM	ARA Engineering Works, Mumbai-400 070.	109350
31	92.15.5707 .1. 65774	11.12.15	4 Pole power contactor 80 Amp AC-1 rating MCX 21 type with standard operating coil voltage 240 volt AC with 2 N/O, N/C confirming to IS-IEC 60947-4-1 & IEC 60947-4-1 of L&T.	23	SSE (EM) KYN	A.R. Enterprises, Mumbai-400 003.	82110
32	92.15.5705 .1. 65775	11.12.15	Induction Flood Light Luminaires 120 watts suitable to work 140-265 volt AC having body of integral pressure die cast alluminium and toughned glass cover with IP 65 protection similar to model No. KI 301- 120 T of Karee Lighting and Mahindra.	13	Sr. SEE (Maint) CSTM	Kareee Lighting India, New Delhi - 110062.	145600
33	92.15.5703 .1. 65776	11.12.15	Induction high bay fitting 100 watts suitable to work 140-265 volt AC having body of die cast alluminium gear box powder coating and high purity alluminium reflector with IP 65 protection model No. KI 101- 100 R of Karee Lighting and Mahindra -	13	Sr. SEE (Maint) CSTM	Kareee Lighting India, New Delhi - 110062.	123500
34	92.15.5704 .1. 65777	11.12.15	Induction Flood Light Luminaires 150 watts suitable to work 140-265 volt AC having body of integral pressure die cast alluminium and toughned glass cover with IP 65 protection similar to model No. KI 301- 150 T of Karee Lighting and Mahindra - CIE model No. FL 002-150 .Make: Karee Lighting, Mahindra - CIE, Philips, Bajaj. (Accepted offer for Model KI 301 150T.)	11	Sr. SEE (Maint) CSTM	Kareee Lighting India, New Delhi - 110062.	126500
35	92.15.5702 .1. 65778	14.12.15	Induction high bay fitting 120 watts suitable to work 140-265 volt AC having body of die cast alluminium gear box powder coating and high purity alluminium reflector with IP 65 protection model No. KI 101- 120 R of Make Karee Lighting and Mahindra .	13	Sr. SEE (Maint) CSTM	Kareee Lighting India, New Delhi - 110062.	136500
36	92.15.5694 .1. 65779	14.12.15	Rubber Hand Gloves made from latex size 20" acid alkali resitance proof Make Standard, Shree-arc, Champion .	200	SSE (S/S) KYN	Mittal Industries, Mumbai 400 063.	19950
37	92.15.5712 .1. 65780	14.12.15	Induction high bay fitting 150 watts suitable to work 140-265 volt AC having body of die cast alluminium gear box powder coating and high purity alluminium reflector with IP 65 protection Make Mahindra - CIE model No. HBIL 001-150 .	12	Sr. SEE (Maint) CSTM	Kaltro Enterprises, Thane- 421 501.	121500
38	92.15.5754 .1. 65781	14.12.15	Fan wall mounting oscillating type metal body 400mm 16" sweep 230 volts in speed regulator 1400 RPM, single phase, 3 blades, copper winding 50 Hz of Bajaj with copper winding.	98	Sr. SEE (Maint) CSTM	Kaltro Enterprises, Thane- 421 501.	146118
39	92.15.5762 .1. 65782	14.12.15	Metal Halide Lamp Elliptical type 70 watt 230 volts E27 of 'Surya' Make.	200	SSE (EM) KYN	Kaltro Enterprises, Thane- 421 501.	101850
40	92.15.5609 .1. 65783	14.12.15	Set of Electrical Item as follows 1) Z 1311 Insulkote in 1.5 Kg pack Qty. 15 kgs. 2) 6084 Red insulating Varnish in 500 ml aerosol Can. Qty.- 15 Nos. 3) 6030 pen oil in 500 ml. aerosol can. Qty.- 25 Nos. 4) 7340 all 4 in 700 ml can Qty. - 50 Nos. Make Stancac Chemicals.	1	Sr. SEE (Maint) CSTM	Excel Engineers, Mumbai-400 101.	111375

Sr	PO No.	Date	Description	QTY.	Consignee	Firms Name	TOTAL
41	92.15.5643 .1. 65784	14.12.15	2 Aspect Signal Group suitable for LED Signal group suitable for LED signal Siemens make type A-RT-RG- A066 without base plate.	20	SSE (SIG) CLA	General Auto Electric Corporation, Mumbai-400072.	1051008
42	92.15.5752 .1. 65785	15.12.15	Fabricated Safety bracket for high mast lighting tower consisting of GI flat bar of size 75mm x 625mm x 10mm thick - 03 Nos. GI angle 75mm x 75mm x 10mm thick x 300mm long - 03 Nos. GI stiffner - 03 Nos. with bolt & double nut & washers of suitable size. As per sketch attached.	40	Sr. SEE (Maint) CSTM	Tradelink, Mumbai-400 083.	146160
43	92.15.5720 .1. 65786	16.12.15	Boom of third section of 1.9 mm sheet of size approx. (155 mm at large and taper is 100 mm) suitable for Heidz make lifting barrier gate.	25	SSE (SIG/STO) KYN.	Chirayu Enterprises, Panvel 410 206.	99000
44	92.15.5718 .1. 65787	16.12.15	FRP Cover for tuning unit of ALSTOM type AFTC with suitable nuts and bolts as per Drawing No. RST- 12017 attached.	50	SSE (SIG/STO) KYN.	T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	47250
45	92.15.5719 .1. 65788	16.12.15	FRP Cover for tuning unit of ABB type AFTC with suitable nuts and bolts as per Drawing No. RST- 11865 attached.	33	SSE (SIG/STO) KYN.	T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	28586
46	92.15.5654 .1. 65789	16.12.15	Air Break Contractor 110v, AC 3F/3B, 32A Siemens Make L&T,BCH, BCH 3TF3400.0A.	60	SSE (SIG/STO) KYN.	A.R. Enterprises, Mumbai-400 003.	88830
47	92.15.5757 .1. 65790	16.12.15	Cast iron 'SW' type Love Joy coupling complete with snap wrap (SW) type of size 190 & 225 lbs. (one set consist of 2 items). Make - Love joy, Jyoti, Tipla or RATHI.	27	SSE (EM) KYN	Reena Enterprises, Mumbai 400 078.	112995
48	92.15.5721 .1. 65791	16.12.15	CLS Ladder assembly complete for CLS sig 4.5 Mtrs. Long including platform as per RDSO drawing RST-12019 also include Pole clamp stage clamp, ladder stay guard rail.	17	SSE (SIG/STO) KYN.	Shri Balaji Industrial Products, Pune - 412 114.	51306
49	92.15.5722 .1. 65792	16.12.15	Hexagonal MS Bolt for TU Unit full threaded size 10 mm x 30 mm as per Drawing attached. (Accepted offer for DC 4.6 or DC 4.8).	4000	SSE (SIG/STO) KYN.	D.C. Fastners Pvt. Ltd., Punjab - 144 004.	16968
50	92.15.5695 .1. 65793	16.12.15	Copper Ring terminal 2.5 sq.mm. insulated as per Dowells Cat. No. i) 7071 Qty. 13 Nos. ii) 7073- Qty. 5 Nos. iii) 7074 Qty. - 18 Nos. IRS-E301 & 304 Drawing attached. (One set consist of 3 items & 36 Nos.).	800	SSE (S/S) KYN	Chetna Engineering Co., Nasik - 422 010.	38745
51	92.15.5688 .1. 65794	16.12.15	NEC make 12 key DMKT digital Desktop telephone model No. DT 430.	10	SSE (TELE) Store/CLA	Comm-Tech Commercial Corpn, Mumbai - 400 025.	81218
52	92.15.5701 .1. 65795	17.12.15	Binocular optics type porro prism series,eye interval adjustment range 60-70 mm,lens configuration 6 elements/ 4 groups,magnification more than 7X,actualfield view less than 10 degree,field of view more than10 mtrs,closest focal point in between 3.5 to 4.5m,weight less than 1kg. for model No. 8X21 DPC I of Olumpus make.	41	SSE(TD)OH E-KYN	Jayshree Engineering Works, Kolkata- 700001.	150245
53	92.15.5795 .1. 65796	18.12.15	T-5, 28 watt tubular fluorescent lamp of colour 4000 Deg. 'K' Lumen output 2900 at 35°C Cool White type as per RDSO spec. No. RDSO/PE/SPEC/PS/0100 (Rev-1) 2011 (Rev-1). Of ' GRE' Make.	2000	SSEE (M) KYN	GRE Electronics pvt. Ltd, Mumbai 400 001	129654

Sr	PO No.	Date	Description	QTY.	Consignee	Firms Name	TOTAL
54	92.15.5806 .1. 65797	18.12.15	2 X 28 watt electronic ballast for T5 tube suitable for 230 volts 50 Hz AC supply as per RDSO specification No. RDSO/E/Spec./1001, Rev-1, 2011 of " Bajaj' Cat. No. BJHF 228P.	250	SSE (EM) KYN	R.K. Sales Corporation, Mumbai - 400 004.	75656
55	92.15.5723 .1. 65798	18.12.15	Relay Non - AC Immune, plug -in-type- style QN1 DC neutral line, 50v DC 8F- 8B contacts. Front & Back contacts metal to carbon, with plug board, retaining clip and connectors confirming to BRS 930 IRS- S34 & IRS- S 23 as applicable. The interlocking code for this unit shall be ABDEF our style AN1.	33	SSE (SIG/STO) KYN.	Tirupati Marketing and Services, Kolkata -700006	87708
56	92.15.5724 .1. 65799	18.12.15	Relay plug -in-type style - QL1 Magnetically latched neutral line, 24v DC 11F- 4B contacts. Front & Back contacts metal to carbon, complete with plug board, retaining clip and connectors confirming to BRS 935A IRS- S34 & IRS- S 23 as applicable.	20	SSE (SIG/STO) KYN.	Tirupati Marketing and Services, Kolkata -700006	90956
57	92.15.5855 .2. 65800	18.12.15	DESKTOP COMPUTER (WITH PRELOADED OPERATING SYSTEMS) - Configuration: Intel Core i3, Operating System: Microsoft Windows 8, Chipset: Q8 Series.	6	SSE (SIG/STO) KYN.	KBS Computers Pvt. Ltd. New Mumbai-400710	244225.8
58	92.15.5686 .1. 65801	22.12.15	Brush cutter normal engine BEBC5200 (Good Quality Engine) Baldaniya Make model : 1E44F-5A, Power type: Single cylinder, two stroke, air-cooled, Displacement: 51.7cc, Engine Power: 1.7kw/11000rpm, Idle Speed: 2800-3200rpm, Carburettor: pump-film type, two stroke oil/gasoline mixing ration: 1:25, Fuel tank capacity: 1200ml, Pipe diameter: 26mm, Machine weight: 9.6 kgs, Engine carton: 300 x 300 x 420mm or (as per your packaging), Shaft carton: 1650 X 100 X 100 mm or (as per your packaging), Handle: Double Bicycle handle, Belt: single belt, Carrying Type: side-attached, Accessories: 1pc 3 teeth Metal blade, 1 pc 40 teeth Metal blade, 1 pc 80 teeth Metal blade and 1 pc nylon cutter, grain lifter with safety guard, tool kit, fuel funnel, etc., All screw and bolt thread in indian system.	2	SSE P.Way KJT	Sanjay Enterprises, MUMBAI 400077.	29900
59	92.15.5792 .1. 65802	22.12.15	LED Weather Proof Luminaire 36/40 watt IP65 protection housing made of polycarbonate with opal diffuser inclusive 36/40 watt LED suitable for 230 volts 50Hz AC supply of Surya product SLE DJPC 2x 18 LED.	350	SSE (EM)KYN	Shri Satguru Electric & Trading Co., Mumbai-400 003.	863888
60	92.15.5766 .1. 65803	23.12.15	Open construction electro magnetic ballast for MH - 150 watt consisting silicon steel lamination super enamelled copper wire vaccume impregnated resin terminal blade 220 / 240 volts suitable for 230 volts 50 Hz AC supply as per C & S Cat No. LTAS002 HPSV/MH.	220	SSE (EM) KYN	R.K. Sales Corporation, Mumbai - 400 004.	117810
61	92.15.5793 .1. 65804	23.12.15	IP 66 High Power Flood Light die cast AL housing 50 watt LED complete with driver suitable for 230V, 50 Hz AC as per Bajaj Make Cat. No. BJFL 60 W LED Code No. 169428.	18	SSE (EM) KYN	Kaltro Enterprises, Thane- 421 501.	111375
62	92.15.5794 .1. 65805	23.12.15	CFL Lamp 36 watt 4 pin 2G 11 cap for Cool Day Light fitting suitable for 230 volt, 50 Hz AC supply of Bajaj Make.	1700	SSE (EM) KYN	R.K. Sales Corporation, Mumbai - 400 004.	123165
63	92.15.5860 .1. 65806	23.12.15	Storage type water cooler cum purifier, storage capacity 120 Ltrs. Cooling capacity 80 LPH approx external dimension 750 x 570 x 1350 made out by SS304 suitable to work on 170-260 V AC single phase 50Hz AC supply of Eureka forbes.	1	SSEE(AC/S TY)CSTM	NES Tech, Mumbai - 400 037.	86200
64	92.15.5825 .1. 65807	28.12.15	Set of Tyres and Tubes for TATA SUMO size 195 R15 of CEAT make.	5	SSEE (M) CSTM	Hans Enterprises, Mumbai-400 003.	27750

Sr	PO No.	Date	Description	QTY.	Consignee	Firms Name	TOTAL
65	92.15.5842 .1. 65808	28.12.15	Set of Cotton Caps, Uniball Pens and Ruled Pads for Sr. officers, PHOD's and Branch officers for annual Inspection - 2016. i) Caps - 80 Nos. ii) Uniball Pens - 70 Nos. iii) Ruled Pads - 70 Nos. (as per approved sample).	1	Sr.DMM CSTM	Hemal Enterprises, Kalyan - 421 201.	10245
66	92.15.5664 .1. 65809	28.12.15	LED Energy Saver Bulbs operational on 230V AC /110V DC having Bipolarity. (1) 12 Watt LED Bulb 230V AC/110V DC - Qty:150.Nos. (2) 15 Watt LED Bulb 230V AC/110V DC - Qty:150.Nos. of GRE make.	1	SSE(SS/CO)PNVL	GRE Electronics pvt. Ltd. Mumbai 400 001	75059
67	92.15.5811 .1. 65810	28.12.15	2 KWP solar power plant with PV module capacity 2000 watt, inverter 2.5 KVA as per IEC 61683 of MNRE approved with module mounting 80-120 micron batteries 24 volts 975 AH, cable, control panel, metering set of accessories etc as per annexure attached.	1	SSE (EM) KYN	Seth Traders, Mumbai 400023	290000
68	92.15.5690 .1. 65811	31.12.15	880 KWIK patch (L) U.V. cable fibre glass reinforced polyster rapid patch prrof weather resistant in size 300 mm x 225 mm x 1.5 mm thick Make Stanvac Chemicals.	30	SSE (S/S) KYN	Excel Engineers, Mumbai-400 101.	92340
69	92.15.5867 .1. 65812	31.12.15	Set Of Kitchen items & SS Utensils as per annexure attached.	1	Sr.DEE(TRS O)CSTM	D.M. Rathod, Mumbai - 400 028.	190400
70	92.15.5868 .1. 65813	31.12.15	Set Of Appliances as per annexure attached.	1	Sr.DEE(TRS O)CSTM	D.M. Rathod, Mumbai - 400 028.	233000
71	92.15.5869 .1. 65814	31.12.15	Set of stainless steel crockery Items as per annexure attached.	1	Sr.DEE(TRS O)CSTM	Jasmine Trading Co., Mumbai 400009	107690
72	92.15.5870 .1. 65815	31.12.15	Floor mounted water dispenser with refrigerator with 2.5 Liters/Hr.cooling capacity , 5 liters/Hr.heating capacity , 230 volts, 50Hz.,single phase. Make : Blue Star, Usha, Carrier Midea.	8	Sr.DEE(TRS O)CSTM	Jasmine Trading Co., Mumbai 400009	82280
73	92.15.5871 .1. 65816	31.12.15	Self Learning Touch Screen KIOSK Console as per Technical specification attached.	1	Sr.DEE(TRS O)CSTM	Excel Enterprises, Mumbai. 400 001.	99400
74	92.15.5872 .1. 65817	31.12.15	Window curtains with rod in size 7' x 4' with 8 rings and door curtain with rod in size 8' x 6' with 12 rings made of polyster jaguard design thick quality with stitching.Rod size 1" dia powder coated with 2 side bracket and fixing it on wall. (One Set of 84 Window Curtain + 20 Door Curtain.)	1	Sr.DEE(TRS O)CSTM	Jasmine Trading Co., Mumbai 400009	133900
75	92.15.5873 .1. 65818	31.12.15	Weather Proof IP- 65LED Luminaire 18/20 watt with poly-carbonate with opal diffuser inclusive LED tube similar to Surya model SLE-WPL 18 with driver suitable for 230 volts 50Hz AC supply of HPL make model No. HLPLEDWT820 CW.	92	SSEE(M)KY N	Hem Enterprises, Mumbai-400 092.	141692