

Sr	PO No.	Date	DESC.	QTY.	Consignee	Firm's Name	TOTAL
1	92.15.5865 .1. 65819	04.01.16	Good quality inspection bags for Sr. officers, PHOD's, HOD's & Branch Officers on Mumbai Division. As per approved sample size 16.5" for annual inspection - 2016.	36	Sr DMM CSTM	Pat & Co., Mumbai 400 001,	105840
2	92.15.5787 .1. 65820	04.01.16	40 mm Heavy duty with stainless steel part cast iron screwed type hydrant valve IS 9890 class I Spec. Make RMW / HAMMER	100	SSE (Wks) CSTM	Park & Co., Mumbai 400 077.	95963
3	92.15.5866 .1. 65821	04.01.16	Good quality inspection bags for Sr. officers, PHOD's, HOD's & Branch Officers on Mumbai Division. As per approved sample size 19" for annual inspection - 2016.	26	Sr. DMM CSTM	Pat & Co., Mumbai 400 001,	117910
4	92.15.5759 .1. 65822	04.01.16	LED street light fittings 18/20 watt IP 66 powder coated pressure dia cast alluminium housing compact high power LED with heat resistance toughened glass as per HPL cat. No. HPL LED ST 1860 suitable for 230 volts, 50 Hz AC supply.	70	Sr. SEE (Maint)	Hem Enterprises, Mumbai-400 092.	124740
5	92.15.5790 .1. 65823	05.01.16	1) M.S. Flangs 100 mm size round dia for pipe fitting. Qty. - 80 Nos.. 2) Professional tool pipe vice heavy duty size 150mm or 06 inch for G.I. threading on pipe till 40mm size of Make Inder, Taparia, Foreman -Qty. - 1 No.	1	SSE (Wks) CSTM	Park & Co., Mumbai 400 077.	42078
6	92.15.5774 .1. 65824	05.01.16	Single phasing preventor VSP-3 (Auto reset 50 volts unbalance) suitable for 3 phase 440 volts 50 Hz, AC supply Minilec VSP-3 DIN rail mounting arrangement. Make - Minilec VSP-3 DIN rail mounting arrangement.	270	SSE (EM) KYN	Shubhada Electrotech Services, Nashik 422013.	125753
7	92.15.5826 .1. 65825	05.01.16	Set of spare material for SMC 4-65 Compressor. 1) Half Section Bearing STD (1 pair = 2 pcs). Qty.-20 Nos. 2) Oil Pump assembly. Qty.- 08 Nos. 3) Piston with Pin and Ring assembly. Qty.- 20 Nos. 4) Crank Pin. Qty.- 20 Nos. 5) Suction Valve Reed. Qty.-20 Nos. 6) Discharge Valve Reed. Qty.- 20 Nos. 6) Thrust collar. Qty.- 20 Nos.	1	SSE/AC/Sty/C STM	M.N. Enterprises, Thane 421 306.	135000
8	92.15.5797 .1. 65826	05.01.16	Accurate high tensile alluminium self support folding 20' feet long four legged Platform ladder. Model No. 504-A with 3 locking system. As per IS - 733. 100% twist proof / heavy duty & unbrakable. Make - Marvel, Arco, High Step, Accurate.	6	SSEE (M) CSTM	Tradelink, Mumbai- 400 083.	116640
9	92.15.5780 .1. 65827	05.01.16	HSS Straight shank Twist Drill jobber size 12 mm of make Addison, JK as per IS 5101/1991 & confirming with IS - 5099/1983 for material and hardness.	100	SSE (SIG) CLA	Micro Engineering Works, Kolkata 700 146.	16500
10	92.15.5781 .1. 65828	05.01.16	HSS Straight shank Twist Drill jobber size 13 mm of make Addison, JK as per IS 5101/1991 & confirming with IS - 5099/1983 for material and hardness.	100	SSE (SIG) CLA	Micro Engineering Works, Kolkata 700 146.	18000
11	92.15.5875 .1. 65829	05.01.16	Stainless Steel Dustbins (push bin) dom lid . Size 14" dia x 32" Height x Guage 22 as per photo attached.	34	Sr. DSC RPF CSTM	Hemal Enterprises, Kalyan - 421 201.	80240
12	92.15.5749 .1. 65830	05.01.16	ACETAL BUSH FOR POINT RODDING AS PER C. RLY. DRG. NO R-ST- 12059 ATTACHED	7000	SSE (SIG) CLA	Rubako Plastic Works, Mumbai 400 010.	41895
13	92.15.5732 .1. 65831	06.01.16	M.S. Fish Bolt size 25 x 140 mm with Nut. As per RDSO Drg. No. T - 1899	20000	SSE ( P WAY ) BND	Pacheria Castings Pvt. Ltd., Howrah- 711 101.	892688
14	92.15.5734 .1. 65832	06.01.16	M.S. Crossing Bolt with Nut size 25 x 160 mm as per RDSO Drg. No. T - 11511	23000	SSE ( P WAY ) BND	D.C. Fastners Pvt. Ltd., Panjab - 144 004.	1150591
15	92.15.5737 .1. 65833	06.01.16	M.S. Crossing Bolt with Nut size 25 x 210 mm as per RDSO Drg. No. T - 11516	24	SSE ( P WAY ) BND	Kalindi Rail Udyog, Howrah- 711 113.	1160400
16	92.15.5738 .1. 65834	06.01.16	M.S. Crossing Bolt with Nut size 25 x 230 mm as per RDSO Drg. No. T - 11518	24	SSE ( P WAY ) BND	Kalindi Rail Udyog, Howrah- 711 113.	1160400

Sr	PO No.	Date	DESC.	QTY.	Consignee	Firm's Name	TOTAL
17	92.15.5740 .1. 65835	06.01.16	M.S. Crossing Bolt with Nut size 25 x 280 mm as per RDSO Drg. No. T - 11523	23.5	SSE ( P WAY ) BND	Kalindi Rail Udyog, Howrah- 711 113.	1136225
18	92.15.5741 .1. 65836	06.01.16	M.S. Crossing Bolt with Nut size 25 x 310 mm as per RDSO Drg. No. T - 11526	24	SSE ( P WAY ) BND	Kalindi Rail Udyog, Howrah- 711 113.	1160400
19	92.15.5742 .1. 65837	06.01.16	M.S. Crossing Bolt with Nut size 25 x 330 mm as per RDSO Drg. No. T - 11528	24	SSE ( P WAY ) BND	Kalindi Rail Udyog, Howrah- 711 113.	1160400
20	92.15.5644 .1. 65838	06.01.16	Siemen make main Signal Group Three Aspect type A-RT-RG-A067 (without base plate) LED suitable to Siemens make	20	SSE (SIG) CLA	General Auto Electric Corporation., Mumbai-400072.	1082802
21	92.15.5770 .1. 65839	07.01.16	Set of special Hand Tool Wrench. As per annexure attached.	1	Sr. SEE (Maint) CSTM	Dinesh Metal Mfg. Co., Mumbai 400002.	120048
22	92.15.5521 .1. 65840	07.01.16	16 inch Petrol chain saw machine Make HITACHI or similar as per given specification as 1. Displacement- 32.2cc. 2. Max Power-1.25kW/ 1.67 HP. 3. Fuel Tank Capacity -350cc. 4. Oil Tank Capacity- 150cc. 5. Guide bar length-400 mm. ( 16" ) 6. Type of guide bar- DOUBLE GUARD. 7. Chain guage-0.05inch. 8. dimensions- LxWxH - 389x226x280 mm. 9.dry weight- 3.6 kg.	3	SSE (P.Way) LNL	S.B.Drive Power Ltd., Mumbai- 400 004	40484
23	92.15.5798 .1. 65841	07.01.16	Celing light fitting with pending crystal balls and LED lights with over all dia between 13" to 16" and hight 10 to 12".	3	SSEE (M) CSTM	Shri Satguru Electric & Trading Co., Mumbai-400 003.	141420
24	92.15.5565 .1. 65842	07.01.16	Rigid type Bimetallic Connector to suitable for 50 mm dia AC bus Bar to Terminal Pad of 25KV Isolator/LT RDSO Drg.No.ETI/PSI/P/11090 or latest. Double gunny bag	50	SSE(Sub-Stn)CLA	S.B. Industries, Kolkatta-700 038.	128625
25	92.15.5784 .1. 65843	07.01.16	Electronic ballast suitable for 1 x 14 watt, T5 light T8/T12 flourescent lamp, high performance Bajaj cat. No. BJHF114P, Havells cat. No. LHBTO1114031.	272	SSE (EM) KYN	M.N. Agencies, Hyderabad-500 001.	30833
26	92.15.5788 .1. 65844	08.01.16	25 mm Heavy duty with stainless steel part cast iron screwed type hydrant valve IS 9890 class I Spec. Make RMW / HAMMER	100	SSE (Wks) CSTM	Park & Co., Mumbai 400 077.	44303
27	92.15.5657 .1. 65845	11.01.15	Mega phone Ahuja make model No. AM-21S Specn. 20W, shoulder sling type dry cell & 12V car battery operation. All ABS body sturdy light weight built in siren clear sound, long range & efficient design. Microphone with volume control & press to talk. make Meghna.	30	SSE (OHE) CLA	The Makardhwaj Enterpries, Mumbai-400 005.	60150
28	92.15.5727 .1. 65846	11.01.15	New Printer Ribbon Cartridge for Epson LX-310 Printers in manufacture original Packing Size 12.7mm x 18 mtrs Lipi, Epson, or printrate.	50	Sr DCM CSTM	P.C.Enterprise, Mumbai 400 001.	9900
29	92.15.5782 .1. 65847	11.01.15	Programme switches snap action base mounting type along with cover and mounting bracket 63A- 7 Pole, 03 Position Siemens type ( 3 LAO- 63/7Y )	18	SSE (SIG/WKS) KYN	Reliacne Electricals, Thane - 400 603.	78975
30	92.15.5601 .1. 65848	11.01.15	Double flange non rising cast iron Sluice Valve of size 80 mm and 65 mm conf. to IS 14846. (one set = 01 No. 80 mm & 01 No. 65 mm with ISI mark.)	7	SSE (EM) KYN	Siddhi Vinayak Enterprises, Mumbai – 400 097.	33844
31	92.15.5708 .1. 65849	11.01.15	LED flood light 200 watts fitting with IP 65 protection with suitable driver to work on 250 volts, 50Hz AC supply Bajaj model No TBD BARFEG 200 W	3	Sr. SEE (Maint) CSTM	M.S Railtech Consultants Pvt. Ltd. Pune 411 026.	26970

Sr	PO No.	Date	DESC.	QTY.	Consignee	Firm's Name	TOTAL
32	92.15.5733 .1. 65850	12.01.16	M.S. Tee Head Bolts with Nuts size 25 x 110 MM for SEJ as per RDSO Drg. No. T - 2660.	8000	SSE ( P WAY ) BND	Pacheria Castings Pvt. Ltd., Howrah-711 101.	349950
33	92.15.5735 .1. 65851	12.01.16	M.S. Crossing Bolt with Nut size 25 x 180 mm as per RDSO Drg. No. T - 11513	23000	SSE ( P WAY ) BND	Pacheria Castings Pvt. Ltd., Howrah-711 101.	1264425
34	92.15.5666 .1. 65852	13.01.16	Handheld Electric Mini Grinder dia 100 mm,670 W electric power supply AC 220 Volt single phase. Make Black Deacker Model No.BPGS8100 Input Power 850W.	15	SSE(SUB-STN)CLA	Jayashree Trading Co., Bhandup - 400 078.	28200
35	92.15.5899 .1. 65853	13.01.16	Portable/External hard disk capacity 01 TB Make-WD, Seagate Transcend.	1	Sr DSC/RPF/CSTM	Excel Enterprises, Mumbai. 400 001.	4900
36	92.15.5731 .1. 65854	13.01.16	M.S. square Head Bolt ( F/H)with Nut size 25 x 90 mm as per RDSO Drg. No. T - 11504	8000	SSE ( P WAY ) BND	AAS Udyog, Kolkata - 700 108.	346160
37	92.15.5670 .1. 65855	13.01.16	Water Purifier 1) Water purifier of capacity 15ltr/Hour.-19 Nos, Brand KENT-Elite 2) Water purifier of capacity 50ltr/Hour.-3 Nos ( Accepted offer for KENT.) Total One Set of 2 items and consist of 22 Nos.	1	Sr DSC/RPF/CSTM	Siddhi Vinayak Enterprises, Mumbai-400 097.	509675
38	92.15.5862 .1. 65856	15.01.16	Supply of General purpose epoxy compound consist of two parts (Resin & Hardener) 'M; seal Araseal of Hantsman of 01 Kg pack.	300	SSE (Wks) By	Park & Co., Mumbai 400 077.	56025
39	92.15.5789 .1. 65857	15.01.16	Materials for composting system 1) Plastic Dustbin of paddle & 12 liter capacity with lid. Make Ratan , pavan, Milar Qty. - 144 Nos. 2) Plastic dustbin with lid 120 liters capacity with side handle. Make ratan, Milan, pavan. Qty. - 06 Nos. 3) Bioculum (5 kg pack) of Excel Industries. Qty. - 30 kg. 4) Sanitreat (5 kg pack) of Excel Industries .Qty. - 30 kg. 5) Saw Dust. Qty. - 1000 kg. 6) used HDPE Bags (2nd Hand) size (22" x 32") for 50 kg capacity. Qty. - 250 Nos..	1	SSE (Wks) BY	Jasmine Trading Co., Mumbai -400009	51750
40	92.15.5791 .1. 65858	15.01.16	Supply of white cement general purpose Make J.K, Birla White .(of 1 kg pack).	400	SSE (W/M) BY	Park & Co., Mumbai 400 077.	13635
41	92.15.5767 .1. 65859	18.01.16	Water purifier model Aqua guard total classic of M/s. Eureka Forbes Ltd. As per specification water flow rate-1 IPM, Ultraviolet lamp - 8 watt, power rating - 30 watt, water pressure - min 0.4 Kg/sq cm max 2.0 kg/sq cm fuse rating - 250 ma.	20	SSE (OHE) CLA	ARA Eneengineering Works, Mumbai- 400 070.	159000
42	92.15.5861 .1. 65860	18.01.16	Dry Cell 1.5 Volt, R- 6 Cell Leak proof make Panasonic, Guarantee/Warranty- One Year from the date of Supply.	2500	SSE (T/SATO) CLA	H.P.Enterprises, Mumbai- 400 019.	15750
43	92.15.5859 .1. 65861	18.01.16	Programme Switchs snap action base mounting type along with cover and mounting bracket 63 A- 9 poles or latest alteration Make Siemens, L&T, Thakur.	10	SSE (SIG/WKS) KYN	Reliacne Electricals, Thane -400 606.	76500
44	92.15.5569 .1. 65862	18.01.16	Set of Copper Ring Terminals ,Each set consist 9 items.	1	SSEE(TL/AC) LTT	Chetna Engg Co., Nashik, 422 010.	45478
45	92.15.5570 .1. 65863	18.01.16	Set of Copper Ring Terminals,Each Set consist 4 items	1	SSEE(TL/AC) LTT	Chetna Engg Co., Nashik, 422 010.	34552
46	92.15.5571 .1. 65864	18.01.16	Set of Copper Ring Terminals,Each Set consist 5 items.	1	SSEE(TL/AC) LTT	Chetna Engg Co., Nashik, 422 010.	40222
47	92.15.5574 .1. 65865	18.01.16	Set of Copper Ring Terminals (Double Grip) Each Set consist 9 items	1	SSEE(TL/AC) LTT	Chetna Engg Co., Nashik, 422 010.	48372

Sr	PO No.	Date	DESC.	QTY.	Consignee	Firm's Name	TOTAL
48	92.15.5572 .1. 65866	18.01.16	Set of Copper Ring Terminals ,Each Set consist 3 items.	1	SSEE(TL/AC) LTT	Chetna Engg Co., Nashik, 422 010.	35119
49	92.15.5909 .1. 65867	18.01.16	Back light LCD Display Infrared Laser point temprature Gun 35 degree C to 500 degree C TES/1326 or equivalent product.Wave length 620mm,Class-2,Laser Product DC=2:1.	9	Sr.DEE(TRS- O)CSTM	Alfa Engineers, Mumbai- 400 009.	97650
50	92.15.5907 .1. 65868	18.01.16	Box Spanner in mm size 1/2" square drive socket Wrench set contains 24 pieces of various size of box spanner & handle module No.40285.Make-Force Tools / Taparia / Gedore / Unison.	16	Sr.DEE(TRS- O)CSTM	Alfa Engineers, Mumbai- 400 009.	95320
51	92.15.5580 .1. 65869	18.01.16	Copper Tube Terminals (Long Barrel) size 50-8.2 sq.mm. (IRS- E 301 & 304 ) K I Brand.)	2000	SSEE(TL/AC) LTT	Kamlesh Industries, Mumbai- 400 068.	46200
52	92.15.5908 .1. 65870	18.01.16	9 Way Screwdriver set 9 tips for maintenance all acess bar chrome plated for rust resistance 62.511.Make-Stanley hand Tools / Cortron / Taparia.	35	Sr.DEE(TRS- O)CSTM	Diwan Sons, Mumbai- 400 009.	98070
53	92.15.5906 .1. 65871	18.01.16	Hot Air Blower 2000 watts ,air flow rate 350-500 L/M, temprature 100-500 degree centigrade, operate on 230 V AC.Make-Bosch/Black & Decer.	10	Sr.DEE(TRS- O)CSTM	Diwan Sons, Mumbai- 400 009.	71410
54	92.15.5905 .1. 65872	18.01.16	"RUST OFF" high quality rust releaser and lubricant packing of 300 gms.aerocel can of Wruth make.	94	Sr.DEE(TRS- O)CSTM	Alfa Engineers, Mumbai- 400 009.	99170
55	92.15.5796 .1. 65873	18.01.16	Set of Rail Pole fitting for provision of out door lights. 1) GI pipe for out door fitting size 300mm x 300mm x 25mm OD x 1.2 wall thick. Qty.-100 Nos. 2) G.I. clamp for fitting size 400mm x 100mm x 25mm x 5mm thick. Qty.-100 Nos. 3) FRP junction box with suitable G.I. clamp to mount on rail polls. size 400mm x 100mm x 20mm x 3mm thick. As per sketch attached. Qty.- 50 Nos. 4) PVC copper wire 2 core x 2.5 sqmm 230 volts. Qty.- 600 Mtrs. make - Bharat Cab, Vishal Brand of Dash Mesh Cable, Poly Cab, Finolex.	1	SSEE (M) CSTM	Tradelink, Mumbai- 400 083.	148450
56	92.15.5579 .1. 65874	19.01.16	Copper Tube Terminals (Long Barrel) size 35-8.2 sq.mm. Cat. No. CT-83 of (IRS- E 301 & 304 ) (KI Brand.)	3500	SSEE(TL/AC) LTT	Kamlesh Industries, Mumbai- 400 068.	44100
57	92.15.5913 .1. 65875	19.01.16	Stainless Steel Fabricated Water Cooler Encloser on existing M.S.frame by using S.S.sheet of thickness 16 SWG of 304 grade and wire mesh of size 2 mm thickness and of 1 sq.mm as per Drg. Attached.	3	Sr.SEE(AC- STY)CSTM	Tradelink, Mumbai- 400 083.	146496
58	92.15.5761 .1. 65876	20.01.16	Wall mounted LED 18/20 watt luminaire complete with driver suitable for 230 volts,50 Hz AC supply ,extruded alluminium housing.Make: Bajaj , C&S,Surya ,Philips , GE.	150	SSE (EM) KYN	Shri Satguru Electric & Trading Co., Mumbai-400 003.	103950
59	92.15.5758 .1. 65877	20.01.16	LED Street Light fittings 45 / 40 watts IP 66 powder coated pressure dia cast alluminium compact high power LED with heat resistance toughned glass as per C&S make Cat No. LTESS 18x2.5 HP LED 45W LED Street Light Complete with all accessories.	30	Sr. SEE (Maint)	R.K.Sales Corporation, Mumbai- 400 004.	123574
60	92.15.5576 .1. 65878	20.01.16	Set of Copper Ring Terminals (Double Grip), Each Set consist 3 items.1) Size:4.6-6.4 sq.mm-Cat.No.RD-476,Qty:3000 Nos.2) Size:4.6-10.2 sq.mm-Cat.No.RD-480,Qty:3000 Nos.3) Size:4.6-12.7 sq.mm-Cat.No.RD-483,Qty:3000 Nos. (IRS- E 301 & 304 ) (KI Brand.)	1	SSEE(TL/AC) LTT	Kamlesh Industries, Mumbai- 400 068.	28350
61	92.15.5827 .1. 65879	20.01.16	Fabricated Board manufactured from CRCA sheet dully powder coated of size 1500 x 500 x 400mm M.S. Stand etc complete with alluminium Bus Bar, DMC insulated etc. as per sketch attached.	500	SSE (EM) KYN	Tradelink, Mumbai- 400 083.	478750
62	92.15.5895 .1. 65880	20.01.16	Dust Pan (Supdee) Big Size 9" x 8" Good Quality Plastic make Nokoda, Omega.	1000	CMS KYN	Hans Enterprises, Mumbai-400 003.	32500

Sr	PO No.	Date	DESC.	QTY.	Consignee	Firm's Name	TOTAL
63	92.15.5896 .1. 65881	20.01.16	Phool Zadoo full size with Plastic Pipe with Handle. Brand Jonson, Rose, J K total length 30' with handle approx handle length 16" x 4' dia approx.	200	CMS KYN	Trimurti Enterprises, Thane-421 301.	14700
64	92.15.5851 .1. 65882	25.01.16	Wooden Trestle for OHE Drg.No.ET/SO/2725 R4.Drawing attached.	4	SSE(OHE) CLA	T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	56700
65	92.15.5917 .1. 65883	25.01.16	PLAYSAFE self turning high voltage insulation & jacketing tape for use 69 KV of size 38 x 0.76 x 9100 mm Stanvac cat. No. W963. make - Stanvac, ICC, Tagweld. ( Accepted offer for Stanvac Make )	93	SSE (EM) KYN	MRO Engineers, Mumbai - 400 080.	148777
66	92.15.5918 .1. 65884	25.01.16	Retrofit LED light 10 Watts, 230 Volts, 2 feet long LED Light 125 lums/w-CCT-6000K-non isolated driver Samsung Cree LEDsto fit in fitting.As per Sunshine Model No.TE-ML-SMD-600-10W-T8.Make:Tempcon Engineering Pvt.Ltd., Bajaj, CGL, Philips, Surya.	270	SSEE(M)CST M	Tempcon Engineering Pvt. Ltd., Mumbai - 400 050.	103950
67	92.15.5853 .1. 65885	25.01.16	Contact Twister for 193 sq.mm contact wire to Drg.No.OE/135. as per Drawing attached.	60	SSE(OHE) CLA	T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	50400
68	92.15.5832 .1. 65886	25.01.16	MCB Distribution Board,8 Way Double Door with Bus Bar, Neutral Link,Earth etc. with 1.No. SPN MCB 20A, 6.Nos.SP MCB 6A complete. Make : Standard Make.	52	SSEE(M)KYN	Satish Kumar Gupta, Firozpur Cantt-152 001.	49400
69	92.15.5675 .1. 65887	25.01.16	Hydrometer complete with glass barrel 260 mm long cylindrical hydrometer,180 mm long graduated from 1.100 to 1.300 at interval of 0.005 IR bulbs with tubing along with Calibration certificated.Make:-AMBER, THIMSON, THOMSON.	100	SSE(Sub-Stn)CLA	Bharat Industrial Corporation, Delhi-110 006.	9954
70	92.15.5852 .1. 65888	25.01.16	Motor Over Load Relay type:RE-EMP-1 HD-X-6H-3L OLX REEMP1HDX6H3LOLX-GA, (8 wheelar tower wagon rail engine parts). as per drg No.11901000-GA.	4	SSE(TD) DI	Inder Engineering Industries, Bhopal-462 023.	193489
71	92.15.5911 .1. 65889	25.01.16	M.S & Fibre fabricated bracket as per drawing attached with 16 amp.DP MCB weather proof 16 Amp. Male / Female socket along with 60 watts LED Flood Light Fitting complete with driver etc. to work on 230 volt, 50 Hz. Supply with IP 55 protection similar to Bajaj model no. BJFL LED 60 watts and with 40 meters. length of cable 2.5 sq. mm x 2 core sheathed copper conductor with Male / female weather proof connector on both end.	32	Sr.SEE (M) CSTM	Tradelink, Mumbai-400 083.	497600
72	92.15.5751 .1. 65890	28.01.16	WAVEFORM SIGNAL GENERATOR 1 MHZ MULTI - APLAB MODEL NO. MSG1M	1	SSE ( SIG/STORE) KALYAN	Impulse Technocrats, Haryana-122 001.	13183
73	92.15.5676 .1. 65891	28.01.16	M.S.Channel 'C' type size:25 x 50 x 3.15mm thickness,458mm length,1.200 Kg.weight for repairing of battery box.	1500	SSE(TL)CST M	Trimurti Enterprises, Thane-421 301.	73080
74	92.15.5914 .1. 65892	28.01.16	Smart Sence Intelligent Energy Management Unit ( IEMU ) Class-1 of Multi function energy meter with wireless communication device with GPRS activated Sim installed internet and control chip relay with contactor for switching ON/ OFF-IEMU to control load from remote location wireless technique with programmable timer four channel for remote switching Light/Fan Enersos model no.MFR/42 with CTS Set.	4	Sr.SEE(M)KY N	Reena Enterprises, Mumbai 400 078.	149310
75	92.15.5939 .1. 65893	28.01.16	3 core x 4 sq.mm XLPE insulated copper conductor unarmoured over all PVC sheathed cable as per IS 7098 (Pt.1) grade 1.1KV.	800	Sr.SEE(M)CS TM	Reena Enterprises, Mumbai 400 078.	142400

Sr	PO No.	Date	DESC.	QTY.	Consignee	Firm's Name	TOTAL
76	92.15.5945 .1. 65894	28.01.16	Electrical Fountain a)Fountain shall have tank of fibre of over all size 24"x24"x6 ½" to accommodate central pillar and water. b)2 nos. LED colour light preferably white in colour of 9 watts. Fixed on tank face focusing to central pillar.c) Central pillar kept on square vertical support of size 11 ¼" x 11 ¼" x 13" kept in tank. d) The overall height of central pillar shall be 19 ½" with preferably round shape at bottom and square shape at top of size 8 ½" x 8 ½" e) At top of the pillar one round globe of 9" dia be fixed with through hole from globe and pillar so that water can fall from top to bottom with help of pump. f) Sufficient size of pump with suitable size also shall be installed in the tank to lift water from bottom to top. g) Overall colour shall be black with white and black strip on the central pillar.	1	Sr.SEE(M)CS TM	Reena Enterprises, Mumbai 400 078.	76760
77	92.15.5835 .1. 65895	28.01.16	Refrigerator Domestic type having capacity 185 Ltrs. to 225 Ltrs.suitable to operate on 220-240 volts 50 Hz AC power supply not less than 3 Star rating , single door Videocon model No.VA 203E Samsung make.	2	SSEE(AC/STY) )CSTM	Hans Enterprises, Mumbai-400 003.	24900
78	92.15.5608 .1. 65896	28.01.16	LED street light -fitting 25 watts complete with driver suitable for 230 Volts, 50 Hz supply. Crompton Greaves 25W LED Street light Pressure die cast alluminium housing Cat. No.Ref LSTO-25 CDL.	44	Sr. SEE (Maint) CSTM	R.K.Sales Corporation, Mumbai- 400 004.	93308
79	92.15.5935 .1. 65897	29.01.16	1) Stainless Steel L- Section of size 1 1/2" x 1 1/2" of S . S 304 quality Qty- 40 Feet, 2) S.S. 304 quality perforated tray having corner 2" deep of size i) 15" x 45" - Qty.- 1 No., ii) 27" x 52" - Qty- 1 No.	1	SSE (WORKS ) CSTM	Park & Co., Mumbai 400 077.	25649
80	92.15.5556 .1. 65898	29.01.16	Heat shrinkable straight through joint kit for 6.6 KV grade 3 x 185 sq.mm Alu. XLPE cable with all accessories as per annexure attached. Make 'REPL'	20	SSE (Cable) CLA	Venus Electrical Trading Co., Mumbai- 400002.	119475
81	92.15.5802 .1. 65899	29.01.16	HP Laser Jet 1020 Printer. Make Canon Model LBP 2900B.)	1	SSE(OHE)DI	Excel Enterprises, Mumbai. 400 001.	7300
82	92.15.5971 .1. 65900	29.01.16	Small Angle Industrial Grinder 12 mm, 670 watts Mini Grinder to Bosch model No. GWS 6-125 or similar.	8	Sr.DEE(TRS- O)CSTM	Alfa Engineers, Mumbai- 400 009.	99880
83	92.15.5972 .1. 65901	29.01.16	Mild steel Fabricated Turn Table tray type Trolley with platform size Length 36",platform of angle 40 x 40 x5mm (16 SWG sheet) Tray height 9" of 18 SWG sheet with "T"type Handle to Turn & OperateTrolley.Width 24" with 4 Wheels of 8" x 2". Capacity 500 Kgs approx.with painted enamelled.	6	Sr.DEE(TRS- O)CSTM	Diwan Sons, Mumbai- 400 009.	89508
84	92.15.5969 .1. 65902	29.01.16	various types of Ink Cartridges of HP and Canon. (One Set of 29 Items consists of 107 Nos.)	1	Sr.DOM (G) CSTM	Computer Center, Mumbai-400 001.	176379