

Sr.	PO No.	Date	DESC.	QTY.	STATION	Firms Name	TOTAL
1	92.15.5900 .1. 65903	01.02.16	1) Cups and Saucers Set (One Set Consist of six cups & 6 saucers each) of Oasis, Mark or Marvel Bone China.Qty -8 Sets2) Electric kettle of 1.7 ltrs Capacity Bajaj, Prestige make Qty-3 Nos(One Set consist of two items 11 Nos.)	1	Sr DCM CSTM	Jasmine Trading Co., Mumbai - 400009	9249
2	92.15.5545 .1. 65904	01.02.16	Alluminium Wall Extension Ladder as per IS 4571/1977 or latest. Specification: 1) Length 10.9 Mtr.after extension and 6.1 Mtr.in close condition. 2) Width: 380 mm. 3) Cross section:75 mm x 35 mm x 3.8 mm (thick). 4) Steps from 26 mm dia floated aluminium pipe fitted at interval of 250 mm in section up to complete length. 5) With following good quality accessories : Pulley, nylon rope of sufficient length, Rubber pad, Safety lock. (Accepted offer for Sumer brand design No. AL100/8809)	35	SSE(TD)O HE-CLA	Sumer and Co., Delhi 110 006.	764663
3	92.15.5975 .1. 65905	01.02.16	Industrial rechargeable emergency light with 2 x 20 W 2 feet long tube battery capacity 6V 4.5 Amp. Make - BN V Tari or similar.	36	Sr.DEE(TR S-O)CSTM	Alfa Engineers, Mumbai- 400 009.	98856
4	92.15.5692 .1. 65906	01.02.16	Torque wrench standard Model No. TW-100 IS/ISO 6789-2003 Make Taparia.	10	SSE (S/S) KYN	Sanko Engg Co., Mumbai 400 002.	25494
5	92.15.5973 .1. 65907	02.02.16	Insect Killer with UV tube size 24" x 2 Nos.UV tube 230V.with wall & ceiling mounted fitting arrangements.Make: Pasto Fly Kill,Fly Nill,Fly Killer Machine (Ultra Violate Tube).	19	Sr.DEE(TR S-O)CSTM	Alfa Engineers, Mumbai- 400 009.	97375
6	92.15.5747 .1. 65908	02.02.16	Cardiac defibrillator UNIEM Make Model DEFIBRILLATOR II Cardiac Defibrillator Cum Monitor as per Compliance Statement.	1	CMS KYN	Akshar Marketing, Vasai (W) 401 202	83538
7	92.15.5974 .1. 65909	02.02.16	Electrical Contact Cleaner packing of 500 ml. aerocel can. Make: Wruth/Anabond/Rigid.	107	Sr.DEE(Trs O) CSTM	Diwan Sons, Mumbai-400 009.	99082
8	92.15.5863 .1. 65910	02.02.16	Self supported Aluminium Ladder 8 feet. Manufactured from high tensile aluminium alloy. A sef strong, versatile multi-purpose folding ladder with ladder with non slip corrugated steps and platform on top, ideal for electricians and industrial workman. light in weight - fire proof - rust proof - dust proof. Tech. specification : Sides channel section 2 5/8" x 1 1/4" dia. approx, Rungs : 1" dia. non-slip corrugated tubing at 10"/12" center to center. Make - Accurate, Senior make.	8	SSE (TELE/STO RE) KYN.	Park & Co., Mumbai 400077.	33417
9	92.15.5864 .1. 65911	02.02.16	Self supported Aluminium Ladder 10 feet. Manufactured from high tensile aluminium alloy. A sef strong, versatile multi-purpose folding ladder with ladder with non slip corrugated steps and platform on top, ideal for electricians and industrial workman. light in weight - fire proof - rust proof - dust proof. Tech. specification : Sides channel section 2 5/8" x 1 1/4" dia. approx, Rungs : 1" dia. non-slip corrugated tubing at 10"/12" center to center. Make - Accurate, Senior make.	6	SSE (TELE/STO RE) KYN.	Park & Co., Mumbai 400077.	31860
10	92.15.5730 .1. 65912	03.02.16	M.S. square Head Bolt with Nut (H/H) size 25 x 90 mm as per RDSO Drg. No. T - 11504	6000	SSE (P WAY) BND	Pacheria castings Pvt. Ltd. Howrah- 711 101.	232313
11	92.15.5750 .1. 65913	03.02.16	DIGITAL STORAGE OSCILLOSCOPE DC TO 100MHZ 2 CHANNEL 1GS/S APLAB MODEL NO D37100A MAKE APLAB , OR SIMILAR MODELS OF KUSAMMECO,PHILIPS (Accepted Brand UQ2000L Specification & Details attached.	1	SSE (S/Store) KALYAN	H.P.Enterprises, Mumbai- 400 019.	48300
12	92.15.5600 .1. 65914	04.02.16	LED Step Light Luminaire 3 to 5 watts LED (Round) 230 volts. As per Pyrotech model No. PE-12-D-3-1X00B of make Pyrotech Electronic Pvt. Ltd.	100	Sr.SEE (Maint) CSTM	H.P.Enterprises, Mumbai- 400 019.	78645
13	92.15.5785 .1. 65915	04.02.16	Piano type multi socket 2 in 1 suitable for 2 pin and 3 pin 6A top 230 volts, 50 Hz, AC supply. Make - Kalki, Anchor, Havells, Cona. Non ceramic type and as per IS 1293.	6600	SSE (EM) KYN	Bharat Industrial Corpn, Delhi- 006.	96525

Sr.	PO No.	Date	DESC.	QTY.	STATION	Firms Name	TOTAL
14	92.15.5699 .1. 65916	04.02.16	6.6 KV, 3 core, 185 sq mm, Aluminium stranded and compacted cable with extruded conductor cable, extruded conductor screening, insulation screening, PVC inner sheathed XLPE insulated, galvanized steel round wire armoured PVC outer sheathed cable, as per IS: 7098, (part-II)/1985 or latest.	140	SSE/Cable/CLA	Jayshree Engineering Works, Kolkata- 700001.	142590
15	92.15.5828 .1. 65917	04.02.16	AMF panel suitable for 140 KVA HA series Kirloskar DG set complete with Control Card ,Battery Charger 24 volt DC, MCCB for normal DG supply , Control wiring MCB, Terminal ON / OFF push button, Indication lamp, Auto / Manual, Rotary switch Reset Start Stop push button, Oil Temp, Oil pressure, DC Amp, Gauge Meter as per technical feature attached.	1	SSEE(M)KYN	Paramount Electricals Pune- 411 014.	99000
16	92.15.5736 .1. 65918	04.02.16	M.S. Plate Screw as per RDSO drg. No. T - 3912.	42000	SSE (P WAY) BND	Premier sale Agencies, Kolkata 700 001.	1120980
17	92.15.5970 .1. 65919	04.02.16	New Ribbon Cartridges for EPSON Lx-310 Printer. Size 12.7mm x 18 Mtrs long. LIPI.	4920	Sr DCM CSTM	Pat & Co., Mumbai 400 001,	966042
18	92.15.5748 .1. 65920	08.02.16	Cautery Machine Bipolar Model gem 400-400 Watt Micro computer controlled electrosurgical unit, Microcontroller based, Feather touch system, Digital PURE CUT : 400 W, BLEND1 : 250 W, BLEND2 : 200 W, SPARY : 120 W, FULGURATE : 150 W, DESSICATE : 80 W, BIPOLAR MICRO COAG : 80 W, Operating frequency : 500 khz, ISOLATED RF OUT PUT AUTO COMPENSATION NET WORK, One additional hand pies (cord). Make Bipolar, Galtron, L&T. (Accepted offer for Make EASE SYATEMS Model SMART-4 Catalogue attached.)	1	CMS KYN	Vineet Traders, Thane-401 105.	69999
19	92.15.5938 .1. 65921	10.02.16	1) Stitched window curtains of superior quality thick velvet finish cloth providing eyelet 1 1/4" Ring (dia) each of fixing , 5" fold on Bottom & 1 1/2" fold on top with 1" curtain Tape on Top. Make GM, D Decor, Hi-Tech. i) Size 102" x 42" with 8 Nos. Ring Qty- 8 Nos. ii) Size 102" x 54" with 10 Nos. Ring Qty- 2 Nos. iii) Size 102" x 108" with 24 Nos. Ring Qty- 1 No. iv) Size 102" x 80" with 16 Nos. Ring Qty- 2 Nos. (as per sample approved). 2) Yoga Mat 8 mm foam sheet Size:- 2 1/2' x 6 1/2' Skidless quality made of Yogitoes, Nivia, Manduka. Qty.- 28 Nos. 3) Roller Blinds made of thick quality stiff fabrics made of Puritex, Rollex, Vista Size:- 78" x 84" - Qty. - 6 Nos. (as per sample approved).	1	SSE (WKS/CUST) CSTM	D.M. Rathod, Mumbai - 400 028.	110990
20	92.15.5604 .1. 65922	10.02.16	Set of Tripping Coil and Closing Coil. 1) Closing Coil assembly 110V DC suitable for 22KV SF-6 Circuit Breaker model No.62 DPSC 110 M-230. Make: Kirloskar, Qty: 6 Nos., 2) Tripping Coil assembly 110V DC suitable for 22KV SF-6 Circuit Breaker model No. 62 DPSC 110 M-230. Make: Kirloskar. (1set consist of two items and Twelve numbers). (Accepted offer for KC make Closing & Tripping coil 110 V DC).	1	Sr.SEE (Maint) CSTM	La-Petero Corporation, Mumbai - 400 088.	89663
21	92.15.5879 .1. 65924	10.02.16	CFL Lamp 45 watt E/27 Cap. Suitable for 220/240V 50Hz. AC supply, Cool Day Light, Havells cat. No. PHFF/045 of Bajaj make.	195	SSE (EM) KYN	Nayyar Enterprises, Panjab - 152 201.	57525
22	92.15.5880 .1. 65925	10.02.16	Fully Automatic 25HP Star Delta Starter with SPP suitable for Ac-3 duty 415V 50Hz AC complete with Powder coated sheet enclosure L&T cat. No. 94364. of Havells make cat No. IHPASDQD.	15	SSE(EM)KYN	A.M.Jain & Co. Bhusawal - 425 201	81884
23	92.15.5884 .1. 65926	10.02.16	Multi Purpose Portable Drill Machine, 400W, 230 V, 2200/2800 RPM, Model GSB 10RE of M/s. Bosch. Make: Bosch, Black and Decker and Ralli Wolf.	2	SSE(OHE) DI	Prompt Trading Co., Pune - 411 001.	4455
24	92.15.5696 .1. 65927	10.02.16	Pedestal Fan in Metal body 500 mm 20" sweep in White or Grey Colour to work on 230 Volts AC supply. Make: Bajaj, CGL, Havells, Almonard, Usha.	56	Sr.SEE(M) CSTM	Bharat Industrial Corporation, Delhi- 110 006.	128184

Sr.	PO No.	Date	DESC.	QTY.	STATION	Firms Name	TOTAL
25	92.15.5778 .1. 65928	10.02.16	Refrigerator domestic type having capacity 321 to 365 Ltrs. Suitable to operate on 220-240 volts, 50 Hz, AC power supply not less than 3 star rating , Samsung model No. RT33FAJFALX-TL double door. Make - Samsung, Electrolux, Whirlpool, L.G. (Accepted offer for Whirlpool make model No. PRO 355 ETL 3S FIN I capacity 340 liter 3 star rating).	5	Sr. SEE (AC	Bharati Engineering Works, Howrah 711 104.	163014
26	92.15.5916 .1. 65929	12.02.16	Copper Lugs 25 sq.mm Single Hole for AFTC track lead Make Dowells.	4000	SSE (SIG) CLA	Automic Electric & Refrigeration Co., Secunderabad- 500 003.	31458
27	92.15.5934 .1. 65930	12.02.16	Aquaguard Hi-Flo Water purifier as per technical specification Power Rating up to 35 watts, input voltage 230V AC 50 Hz with ultra violet lamp, input water pressure min 0.4 kg/Sq. cm, water flow rate 2 Liters/ min with auto shut off facility on site fitting installation Alfa Sparkle Plus UV.	11	SSE (SIG) CLA	Siddhi Vinayak Enterprises,Mumbai – 400 097.	59114
28	92.15.5932 .1. 65931	12.02.16	Copper Ring terminal lug 2.5 sq.mm. Size as per Dowell's Cat. No.7071- 7000 Nos. & Cat. No.7076 - 7000 Nos. One set consist of 2 Items & One No. each of 'BRACO' make.	7000	SSE (SIG) CLA	Shree Yamuna Trading Corpn, Bhusawal. 425 201.	7630
29	92.15.5930 .1. 65932	12.02.16	Polythene Sheet Yellow Colour 500 Guage 0.18 mm with 2 Mtrs. Width.	800	SSE (SIG) CLA	Vineet Traders, Thane-401 105.	91200
30	92.15.5915 .1. 65933	12.02.16	Perplex sheet 6' x 4' x 5 mm thickness clear for use in operating panel Make Swatik , Neelkamal, Anabond.	24	SSE (SIG) CLA	Power Electronics, Mumbai-401105.	43080
31	92.15.5929 .1. 65934	12.02.16	Adustable wire wound resistance complete with stud and fixing brackets for Siemens rack of 2 ohm 50 watt - 1 No. , 3 ohm 50 watt - 1 No. Make Kiyash, PEC, APR. (One Set consistof 2 Items & 1 No .each.)	100	SSE (SIG) CLA	G.T. Electronics, Chennai- 600 017.	14175
32	92.15.5697 .1. 65935	16.02.16	Preprinted Computer Continuous Stationery Blank with Logo copy mark and numbering.10" x 12" x 5 Parts different colour 60 GSM paper Carbnless paper.as per sample.	10000	Sr DFM CSTM	Business Machines,Mumbai-400083.	56000
33	92.15.5937 .1. 65936	16.02.16	Spare part of Electric Lifting barrier motorized locking unit complete with motor rack and pinion drive lock side bearing blocks, 3 limit Switch wiring terminal key housing and base stand along with boom lock as per RDSO specification RDSO/SPN/208/2012 ver.2.0 with latest amendment.	15	SSE (SIG/STO) KYN.	Globe Scott Motors Pvt. Ltd., Valsad-396 125.	377850
34	92.15.5887 .1. 65937	16.02.16	Plastic Cover for 2- aspect Signal unit cover is opened from front side and bottom side and made of Black Polythene Sheet of 100 micron thickness, Size 1200 MM x 460 MM x 205 MM. On back side 75 MM wide corner to corner diagonal cross mark of cover colour of 100 Micron thickness to be provided. To tie up cover signal unit suitable nylon rope of 5 MM dia and 4 mtrs. Length to be provided on front side and of 1.5 Mtrs. Length at Centre as per drg. No. R-ST-12075. attached.	800	SSE (SIG/STORE) KALYAN	Vineet Traders, Thane-401 105.	85600
35	92.15.5881 .1. 65938	16.02.16	Modified bond plate for side connection of AFTC suitable to be Fixed rail Wed.1 Set of bond plate consists of -2 Nos. , bond plate -4 Nos., Copper lug -4 Nos., 7 mm taper pin -2 Nos., 16 mm taper pin - 4 Nos., M-6 bolt with Washer and Nut as per Railway Drawing No. R-ST- 12047 SS -304 Grade.	40	SSE (SIG/STOR E) KYN.	Shreenathji Metals, Mumbai- 400 004.	27300
36	92.15.5890 .1. 65939	16.02.16	S S Taper Pin size 16 mm dia 82 mm length taper from 19 mm to 16 mm along with One Hexagonal Nut, one check nut , One plain washer and One spring washer as per drg. No. RST 12004.attached.	700	SSE (SIG/STOR E) KYN.	Shreenathji Metals, Mumbai- 400 004.	52185

Sr.	PO No.	Date	DESC.	QTY.	STATION	Firms Name	TOTAL
37	92.15.5883 .1. 65940	16.02.16	Stop disc size 600 mm dia circle made of 3 mm aluminium composite panel background Red high intensity Primate grade reflective sheet with white reflective lettering in English & Hindi for power operated L C Gates. Avery/ Denninsion/3M India /Nikalite with Clamp as per drawing attached.	40	SSE(S/S) KYN.	Suchem Engg. Corpn, Mumbai- 400 064.	41933
38	92.15.5821 .1. 65941	16.02.16	G.M. Gate Valve 2 inch Screwed Female Ends to BSP, Solid Wedge, Non Rising Stem and Screwed in bonnet confirming to IS-778 class 1. Make:- Apar Udyog, Hind Metal Work.	50	SSE (EM) KYN	Prime Machine Tools Centre, Secunderabad-500 003.	66150
39	92.15.5667 .1. 65942	16.02.16	PCB for 2.5 KVA Inverter for IGBT based Inverter,110 V DC In put and 230 V DC Out put which consists on a single PCB power supply Inverter,Drivers 4 Nos.,Cards with O/P short circuit and over Current protection,I/P low protection with proper CT and LED indication PCB.	18	SSEE(TL/A C)LTT	Om Trading Co., Kalyan (E) ,421306.	126000
40	92.15.5668 .1. 65943	16.02.16	PCB for 5 KVA Inverter for IGBT based Inverter,110 V DC In put and 230 V DC Out put which consists on a single PCB power supply Inverter Drivers 4 Nos. Cards with O/P short circuit and over Current protection I/P low protection with proper CT and LED indication PCB.	16	SSEE(TL/A C)LTT	Om Trading Co., Kalyan (E) ,421306.	134400
41	92.15.5677 .1. 65944	16.02.16	Acrylic sheet clear size:664mm long,52mm deep,155mm width,2.75mm thickness for FT.Tube light fitting.	800	SSE(TL)CS TM	Shanti Engg. Works, Mumbai- 400 068.	66360
42	92.15.5889 .1. 65945	16.02.16	Strip Machined Compressed Vegetable Tanned Hydraulic Leather hide in piece of size:400mm x 400mm x 4mm to 5mm thickness confirming ISS:3020.	160	SSEE (M) WB	Shri Vijay Industries, Rajasthan.342 007	25200
43	92.15.5822 .1. 65946	16.02.16	G.M.Gate Valve 1.1/2 inch Screwed Female Ends to BSP,Solid Wedge, Non Rising Stem and Screwed in bonnet confirming to IS 778 class 1. of Mittal Brand with ISI mark.	85	SSE (EM) KYN	Siddhi Vinayak Enterprises,Mumbai – 400 097.	80665
44	92.15.5786 .1. 65947	16.02.16	Digital three cup rotating type anemometer as per specification attached.(Accepted offer for Wind Velocity Monitor Switch model WMS Sensor.)	2	SSE / Co / PNVL	Bhagat Sales Corporation, Mumbai	56251
45	92.15.5700 .1. 65948	16.02.16	Refrigerator Domestic type having capacity 580-610 Ltrs. Suitable to operate on 220-240 volt 50Hz AC power supply,not less than 3 star rating of Videocon model VPP60ZPS in 618 liters.	2	Sr.SEE(AC-STY)CSTM	Siddhi Vinayak Enterprises,Mumbai – 400 097.	137980
46	92.15.5801 .1. 65949	16.02.16	MCCB 4 Pole 125 Amps, 35 KA with Thermal Magnetic Release 415 V confirming to ISI 13947. L& T make.	35	SSEE (M) KYN	A.R. Enterprises, Mumbai-400 003.	110250
47	92.15.5803 .1. 65950	16.02.16	3 Pole MCCB 50 KA, 415Volts, 50HZ AC supply capacity 200A with Fixed Thermal Magnetic Release confirming to ISI 13947.	14	SSEE (M) KYN	Galaxy Enterprises, Madhya Pradesh-457 001.	32200
48	92.15.5912 .1. 65951	16.02.16	Set of spare material for SMC 4-100 Compressor. 1) Half Suction Bearing STD (1 pair = 2 pcs). Qty :- 04 Pairs. 2) Oil Pump assembly. Qty:- 06 Nos. 3) Piston with Pin and Ring assembly. Qty :- 12 Nos. 4) Shaft Seal Assembly. Qty :- 06 Nos. 5) Suction Valve Reed. Qty :-16 Nos. 6) Discharge Valve Reed. Qty:- 16 Nos. 7) Loading and Unloading Pin. Qty:- 08 Nos. 8) Split Pin. Qty:-12 Nos.	1	Sr.SEE(AC-STY)CSTM	M.N. Enterprises, Thane 421 306.	137500
49	92.15.5888 .1. 65952	17.02.16	Electroplated copper conductor Twin Twisted flexible Red/ Black wire of size 14/36 multistrands Make of KAPCO.	4500	SSE (T/S) KYN.	Bharat Cable Corporation, Delhi - 110 052	24041

Sr.	PO No.	Date	DESC.	QTY.	STATION	Firms Name	TOTAL
50	92.15.5950 .1. 65953	17.02.16	25 mm M.S. Galvanised wire rope flexible with 6/19 core with 'D' type lug insulated with PVC outer sleeve 3 mm wall thickness,rope length 2 Mtrs. (Wire rope end to end).	120	SSE(OHE) Nerul	A.M. Diesel Spares Corpn, Mumbai - 400 070.	63000
51	92.15.5948 .1. 65954	17.02.16	25 mm M.S. Galvanised wire rope flexible with 6/19 core with 'D' type lug insulated with PVC outer sleeve 3 mm wall thickness,rope length 3 Mtrs. (Wire rope end to end).	100	SSE(OHE) Nerul	Minakshi Hydraulic System Pvt. Ltd., Thane - 400 602.	63000
52	92.15.5947 .1. 65955	17.02.16	25 mm M.S. Galvanised wire rope flexible with 6/19 core with 'D' type lug insulated with PVC outer sleeve 3mm wall thickness, rope length 4.5 Mtrs. (Wire rope end to end).	90	SSE(OHE) Nerul	Minakshi Hydraulic System Pvt. Ltd., Thane - 400 602.	56700
53	92.15.5951 .1. 65956	17.02.16	32 mm M.S. Galvanised wire rope flexible with 6/19 core with 'D' type lug insulated with PVC outer sleeve 3 mm wall thickness, rope length 10 Mtrs. (Wire rope end to end).	20	SSE(OHE) Nerul	Mak Traders, Pawai Mumbai	98400
54	92.15.5953 .1. 65957	17.02.16	25 mm M.S. Galvanised wire rope flexible with 6/19 core with 'D' type lug insulated with PVC outer sleeve 3 mm wall thickness, rope length 5 Mtrs. (Wire rope end to end).	110	SSE(OHE) Nerul	Mak Traders, Pawai Mumbai	98780
55	92.15.5952 .1. 65958	17.02.16	32 mm M.S. Galvanised wire rope flexible with 6/19 core with 'D' type lug insulated with PVC outer sleeve 3 mm wall thickness, rope length 12 Mtrs. (Wire rope end to end).	20	SSE(OHE) Nerul	A.M. Diesel Spares Corpn, Mumbai - 400 070.	98940
56	92.15.5946 .1. 65959	17.02.16	25 mm M.S. Galvanised wire rope flexible with 6/19 core with 'D' type lug insulated with PVC outer sleeve 3mm wall thickness, rope length 3.5 Mtrs. (Wire rope end to end.)	125	SSE(OHE) Nerul	A.M. Diesel Spares Corpn, Mumbai - 400 070	98625
57	92.15.5949 .1. 65960	17.02.16	25 mm M.S. Galvanised wire rope flexible with 6/19 core with 'D' type lug insulated with PVC outer sleeve 3 mm wall thickness, rope length 15 Mtrs. (Wire rope end to end).	20	SSE(OHE) Nerul	Mak Traders, Pawai Mumbai	91560
58	92.15.5848 .1. 65961	17.02.16	RCCB, 25 Amps, 4 Pole, 30mA, 415 Volt-AC.As per C&S product code No.CSRB4P25A30.	45	SSE(AC/C OG) CSTM	Adinath Electricals, Bangalore-53.	64091
59	92.15.5824 .1. 65962	17.02.16	Nylon Tie of 368 mm size and 4.2 mm width Make 3M, C&C, Surelock, Polytie 100 Nos in One Packet. (Accepted offer size - 403 plus or minus 5mm x 4.2 plus or minus 0.2mm x 1.2 plus or minus 0.1mm).	300	SSE(T/STO RE) KYN	Black Burn And Co. Private Ltd., Kolkata - 700 007.	30122
60	92.15.5924 .1. 65963	17.02.16	Battery sealed LA maintainence free 12V/65AH. Make - Exide, Amaraja, HBL, Microtek, Powersafe only.	16	SSE (T/S) KYN	Vineet Traders, Thane-401 105.	70560
61	92.15.5891 .1. 65964	17.02.16	Galvanized square headed Bolt 19 MM dia 100 MM Length Full Threaded the material shall be of steel T -10	400	SSE(S/Stor e) KYN	BMR Enterprises, Bhusawal-425 201.	22040
62	92.15.5739 .1. 65966	17.02.16	M.S. Crossing Bolt with Nut size 25 x 260 mm as per RDSO Drg. No. T - 11521	24	SSE (P Way) BND	Kalindi Rail Udyog, Howrah- 711 113.	1210800
63	92.15.5689 .1. 65967	18.02.16	Toner Cartridges of printer Canon image CLASS MF-3010 Conon Toner 925.	6	Sr DSC CSTM	Purnima Enterprises, Karnataka 560 078.	5817
64	92.15.5954 .1. 65968	18.02.16	25 mm M.S. Galvanised wire rope flexible with 6/19 core with 'D' type lug insulated with PVC outer sleeve 3 mm wall thickness, rope length 7 Mtrs. (Wire rope end to end).	90	SSE(OHE) Nerul	A.M. Diesel Spares Corpn, Mumbai - 400 070.	91800
65	92.15.5957 .1. 65969	18.02.16	Z - 121 Red Kote air drying class II insulation and protection coating in 500 ml. aerosal can as per specification attached. Make:- Stanvac Product CVC Red insulating Varnish in 550 ml. Tin.	100	SSE/SS/C O/PNVL	Chem-verse Consultants (I) Pvt. Ltd., Mumbai.400020	34125

Sr.	PO No.	Date	DESC.	QTY.	STATION	Firms Name	TOTAL
66	92.15.5958 .1. 65970	18.02.16	Spark Gap Earthing Device as per Drg. No. F279(M)R8.	450	SSE/TD/O HE/Nerul	Aakanksha Steel & Engineering Co., Mumbai No. 400083.	79853
67	92.15.5800 .1. 65971	18.02.16	Z 201 Pufseal 1K-S Self Expanding Polyurethane Foam Sealent for filling large cavities in 500 ml can.	100	SSE (Co) PNVL	H.P.Enterprises, Mumbai- 400 019.	26145
68	92.15.5563 .1. 65973	23.02.16	Safety belt for Full body harness class P as per annexure attached and as per IS.3521/1999,Amendment 1,2 or latest, IS approved	50	SSE(Sub- Stn)CLA	Moral Enterprises, Mumbai- 400 080.	40500
69	92.15.5846 .1. 65974	23.02.16	Wire Mesh Guard cover suitable for F.T.fitting 2 feet long, powder coated White colour size: 660 mm x 153 mm x 50 mm depth.	1300	SSE(TL)CS TM	Jayashree Trading Cop, Mumbai 400 078.	93600
70	92.15.5956 .1. 65975	23.02.16	415 Offline Contact Cleaner non flammable plastic safe residueless contact cleaner 700 ml. aerosal can as per specification attached. Spray zet 6002 Safe Clean of make Twin Tech India Pvt. Ltd. Packing in 700 ml Aerosol Can.	100	SSE/SS/C O/PNVL	Twin Tech India Pvt. Ltd., Ghaziabad.201 009.	20322
71	92.15.5829 .1. 65976	23.02.16	Set of lights. 1) Round shape with wooden metal finish body & diffused glass having 4 nos.25watts Yellow lights suitable to mount on ceiling .Over all dia 47cm x 7cm.-Qty:2 Nos. ,2) Spot light having LED 6 watts 230 volts with suitable driver.-Qty:15.Nos.	1	SSEE(M)C STM	Shri Satguru Elect & Trading Co., Mumbai 400 003.	30040
72	92.15.5877 .1. 65977	23.02.16	Video Shooting Camera of SONY Model No. HDR- PJ 410 or Nikon, Samsung. specification of SONY Model No. HDR- PJ 410 .	1	Sr DSO CSTM	Trimurti Enterprise,s Thane-421 301.	30990
73	92.15.5838 .1. 65978	23.02.16	Lamp 3 Watt LED in Line With RDSO spec. No.RDSO/ PE/SPEC/TL/D/0091(Rev.0) 2008 Amdt. 1 for retrofitment of 15 watt lamp in the existing fitting of AC coaches.	1000	SSE(AC/C OG) CSTM	Saral Industries, Kolkatta- 700 002.	89000
74	92.15.6036 .1. 65979	23.02.16	Tyre and Tube for TATA Sumo LT MRFZ VT RADIAL. Tyre size 215/75/ R15 Make MRF.	5	Sr .DSC RFF CSTM	Hans Enterprises, Mumbai-400 003.	31500
75	92.15.5944 .1. 65980	24.02.16	Wall mounted R.O. Water purifier having the system of cleaning water by RO, UF, UV & TDS controller in ABS body Capacity 6-8 Ltrs./Hr. with storage capacity 6 to 8 Ltrs. with transparent water level indicator. Make:- KENT SUPERSTAR	4	Sr.SEE(M) KYN	Siddhi Vinayak Enterprises,Mumbai - 400 097.	66996
76	92.15.5923 .1. 65981	24.02.16	W963-ply-safe tape EPR high voltage self fusing permanent insulating jacketing tape in size. 38 mm x 0.75 mm x 9.15 mtr Roll. Make - Zenith	65	SSE (TELE/STO RE) KYN	CGPPI Adhesive Products Ltd., GOA - 403 115.	34702