

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
1	92.15.5841 .1. 65982	03.03.16	Lamp 6 Watt LED in line With RDSO spec No.RDSO/ PE/SPEC/TL/D/0091(Rev.0) 2008 Amdt.1 for retrofitment of 11 watt CFL in the existing fitting of AC coaches.	250	SSE(AC/COG) CSTM	GRE Electronics Pvt. Ltd. Mumbai 400 001.	32744
2	92.15.5840 .1. 65983	03.03.16	Lamp 12 Watt LED in Line With RDSO spec No.RDSO/ PE/SPEC/TL/D/0091(Rev.0) 2008, Amdt.1 for retrofitment of 18 watt Tube Light in the existing fitting of AC coaches	150	SSE(AC/COG) CSTM	Railtech Consultants Pvt., Ltd., Pune 411 026.	37500
3	92.15.5968 .1. 65984	03.03.16	HRC Fuse 40 Amps DIN type with Blade Contacts size-00, Square body, 80KA, 415 Volt, 50Hz as per IS 13703 (Pt.2 Sec.1) & IEC 269 (Pt.1 & 2) complete with indicator.	1400	SSEE(TL)CSTM	Sam Electricals, Mumbai 400 002.	167418
4	92.15.5955 .1. 65985	03.03.16	PVC insulated single core multistrand flexible copper wire 4 sq.mm voltage grade 1100V as per IS:694 - 1990 (Red & Black colour).	2000	SSE/SS/CO/P NVL	N K Entereprises, Ahmedabad-457 001.	32700
5	92.15.5805 .1. 65986	03.03.16	MCB 40 Amp, Single Pole with Extended Terminal & Mounting Bracket 110 volt DC SPEC E-12/1/04 of March 92 with Amendt-1 of June 93 and RDSO Drg.No.SKEL 3700 ALT.1 DT 5.9.94	175	SSE (TL) CSTM	Welcut Devices (P) Ltd., DELHI. 110006.	57881
6	92.15.5582 .1. 65987	03.03.16	Copper Tube Terminals (Long Barrel) size 95-12.7 sq.mm. (IRS- E 301 & 304)	1000	SSEE(TL/AC) LTT	Kamlesh Industries, Mumbai- 400 068.	52500
7	92.15.5575 .1. 65988	03.03.16	Set of Copper Ring Terminals (Double Grip) ,Each Set consist 4 items.1)Size:2.5-10.2 sq.mm-Qty:3000 Nos.2)Size:4.6-4.2 sq.mm-Qty:3000 Nos.3)Size:4.6-5.2 sq.mm,Qty:3000 Nos.4)Size:4.6-8.2 sq.mm-,Qty:3000 Nos. (IRS- E 301 & 304)	1	SSEE(TL/AC) LTT	Kamlesh Industries, Mumbai- 400 068.	37800
8	92.15.5581 .1. 65989	03.03.16	Copper Tube Terminals (Long Barrel) size 70-10.5 sq.mm. (IRS- E 301 & 304)	1500	SSEE(TL/AC) LTT	Chetna Engg. Co., Nashik 422 010.	59801
9	92.15.5583 .1. 65990	03.03.16	Copper Tube Terminals (Long Barrel) size 120-12.7 sq.mm. (IRS- E 301 & 304)	900	SSEE(TL/AC) LTT	Kamlesh Industries, Mumbai- 400 068.	63315
10	92.15.5893 .1. 65991	03.03.16	Dry cells 1.5 volt, R-14 cell HEAVY-DUTY, LEAK-PROOF, METAL-JACKETED, CYLINDRICAL HAVING A SHELF LIFE OF 12 MONTHS FROM THE DATE OF SUPPLY.	600	SSE TELE STORE KYN	Shubhada Electrotech Services, Nashik 422013.	8700
11	92.15.5687 .1. 65992	03.03.16	SITEL (61) primary cell (dry Leclanche Type) 1.5V, for Railway Signaling & Telecom Application to IRS Specn. No. S95/96 with amendt: 1 or latest.	396	SSE (TELE) Store/KYN	Vijay Electronics, New Delhi- 110 020.	192060
12	92.15.5679 .1. 65993	03.03.16	Contactore LS 5S K.4.11:AC 440V + 10% -20%,50Hz Mit Hilfs Schalter 1S +102 B.HS.BK.11 Drawing no.EK110-40 220-230V.Make:AEG,ABB.	4	Sr.SE(ETL/AC)LT(T)	Welcut Devices (P) Ltd., DELHI. 110006.	79296
13	92.15.5578 .1. 65994	03.03.16	Set of Copper Fork Terminals,Each set consist 7 items.1) Size:1.5-3.5 sq.mm,Cat.No.F-214,Qty:3000 Nos.2) Size:1.5-3.5 sq.mm.,Qty:3000 Nos.3) Size:1.5-3.1 sq.mm.,Qty:3000 Nos.4) Size:2.5-3.5 sq.mm.,Qty:3000 Nos.5) Size:2.5-5.0 sq.mm.,Qty:3000 Nos.6) Size:4.6-3.5 sq.mm,Qty:3000 Nos.7) Size:10-8.2 sq.mm,Qty:3000 Nos. (IRS- E 301 & 304)	1	SSEE(TL/AC) LTT	Kamlesh Industries, Mumbai- 400 068.	35700
14	92.15.5584 .1. 65995	03.03.16	Copper Tube Terminals (Long Barrel) size 150-12.7 sq.mm. Cat. No. CT-88 of M/s. Braco Electricals (IRS- E 301 & 304)	750	SSEE(TL/AC) LTT	Kamlesh Industries, Mumbai- 400 068.	62213
15	92.15.5960 .1. 65996	03.03.16	Heat Shrinkable straight through Joint Kit suitable for 22KV 3 x 240 Sq.mm Allum. XLPE cable with all accessories as per annexure attached.	8	SSE(Cable)CLA	Venus Electrical Trading Co., Mumbai- 400002.	144180

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
16	92.15.5959 .1. 65997	03.03.16	Heat Shrinkable straight through Joint Kit (Transition Type) suitable for 22KV 3 x 240 Sq.mm Allum. XLPE cable with 3 x 300 Sq.mm Allum. PILC cable with all accessories as per annexure attached.	8	SSE(Cable)CLA	N S Corporation, Mumbai-400 077.	129600
17	92.15.5961 .1. 65998	03.03.16	Heat Shrinkable straight through Joint Kit suitable for 3 1/2 x 70 Sq.mm Allum.cable complete as per annexure attached.	10	SSE(Cable)CLA	Venus Electrical Trading Co., Mumbai- 400002.	16200
18	92.15.5940 .1. 65999	04.03.16	LED Flood Light Fitting 36-38 watt for output Lumens 3500 similar to Philips Cat.No. BVP 120 with Driver suitable for 230 volts 50HZ AC supply.	18	Sr.SEE(M)KYN	Modern Lighting Systems, Delhi 110 035.	31654
19	92.15.5941 .1. 66000	04.03.16	C.I. Non Return Valve of size 65mm, 80mm complete with hinge pin high tensile brass, seat/body ring of bronze length 65mm - 240mm, 80mm - 260mm confirming to IS - 5312 (Part-1).	30	Sr.SEE(M)KYN	SELC N International, Mysore- 570 009.	129328
20	92.15.5942 .1. 66001	04.03.16	Fully Automatic Star Delta Starter 20HP suitable for 415V AC supply , 50Hz with Overload Relay range 17-25 Amps similar to Havells Cat.No. IHPASDPD*.	17	Sr.SEE(M)KYN	A.M.Jain & Co., Bhusawal - 425 201.	87608
21	92.15.5843 .1. 66002	04.03.16	Digit Outside Micrometers, Series-193, Range 0.25 mm, Graduation 0.01 mm, Accuracy +/- 2 micro meter Mitutoyo make.	20	SSE(OHE)CLA	A.R. Enterprises, Mumbai-400 003.	73500
22	92.15.5812 .1. 66003	04.03.16	CAM operated rotary switch 63 Amps, S63 type, 3 pole, 2 way mounting B02.	50	SSE (AC/Cog) CSTM	Switchon Industries, Mumbai- 400 086.	55598
23	92.15.5943 .1. 66004	04.03.16	Set of Special Hand Tool Wrench. 1) DINISHA Model No. AD2BS/SR.SK.M&P.No:2 with Indian Railway logo weight of one Pc 800 Grams approx & handle length 230mm approx. Qty. - 12 Nos. 2) DINISHA Model No. AD6ABP/SR.SK.M&P.No:3 with Indian Railway logo weight of one Pc 800 Grams approx & handle length 230mm approx. Qty. - 12 Nos.	1	Sr.SEE(M)CS TM	Dinesh Metal Manufacturing Co., Mumbai 400002.	66236
24	92.15.5902 .1. 66005	07.03.16	PVC (Insulated & sheathed) Twin flat wire 1/0.7 mm tin coated annealed copper conductor	5000	SSE (T/S) KYN.	Chanda Cables, Delhi-110 095.	37800
25	92.15.5925 .1. 66006	07.03.16	Telephone receiver (4-way) coil cord with RJ 9 connectors on both end of length 60 cms without stretching.	3000	SSE (TELE/STORE) CLA	Sanjay Electronics Corporation, Mumbai-400 052.	51180
26	92.15.5927 .1. 66007	07.03.16	RJ-45 Register - Jack - 45 connector.	2500	SSE (TELE/STORE) CLA	Comm Tech Commercial Corporation, Mumbai-400 025.	9083
27	92.15.5922 .1. 66008	07.03.16	Acrylic sheet of size 4 feet x 3 feet x 3 mm, Highly transparent, Red colour.	125	SSE (T/Store) CLA	Darshan Enterprises, Mumbai-400 092	70875
28	92.15.6001 .1. 66009	07.03.16	Krone tools from ISO 9000 approved firm Hand held tools easily connection & disconnection of PVC cable Terminal in Krone Module,	50	SSE (T/Store) CLA	Sanjay Enterprises, MUMBAI 400077.	10125
29	92.15.5903 .1. 66010	07.03.16	Info-outlets I/O Box single port surface mounting (with faceplate & Connector) as per specification 1-port CAT 6 surface mounting box. Meets TIA/EIA 568A and ISO/ICE 11801 specification CAN BE punched down with Krone supports T568A and T568B wiring mounts via rear screw hole (screw included) Colour WHITE	250	SSE (T/S) KYN.	Inercon Systems Pvt. Ltd., Mumbai- 400 705.	46250

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
30	92.15.5901 .1. 66011	07.03.16	Spike guard 230 volt, 5Amp, 3 Pin.6 sockets having line indications filter ckts, with 1 switch and 1.5 meter cord. Anchor model No. 22579,	200	SSE (T/S) CLA	Mak Traders, Mumbai.	39600
31	92.15.5904 .1. 66012	07.03.16	Wireless key Board & Mouse Combo pack with three years warranty Make Logitech , I-Ball, Microsoft only.	90	SSE (T/S) CLA	The Makardhwaj Enterpriess, Mumbai-400 005.	86220
32	92.15.5933 .1. 66013	07.03.16	Programme Switches indication panel as per Drg. No. R-ST- 12088 each Box Comprises following Accessories. A) DPM-1 No. B) LED-3 Nos. C) Fuse G type 1.6 Amp with holder- 3 Nos. D) Fuse D10 type 63 Amp with holder - 2 Nos. E) Neutral Links - 2 Nos.F) Elrnex terminal on guide rail- 12 Nos.	20	SSE (SIG/WKS) KYN	Reliance Electricals, Thane-400 603.	149625
33	92.15.5682 .1. 66014	09.03.16	Fuel Transfer Pump Motorised for GREAVES COTTON make water cooled Diesel Engine part No.123290530267.	1	Sr.SE(ETL/AC))LT(T)	Dhara Rail Projiects PVT.LTD. Mumbai- 400 004.	89000
34	92.15.5964 .1. 66015	09.03.16	Parmali Wood Cleat for 1500 volt DC cable size: 1 x 630 sq.mm with G.I.Bolt and Nut with Washer size:12 x 125mm. As per Drg.No.ET/SK/CLA/9 attached. One Set consist of 4 items.	400	SSE(Cable) CLA	T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	96600
35	92.15.6017 .1. 66016	10.03.16	PA horn speakers input power 30 W RMS 45 W max power tapping 30/25/20/15 W frequency response 240-10,000 Hz SPL (1W/1M) 108DB, model UHC 30 XT Ahuja.	45	SSE (TELE/STO) CLA	A.M.Jain & Co., Bhusawal - 425 201.	77445
36	92.15.6021 .1. 66017	10.03.16	PVC switch board cable 5 pair 0.5 mm dia, Twisted pair PVC insulated, PVC sheathed, ATC Copper conductor. As per TEC spec. No. TEC/GR/WIR/06/03 MAR 2002 or latest	3000	SSE (T/S) CLA	Comm Tech Commercial Corporation, Mumbai-400 025.	47471
37	92.15.6022 .1. 66018	10.03.16	Jumper wire PVC insulated Red and white twisted size 1/0.5mm annealed copper conductor drawn in 200 mtrs.Bundles.	14000	SSE (T/S) CLA	Bharat Cable Corporation, Delhi - 110 052	37856
38	92.15.6005 .1. 66019	11.03.16	6 Pin Emergency socket - female - flat type as per RDSO Spen. No. IRS- TC-42/87 with amdt. No. 2.	100	SSE (T/S) CLA	Telecom Manufacturing And Trading Co., Mumbai - 400 063.	24045
39	92.15.6007 .1. 66020	11.03.16	Panasonic 9 V Alkaline Battery, with 24 month shelf life from Date or month of manufacturing.	200	SSE (T/S) CLA	Park & Co., Mumbai 77.	24599
40	92.15.6008 .1. 66021	11.03.16	VGA to PAL Converter with accessories	25	SSE (T/S) CLA	Galaxy Enterprises, Ratlam- 457 001.	28750
41	92.15.6009 .1. 66022	11.03.16	Clear Plastic sheet width 12 feet and thickness 0.18 mm transparent white colour.	500	SSE (T/S) CLA	Sanjay Enterprises, MUMBAI 400077.	78488
42	92.15.6004 .1. 66023	11.03.16	SMPS power supply module having, plus 12 V,minus 12 VDC 18 Amperes plus 5 V, minus 5VDC 10 Amperes, 450 watts capacity, along with power supply cords.	70	SSE (T/S) CLA	HI Tech Solutions, Pune- 411 006.	34930
43	92.15.6010 .1. 66024	11.03.16	UTP Cat- 6 Cable as per TIA/EIA- 568 C.2 standard or latest	4000	SSE (T/S) CLA	Sirjam Corporation, Mumbai- 401 101.	58968
44	92.15.6014 .1. 66025	11.03.16	Wireless Router 300 mbps, 7 Dbi 2 external Antena, 4 LAN Port, frequency 2.4 GHz, 1 WAN port , 300 mbps wireless speed. Male D- link, CISCO, Link share, Netgear only.	40	SSE (T/S) CLA	Shree Yamuna Trading Corporation, Bhusawal. 425 201.	51450

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
45	92.15.6006 .1. 66026	11.03.16	Telephone Rosset for single line auto telephone with RJ- 11 type socket & Line Termination screw Make Omax,	3000	SSE (T/S) CLA	The Makardhwaj Enterpries.Mumbai-400 005.	22515
46	92.15.6016 .1. 66027	11.03.16	Two line hand free telephone ' Beetel' make model 'M 70'	40	SSE (T/S) CLA	A B Enterprises, Nagour- 341 512.	78120
47	92.15.5684 .1. 66028	11.03.16	Automatic Voltage Regulator "AVR - UVR - 6 ,750 Volts, as per Crompton Greaves part No. 361260013 suitable for 500 KVA Crompton Greaves Alternator.	2	Sr. SE (ETL/AC) LTT	Sunshine Engineers & Consultants, Delhi- 110 034.	30160
48	92.15.5989 .1. 66029	11.03.16	Tree Cutter Manual Operated Portable type 5 meter long in section grade of 25 KV AC Traction. Make: PEC, S.B. Drive, Compare Equipment.	5	SSE(TD/OHE) Nerul	Power Equipment Co., Howrah 711 101.	36056
49	92.15.5991 .1. 66030	11.03.16	LED Rechargeable Hand Torch aluminium alloy body with Nickel Cadmium battery minimum 1000 mtrs long beam focus minimum battery capacity 4/5 S.C.NI.Cad 1300 m AH and LED 3 watt.	25	SSE(SS/CO)P NVL	Park & Co., Mumbai 77.	38650
50	92.15.5984 .1. 66031	14.03.16	Lightening ArresterUnit A2 for AWS as per specification & drawing attached.	200	SSE (SIG) CLA	Comm Tech Commercial Corporation, Mumbai-400 025.	78330
51	92.15.5713 .1. 66032	14.03.16	Analog Time Switch 24 Hr. programm, programmable every 15 min. single pole current capacity 16A, suitable for working on 230V AC, 50Hz.	55	SSE (AC-Sty) CSTM	Satish Kumar Gupta, Firozpur Cantt-152 001.	62975
52	92.15.5992 .1. 66033	14.03.16	Alluminium Wall Extension Ladder as per IS:4571/1977.a) Length:10.9 Mtrs.after extension and close height 6.1 Mtrs. b) Width-380 mm. 026c) Cross section-66.6 mm x 31.7 mm x 4 mm(Thick). d) Steps from 25.4 mm (1 inch) dia floted alluminium pipe fitted at interval of 300 mm in section up to complete length. e) With good quality accessories- Pulley, Nylon Rope of sufficient length, Rubber pad, Safety Lock Sumer & Co. make design No. AL 100/8809.	10	SSE(TD/OHE) Nerul	M/s. Sumer and Co., Delhi 110 006.	117806
53	92.15.6020 .1. 66034	14.03.16	PVC switch board cable 10 pair 0.5 mm dia. Twisted pair PVC insulated , PVC sheathed, ATC Copper conductor, As per TEC GR NO TEC/GR/TX/WIR009/05 MAR.2011.	3000	SSE (T/S) CLA	Sirjam Corporation, Mumbai- 401 101.	60291
54	92.15.6011 .1. 66035	14.03.16	PVC insulated PVC sheathed 32 pair Indoor cable type 0.4 mm dia anealed tined copper	1000	SSE (T/S) CLA	Bharat Cable Corporation, Delhi - 110 052	85700
55	92.15.6012 .1. 66036	14.03.16	2 core PVC insulated shielded wire PA cable 24 strand copper conductor of 0.20 mm	4000	SSE (T/S) CLA	Galaxy Enterprises, Ratlam- 457 001.	60000
56	92.15.6051 .1. 66037	15.03.16	SP 98 P 7 Silver Galva - Bright silver finish cold galvanising compound to protect surface against corrosion in 550 ML aerosol can Make stanvac Chemicals (i) Ltd.	250	SSE/Sig/CLA	MRO Engineers, Mumbai - 400 080.	85050
57	92.15.6052 .1. 66038	15.03.16	Metalised Polypropylene Radial capacitor 4 MFD / 1000 V AC	500	SSE/Sig/CLA	Bharat Industrial Corporation, Delhi- 110 006.	12495
58	92.15.5874 .1. 66039	15.03.16	EPR High voltage self fusing insulating and jacketing Tape in size 50 mm x 0.76 x 9.1 Mtrs. Roll. Used up to 69 KV	50	SSE (ETL/AC) LT (T)	MRO Engineers, Mumbai - 400 080.	86063

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
59	92.15.6030 .1. 66040	15.03.16	Miniature Circuit Breaker 6 Amp,240 Volt,Double pole,type C-6, Breaking capacity 10KA,as per IS/IEC:60898-1 with ISI marking:CM/L No.2255548.	50	SSE(SS/PSI)P NVL	Trimurti Enterprises, Thane-421 301.	21488
60	92.15.5756 .1. 66041	15.03.16	Surface mounting type box with SP MCB 16A with socket 25A in white colour 3 modules as per C&S cat. No. DSDTCNS251025.	250	SSE (EM) KYN	Kaltro Enterprises,Thane - 421 501.	84000
61	92.15.6029 .1. 66042	15.03.16	PVC insulated single core 10 sq.mm multistrand, flexible, FRLS, Annealed Copper conductor for voltage grade upto 1100 volts as per IS: 694/1990	800	SSE(SS/CO)P NVL	Bombay Mechanical & Electrical Contractors, Badlapur (E)	24570
62	92.15.5662 .1. 66043	15.03.16	25 KV Current Transformer single phase Core PS class / Ratio: 1500-750/5A RDSO specification No. ETI/PSI//90 (06/95) with A & C Slip No.1 to 8.	2	SSE(SS/CO)P NVL	Railcon International, Kolkata - 700 001.	95964
63	92.15.5663 .1. 66044	15.03.16	25 KV /110 V Potential Transformer Type-2, VA 30 RDSO specification No. ETI/SPC/PSI/PTs/0990 with A & C Slip No. 1 to 5.	2	SSE(SS/CO)P NVL	Kasera Electrical Pvt. Ltd. Kolkatta.700006	79800
64	92.15.6046 .1. 66045	15.03.16	Electrolytic capacitor 1500 MFD / 160 VDC of size 35 X 58mm	250	SSE/Sig/CLA	Ankur Electronics, Mumbai - 400 034.	39113
65	92.15.6047 .1. 66046	15.03.16	Z - 201 pufseal (1K-S) polyurethane foam for filling gaps and cavities in 500 ML can make Stanvac Chemicals,	70	SSE/Sig/CLA	Jayshree Engineering Works, Kolkata- 700001.	53200
66	92.15.6048 .1. 66047	15.03.16	Electrolytic capacitor 500 MFD / 160 VDC of size 35 X 58mm	500	SSE/Sig/CLA	Sam Electricals, Mumbai 400 002.	41990
67	92.15.6049 .1. 66048	15.03.16	Electrolytic capacitor 1000 MFD / 160 VDC of size 35 X 78mm	300	SSE/Sig/CLA	Comm Tech Commercial Corporation, Mumbai-400 025.	41580
68	92.15.5807 .1. 66049	16.03.16	Bi-Metallic alluminium Copper sheet size:300mm x 300mm x 1mm.Technical Specification Property Aluminium copper purity min 99.50 Percent 99.90 percent , volume 80 percent 20 percent ,Weight 55 percent 45 percent as per RDSO specification No.ETI/OHE/55 4/90	50	SSE (TD) PSI KYN	Fairdeal Enterprises, Mumbai- 400 002.	22450
69	92.15.6055 .1. 66050	16.03.16	BOPP Brown tape for Signal sealing size 96 mm width, 25 Meters length and thickness 55 micron	4000	SSE/Sig/CLA	Bhagat Sales Corporation, Mumbai	117810
70	92.15.5661 .1. 66051	16.03.16	Feeder Ending Clamp (150) complete assembly. As per RDSO Drg. No. ETI/OHE/P/1130.	100	SSE (OHE) CLA	Arena Equipments Pvt. Ltd., Kolkata.-700 001.	78750
71	92.15.5996 .1. 66052	16.03.16	25 KV Earthing / Discharge Rod assembly as per RDSO Specn.No ETI/OHE/51(9/87) with A&C slip No.1 or latest.	6	SSEE(OHE) CLA	Hitronics, Faridabad 121001.	85253
72	92.15.5659 .1. 66053	16.03.16	25 KV, Operating Rod for Drop out fuse switch as per RDSO specification No. ETI/PSI/14 (1/86) Rev-1 (April 87).	35	SSE (OHE) CLA	Power Equipment Co., Howrah 711 101.	226441
73	92.15.5919 .1. 66054	16.03.16	Portable DG set of single phase Output AC supply,50Hz,230 volt Petrol start,Petrol Run AC Generator ,Rated VA Rating -750 VA,Max.Output -850VA,at unity pf Starting System:Recoil Starter ,Max running time:6-7 Hours,Fuel Tank capacity :3.50-4 Litre similar to Honda Model No.EP 1000 Handy	5	SSEE(M)CST M	Reena Enterprises, Mumbai 400 078.	198400
74	92.15.5995 .1. 66055	16.03.16	Wooden Contact wire Hight Gauge to Drg.No.ET/SO/2998 (M) or latest.Drawing attached.	10	SSE(OHE)CL A	T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	210000

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
75	92.15.5660 .1. 66056	16.03.16	Parallel clamp (150/160) complete assembly 1050-3. as per RDSO Drg. No. ETI/OHE/P/1050-3 Rev. A.	350	SSE (OHE) CLA	Arena Equipments Pvt. Ltd., Kolkata.-700 001.	86363
76	92.15.6027 .1. 66057	16.03.16	U'Clamp for two 19/2.03 (0.61cm ²) Copper Cables Item No.M130(M) Drg.No.FM 130(M)R4.	400	SSE(OHE)CL A	Metal Fusion & Alloys, Mumbai-400 011.	76440
77	92.15.6026 .1. 66058	16.03.16	U'Clamp for 1.3 cm ² copper cables Item No.M127(M) Drg.No.FM 127(M)R3.	300	SSE(OHE)CL A	Hind Industrie, Mumbai 400 016.	101115
78	92.15.5854 .1. 66059	16.03.16	Terminal connector (19mm) multiple hole (Bolted type). Drg.No.ETI/OHE/P/1009 Rev.A.RI.No.1009 & 1009-1 complete with fasteners.	50	SSE(OHE) CLA	Arena Equipments Pvt. Ltd., Kolkata.-700 001.	65625
79	92.15.6015 .1. 66060	17.03.16	Electronic single line push button telephone as per technical specification No. TEC/GR/CP/TEL-002/05 JAN 2010 having features like key pad lock, Ringer volume control, tone and pulse swichable redial, mute, flash, pause. TEC approved	200	SSE (Tele/Stores) CLA	A B Enterprises, Nagour-341 512.	89100
80	92.15.6013 .1. 66061	17.03.16	SMPS 12 V 15 AMPS battery charger for 25 watts VHF equipment trans receiver to work with Kenwood make model No. TK-7160	11	SSE (Tele/Stores) CLA	Applied Communication & Controls, Delhi- 110 034.	18480
81	92.15.6003 .1. 66062	17.03.16	Fibre glass point ME - 34 junction Box in FRP for feed and relay and transformer resistance with suitable holes for fixing M S Angles & hylam sheet and connecting to track for improving track relay voltage and TSR as per Drg. No. WR/DRM/SG/956/1-3	100	SSE (Sig/Stores) KYN.	Chetaan Inc., Ulhasnagar-421 003.	114975
82	92.15.5976 .1. 66063	17.03.16	Protection cover for TU & ETU for Siemens type AFTC material with suitable Nuts and Bolts as per drawing No. RST- 11866 attached.	155	SSE (Sig/Stores) KYN.	T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	144848
83	92.15.5980 .1. 66064	17.03.16	SILICA GEL white crystal 10 gm. Packing in non woven fabric IS 3401/92 of any reputed brand.	50	SSE (Sig/Stores) KYN.	BMR Enterprises, Bhusawal-425 201.	3780
84	92.15.6037 .1. 66065	17.03.16	Copper Lug 25 Sq. mm Double Hole for AFTC track lead (Rail Side) as per Drg. No. R-ST 11788 attached.	3000	SSE (SIG/STO) KYN.	Sirjam Corporation, Mumbai- 401 101.	62100
85	92.15.6042 .1. 66066	17.03.16	Solder wire (resin core) 0.18 guage with composition of Tin 60% & Lead 40%	50	SSE (SIG/STO) KYN.	V.V Enterprises, Kolkata-700 019.	60310
86	92.15.5979 .1. 66067	17.03.16	GLF tape Abrasion resistance with mastic compound in size 51 mm x 1.27 mm x 2.6 mtrs. Rolls	300	SSE (SIG) CLA	MRO Engineers, Mumbai - 400 080.	416745
87	92.15.5981 .1. 66068	17.03.16	Set of Retro reflective sheet of shape 101 used in goods warning Boards of drawing No. SA-2380 R-ST-11635/1 attached.	60	SSE (SIG/STO) KYN.	Sanjay Electronics Corporation, Mumbai-400 052.	43470

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
88	92.15.5928 .1. 66069	17.03.16	2 Mbps Digital Modems conforming to RDSO specification No. RDSO/SPN/TC/80/2008, REV.0.0. Ammendment-1, with following digital interfaces 1. Digital Interface on Carrier END Modem G-703 E1 as per Clause No. 2.1.1.2 of RDSO Specification No.RDSO/SPN/TC/80/2008 REV 0. 0 Amendment II. Digital Interface on DTE ENC Modem V.35 as per Clause No.2.1.1.3 of RDSO Specn No. RDSO/SPN/TC/80/2008 REV 0. 0 Amendment 1. (Accepted offer for 'CYGNUS' make.)	4	SSE (Tele/Stores KYN	Ankur Electronics, Mumbai - 400 034.	103320
89	92.15.6054 .1. 66070	18.03.16	Water Purifier Alfa make SPARKLE + UV Water Filter cum purifier flow rate 2 ltrs/Min Make ACE Hygiene product pvt . Ltd. (Installation to be done as per list attached.)	44	DRM (W) CSTM	Siddhi Vinayak Enterprises, Mumbai – 400 097.	232649
90	92.15.5997 .1. 66071	18.03.16	Multipurpose Portable Universal gearless hand operated pulling & lifting machine, supplied complete with telescopic operating handle and 20 mtrs length of wire rope fitted with ' D' shackle capacity : 3.2 Tonnne lifting 5.2 Tonne pulling Model -HT-35, HY-TACK Brand RDSO Part-1 Approved as per RDSO specification No.TI/SPC/OHE/TOOLPL/0990 with A C slip No.1 . Machine also confirms to IS-5604 latest edition.	1	SSEE(OHE) CLA	Overseas Commercial Corporation, Pune- 411 048.	20531
91	92.15.6038 .1. 66073	18.03.16	Fixed Cellular Terminal similar to a Desktop instrument in which SIM card can be inserted .	10	SSE (T/STO)KYN	Mittal Industries, MUMBAI 400 063.	20475
92	92.15.5986 .1. 66074	18.03.16	Kit for repair of AWS Opto coupler cards of Track magnets comprising of component as under A) Opto Coupler SFH610A-4 (4 Pin) - 40 Nos. B) Transister BCY 59B - 30 Nos. C) Zener Diode 6.8V/1/4 W -100 Nos. D) Electrolytic Condensers 100ufd/50V - 20 Nos. E) Resistance W/W 10 K ohms / 3.5 W - 20 Nos. F) Resistance Carbon 620 ohms/1/2W - 20 Nos. G) Resistance carbon 430 ohms / 1/2 W - 20 Nos. H) resistance Carbon 180 ohms /1/2 W - 20 Nos. I) Resistance carbon 82 ohms/ 1/2 W - 20 Nos.	10	SSE (SIG) CLA	Mak Traders, Mumbai	32050
93	92.15.5985 .1. 66075	21.03.16	Plastic packing rope thickness 1 mm width 02 to 03 mm in 500/600 grms. Bundles	100	SSE (SIG) CLA	Sanjay Enterprises, MUMBAI 400077.	8111
94	92.15.5607 .1. 66076	21.03.16	Rechargeable LED flood light fitting 30 watts supply 230 V AC/12/24/110 V DC, power consumption 30 watts LED colour - cool white Lumens - 3000 L with 2 Nos. charger of 12 V and 230 Volts AC with mounting stand. Make - Pyrotech.	20	Sr. SEE (Maint) CSTM	Kudos Enterprises, Mumbai-400 705.	82950
95	92.15.6087 .1. 66077	21.03.16	Fabricated galvanised 2mm thick box of size 10" x 10" x 5" complete with cable connector , 4 Nos. GI bolts, hinged cover with locking arrangement , 01 No.Cutout, 02 Nos. gland, as per sketch attached (Drg. No. 890) with 02 Nos. GI bracket 40 x 8mm etc complete.	100	SSE (EM) KYN	Tradelink, Mumbai-400 083.	114350
96	92.15.6092 .1. 66078	21.03.16	Powder coated MS fabricated board of size 28" x 22" x 10" with 15 KVA control card, charger, 4 pole power contactor, MCCB 63A each 02 Nos., DG selector switch start/stop button, V-meter, indication lamp, control MCB, CT, relay complete with wiring etc.	2	SSE (EM) KYN	A.R. Enterprises, Mumbai-400 003.	145221
97	92.15.6088 .1. 66079	21.03.16	Electro Mechanical time switches daily 24 Hrs programmable front mounting Hager cat EH711 suitable for 230 volt, 50 Hz AC supply.	63	SSE (EM) KYN	Shri Satguru Electric & Trading Co., Mumbai	142758

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
98	92.15.6031 .1. 66080	21.03.16	Stainless Steel Hex Bolt full threaded with nut,two plain washer & one spring washer size 8 x 30 mm as per IS:1364 A-316.	2000	SSE(SS/PSI)P NVL	R.C. Enterprise, Kolkata-700 034.	73500
99	92.15.5990 .1. 66081	21.03.16	Air Blower Machine equivalent to Ralli Wolf model-77750-two speed with Suction Bag as per specification attached.Make: Ralli Wolf , Bosch, Black & Deckor.	6	SSE(SS/CO)P NVL	Machine Tools & Equipments, Mumbai-400 003.	37125
100	92.15.6032 .1. 66082	21.03.16	Stainless Steel Hex Bolt full threaded with nut,two plain washer & one spring washer size 6 x 25 mm as per IS:1364 A-316.	2000	SSE(SS/PSI)P NVL	R.C. Enterprise, Kolkata-700 034.	52500
101	92.15.6023 .1. 66083	22.03.16	Desk type 2 wire one way electronics magneto telephone (DTMF) IRS specification No. TC/79/2000 with latest amendment No.3 or latest.	25	SSE (TELE/STO) CLA	Epsilon Electronic Equpt & Comp Ltd. Hyderabad. 500 062.	75000
102	92.15.6023 .1. 66084	22.03.16	Desk type 2 wire one way electronics magneto telephone (DTMF) IRS specification No. TC/79/2000 with latest amendment No.3 or latest.	5	SSE (TELE/STO) CLA	Bentron Power Systems, Kolkatta-700 034.	12285
103	92.15.5993 .1. 66085	22.03.16	IGBT Eupec part no.300 GB ,60DLC suitable for 5 KVA Inverter .Make:Eupec , Simikron.	40	SSE(TL)CST M	Sunshine Engineers & Consultants, Delhi- 110 034.	138600
104	92.15.5716 .1. 66086	22.03.16	Copper Rivets 16 mm dia x 33 mm length for 60 kg Rail section as per drg. No. RST- 11442 attached.	10000	SSE (SIGNAL) KURLA	New Vishco Engineering Works, Mumbai- 400063.	566895
105	92.15.5921 .1. 66087	22.03.16	Electronic L.C. Gate Telephone Syste as per RDSO/SPN/TC/51/2009 (REV-1) to work with fuse protected (-) 48 VDC supply and consisting of 1 Master Telephone, 4 Slave Telephone and modified surge protection and line connection unit.	9	SSE (TELE/STORE) KYN	Bentron Power Systems, Kolkatta-700 034.	230391
106	92.15.5977 .1. 66088	22.03.16	Copper Lug 10 Sq. mm round hole type,	4000	SSE (SIG/STO) KYN.	Shree Yamuna Trading Corporation, Bhusawal. 425 201.	8480
107	92.15.5978 .1. 66089	22.03.16	Copper Lug 16 Sq. mm round hole type,	4000	SSE (SIG/STO) KYN.	Navin Electronics, Uttar Pradesh-231 220.	16632
108	92.15.6024 .1. 66090	22.03.16	2 wire light weight ECP miniature portable control phone RDSO specn. No. IRS/TC/78/2000 with amendment No.2 or latest.	55	SSE (TELE/STO) CLA	Bentron Power Systems, Kolkatta-700 034.	87780
109	92.15.5845 .1. 66091	23.03.16	POR 15 corrosion resistant paint in Silver colour for outdoor structure of traction distribution.As per RDSO Specn.No.TI/SPC/CIV/POR/0080(08/2008)	50	SSE(OHE)CLA	SD Public Relations Pvt. Ltd., New Delhi- 110 003.	123469
110	92.15.5994 .1. 66092	23.03.16	Come Along Clamp Assembly (Aluminium Bronze) as per Drg.No. BSL/TD/P-180.Drawing attached.	50	SSE(OHE)CL A	T.M. Jayalakshmi & Co., Ulhasnagar - 421 003.	194250
111	92.15.5999 .1. 66093	23.03.16	Heavy Duty Rubberised Hand Gloves, Type-4 working voltage Max.(RMS) 17000 volts, Test voltage 25000 volt,Breakdown voltage 30000 volts(Min.),asper IS No.4770/1991.IS mark on every pair,Hand gloves should be jointless,gauntlet type,smooth surface inner and outer side, free from visual defect like patches,blisters,porosity.	100	Sr.SE(TD)PSI- KYN	Moral Enterprises, Mumbai- 400 080.	62100

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
112	92.15.5527 .1. 66094	23.03.16	Examination Couch as per Sketch & Specification attached.	2	CMS KYN	Vineet Traders, Thane-401 105.	67498
113	92.15.6053 .1. 66095	23.03.16	Solid state type Boom Light , voltage 110V, AC colour Red current consumption 50m ams, Housing material M.S. Painted with corrosion paint light source LED as per specification and drawing attached.	50	SSE (SIG/Stores) KYN.	Hind Industrie, Mumbai 400 016.	53655
114	92.15.5987 .1. 66096	23.03.16	Plastic Cover for 3 - aspect Signal unit cover is opened from front side and bottom side and made of Black Polythene Sheet of 100 micron thickness, Size 1360 MM x 460 MM x 205 MM. On back side 75 MM wide corner to corner diagonal cross mark of cover colour of 100 Micron thickness to be provided. To tie up cover signal unit suitable nylon rope of 5 MM dia and 4 mtrs. Length to be provided on front side and of 1.5 Mtrs. Length at Centre as per drg. No. R-ST-12074.	600	SSE (SIG/STO) KYN.	Fairdeal Enterprises, Mumbai- 400 002.	68400
115	92.15.6002 .1. 66097	23.03.16	Insulation stretcher bar set made of nylon - 66 as per specification IRS-S-40/84 One set consisting as follows 1) Insulating Plate Qty- 1 No. 2) Insulating Bush Qty. 2 Nos. 3) Insulation Washer Qty. - 4 Nos. as per attached drawing, photograph and dimension.	700	SSE (SIG/STO) KYN.	Paras Plastics, Mumbai-400 059.	91700
116	92.15.5920 .1. 66098	23.03.16	Desk type 2 wire one way Electronics Magneto Telephone (DTMF) IRS specification No. TC/79/2000 with latest amendment No. 3 or latest.	25	SSE (TELE/STORE) KYN	Epsilon Electronic Equpt & Comp Ltd. Hyderabad. 500 062.	75000
117	92.15.5920 .1. 66099	23.03.16	Desk type 2 wire one way Electronics Magneto Telephone (DTMF) IRS specification No. TC/79/2000 with latest amendment No. 3 or latest.	5	SSE (TELE/STORE) KYN	Bentron Power Systems, Kolkatta-700 034.	10815
118	92.15.6076 .1. 66100	28.03.16	Horizontal Open Well submersible water pump 5 HP, 3 phase ,Del- 65 x 50 mm, 13.5 - 36 Mtrs., Discharge - 890 - 200 LPM as per Crompton model No.OWNH 52.	3	Sr.SSE(M)KYN	Reena Enterprises,Mumbai 400 078.	64500
119	92.15.5856 .1. 66101	28.03.16	Set of spare parts for power car diesel engine make - Greaves Cotton Ltd. Each set consist 30 items details as per annexure enclosed. Make - Greaves Cotton Ltd.	1	Sr. SE (ETL/AC) LTT	A.M. Diesel Spares Corporation, Mumbai - 400 070.	91067
120	92.15.6091 .1. 66102	28.03.16	3 Pole power contactor with AC coil 240 V AC- 1 rating 25 A, 415 volts 50 Hz AC confirming to IS - 13947 (similar to L&T cat MNX-9). Of Havells make code No. IHPAA009110H 240 V AC coil.	210	SSE (EM) KYN	Kaltro Enterprises,Thane - 421 501.	97020
121	92.15.6090 .1. 66103	28.03.16	3 Pole power contactor with AC coil 240 V AC- 1 rating 40 A, 415 volts 50 Hz AC confirming to IS - 13947of Havells make code No. IHPAA025310H 240 V AC coil voltage.	120	SSE (EM) KYN	Kaltro Enterprises,Thane - 421 501.	96390
122	92.15.5823 .1. 66104	28.03.16	Set of Timers for changeover of AC unit at RRI and Telephone Exchange.	1	Sr.SE (AC/Sty) CSTM	Fairdeal Enterprises, Mumbai- 400 002.	91999
123	92.15.6119 .1. 66105	29.03.16	Heavy duty Mobile Garbage Bin Wheel Barrow high density polythene material with lids handles wheels & Axles and solid rubber tyre Capacity 240 litres.	34	CMS KYN	Hans Enterprises, Mumbai-400 003.	146200
124	92.15.5962 .1. 66106	29.03.16	High voltage Self fusing permanent insulation and jacketing tape size: 38 mm x 0.76 mmx 9.1 Mtrs. as per specification attached. Make:- Parmacel,	200	SSE(Cable)CLA	V M Enterprises, Mumbai-400 071.	118020

Sr.	PO No.	Date	DESC.	QTY.	Consignee	Firms Name	TOTAL
125	92.15.5839 .1. 66107	29.03.16	Lamp 5 Watt LED in Line With RDSO spec. No.RDSO/PE/SPEC/TL/D/0091(Rev.0) 2008, Amdt. No.1 for retrofitment of 25 watt lamp in the existing fitting of AC coaches	400	SSE(AC/COG)) CSTM	Saral Industries, Kolkatta-700 002.	39600
126	92.15.6117 .1. 66108	30.03.16	Printer Make EPSON Model L220 Ink tank system, Canon With ink tank. (Nozzle Configuration-180, Nuzzle Black, 59 Nozzles each colure Cyan, Magenta, and Yellow).	1	Sr DSC/RPF/CS TM.	Computer Center, Mumbai-400 001.	10164
127	92.15.6071 .1. 66109	31.03.16	Nut Bolt assebmly for engine magnet as per drg. No. R-ST- 12089 attached. Item No. 1 to 7 for AWS.	200	SSE (SIG) CLA	D S Engineering, Howrah-711 104.	33390
128	92.15.5983 .1. 66110	31.03.16	PVC jacketed Wire Rope for track lead connection the wire rope should beof galvanized steel wire Rope with Steel core only., as per IS: 3459:2004 , 6 mm dia sheated with 2 mm thick pvc coating having overall dia of 10 mm PVC sheath should be of type 6 compound specification IS: 5831/1984 or latest.	35000	SSE (SIG) CLA	Prime Machine Tool Centre, Secunderabad-500 003.	992250