

PURCHASE ORDER REGISTER (Non-Stock) FOR THE PERIOD 01-MAY-16 to 31-MAY-16

Sr	PO No.	PO Dt.	Indentor	Item description	Qty.	Total Rate
	Name of firm	Dely.Dt.	Consignee		Unit	PO Value
1	92156025150081 N.K.ENTERPRISES-AHMEDABAD,AHMEDABAD	02-May-16 01-Jul-16	SSE SIGNAL KURLA	Automatic fire extinguisher / automatic cease out type fco 1400 with automatic activation 1.5 kg capacity & compressed carbon dioxide suitable for fire classes a b & e.	14 Nos.	2750 38500
2	92155878250082 BROTHER INTERNATIONAL [INDIA]PVT LTD,MUMBAI.	02-May-16 01-Jul-16	SR.CO.12BN.RPSF.THK	Laser printer resolution (in dpi) mono 600x600,paper size- a4, print speed in ppm (a4 size) 14 port, 1 usb, memorv (in mb) na network card 10/100 na duplexina na.	2 Nos.	3424.68 6849
3	92165042250083 HLBS TECH P. LTD,BHOPAL	02-May-16 01-Jul-16	SR DSC RPF CSTM	Decktop computer with preloled opreting systems configuration intel core i3, opreting systems microsoft windows 8. h8 series.rc item no.29	1 Nos.	32785.2 32785
4	92165043250084 HLBS TECH P. LTD,BHOPAL	02-May-16 01-Jul-16	SR DCM CSTM	Decktop computer with preloled opreting systems configuration intel core i3, opreting systems microsoft windows 8. h8 series.rc item no.29	1 Nos.	32785.2 32785
5	92165044250085 HLBS TECH P. LTD,BHOPAL	02-May-16 01-Jul-16	CMS KALYAN	Decktop computer with preloled opreting systems configuration amd a8 opreting systems microsoft windows 8. chipset a5 series. System rc item no.45	3 Nos.	32550 97650
6	92165045250086 HLBS TECH P. LTD,BHOPAL	02-May-16 01-Jul-16	SR.DEE(COG)CSTM	"All -in -one desktop computer with preloaded operating system configuration: intel pentium with 22nm technology and haswell architecture,operating system: microsoft windows 8 (rc item sr.no.27)	5 Nos.	38850 194250
7	92156167150087 KALTRO ENTERPRISES-AMBERNATH,AMBERNATH	03-May-16 14-May-16	SR. SEE (MAINT) CSTM	Induction flood light luminaries 80 watts suitable to work 140-265 volts ac having body of integral pressure die cast alluminium and tounged glass cover with ip 65 protection mahindra cie make.	14 Nos.	9112.5 127575
8	92156169150088 KALTRO ENTERPRISES-AMBERNATH,AMBERNATH	03-May-16 14-May-16	SR. SEE (MAINT) CSTM	Induction flood light luminaires 100 watts suitable to work 140-265 volts ac having body of integral pressure die cast alluminium and tounged glass cover with ip 65 protection mahindra cie make.	13 Nos.	9112.5 118463
9	92155530150089 SPECIALITY PRODUCTS-MUMBAI,mumbai	04-May-16 01-Jul-16	SSE CONV.S&T THAKURLI	Modular terminal block of 2.5 sq. Mm 2 in 2 out type disconnect type of wago/phoenix make as per rdso specn. No. Rdso/spn/189/2004 the current capacity of 16 amps and more the terminal should have marking at centre to view description from front.	3000 Nos.	32.52 97560
10	92165003150090 TRIMURTI ENTERPRISES-THANE,Thane	04-May-16 18-Jun-16	SR CO.NO 12BN/RPSF/THK	Fly catcher (wall mounting model with on side open) knock-out insectocutor 2 feel , 2 tubes of 18 watts each. Overall dimension 24.5" l x 7.5" wx 13.5" h airtech systems model no.ko-2tc as per specification & cataloues attached.	14 Nos.	3750 52500
11	92155894150091 COMPUTER CENTER-MUMBAI,Mumbai	04-May-16 03-Jun-16	SR DSO CSTM	Various types of cartridges toners 1) hp 802 standard black qty. 50 nos. 2) hp 802 standard colour qty. 10 nos.3) toner cartridges pagepro 1500w qty-05 nos. (one set of 3 items consist of 65 nos)	1 Set	41212.5 41213
12	92165010150092 HANS ENTERPRISES-MUMBAI.,MUMBAI.	04-May-16 03-Jun-16	CMS KYN	First aid box [empty] aluminum dust proof 20 guage size - 22l cms x 15w cms x 6h cms app. For guards.with printed first aid & + sian top side with handle ami l.s.	400 Nos.	162 64800
13	92156175150093 KALTRO ENTERPRISES-AMBERNATH,AMBERNATH	04-May-16 16-May-16	SR. SEE (MAINT) CSTM	Induction high bay fitting 200 watts suitable to work 140-265 volts ac having body of cast alluminium gear box coating and high purity alluminium reflector with ip 65 protection mahindra cie.	10 Nos.	11475 114750
14	92156162150094 KALTRO ENTERPRISES-AMBERNATH,AMBERNATH	04-May-16 16-May-16	SR. SEE (MAINT) CSTM	Electronic ballast for 1 x 36 watts cfl lamp suitable for 230 volts 50 hz, ac supply of bajaj model no. Icon 136. 539207 make: baiai model no.icon 136.)	1400 Nos.	102.34 143269
15	92156139150095	05-May-16	SSE (W/M) BYCULLA	Brand rain seal lf-1021 hdpe tarpulins made from closely woven hdpe fabric and laminated with virgin quality ldpe granules joints and border heat sealed to make it 100 percent waterproof borders hemmed and provided with rope all around along with eyelets fixed at distance of 6 foot colour silver/ navy blue 200 gsm (size 26' x 16')	422	1429.68

	SIDDHI VINAYAK ENTERPRISES-MUMBAI,MUMBAI	14-Jul-16			Nos.	603325
16	92156145150096	06-May-16	SSE (OHE) CLA	Bolt cutter model no. Bc-24 of taparia length in 600 mm cutting capacity dia maximum 9 standard. Make - taparia, blue star, jalani.	50	605.25
	TRIMURTI ENTERPRISES-THANE,Thane	20-Jun-16			Nos.	30263
17	92156157150097	06-May-16	SSE (AC/STY) CSTM	Bharat freezol 68 or servo engine oil 68, compressor oil suitable for open type compressor.	420	155
	A. M. DIESEL SPARES CORPORATION-MUMBAI,MUMBAI	06-Jun-16			LTR	65100
18	92165017150098	06-May-16	SR. SEE (MAINT) CSTM	Led street light fitting 60 / 65 watts,240 volts ac 50hz.cast aluminium housing clear toughned glass pipe mounting as per bajai model no.brfta 65w led i.	18	6513.75
	R.K.SALES CORPORATION-MUMBAI,MUMBAI	06-Jun-16			Nos.	117248
19	92156151150099	06-May-16	SSE (TL) CSTM	Electron beam irradiation thin walled flexible cable of size 35 sq. Mm with copper conductor suitable for rolling stock application conf. To rdso specif. No. Elrs/spec/elc/0019 rev-2 of feb.2011 voltage rating 1.8/3.0 kv grade as per rdso specification no. Elrs/spec/elc/0019 rev-2 of feb 2011).	2500	295.4
	R.K.SALES CORPORATION-MUMBAI,MUMBAI	01-Jul-16			MTR	738500
20	92156140150100	09-May-16	SSE (W/M) BYCULLA	Monsoon ptotection polythene sheet of 3.6 mtrs in roll of 18 to 20 mtrs long approved colour blue, red, white & blacks of good aualitv 150 asm.	3510	61.72
	HANS ENTERPRISES-MUMBAI.,MUMBAI.	08-Jun-16			Kgs.	216628
21	92156134150101	09-May-16	SR. SEE (C) WB	2 core 10 sq.mm aluminium xlpe insulated pvc sheated armoured cable with al. Conductor suitable for rated voltaeg at 1100v 1.1 kva as per is 7098 (part-1)	900	37
	N.K.ENTERPRISES-AHMEDABAD,AHMEDABAD	08-Jul-16			MTR	33300
22	92156122150102	10-May-16	SSE SIGNAL STORE KALYAN	96 way tag block with cover make- rapid, system engg. As per drg. No.r-st-12091 sh1 of 02, & r-st-12091 sh2 of 2.attached.	70	781.88
	TRADEWELL-MUMBAI,mumbai	09-Jul-16			Nos.	54731
23	92156143150103	10-May-16	SSE SIGNAL STORE KALYAN	Jumper wire, atc, single core, multi-strand, 16/0.2mm. (in blue, red colour in quantities as per circuit requirement on rdso spec. No. Irs: s-76-89 with latest amendment.	20	5145
	RAILCON INTERNATIONAL-KOLKATA,Kolkata	27-Sep-16			KM	102900
24	92155886150104	10-May-16	SSE (SIG-STORE) KYN	M seal (general purpose) epoxy compound multipurpose industrial grade compound in 1 kg pack rapid seal make.	300	135
	HARYANA CHEMICALS-DELHI,DELHI	20-Jun-16			Kgs.	40500
25	92165060150105	10-May-16	SR. SEE (MAINT) CSTM	Aquaguard storage cooler cum purifier similar to model 80 ss uv of m/s.eureka forbes.	2	66718
	PARK AND COMPANY-MUMBAI,MUMBAI	01-Jun-16			Nos.	133436
26	92165046250106	11-May-16	SR CO.12BN/RPSF/THAKURLI	Line interactive upc with avr single phase ac 160v to 280v input rated kva 0.8 minium vah : 216 rc item no.9	5	4070.25
	AARKEY INDUSTRIES.,DELHI	11-Jul-16			Nos.	20351
27	92156045150107	11-May-16	CMS KYN	Fully automated hematology analyzer sysmex make model xp- series (xp-100, xp-300)	1	325500
	TRANSASIA BIO MEDICALS LTD-ANDHERI EAST MUMBAI ANDHERI EAST MUMBAI	10-Jun-16			Nos.	325500
28	92156058150108	11-May-16	SSE (OHE) CLA	25mm drop bracket assembly (forged) part no.2361-1. As per rdso drg. No. Ti/dra/ohe/ftafe/rdso/00016/10/0.	100	383.91
	BANGALORE MALLEABLE CASTINGS PVT LTD-BANGALORE BANGALORE	08-Aug-16			Nos.	38391
29	92156190150109	11-May-16	SSE (OHE) CLA	Pg clamp for 160 sqmm (jumper) 193 sqmm contact wire or catenary 129 sqmm c.rly elect/trd drg. No. Fm/dc-ac/21.	225	1033.59
	TRANSMISSION LINE PRODUCTS-KOLKATA,Kolkata	06-Mar-17			Nos.	232559
30	92156056150110	11-May-16	SSE (OHE) CLA	Steady arm hook (bfb) forged p.no. 2391-1 rdso drg. No. Ti/drg/ohe/ftgfe/rdso/00003/00/0.	100	206.72
	BANGALORE MALLEABLE CASTINGS PVT LTD-BANGALORE BANGALORE	08-Aug-16			Nos.	20672
31	92156123150111	13-May-16	SSE/SIG/CLA	Digital multimeter model no. 9a06 eco g type r-9 a mote-1.	100	1002.25
	H.P.ENTERPRISES-MUMBAI,Mumbai	10-Aug-16			Nos.	100225
32	92156000150112	16-May-16	SSE/SIG/CLA	Epoxy sets consisting of 3 kg gel coat red, 1 kg of thinner and 1 kg of hardner packing will be 25 kg cans each for ael coat, thinner and hardner dr. Beck. sterling or tuff bond make.	200	3118.5
	HARYANA CHEMICALS-DELHI,DELHI	15-Jul-16			Set	623700
33	92156039150113	16-May-16	SSE (SIG/STORE) KYN	Track feed transformer for suitable for double rail track circuit having primary voltage 100v / 110 v, secondary voltaeg 25v/44v/60v/75v/100v as per photo/ sketch attached.	100	1519.2

	PRADEEP ELECTRO MAGNETIC SYSTEM-MUMBAI, Mumbai	15-Jun-16			Nos.	151920
34	92156126150114	16-May-16	SR. SEE (C) WB	4 core 300 sq.mm aluminium xlpe insulated pvc sheathed armoured cable with al. Conductor suitable for rated voltage at 1100v, 1.1 kva as per is 7098 (part-1)	300	879.08
	CONCO ELECTRIC-MUMBAI, MUMBAI	15-Jun-16			MTR	263724
35	92156130150115	16-May-16	SR. SEE (C) WB	4 core 50 sq.mm aluminium xlpe insulated pvc sheathed armoured cable with al. Conductor suitable for rated voltage at 1100v, 1.1 kva as per is 7098 (part-1)	1100	145.74
	CONCO ELECTRIC-MUMBAI, MUMBAI	15-Jun-16			MTR	160314
36	92156127150116	16-May-16	SR. SEE (C) WB	4 core 185 sq.mm aluminium xlpe insulated pvc sheathed armoured cable with al. Conductor suitable for rated voltage at 1100v, 1.1 kva as per is 7098 (part-1)	500	560.99
	CONCO ELECTRIC-MUMBAI, MUMBAI	15-Jun-16			MTR	280497
37	92156133150117	16-May-16	SR. SEE (C) WB	4 core 16 sq.mm aluminium. Xlpe insulated pvc sheathed armoured cable with al. Conductor suitable for rated voltage at 1100v 1.1 kva as per is 7098 (part- 1)	1000	80.97
	CONCO ELECTRIC-MUMBAI, MUMBAI	15-Jun-16			MTR	80966
38	92156125150118	16-May-16	SR. SEE (C) WB	4 core 400 sq.mm aluminium xlpe insulated pvc sheathed armoured cable with al. Conductor suitable for rated voltage at 1100v, 1.1 kva as per is 7098 (part-1)	300	1121.98
	CONCO ELECTRIC-MUMBAI, MUMBAI	15-Jun-16			MTR	336593
39	92156132150119	16-May-16	SR. SEE (C) WB	4 core 25 sq.mm aluminium. Xlpe insulated pvc sheathed armoured cable with al. Conductor suitable for rated voltage at 1100v 1.1 kva as per is 7098 (part -1)	1500	104.1
	CONCO ELECTRIC-MUMBAI, MUMBAI	15-Jun-16			MTR	156146
40	92156128150120	16-May-16	SR. SEE (C) WB	4 core 120 sq.mm aluminium xlpe insulated pvc sheathed armoured cable with al. Conductor suitable for rated voltage at 1100v, 1.1 kva as per is 7098 (part-1)	500	372.46
	CONCO ELECTRIC-MUMBAI, MUMBAI	15-Jun-16			MTR	186228
41	92156131150121	16-May-16	SR. SEE (C) WB	4 core 35sq.mm aluminium. Xlpe insulated pvc sheathed armoured cable with al. Conductor suitable for rated voltage at 1100v 1.1 kva as per is 7098 (part- 1)	1500	133.02
	CONCO ELECTRIC-MUMBAI, MUMBAI	15-Jun-16			MTR	199537
42	92156177150122	16-May-16	SSE (SIG/STORE) KYN	Pvc flexible cable 25 sq mm copper conductor single core multistrand [196 strand of 0.4 mm current capacity 71 amps] confirming to is-694/1990 or latest with latest amendment. Insulation colour- black - 250 mtr. . red- 250 mtr.	500	106.9
	N.K.ENTERPRISES-AHMEDABAD, AHMEDABAD	15-Jul-16			MTR	53450
43	92165016150123	16-May-16	SR. SEE (MAINT) CSTM	Air circulator oscilating type wall mounting fan size 750 mm 30" sweep 230 volts ac single phase complete with blade without regulator confirming to is 2997 of 1964 bajaj model no. Supreme plus.	19	6330
	KALTRO ENTERPRISES-AMBERNATH, AMBERNATH	06-Jun-16			Nos.	120270
44	92155897150124	16-May-16	SR DSO CSTM	Furniture items & crockery items as per annexure attached.	1	23460
	JASMINE TRADING CO-MUMBAI, Mumbai	15-Jun-16			Set	23460
45	92165057150125	17-May-16	DRM (W) CSTM	Furniture items & crockery items as per annexure attached.	1	42500
	UNITED INDIA ENTERPRISES-MUMBAI, MUMBAI	16-Jun-16			Set	42500
46	92155830150126	18-May-16	SR.SEE (M) CSTM	Set of light fitting as per annexure attached. (accepted offer for 1) make: temcon, brand; sunshine, model : te-yt-smd-120-18w-t8-qty: 65 nos.and 2) make: tempcon, brand: sunshine, model : te-yt-smd-115-18w-t5-atv: 65 nos.	65	1935
	TEMPCON ENGINEERING PVT LTD-MUMBAI, MUMBAI	17-Jun-16			Set	125775
47	92165058150127	19-May-16	SSE WKS CUSTODIAN CSTM	Furniture items as per annexure attached.	1	144250
	UNITED INDIA ENTERPRISES-MUMBAI, MUMBAI	18-Jun-16			Set	144250
48	92165091250128	20-May-16	CMS KYN	Laser printer resoilution (in dpi) mono 600x600,paper size- a4, print speed in ppm (a4 size) 25, port, 1 usb, memory (in mb) na network card 10/100 na duplexing na. Rc item no.4	3	7130.55
	BROTHER INTERNATIONAL [INDIA]PVT LTD, MUMBAI.	18-Jul-16			Nos.	21392
49	92156146150129	20-May-16	SSE (SUB-STN) CLA	Single phase 25 kv/240 volt, 100 kva, impedance - 5% (approx) class of insulation - a with off load tape changer (4 to 5 step) auxiliary transformer type on an, frequency, 50 hz suitable for pole mounting. As per rdso spec. No. Fti/nsi/15a (7/82) pt-1 with a&c s/n no.1.	2	280981.25
	SUPREME SWITCHGEARS AND TRANSFORMERS PVT. LTD-AURANAGABAD, AURANAGABAD	16-Nov-16			Nos.	561963
50	92156160250130	23-May-16	SR. SEE (MAINT) CSTM	Miniature circuit breakar lexic 'c' curve single pole 20 amps 230 volts, breaking capacity 10 ka. As per legrand cat. No. 603235.	750	65.94

	PANJAB SWITCH GEAR PVT LTD,LUDHIANA	21-Jul-16			Nos.	49455
51	92156179150131	23-May-16	SR. SE (ETL/AC) LTT	Disconnecting and earthing device, 8 pole, 2 way, on off - on load 125 amps, 750 v ac (1000 insulation) with heavy duty handle & pad locking arrangement in earth position mounted with enclosure for ac-23 dutv confirmno to is 13947/iec. 947.	5	11580
	N.K.ENTERPRISES-AHMEDABAD,AHMEDABAD	19-Jul-16			Nos.	57900
52	92156163250132	23-May-16	SR. SEE (MAINT) CSTM	Miniature circuit breaker lexic 'c' curve double pole 32 amps 230 volts, breaking capacity 10 ka. As per learand cat. No. 603271.	240	148.66
	PANJAB SWITCH GEAR PVT LTD,LUDHIANA	21-Jul-16			Nos.	35678
53	92156161250133	24-May-16	SR. SEE (MAINT) CSTM	Miniature circuit breaker lexic 'c' curve triple pole 63 amps 230 volts, breaking capacity 10 ka. As per learand cat. No. 603291.	100	349.61
	PANJAB SWITCH GEAR PVT LTD,LUDHIANA	21-Jul-16			Nos.	34961
54	92165048250134	24-May-16	SR CO/12BN/RPSF/THK	Writing board with vitreous enamelled steel sheet top surface board colour white , white purpose writing with dry marker ink %age floss at 60 deg. Lead 80 minimum size (mm x mm) size 900 x1200 mm. Rc item no.2	1	3993.18
	ALKOSIGN DISPLAY SYSTEMS,MUMBAI	23-Jul-16			Nos.	3993
55	92155885250135	24-May-16	SSE (OHE) DI	Dg set portable single phase 230v,50 hz.petrol start/kerosene run ac generating set rated va out put-at unity pf-:2300.starting tpe:recoil or self start rc item no.8	2	59150
	SKYLINE POWER SOLUTIONS-NEW DELHI,NEW DELHI	23-Jul-16			Nos.	118300
56	92156105150136	25-May-16	SSE (AC/COG) CSTM	Pvc insulated and sheathed 4 core round flexible cable, each core of copper conductor size: 16 sq.mm (126/0.4mm) for voltage grade upto 1100 volt with isi mark confirmno to is: 694/1990.	3600	282.8
	JMW INDIA PVT LTD-DELHI,delhi	25-Jul-16			MTR	1018084
57	92156059150137	26-May-16	SSE (OHE) CLA	Normal bent steady arm eye piece part no. 2522. Rdso drg. No. Eti/ohe/p/2522 (rev.-b).	150	295.31
	BANGALORE MALLEABLE CASTINGS PVT LTD-BANGALORE,BANGALORE	23-Aug-16			Nos.	44297
58	92156184150138	26-May-16	SR. SE (ETL/AC) LTT	Fan guard assembly suitable for 400 mm sweep bldc type fan as per rdso spec. No. Rdso.pe.spec.tl.0021/2005 (rev.1).	350	404
	ELECTRONIC EQUIPMENT COMPANY PVT.LTD.-KOLKATA,Kolkata	25-Jul-16			Nos.	141400
59	92156083150139	27-May-16	SSE (TELE/STORE) CLA	Rechargeable vrla battery of 12v/7ah exide, hbl, ampanon make only.	150	642
	ALERT ENTERPRISES-RATLAM,Ratlam	24-Aug-16			Nos.	96300
60	92156019150140	27-May-16	SSE (TELE/STORE) CLA	Media converter 10/100 base tx ethernet twisted pair signal to 100 base tx fast ethernet fiber signal make d-link. rad. avava onlv.	20	3075
	MICRONICS SYSTEMS AND SERVICES-NASHIK,Nashik	27-Jun-16			Pairs	61500
61	92165004150141	27-May-16	SR. DSTE (CO) CSTM	Back plane module for siemens msdac	3	37989
	GENERAL AUTO ELECTRIC CORPORATION-MUMBAI,MUMBAI	24-Oct-16			Nos.	113967
62	92156121150142	27-May-16	SSE SIG STORE KALYAN	Battery terminal cleaner packing in 550 ml asv brand.	55	636.53
	SUNCHEM INDUSTRIES-MUMBAI,Mumbai	27-Jun-16			LTR	35009
63	92165027150143	27-May-16	SSEE[AC/COG] MUMBAI CST.	Lamp along with screw type holder 7 watt led in line with rdso spec.no.rdso/pe/spec/tl/d/0091.(rev-0) 2008 amend.no.1 for retrofitment of 25 watt lamp working on 24 volt dc in existing fitting of tl/ac coaches of mail /express trains. Having voltage range 18 volt to 30 volt dc.	450	180.41
	H.P.ENTERPRISES-MUMBAI,Mumbai	25-Jul-16			Nos.	81182
64	92165073150144	27-May-16	SR DEE (COG) CSTM	3 kw heater coil for 220/230 v ac single phase suitable to use in spectrum make 35 ltrs capacity geyser to henton make storage type water heater type ce mounting horizontal & water head 36 mtrs. Rated pressure 60n/ cm sq.	80	838.95
	FROSTAIR-MUMBAI,MUMBAI	25-Jul-16			Nos.	67116
65	92165072150145	27-May-16	SR DEE (COG) CSTM	Hot plate heater coil rating 2 kw 230 ac used in lhb type eog pantry cars as per is 4159	85	657
	FROSTAIR-MUMBAI,MUMBAI	25-Jul-16			Nos.	55845
66	92165071150146	27-May-16	SR DEE (COG) CSTM	Hot plate heater coil rating 1.1 kw 230 ac used in lhb type eog pantry cars as per is 4159	110	342
	FROSTAIR-MUMBAI,MUMBAI	25-Jul-16			Nos.	37620
67	92165054150147	27-May-16	SSE/CO/PSI/PNVL	25 kv, operating road for drop out fuse switch as per rdso specification no. Eti/psi/14 (1/86) rev-1 (april 87).	20	6464.5
	INTERNATIONAL MOTORS-KOLKATA,Kolkata	24-Aug-16			Nos.	129290

68	92165064150148	27-May-16	SSE(G)CSTM	Set of led rope light & led toran.1)led rope light to work on 230 volts ac,mixed colour with adopter single length of 100 mtrs length, qty:400 mtrs.,2) colour toran with suitable driver in length 9 to 10 mtrs and number of lamp not less than 80 nos. In each toran.the led toran shall be suitable to work on230 volts 50hz ac supply.100 nos.each of red,green,white and blue colour. Qty:400 nos.(one set consist of 2 items	1	149000
	REENA ENTERPRISES-MUMBAI,MUMBAI	27-Jun-16			Set	149000
69	92156159150149	27-May-16	SSE (EM) KYN	Generator control card suitable for kirloskar engine ha series 15,20,35 and 62.5 kva dg set to cologicx model eg cp-03 suitable for 3 phase 415 volts 50 hz ac supply with indication low batt, low fuel, low oil pressure, over speed, high temp, emergency stop, fail to start, alarm, start/stop push, horn, stop reset etc arrangement as per annexure attached.	6	23315.5
	A. R. ENTERPRISES-MUMBAI,MUMBAI	27-Jun-16			Nos.	139893
70	92156070150150	27-May-16	SSE TELE STORE KURLA	24 port - layer 2 lan switch as per rdso specification rdso/spn/tc/83/2014 rev. 1.0. Make: - cisco, extreme, avaya only switch shall be without poe.	4	16000
	EVEREST COMPUTERS-BHUBANESWAR,Bhubaneswar	06-Jul-16			Nos.	64000
71	92155685150151	30-May-16	SR. DEE (COG) CSTM	Three phase squirrel cage induction motor type : bx + 200 mlca, duty : 51, ip : 55, insulation class : 2 ,voltage 415 +/- 10%., 3 phase ,connection : delta 50 hz.,kw : 30, hp : 40, rpm 1470, amps : 54.5 a, is: 325 - 1996. Suitable for radiator motor of high capacity power car of abb make.	1	76650
	ASSOCIATED ENGINEERS-NEW DELHI,New Delhi	29-Jun-16			Nos.	76650
72	92156183150152	30-May-16	SR. SE (ETL/AC) LTT	Automatic voltage regulator model industrial electronic voltage regulator (ievr-2d) with female connector suitable for 500 kva/750 volts, 50 hz, 385 amps, 1500 rpm, frame size 4ab355/7 of kec make brushless altornator.	1	108587.5
	POWER ENGINEERING AND MACHINERY CO-MUMBAI,MUMBAI	25-Nov-16			Nos.	108588
73	92155898150153	30-May-16	SR DPO CSTM	Steel cupboard with 5 shelves adjustable made out of 24 gauge crc sheet powder coated size 190cm h x 92 cmw x 42cm d as per drawing attached.	8	10542
	MALHAR ENTERPRISES-MUMBAI,Mumbai	29-Jul-16			Nos.	84336
74	92155926150154	31-May-16	DSTE (TELE) CSTM	Two way line cord 1.5 meter length with rj-11 connector both side crimped lotus make with lotus packing.	2500	9.17
	THE MAKARDHWAJ ENTERPRISES-MUMBAI,Mumbai	29-Aug-16			Nos.	22913
75	92165056150155	31-May-16	DRM(W) CSTM	Furniture items as per annexure attached.	1	41900
	UNITED INDIA ENTERPRISES-MUMBAI,MUMBAI	30-Jun-16			Set	41900
76	92165036150156	31-May-16	SSE (SIG/WKS) KALYAN	P-touch lable black & white tape (a) size 9 mm brother make product code tze 221 - qty. 25 nos (b) size 12mm brother make product code tze 231 - qty. 25 nos (c) size 24 mm brother make product code tze 251 -qty. 25 nos. (one set consist of 3 items & 75 nos. 25 nos. Each.)	25	2850
	SHRI SAIKRIPA ENTERPRISES-BILASPUR,BILASPUR	30-Jul-16			Set	71250
77	92155988150157'	31-May-16	SSE SIGNAL STORE KALYAN	Plastic cover for 4 - aspect signal unit cover is opened from front side and bottom side and made of black polythene sheet of 100 micron thickness, size 1700 mm x 460 mm x 205 mm. On back side 75 mm wide corner to corner diagonal cross mark of cover colour of 100 micron thickness to be provided. To tie up cover signal unit suitable nylon rope of 5 mm dia and 4 mtrs. Length to be provided on front side and of 1.5 mtrs. Length at centre as per drg. No. R-st-12073 attached.	1000	106.88
	HEM ENTERPRISES-MUMBAI,mumbai	29-Aug-16			Nos.	106875
78	92165002150158	31-May-16	SR CO NO.12BN/RFSF/THK	Furniture item & crockery items as per annexure attached.	1	9150
	HANS ENTERPRISES-MUMBAI.,MUMBAI.	30-Jun-16			Set	9150
79	92165090150159'	31-May-16	CMS KYN	Tyres with tubes for maruti ambulance mh-5r-731 drh hospital kalyan size-lt 145 r12 lt make- ceat, mrf, jk.	4	2600
	HANS ENTERPRISES-MUMBAI.,MUMBAI.	30-Jun-16			Nos.	10400
80	92156172150160	31-May-16	SR. SEE (MAINT) CSTM	Induction high bay fitting 80 watts suitable to work 140-265 volts ac having body of cast alluminium gear box coating and high purity alluminium reflector with ip 65 protection. As per karee model no. Ki 101 080 r.	14	9000
	KAREE LIGHTING INDIA-NEW DELHI,New Delhi	30-Jun-16			Nos.	126000
81	92165052150161	31-May-16	SSE/CO/OHE/NERUL	Safety belt for full body harness class p. As per annexure attached and as per is: 3521/1999, amendment 1,2 or latest.	80	810
	MORAL ENTERPRISES-MUMBAI,MUMBAI	29-Jul-16			Nos.	64800
82	92165026150162	31-May-16	SR. SE (ETL/AC) LTT	Wear resistant nylon 66 bush 100mm length for for suspention of 25 kw alternator confirming to	700	188

	ABROL ENGG. CO. PVT. LTD. KAPURTHALA-KAPURTHALA,Kapurthala	24-Sep-16		rdso/pe/sk/tl/0086-02014 (rev-2) and material to rdso specication no.rdso/spec/ac/0006-2009(rev-i).	Nos.	131600
83	92165014150163 KALTRO ENTERPRISES-AMBERNATH,AMBERNATH	31-May-16 21-Jun-16	SR.SEE (MAINT) CSTM	Led high bay light fitting 90/100 watts,230 volts ac 50hz. With suitable driver as per surya model no. Sle hb 90w - comet.	14 Nos.	7301.25 102218
84	92156182150164 HE TECHNOCRATS-SECUNDERABAD,Secunderabad	31-May-16 29-Jul-16	SR. SE (ETL/AC) LTT	Valve solenoid part no. 3240573 for cummins make diesel engine model kta 19g-5. trident make valve solenoid assemble manufactured by trident diesel systems part no. Tds 324057324 volts double pole coil.	10 Nos.	1879.5 18795
85	92155678150165 KALTRO ENTERPRISES-AMBERNATH,AMBERNATH	31-May-16 27-Sep-16	SR. DEE (COG) CSTM	Set of power contactor, each set consist two power contactor etails as per annexure enclosed.	6 Set	11921.5 71529