

SUPPLY ORDERS ISSUED DURING THE MONTH OF JULY 2018 (VALUE OVER RS. 3 LAKH)

| S.R. | P.O.No. & Date | Order | PL No. | Item Description | PO | Consignee | Order | Unit | Delivery | Demand |
|------|---|---------|---------|---|-----|----------------------|-------|------|-----------|----------|
| No. | Name of Firm | Value | | | Sr. | | Qty | | Date | No. |
| 1 | 92185981150710 dated 06-JUL-18 PRECISION ELECTRONICS INSTRUMENTS AND COMPONENTS MUMBAI | 1592640 | 8298NS1 | ZEISS VISALIS 100 PHACOEMULSIFICATION SYSTEM VERSION 2 CONSIST OF 1) VISALIS 100 Phaco Console Release 2.0. Qty- 1 No. 2) Double Liner Foot Switch Qty- 1 No. 3) Reusable ULITE Phaco Hand piece for VISALIS Qty- 1 No. 4) 20G Reusable Phaco Tip Straight 30 Degree. Qty-3 No. 5) Silicone Sleeve 20G Reusable (3X) Qty- 1 No. 6) Reusable Phaco Tip Wrench Qty- 1 No. 7) Reusable Irrigation Hand Piece for Bimanual technique Qty-1 No. 8) Reusable Aspiration Hand piece fir Bimanual technique Qty-1 No. 9) Reusable I/A tubing set with surge security system Qty- 1 No. 10) Reusable Test Chamber (2x) Qty- 1 No. 11) Disposable Drainage Bag(10x) Qty- 1 No. 12) Reusable Diathermy Bipolar Cable Qty-1 No. 13) Reusable Diathermy Forceps Qty- 1 No. 14) Reusable Sterilization Tray 25 x15 x 38 Qty- 1 No. 15) Power Cord, Dust Cover and Operating Manual Qty- 1 No. Warranty 2 years from the date of installation. | 1 | Chief Medical Superi | 1 | Nos. | 04-Sep-18 | 11253120 |
| 2 | 92185982150711 dated 06-JUL-18 PRECISION ELECTRONICS INSTRUMENTS AND COMPONENTS-MUMBAI | 1593000 | 8298NS1 | ZEISS OPMI LUMERA 300 SERGICAL MICROSCOPE FOR OPHTHALMIC SURGERY CONSISTING OF 1) OPMI LUMERA 300 basic system on S200 floor stand with Bright flex illumination, motorized fine focusing 2) Inclined binocular tube f= 170, 45 degree 3) Sleeve for tubes with screw thread 4) Widefield, push in eyepiece 12.5 x 5) Objective F=200 mm, apochromatic, 6) Foot Control Panel, 7) Set of asepsis caps, 8) Dust Cover for OPMI blue 9) Manual 5 Step magnification changer. 10) XY coupling for OPMI LUMERA 300. WITH 2 YEARS WARRANTY. | 1 | Chief Medical Superi | 1 | Nos. | 04-Sep-18 | 11253121 |
| 2 | 92185989150712 dated 06-JUL-18 | 1080450 | 56 | Auxillary Signal Unit non Metalic (FRP). 1) Shunt signal unit non metallic (FRP) - 25 Nos.@ Rs. 8700/- each. 2) Junction route 2 way unit non metallic (FRP) - | 1 | Sr. Section Engineer | 1 | Set | 04-Sep-18 | 18590021 |

| | | | | | | | | | | |
|---|---|---------|----|---|---|----------------------|------|------|-----------|----------|
| | RAMBAL MOULDERS PVT. LTD.-KOLKATA | | | 24 Nos. @ Rs. 29750/- each. (3) Co - Unit non metallic (FRP) - 15 Nos.@ Rs. 6500/- (One set consist of 3 items & 64 Nos.) (Accepted offer for Make RAMBAL) HSN CODE 8608 | | | | | | |
| 3 | 92185987150713 dated 06-JUL-18 RAMBAL MOULDERS PVT. LTD.-KOLKATA | 1542240 | 56 | Main Signal units made up of FRP without Lences and Transformers confirming to RDSO Spec. No. RDSO/SPN/194/2006 Rev. 2.0 with latest amendments if ant 1) Main Signal Unit - 2 Aspect as per Drg. No. SA23003A/M with latest alterations if any - Qty.- 32 Nos.@ Rs. 25500/- each 2) Main Signal Unit- 3 Aspect as per Drg. No. SA23002A/M with latest alteration if any - Qty. 24 Nos.@ Rs. 27200/- each (One set consist of 2 items and 56 Nos.) (ACCEPTED OFFER FOR MAKE RAMBAL) HSN CODE 8608 | 1 | Sr. Section Engineer | 1 | Set | 04-Sep-18 | 18590022 |
| 4 | 92186465150714 dated 06-JUL-18 PAT AND COMPANY- MUMBAI | 1448568 | 83 | New Ribbons for LIPI 6610/6605 chart printer in manufacturers original packing Part No. 256110-104 (HSN CODE 9612) | 1 | SR DIVL COMMERCIAL M | 500 | Nos. | 05-Nov-18 | 11733031 |
| 5 | 92186480150716 dated 09-JUL-18 | 338430 | 80 | Mak Garonex R 250 Grease as per specification given below. 1) Consistency of the worked Grease of 25 degree celcius - ASTM D 217 330, 2) Drop Point,degree Celcius ASTM D 566 - 105, 3) Free Organic Acidity (as oleic acid) % by mass - IS 1448 P 53 - 03, 4) Free Alkanity (as Ca(OH)2) % by mass - IS 1448 P:53 - 0.15, 6) Water Content, % by mass - IS 1448 P: 40 -1.0 7) Graphite Content, % wt. - IS 1448 P :58 - 11.0 8) Copper Strip Corrosion Test @ 75 degree Celcius for 24 hrs. - ASTM D 4048 - Negative.) (HSN CODE 2710) | 1 | SE(PWAY) , [STORES] | 1440 | Kgs. | 08-Aug-18 | 14497169 |
| 6 | NAGORY FOSTER PRIVATE LIMITED-KANPUR | | | | | | | | | |
| 7 | 92175507150719 dated 10-JUL-18 T.M.JAYALAKSHMI AND CO THANE | 586425 | 92 | ALLUMINIUM WALL EXTENSION LADDER AS PER IS.4571/1977.A) LENGTH-10.9 MTRS.AFTER EXTENSION AND CLOSE HEIGHT 6.1 MTRS.,B) WIDTH-380 MM.,C) CROSS SECTION- 66.6 MM X 31.7 MM X 4 MM (THICK),D)STEPS FROM 25.4 (1 INCH) DIA FLOATED ALUMINIUM PIPE FITTED AT INTERVAL OF 300 MM IN SECTION UP TO COMPLETE LENGTH.,E) WITH GOOD QUALITY ACCESSORIES PULLEY, NYLON ROPE OF SUFFICIENT LENGTH , RUBBER PAD, SAFETY LOCK. | 1 | Sr.DEE (TD) CSMT | 50 | Nos. | 08-Sep-18 | 7041128 |

| | | | | | | | | | | |
|----|---|---------|---------|---|---|----------------------|-----|------|-----------|----------|
| 8 | 92186240150722 dated 11-JUL-18 HBL POWER SYSTEMS LTD-HYDERABAD | 1153659 | 5615N | VRLA maintenance free battery 2V/300 AH for SMPS based integrated power supply system for interlocked station in non- re area as per RDSO Specification No. IRS-S-93/96(A) with latest amendment. 176 CELLS TO BE SUPPLIED IN 4 SETS EACH CONSISTING OF 44 CELLS OF 2V 300 AH FOR IPS APPLICATION. (ACCEPTED OFFER FOR MAKE HBL). HSN code 8507 | 1 | Sr. Section Engineer | 176 | Nos. | 11-Oct-18 | 18450060 |
| 48 | 92186263150724 dated 12-JUL-18 MEGASTAR ENGINEERING-PUNE. | 548492 | 42NS | Supply, installation and commissioning of 4 body mortuary cabinets for kalyan railway hospital as per annexure. Make: Blue Star, Voltas, Carrier, Hitachi, 'O' General, Daikin, Mitsubishi, L.G., Lloyd, Samsung, Godrej. Accepted offer for Make/Brand - Blue Star). | 1 | SEE(A C) CSTM | 1 | Nos. | 11-Aug-18 | 17900006 |
| 10 | 92186216150733 dated 13-JUL-18 UNITED LEADOXIDE PRODUCTS PVT LTD-Kundaim | 6787128 | 45 | JUMBO MAKE LOW MAINTENANCE LEAD ACID BATTERIES 110V 200AH, CAPACITY AT 10 HRS RATE OF DISCHARGE (PER SET CONSISITING OF 55 CELLS,) WITH ELECTROLYTE SUPPLIED IN NON RETURNABLE PLASTIC CONTAINER WITH ALL ACCESSORIES CONFIRMING TO RDSO SPECIFICATION No. RDSO/PE/SPEC/TL/0040-2003 [REV-0] WITH AMENDMENT NO.1. | 1 | Sr. Section Engineer | 19 | Set | 13-Oct-18 | 16860692 |
| 11 | 92186366150736 dated 13-JUL-18 TIRUPATI MARKETING AND SERVICES-KOLKATA | 389400 | 5698NS1 | Transmitter (TX) and Receiver (RS) sets of tokenless single line block instrument as per Spec No. IRS:S-98/2001 with Amd.3 as applicable of carrier frequency 1800 HZ and modulated frequency 65 cycles/sec +/- 1.5 cycle -85 cycle/sec= +/- 1.5 cycle. (ACCEPTED OFFER FOR MAKE DIGITAL COMMUNICATION & CONTROL PVT LTD) | 1 | Sr. Section Engineer | 5 | Set | 11-Sep-18 | 18450001 |
| | | | 5698NS2 | Transmitter (TX) and Receiver (RS) sets of tokenless single line block instrument as per Spec No. IRS:S-98/2001 with Amd.3 as applicable of carrier frequency 2700 HZ and modulated frequency 65 cycles/sec +/- 1.5 cycle -85 cycle/sec= +/- 1.5 cycle. (ACCEPTED OFFER FOR MAKE DIGITAL COMMUNICATION & CONTROL PVT LTD) | 2 | Sr. Section Engineer | 6 | Set | 11-Sep-18 | 18450002 |

| | | | | | | | | | | |
|----|---|---------|---------|--|---|--------------|------|------|-----------|----------|
| 12 | 92186312150737 dated 13-JUL-18 SDV EANGINEERING-VARANASI | 589824 | 50 | Sealed maintenance free VRLA Battery set of 24 Cells (Stackable) each cell of 2 Volt 200AH Capacity. Fully Charged Confirming to RDSO Specification No. IRS/S-93/96(A) with latest amendment complete with connecting Links and mountring rack along with user manual. (ACCEPTED OFFER FOR MAKE EXIDE) | 1 | TCI (HF) CLA | 6 | Set | 10-Nov-18 | 18490169 |
| 13 | 92186076150738 dated 13-JUL-18 | 5718752 | 72 | Standard Weight of 50 Kgs. each. MAKE V.C.I. Specification:- The item should be confirming to IS specification 1056:2004 as per annexure atttached. Weight should be supplied alongwith verification certificate (VC) issued by legal Metrology Department. | 1 | HTXR KYN | 2600 | Nos. | 12-Nov-18 | 13268724 |
| 14 | 92186318150739 dated 13-JUL-18 SETH TRADERS-MUMBAI | 1070750 | 4698NS1 | Anti Pumping Relay, Part No. AP of ALIND make. For 25 KV AC single pole out door vacuum circuit breaker, Type : VSE 5/20. | 1 | SR SE/TD/NEU | 18 | Nos. | 12-Jan-19 | 16962896 |
| | | | 4698NS2 | Tripping Coil, Part No.TC/D of ALIND Make .for 25 KV AC single pole out door vacuum circuit breaker. Type : VSE 5/20. | 2 | SR SE/TD/NEU | 20 | Nos. | 12-Jan-19 | 16962897 |
| | | | 4698NS3 | Local Remote Selector Switch. Part No.LR of ALIND make for 25 KV AC single pole out door vacuum circuit breaker, VSE 5/20. | 3 | SR SE/TD/NEU | 24 | Nos. | 12-Jan-19 | 16962898 |
| | | | 4698NS4 | Closing Coil, Part No. CC/E af ALIND Make. for 25 KV AC single pole outdoor vacuum circuit breaker type: VSE5/20. | 4 | SR SE/TD/NEU | 20 | Nos. | 12-Jan-19 | 16962904 |
| | | | 4698NS5 | Spring Charging Motor with Catch, Part No. M/128 of ALIND make for 25KV AC single pole out door vacuum circuit breaker type VSE 5/20. | 5 | SR SE/TD/NEU | 4 | Nos. | 12-Jan-19 | 16962905 |
| | | | 4698NS6 | Motor Limit Switch (3 No + 3NC), Part No. LS/IN of ALIND make for 25KV AC single pole outdoor vacuum circuit breaker type VSE 5/20. | 6 | SR SE/TD/NEU | 14 | Nos. | 12-Jan-19 | 16962906 |
| | | | 4698NS7 | Auxiliary Switch (8 No+8NC) with Crank, Part No. AS/S of ALIND make for 25KV AC single pole outdoor vacuum circuit breaker type VSE 5/20. | 7 | SR SE/TD/NEU | 7 | Nos. | 12-Jan-19 | 16962907 |

| | | | | | | | | | | |
|----|--|---------|---------|--|---|----------------------|----|------|-----------|-----------|
| 15 | 92186471150740 dated 16-JUL-18 JAGSON INDUSTRIES-MUMBAI | 384975 | 8198NS1 | Anti Rodent Coating concentrate for long lasting anti rodent treatment in residential area specially for Tiles And Flooring Area (Transparent Coating) 1) Non - hazardous and eco friendly, 2) Coverage 80-100 sq. feet / Litre/per single coat. 3) Thermally stable at temperature up to 50- 100Degree Celsius. 4) Appearance - Transparent. 5) Anti- Corrosive. 6) Water resistant.(ACCEPTED OFFER FOR C TECH CORPORATION) | 1 | ALL SANITARY INSPECT | 9 | LTR | 31-Jul-18 | 11330006 |
| | | | 8198NS2 | Anti Rodent Coating concentrate for long lasting anti rodent treatment in residential area s1) Non - Toxic , Eco friendly, PH- adjustable, anty corrosive, Water resistant, long durability and thermally stable on single application..(ACCEPTED OFFER FOR C TECH CORPORATION) | 2 | ALL SANITARY INSPECT | 16 | LTR | 31-Jul-18 | 11330007 |
| 16 | 92186148150743 dated 17-JUL-18 LAKSHMI INDUSTRIAL CORPORATION-MEERUT CITY | 1711000 | 6098NS1 | Light Weight Rail Drilling Machine as per RDSO specification No. TM/SM/LWRDM/Dt. 31.03.2014 alog with 10 Nos. Drill bit size 28 mm dia x 50 mm long TCT and 10 Nos. Drill bit size 31.5 mm dia x 50 mm long .(ACCPTED OFFER FOR MAKE LAKSHMI) NOTE :- FIRM TO BE COMPLY THE INSTRUCTIONS MENTIONED ON THE RDSO PANEL AT THE TIME OF SUPPLY. | 1 | SE(PWAY) , [STORES] | 10 | Nos. | 31-Aug-18 | 144970080 |
| 17 | 92185953250760 dated 27-JUL-18 ORBIT INDUSTRIES,, NAGPUR - | 452736 | 92NS | PORTABLE EMERGENCY LIGHTING SYSTEM WITH INFLATABLE BALLOON | 1 | JR. ENGINEER COACHIN | 2 | Set | 10-Aug-18 | 13845001 |