

CENTRAL RAILWAY

Run Date : 17/10/18

Depot : All Depots

## LIST OF PURCHASE ORDERS

Section : ALL

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
1	<a href="#">87185166150114</a> dt.01-SEP-18 on M/s.FRONTIER SPRINGS LIMITED- KANPUR <a href="#">RITES-CALL</a>	360018.00 (FP)	11XXN1	PRIMARY SPRING FOR LHB NON AC COACHES (INNER) COLOUR CODE AS PER DESIGN LETTER NO MD 23151 DT 23.11.2002 AND FINAL CODE SHADE RAL7012 DRG NO LG01101 ALT.NIL AND SPEC NO 17.248 100.05( AMENDMENT NO.1 O	001	JR.ENGINEER COACHING	75 Nos.	0	31-OCT- 18	0
2	<a href="#">56185803150558</a> dt.01-SEP-18 on M/s.QUADRANT CABLES PVT LTD- MOHALI <a href="#">RITES-CALL</a>	507002.00 (FP)	0125NS	SINGLE CORE CABLE 120 SQ.MM 9 GKW .4000V GR.AS PER CLW'S SPECN.NO CLW/ES/3/0458 ALT-E OR LATEST [ITEM RESERVED FOR RDSO APPROVED SOURCES ONLY].	001	CWM/ELW/BSL	300 MTR	0	18-OCT- 18	0
3	<a href="#">46185752150558</a> dt.01-SEP-18 on M/s.MARVEL ELECTRIC EQUIPMENTS PRIVATE LIMITED- MUMBAI <a href="#">RITES-CALL</a>	672000.00 (FP)	31XXNS	SUPPLY OF LED BASED AUX HEAD LIGHT CUM FLASHING TAIL LIGHT. THE AUX HEAD LIGHT AND TAIL LIGHT SHALL BE AS PER RDSO SPEC NO. RDSO/PE/SPEC/EMU/0063- 2004. (REV.-01 BY ICF (RED MODULE).ITEM TO BE PROCURE	001	SR,DEE,[TRS] CLA	16 Nos.	0	01-OCT- 18	0
4	<a href="#">86185692150406</a> dt.01-SEP-18 on M/s.LAXVEN SYSTEMS- HYDERABAD <a href="#">RITES-CALL</a>	395772.00 (FP)	29NS	Hall Effect speed sensor for IGBT based locos with two coupler 5 Pin plus 3 Pin and connecting cable as per CLW specification no. CLW/ES/3/0528, Alt-A. Make - M/s ARC Model No.RO or M/s Jacquet Model	001	TRACTION FOREMAN,[DC	12 Nos.	0	08-JAN- 19	0
5	<a href="#">55185033150067</a> dt.03-SEP-18 on M/s.A M JAIN AND CO-BHUSAWAL <a href="#">RITES-CALL</a>	941640.00 (FP)	65NSN1	FORKLIFT TRUCK DIESEL ENGINE OPERATED RATED CAPACITY (KG) 3000, TRANSMISSION AUTOMATIC CUBIC CAPACITY OF ENGINE (LTR) ABOVE 2.9, LIFT HEIGHT (M) : 3 TO 3.8, NO OF STAGES-2 SIMILAR TO ACE/GODREJ/ESCORT	001	SR.SECTION ENG.( C &	1 Nos.	0	02-MAR- 19	0
6	<a href="#">55185075150068</a> dt.03-SEP-18 on M/s.JOSTS ENGINEERING COMPANY LIMITED-THANE <a href="#">RITES-CALL</a>	890880.00 (FP)	65XXN1	BATTERY OPERATED PLATFORM TRUCK AS PER SPECIFICATION ATTACHED AS ANNEXURE "A" WITH GENERAL TECHNICAL REQUIREMENT.	001	SR.SECTION ENG.( C &	2 Nos.	0	07-NOV- 18	0
7	<a href="#">56185860150565</a> dt.03-SEP-18 on M/s.IC ELECTRICALS COMPANY PRIVATE LIMITED-NEW	845996.00 (FP)	2505N03	VIGILANCE CONTROL DEVICE.[VCD] FOR ELECTRIC LOCOS. AS PER RDSO SPECIFICATION NO. RDSO/2008/EL/SPEC/0025/REV-5 [ MATERIAL TO BE	001	SSE(TRS/MAINT) BSL	6 Nos.	0	20-OCT- 18	0

PO Status ==&gt; FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
	DELHI <a href="#">RITES-CALL RITES-IC</a>			PROCURED FROM RDSO/CLW APPROVED SOURCES ONLY]						
8	<a href="#">86185425150411</a> dt.04-SEP-18 on M/s.AUTOMETERS ALLIANCE LTD-NOIDA <a href="#">RITES-CALL</a>	623040.00 (FP)	23NS	Single Bottle Vacuum Circuit Breaker VCB for Electric 3-phase locos as per CLW Specification No.CLW/ES/C/47 Alt H or latest. Material to be procured from CLW approved sources of Vacuum Circuit Bre	001	Sr. Section Engineer	2 Nos.	0	08-APR-19	0
9	<a href="#">90185005740027</a> dt.04-SEP-18 on M/s.Railway Board, New Delhi <a href="#">RITES-CALL</a>	4945616.00 (FP)	9001N09	M.S. PLATE SIZE 28 mm Thick x 2500 mm Width x 12500 mm Length confirming to IS 2062/11 E-250 Gr. B0	001	SSS CUTTING SHOP MMR	124 MT	0	19-OCT-18	0
10	<a href="#">90185007740028</a> dt.04-SEP-18 on M/s.Railway Board, New Delhi <a href="#">RITES-CALL</a>	1553706.00 (FP)	9001N09	M.S. PLATE SIZE 150 mm x 150 mm x 10 mm x 10 mtrs & above Length confirming to IS 2062/11 E-250 Gr.B0	001	SSS CUTTING SHOP MMR	33 MT	0	04-APR-19	0
11	<a href="#">90185006740029</a> dt.04-SEP-18 on M/s.Railway Board, New Delhi <a href="#">RITES-CALL</a>	1971072.00 (FP)	9001N09	M.S. PLATE SIZE 56 mm Thick x 1800 mm Width x 5000 mm Length confirming to IS 2062/11 E-250 Gr. B0 FKN duly UT.	001	SSS CUTTING SHOP MMR	48 MT	0	04-APR-19	0
12	<a href="#">93185672150474</a> dt.04-SEP-18 on M/s.INFOTECH ENERGY-SOUTH DELHI <a href="#">RITES-CALL</a>	679680.00 (FP)	9379N1	4 core x 35 Sq. mm armoured with inner sheath XLPE Specifcarion : ISI Marked cable cross linked poly ethylene (XLPE) insulated, PVC outer sheathed armoured with galvanized round steel wire or steel s	001	SR. SECT. ENGG./ T D	6000 MTR	0	30-OCT-18	0
13	<a href="#">56185725150575</a> dt.04-SEP-18 on M/s.LAXVEN SYSTEMS-HYDERABAD <a href="#">RITES-CALL</a>	1401840.00 (FP)	2516N05	UPGRADATION KIT OF SPEEDOMETER TYPE LAX-2000E-1 TO LAX-2000E-2 CONFIRMING TO RDSO SPECIFICATION NO.ELRS/SPEC/SPM/0002 [REV-2] JUNE 2004 WITH AMENDMENT NO 01 TO 06. [SET CONSISTING 06 ITEMS AS PER ANNEX	001	SSE(TRS/MAINT) BSL	8 Set	0	04-DEC-18	0
14	<a href="#">93185859150476</a> dt.05-SEP-18 on M/s.AAS UDYOG-KOLKATA <a href="#">RITES-CALL</a>	725700.00 (FP)	9379N1	Point & Xing bolt 25 x 360 mm RDSO Drg. No. T-11531 with nut bolt, Specification No. IRS/T-10/2000 cross Refer IRS T-23-67. Inspection by RITES. ** Offer Accepted :- OWN MAKE.	001	SE(PWAY) , [STORES]	10 MT	0	04-NOV-18	0
15	<a href="#">93185851250477</a> dt.05-SEP-18 on M/s.GENERAL AUTO ELECTRIC CORPORATION, MUMBAI <a href="#">RITES-CALL</a>	2687922.00 (FP)	9379N1	LED Signal Lighting Unit with built in current regulator Aspect for Main Signal, retrofittable in existing CLS units as per RDSO specification : RDSO/SPN/199/2010 Rev. 1.0 with latest amendment for :-	001	Sr. Section Engineer	1 Set	0	05-FEB-19	0
			9379N1		001		1 Set	0		0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
16	<a href="#">93185852250478</a> dt.05-SEP-18 on M/s.GENERAL AUTO ELECTRIC CORPORATION, MUMBAI <a href="#">RITES-CALL</a>	3078030.00 (FP)		LED Signal Lighting Unit with built in current regulator, retrofittable in existing CLS units as per RDSO specification : RDSO/SPN/153/2011 Rev.4.1 with latest amendment for Subsidiary LED Signal:-(1		Sr. Section Engineer			05-FEB-19	
17	<a href="#">85187256251336</a> dt.05-SEP-18 on M/s.SANROK ENTERPRISES, FARIDABAD <a href="#">RITES-CALL</a>	857903.00 (FP)	31220137	Fork Eye with bolt [sub-assy] to Escorts Drg. No. 2.SK.399/Latest Equivalent Sanrok Drg. No. 2ED.181.1383 or OEM's Drg. No.	001	EMU REHALS MTN	78 Nos.	0	04-NOV-18	0
18	<a href="#">85187256251337</a> dt.05-SEP-18 on M/s.BLUE BIRD TECHNICKS PVT LTD., KOLKATA <a href="#">RITES-CALL</a>	571935.00 (FP)	31220137	Fork Eye with bolt [sub-assy] to Escorts Drg. No. 2.SK.399/Latest Equivalent Sanrok Drg. No. 2ED.181.1383 or OEM's Drg. No.	001	EMU REHALS MTN	52 Nos.	0	04-DEC-18	0
19	<a href="#">93186031250482</a> dt.05-SEP-18 on M/s.GENERAL AUTO ELECTRIC CORPORATION, MUMBAI <a href="#">RITES-CALL</a>	2858550.00 (FP)	9379N01	Shunt LED Signal Lighting Unit 110 V AC with built in current regulator, retrofittable in existing CLS Units and compatible with AC LED ECR, as per RDSO Specification :- RDSO/SPN/153/2011, Rev. 4.1	001	Sr. Section Engineer	510 Nos.	0	03-JAN-19	0
20	<a href="#">93175458150483</a> dt.05-SEP-18 on M/s.DAPHAL INDUSTRIES-PUNE <a href="#">RITES-CALL</a>	601859.00 (FP)	9379N1	" High Tensile Stud Half headed bolt with Nut of Size 25 x 90 mm as per RDSO Drg. No. T-11504 (Head Thickness 10 mm) Technical Properties for High Tension Bolts as per IS:1367 (Part-3) 1979 class -	001	SE(PWAY) , [STORES]	5000 Nos.	0	15-OCT-18	0
21	<a href="#">56185920150576</a> dt.05-SEP-18 on M/s.AUTOMETERS ALLIANCE LTD- NOIDA <a href="#">RITES-CALL</a>	802398.00 (FP)	2516N02	SET OF KEY MULTIPLIER.ONE FOR MACHINE ROOM AS PER CLW SKETCH NO.CLW/ES/3/SK-8/0049 AS PER CLW SPECN.NO.CLW/ES/03/0049 ALT-F,[ TO BE PROCURED FROM CLW APPROVED SOURCES ONLY] ACCEPTED: FIRMS OFFER "KEY	001	CWM(ELW) BSL	6 Set	0	10-APR-19	0
22	<a href="#">56185936150577</a> dt.05-SEP-18 on M/s.CONTRANSYS PRIVATE LIMITED- KOLKATA <a href="#">RITES-CALL</a>	830550.00 (FP)	2506N03	POH KIT FOR IR03-H PANTOGRAPH AS PER ANNEXURE ATTACHED.ONE SET CONSISTS OF 87 ITEMS 172 NOS. ACCEPTED: FIRMS OFFER DESCRIPTION AS PER ANNEXURE ATTACHED	001	AUXILIARIES OVERHAUL	10 Set	0	10-JAN-19	0
23	<a href="#">92186674250850</a> dt.05-SEP-18 on M/s.CONCO ELECTRIC-MUMBAI <a href="#">RITES-CALL</a>	600600.00 (FP)	43	HAIER 1.5 TON 5 STAR WINDOW AC 2018 MODEL NO HAIER HW- 18CVSCR	001	SEE(A C) CSTM	22 Nos.	0	30-OCT-18	600600.16
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;										

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
24	<a href="#">87185068150115</a> dt.05-SEP-18 on M/s.D R AUTO INDUSTRIES- NOIDA <a href="#">RITES-CALL</a>	314685.00 (FP)	45XXN1	DIFFUSER COMPLETE FOR LHB TYPE AC COACHES OF ITEM NO.3 & 4 OF RCF DRAWING NO.LW 76012 ALT-C OF MAKE - D.R AUTO AND RAIL TECH ONLY. THE MATERIAL TO BE PROCURED FROM RDSO / ICF / RCF APPROVED SOURCES	001	SR. S.E. (AC/ TL) KU	450 Nos.	0	04-DEC- 18	0
25	<a href="#">92186201250851</a> dt.05-SEP-18 on M/s.CONCO ELECTRIC-MUMBAI <a href="#">RITES-CALL</a>	1222500.00 (FP)	4298NS01	VESTAR 1.5 TON INVERTER WITH 7 YEARS COMPRESSOR WARRANTY MODEL VESTAR VASYR185ITH/VAOYR185ITH.	001	SEE(A C) CSTM	3 Nos.	0	14-SEP- 18	0
			4298NS02	VESTAR 1.5 TON INVERTER WITH 7 YEARS COMPRESSOR WARRANTY MODEL VESTAR VASYR185ITH/VAOYR185ITH.	002	SEE(A C) CSTM	22 Nos.	0	14-SEP- 18	1222500.17
26	<a href="#">92186382250852</a> dt.05-SEP-18 on M/s.CONCO ELECTRIC-MUMBAI <a href="#">RITES-CALL</a>	2332200.00 (FP)	4298NS1	HIGH WALL SPLIT AC MODEL VESTAR VASYR225ITT	001	SEE(A C) CSTM	10 Nos.	0	30-SEP- 18	0
			4298NS2	HIGH WALL SPLIT AC MODEL VESTAR VASYR225ITT	002	SEE(A C) CSTM	9 Nos.	0	30-SEP- 18	0
			4298NS3	HIGH WALL SPLIT AC MODEL VESTAR VASYR225ITT	003	SEE(A C) CSTM	18 Nos.	0	30-SEP- 18	0
			4298NS4	HIGH WALL SPLIT AC MODEL VESTAR VASYR225ITT	004	SEE(A C) CSTM	2 Nos.	0	30-SEP- 18	0
27	<a href="#">38175039740030</a> dt.05-SEP-18 on M/s.STEEL AUTHORITY OF INDIA LTD.(SAIL), KOLKATA <a href="#">RITES-CALL</a>	25477448.00 (FP)	0000N25	SOLID FORGED WHEEL FOR EMU COACHES TO DRG NO.K-4004	001	CWM WHEEL SHOP MTN	478 Nos.	0	31-MAR- 19	0
28	<a href="#">93185975150484</a> dt.06-SEP-18 on M/s.VIJAY ELECTRONICS-NEW DELHI <a href="#">RITES-CALL</a>	525100.00 (FP)	9379N1	Supply of 6I Primary cell Leclanche type1.5 Volt DC for Railway S&T Application to IRS Specn. No. S.95/96 with amendt. 1 or latest with company printed manufacturing date and expiry date on each cell.	001	Sr. Section Engineer	1000 Nos.	0	06-OCT- 18	0
29	<a href="#">46185669150565</a> dt.06-SEP-18 on M/s.SCHAEFFLER INDIA LIMITED- VADODARA <a href="#">RITES-CALL</a> <a href="#">RITES- IC</a>	670216.00 (FP)	85XXNS	DEEP GROOVE BALL BEARING ELECTRICALLY INSULATED FOR NDE AS PER BT PART NO 3EJD000001-0308 OR FAG DOCUMENT EDD6318-M- J20AA-C54-M15CS 000,PARTNO FAG6318-M-- J20AA-CS-M15CS OF MOTOR TYPE MJC 280-1 FITTED	001	SR,DEE,[TRS] CLA	7 Nos.	0	22-OCT- 18	0
30	<a href="#">91186256250686</a> dt.06-SEP-18 on M/s.BLUE OCEAN SOLUTIONS- BHOPAL <a href="#">RITES-CALL</a>	467987.00 (FP)	83XXN1	All in one desktop computer, Intel I3 processor, 500GB / 1TB HDD, 4GB DDR3 ROM, 19.5" screen size with standard USB, Bluetooth	001	DRM (PUNE) PA	13 Nos.	0	08-SEP- 18	0
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;										

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
				connectivity & Ethernet port, preloaded with windows 10 OS. MAKE:- Le						
31	<a href="#">46185671150566</a> dt.06-SEP-18 on M/s.SCHAEFFLER INDIA LIMITED- VADODARA <a href="#">RITES-CALL</a>	476189.00 (FP)	8515NS	CYLINDRICAL ROLLER BEARING FOR DE AS PER BT PART NO 3EJD000001-0306 OR FAG DOCUMENT NO EDDF-585063.ZL000,PART NO FAG PART NO FAG F-585063.ZL-M15CS-M32N OF MOTOR TYPE MJ C280-1FITTED IN MRVC-11 EMU RA	001	SR,DEE,[TRS] CLA	7 Nos.	0	06-MAR-19	0
32	<a href="#">91186016150687</a> dt.06-SEP-18 on M/s.INDIA TRADING CORPORATION- DELHI <a href="#">RITES-CALL</a>	450865.00 (FP)	30XXN1	Modified Coach Watering Inlet {Connector} with Strainer. CAMTECH DRAWING NO. CAMTECH.M. COACH WATERING 08.3. MATERIAL AND SPECIFICATION: CAMTECH SPEC. NO. CW-08-02. OFFER FOR:- INDONECTOR make.	001	Sr. Section Engineer	1040 Nos.	0	12-NOV-18	0
33	<a href="#">92186668150857</a> dt.06-SEP-18 on M/s.VIJAYA TRADING CORPORATION- MIRA ROAD(E), THANE <a href="#">RITES-CALL</a>	724815.00 (FP)	46	Dis-"Connector assembly" suitable for 42 KV out door type surge arrester for track side 25KV surge arrester of class -3 type tested as per RDSO reference No. TI/PSI/GAPLA/Policy/13 dtd 17.10.2013 & 08	001	SR.SE.TD.SS. KALYAN	195 Nos.	0	05-MAR-19	0
34	<a href="#">11166505170338</a> dt.06-SEP-18 on M/s.BHEL-BHOPAL <a href="#">RITES-CALL</a>	1486800.00 (FP)	3101N	AXLE SUSPENSION UNIT [13 ITEMS] AS PER BHEL DRAWING NO. 0446 1599 015 FOR HHP DEMU [ ITEM No. 001 to 013] for TM 4303DY.MAKE/BRAND BHEL .	001	Sr. Section Engineer	5 Nos.	0	09-AUG-19	0
35	<a href="#">92186461250858</a> dt.06-SEP-18 on M/s.GUPTA BACKELITE FACTORY, <a href="#">RITES-CALL</a>	313000.00 (FP)	42NS	EXHAUST FAN 225 MM 6 POLE WITHOUT SHUTTER MODE ARISTO 225_04	001	Sr Section Engineer	200 Nos.	0	06-OCT-18	0
36	<a href="#">46185897150568</a> dt.07-SEP-18 on M/s.NEW VISHCO ENGINEERING WORKS-MUMBAI <a href="#">RITES-CALL</a>	347067.00 (FP)	31XXNS	SET OF ITEMS FOR MR AND BP HOSE PIPE TO DRG.NO.SKETCH NO. EMU/MTN/POH/M/07 AS UNDER : [1] NIPPLE UNION FOR MR HOSE PIPE TO DRG.NO. TEKA/218, QTY-22 NOS. [2] NIPPLE UNION FOR BP HOSE PIPE TO DRG.NO. TE	001	SR DEE CLA	21 Set	0	07-JAN-19	0
37	<a href="#">92186701150868</a> dt.07-SEP-18 on M/s.THREE STAR COMPANY-MUMBAI <a href="#">RITES-CALL</a>	782422.00 (FP)	83	Supply of 1 set of stickers for coaches, each set consist of 1 No. Swachata Logo & 1 No. of National Flag. Size 225mm x 150mm each, as per RDSO Drg. No. CG-18207 and	001	HEAD STORE KEEPER WA	9694 Set	0	07-OCT-18	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
				RDSO specification No. RDSO/2010/C						
38	<a href="#">56185820150580</a> dt.07-SEP-18 on M/s.FILTER MANUFACTURING INDUSTRIES PVT. LTD.-KOLKATA <a href="#">RITES-CALL</a>	1214325.00 (FP)	00125NS	FILTER ASSEMBLY FOR MACHINE ROOM VENTILATION FOR 3 PHASE LOCO.AS PER CLW SPEC NO.CLW/MS/3/012 PART-1 AND CLW DRAWING NO.1209.11.135-121 ALT-2.[ITEM RESERVED FOR CLW APPROVED SOURCES ONLY]. CLW DRAWING	001	CWM/ELW/BSL	18 Nos.	0	23-OCT- 18	0
39	<a href="#">95185716150554</a> dt.09-SEP-18 on M/s.ESCORTS LIMITED- FARIDABAD <a href="#">RITES-CALL</a>	955500.00 (FP)	3897NS0	Non-asbestos L-Type Composition Brake Block for BLC Wagon to Drg. No. CONTR-9404-S/11, Alt.6. Accepted Make/Brand :- Escorts.	001	SR.SEC.ENGR/ C&W/ AJ	2800 Nos.	0	15-NOV- 18	0
40	<a href="#">95185739150555</a> dt.09-SEP-18 on M/s.BEMCO HYDRAULICS LIMITED-BELGAUM <a href="#">RITES-CALL RITES- IC</a>	1829000.00 (FP)	6579NS0	Power Pack & Control Table fro BEMCO make HRE as per specification attached as Annexure-I. Accepted description: Pump Set with Petrol Engine & Control table for operating 4 Jacks for Hydraulic Re-rai	001	SR.SEC.ENGR/ C&W/ AJ	1 Set	0	10-JAN- 19	0
41	<a href="#">95186041250556</a> dt.09-SEP-18 on M/s.BLUE OCEAN SOLUTIONS- BHOPAL <a href="#">RITES-CALL</a>	596000.00 (FP)	0000N0	Desktop computer with configuration processor Intel Core i3, 6th Generation 4 GB RAM, 1 TB HDD, 18.5-20 inch LED Monitor, Key Board, Mouse, DVD Drive R/W with preloaded operating system- Microsoft Win	001	Sr. Section Engineer	20 Nos.	0	13-SEP- 18	0
42	<a href="#">95185738150557</a> dt.09-SEP-18 on M/s.BEMCO HYDRAULICS LIMITED-BELGAUM <a href="#">RITES-CALL RITES- IC</a>	1829000.00 (FP)	6579NS0	Power Pack & control Table for BEMCO Make HRE as per details given in Annexure-I attached. Accepted description: Pump Set with Petrol Engine & Control table for operating 4 Jacks for Hydraulic Re-rail	001	SR.SEC.ENGR/ C&W/ AJ	1 Set	0	10-JAN- 19	0
43	<a href="#">96185676150405</a> dt.10-SEP-18 on M/s.JHANVI EARTHMOVERS- MUMBAI <a href="#">RITES-CALL RITES- IC</a>	588773.00 (FP)	3021NXX	Lube Oil 15 W40 CI4+ suitable for 1600 HP DEMU Engine (Cummins QSK50L) One unit contains 210 liters of specified oil (210 Ltrs. X 18 barrels = 3780 Ltrs. ) Make : locl or HPCL or BPCL or Valvoline C	001	SENIOR SECTION ENGI	18 Nos.	0	11-OCT- 18	0
44	<a href="#">15168007170340</a> dt.10-SEP-18 on M/s.KRISHNA UDYOG.-MATHURA <a href="#">RITES-CALL</a>	87255584. (FP)	5601N78	Supply of PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 12 core x 1.5 sq mm as per RDSO Specification No. IRS .S.63/2014 [Rev 4.0 ] with latest amendment.	001	SIGNAL INSPECTOR WR	100 KM	0	31-JAN- 20	0
					002	SIGNAL INSPECTOR WR	100 KM	0	28-FEB- 20	0
					003	SIGNAL INSPECTOR WR	35 KM	0	31-MAR- 20	0
					017	SIGNAL INSPECTOR WR	15 KM	0	31-MAR- 20	0
			5601N79		004		2.5 KM	0		0

PO Status ==&gt; FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val		
				Supply of PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 12 core x 1.5 sq mm as per RDSO Specification No. IRS .S.63/2014 [Rev 4.0 ] with latest amendment.		SIGNAL INSPECTOR NGP			31-MAR-20			
					005	SIGNAL INSPECTOR NGP	14 KM		0	31-MAR-20	0	
					006	SIGNAL INSPECTOR NGP	4.5 KM		0	31-MAR-20	0	
					007	SIGNAL INSPECTOR NGP	1 KM		0	31-MAR-20	0	
					008	SIGNAL INSPECTOR NGP	3 KM		0	31-MAR-20	0	
					009	SIGNAL INSPECTOR NGP	2 KM		0	31-MAR-20	0	
					010	SIGNAL INSPECTOR NGP	2 KM		0	31-MAR-20	0	
					011	SIGNAL INSPECTOR NGP	2.5 KM		0	31-MAR-20	0	
					012	SIGNAL INSPECTOR NGP	2.5 KM		0	31-MAR-20	0	
			5601N80		Supply of PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 12 core x 1.5 sq mm as per RDSO Specification No. IRS .S.63/2014 [Rev 4.0 ] with latest amendment.	013	S.S.E./RRI/AJNI.	39 KM		30-JUN-20	0	
						014	S.S.E./RRI/AJNI.	100 KM		0	30-APR-20	0
						015	S.S.E./RRI/AJNI.	100 KM		0	31-MAY-20	0
				016		S.S.E./RRI/AJNI.	16 KM		0	31-MAR-20	0	
45	<a href="#">15175049170341</a> dt.10-SEP-18 on M/s.VOSSLOH COGIFER SIGNALLING INDIA PRIVATE LIMITED-BHILAI <a href="#">RITES-CALL</a>	5579910.00 (FP)	5601N79	Electric Point Machine [Rotary Locking Type] 143mm throw [AC Immunity 160 Volt] AC Non Trailable to operate on 110V DC complete with lock and detector slides and cable termination box conforming as pe	001	SIGNAL INSPECTOR NGP	102 Nos.		15-JAN-19	0		
46	<a href="#">95185636150568</a> dt.10-SEP-18 on M/s.POOJA ENTERPRISES-NAGPUR <a href="#">RITES-CALL</a>	303960.00 (FP)	80014586	Hi Lube Oil SAE 15W40 with API, CF 4 classification for all Cummins Engines.	001	Sr. Section Engineer	2400 LTR		17-OCT-18	0		
47	<a href="#">85187230251368</a> dt.10-SEP-18 on M/s.KJM GROUP SYSTEM SOLUTIONS-THANE <a href="#">RITES-CALL</a>	389700.00 (FP)	43XXNS	PROCUREMENT OF 30 NOS MULTIFUNCTION PRINTERS ON REPLACEMENT ACCOUNT FOR F.Y.2018-19 AS PER TECHNICAL SPECIFICATION IN ANNEXURE ATTACHED.	001	CWM, CARRIAGE WORKSH	30 Nos.		20-SEP-18	0		
48	<a href="#">86185637150413</a> dt.10-SEP-18 on M/s.D.S. FURNITURE WORKS-MUMBAI <a href="#">RITES-CALL</a>	310696.00 (FP)	83NS	Office Table Model WT 102 Godrej or similar. Office chair model 7046R.	001	SMM-D [ELS] KALYAN	13 Set		18-DEC-18	0		
49	<a href="#">56185803150587</a> dt.10-SEP-18 on M/s.RADIANT - RSCC SPECIALTY CABLE PRIVATE LIMITED-HYDERABAD <a href="#">RITES-CALL</a>	2121168.00 (FP)	00125NS	SINGLE CORE CABLE 120 SQ.MM 9 GWK .4000V GR.AS PER CLW'S SPECN.NO CLW/ES/3/0458 ALT-E OR LATEST [ITEM RESERVED FOR RDSO APPROVED SOURCES ONLY].	001	CWM/ELW/BSL	1200 MTR		25-DEC-18	0		
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;												

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
50	<a href="#">41185293246270</a> dt.10-SEP-18 on M/s.J.F INFO SYSTEMS - MUMBAI, MUMBAI <a href="#">RITES-CALL</a>	687200.00 (FP)	4301N15	COMPUTERS LENOVO V310Z OR HIGHER I3 7100-4GB-1TB-W10P-20", DVD WIFI, 3 YEARS WARRANTY.	001	DRM MB	16 Nos.	0	22-SEP-18	0
51	<a href="#">56185944150588</a> dt.11-SEP-18 on M/s.GURNOOR ENTERPRISES- KAPURTHALA <a href="#">RITES-CALL</a>	702100.00 (FP)	2517N05	ANGLE TRANSMITTER/SENSOR FOR MASTER CONTROLLER OF 3-PHASE LOCOS AS PER CLW SPECN. NO. CLW/ES/3/0031/I ALT-H. MAKE CAMILLE BAUER AG SWITZERLAND MODEL NO. KINAX 3W2 NLB 868 TYPE 708-13AE 1/D.ACCEPTED: F	001	CWM(ELW) BSL	10 Nos.	0	19-JAN-19	0
52	<a href="#">83185033170346</a> dt.11-SEP-18 on M/s.ELECTRO EQUIPMENTS- ROORKEE <a href="#">RITES-CALL</a>	644045.00 (FP)	6501N79	SUPPLY ERECTION, TESTING AND COMMISSIONING OF 62.5 KVA THREE PHASE AIR COOLED DIESEL GENERATOR SET WITH ACCOUSTIC ENCLOSURE AS PER SPECIFICATION ATTACHED. THE SUPPLIER SHOULD ALSO DO THE FOUNDATION, ANT	001	SR.SEC.ENG. (EL.MAIN)	1 Nos.	0	11-NOV-18	0
53	<a href="#">56186016150593</a> dt.11-SEP-18 on M/s.MEDHA SERVO DRIVES PRIVATE LIMITED- HYDERABAD <a href="#">RITES-CALL</a>	474643.00 (FP)	2511N06	SET OF CABLES FOR MEDHA MAKE SPEEDOMETER TYPE MRT- 922 RECORDER AND INDICATOR AS PER MEDHA PART NO.SP922901007	001	SR.SEC.ENG. (PROGRESS)	15 Set	0	12-JUN-19	0
54	<a href="#">91186087150701</a> dt.11-SEP-18 on M/s.DATACOM PRODUCTS INDIA PRIVATE LIMITED- MUMBAI <a href="#">RITES-CALL</a>	316320.00 (FP)	56XXN03	Supply of Media Gateway similar to Avaya G650 with features an 8U high, 14 slot chassis that can be installed in industry standard EIA-310 19", 24", or 600mm ETSI open or closed racks. The G650 can acc	001	SR.SECTION ENGINEER(	1 Nos.	0	15-OCT-18	0
55	<a href="#">04175015250002</a> dt.11-SEP-18 on M/s.SUN SYSTEMS- NEW DELHI <a href="#">RITES-CALL</a>	688940.00 (FP)	4301N001	ALL IN ONE COMPUTER PROCESSOR INTEL CORE I3/i5 7TH GENERATION AS WIN 8 OR HIGHER VERSION MONITOR 19.5 INCH OR ABOVE, RAM 4GB HP, DELL, HCL, LENOVO ETC. Firms Offer : HP 200 G3 AIO, i3- 7100, 4GB RAM D	001	CSTE, [C] BB	19 Nos.	0	12-SEP-18	0
56	<a href="#">15168007170347</a> dt.11-SEP-18 on M/s.HIMALAYA COMMUNICATIONS LIMITED-NEW DELHI <a href="#">RITES-CALL</a>	21505500.00 (FP)	0511N01	Supply of PVC insulated armoured unscreened copper conductor underground Railway signalling cable size 12 core x 1.5 sq mm as per RDSO Specification	001	S.S.E./RRI/AJNI.	90 KM	0	01-DEC-18	0
					002	S.S.E./RRI/AJNI.	45 KM	0	01-JAN-19	0
57	<a href="#">47139001170348</a> dt.11-SEP-18 on	2063737.00 (FP)	2501N	Set of Helical Spring for WAG with latest amendment.	001	BOGIE AC LOCO W/SHOP	5 Set	0	07-DEC-18	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
	M/s.FRONTIER SPRINGS LIMITED-KANPUR <a href="#">RITES-CALL</a>			set consists of 4 items, 64 Nos.), as per CLW Specn. No. CLW/MS/3/SPEC/ELDO-BOGIE/004, as per Annexure attached to bid documents, which is reproduced						
58	<a href="#">92186597150871</a> dt.11-SEP-18 on M/s.REENA ENTERPRISES-MUMBAI <a href="#">RITES-CALL</a>	501875.00 (FP)	4298NS1	DIN 35mm time switch daily/weekly digital type 150 on/off steps per day min setting unit :- 1 sec RTC shift: 15mins 10+yrs powers reserve (lithium battery ) Temp operating 0 to 50 day. mC storage 20 t	001	Sr Section Engineer	125 Nos.	0	09-JAN-19	0
			4298NS2	Astronomical time switch with weekly off feature, contact rating 16 Amp. bases on city based latitude and longitude precise to minute with time zone off hours feature, 230V AC supply 50 Hz Manual over	002	Sr Section Engineer	100 Nos.	0	09-JAN-19	0
59	<a href="#">91186331150702</a> dt.12-SEP-18 on M/s.EMPRISE MARKETING-LUCKNOW <a href="#">RITES-CALL</a>	512946.00 (FP)	45XXN1	Supply & Application of set of Vinyl wrapping stickers consisting of Swacchata Logo- 1 No. & Tri Colour of National Flag- 1 No. of size 225mm x 150mm each on coaches, as per RDSO Drg. No. CG-18207 an	001	Sr. Section Engineer	4830 Set	0	15-OCT-18	0
60	<a href="#">54185146150071</a> dt.12-SEP-18 on M/s.BHAGYODAYA SALES AND SERVICES-MANMAD <a href="#">RITES-CALL</a>	497952.00 (FP)	54NS	Industrial Safety Shoes with steel toe cup & PU sole As per IS 15298/2002 & EN 345 As per central Rly specification. (Annexure-I) Attached. [Inspection by Consignee against Lab Report.]	001	SR.S.E.[MILL WRIGHT]	741 Pairs	0	12-NOV-18	0
61	<a href="#">83185011170349</a> dt.12-SEP-18 on M/s.VISHAL SURGICAL EQUIPMENT CO. PVT. LTD.-MUMBAI <a href="#">RITES-CALL</a>	2856000.00 (FP)	8201N79	Colour Doppler Ultrasound Machine Make Mindray Model DC-70 for Gynaecology Department of Central Railway Hospital Byculla. Material Required as per Specn ATTACHED. GST HSSN CODE 9018	001	MD BY	1 Nos.	0	10-JAN-19	0
62	<a href="#">82185565150380</a> dt.12-SEP-18 on M/s.DATTA ENGINEERING WORKS.-HOWRAH <a href="#">RITES-CALL</a>	406875.00 (FP)	5600N01	Channel Pin Single Groove 7mm dia with Galvanised Elcetroplating, as per Drg.No.S 69/M	001	CWM(S&T) WS BYCULLA	250000 Nos.	0	11-DEC-18	0
63	<a href="#">56185999150596</a> dt.12-SEP-18 on M/s.SANTI FIBRE INDUSTRIES INDIA-KOLKATA <a href="#">RITES-CALL</a>	498960.00 (FP)	2512N02	FRP UNDER PANEL OF CAB AS PER CLW SPECN.NO. CLW/MS/3/018 AND CLW DRG.NO. 1209.08.130.12 ALT-5[ TO BE PROCURED FROM CLW APPROVED SOURCES ONLY]	001	LIFTING BAY AC LOCO	88 Nos.	0	29-OCT-18	0
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;										

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
64	<a href="#">41185029170350</a> dt.12-SEP-18 on M/s.RUSHABH TRADELINKS- MUMBAI. <a href="#">RITES-CALL</a>	552240.00 (FP)	4343N15	DESKTOP COMPUTER. WITH PRELOADED OPERATING SYSTEM WINDOWS 10 WITH MICROSOFT OFFICE WITH LICENSE AS PER SPECIFICATION ATTACHED. Make / Brand - DELL VOSTRO 3268	001	TCI (HF) CLA	10 Nos.	0	19-OCT- 18	0
65	<a href="#">96185670150410</a> dt.12-SEP-18 on M/s.MARVEL ELECTRIC EQUIPMENTS PRIVATE LIMITED- MUMBAI <a href="#">RITES-CALL</a>	1298000.00 (FP)	5023Nxx	Way station Control Equipment as per RDSO Specification No. RDSO/SPN/TL/66/07 with amendment 2 including latest amendment with necessary mounting arrangement on composite rack or on wall as dicided by	001	Sr. Section Engineer	20 Nos.	0	19-NOV- 18	0
66	<a href="#">96185712150411</a> dt.12-SEP-18 on M/s.P C ENTERPRISE- MUMBAI <a href="#">RITES-CALL</a>	1334116.00 (FP)	91XXNxx	supply of stainless steel dustbin twin type in cylindrical shape of size 2 nos. 20 inch( Depth) x 14 inch (Dia) . thickness of stainless steel sheet 1.2G. size of pipe shall be 40mm dia. , 16G thickne	001	DRM [C] SUR	152 Nos.	0	19-OCT- 18	0
67	<a href="#">86185634150416</a> dt.14-SEP-18 on M/s.SHIV SAKTHI ENGINEERING- HOWRAH <a href="#">RITES-CALL</a>	331800.00 (FP)	62NS	1 X 24 inch Hose coupling assembly type UIC [VAC- AIR] for multiple operation of loco as per Drawing No.TC 2 GN-4 Alt-R4.	001	Sr. Section Engineer	400 Nos.	0	20-NOV- 18	0
68	<a href="#">92186311150877</a> dt.14-SEP-18 on M/s.STATCON ENERGIAA PRIVATE LIMITED-GAUTAM BUDH NAGAR <a href="#">RITES-CALL</a>	601715.00 (FP)	50	SMPS Based battery chargers (As per RDSO specification No. RDSO/SPN/TL/23/99 (Ver.4) Amendment No.1 or Latest for Telecom use sutaible for VRLA Battery 48V DC, 50Amps Using 03 (Three) Nos 25Amps Module	001	TCI (HF) CLA	6 Set	0	29-OCT- 18	0
69	<a href="#">82185647150385</a> dt.14-SEP-18 on M/s.COMM TECH COMMERCIAL CORPORATION- MUMBAI <a href="#">RITES-CALL</a>	457982.00 (FP)	5600N01	Terminal Binding Nut M-6 as per Drg. No.S-407/M ALT - 4, Specification IRS - S-23 & S-75 and IS 319 / 1989 Grade - 2 . (Party to submit test certificate from NABL Lab)	001	CWM(S&T) WS BYCULLA	775 Kgs.	0	13-NOV- 18	0
70	<a href="#">15175112246273</a> dt.14-SEP-18 on M/s.GOLKONDA ENGINEERING ENTERPRISES LIMITED- SECUNDERABAD <a href="#">RITES-CALL</a>	80942100.00 (FP)	5640N10	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 12 core x 1.5 sq mm as per RDSO Specification No. IRS:S- 63/2014 [Rev 4.0] with latest amendment.	001	Sr. Section Engineer	30 KM	0	30-APR- 19	0
					002	Sr. Section Engineer	22 KM	0	30-APR- 19	0
					003	Sr. Section Engineer	50 KM	0	30-JUN- 19	0
					004	Sr. Section Engineer	25 KM	0	31-JUL- 19	0
			5640N11	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 12 core x 1.5 sq mm as per RDSO Specification No. IRS:S- 63/2014 [Rev	005	CSI [C] Kalyan	25 KM	0	30-JUL- 19	0
					006	CSI [C] Kalyan	50 KM	0	30-SEP- 19	0

PO Status ==&gt; FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
				4.0] with latest amendment.						
			5640N12	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 12 core x 1.5 sq mm as per RDSO Specification No. IRS:S- 63/2014 [Rev 4.0] with latest amendment.	007	SR S.E.(CONV) S and	50 KM	0	30-NOV-18	0
					008	SR S.E.(CONV) S and	50 KM	0	31-DEC-18	0
					009	SR S.E.(CONV) S and	40 KM	0	31-JAN-19	0
					010	SR S.E.(CONV) S and	4 KM	0	31-MAR-19	0
					011	SR S.E.(CONV) S and	10 KM	0	31-JAN-19	0
					012	SR S.E.(CONV) S and	50 KM	0	28-FEB-19	0
					013	SR S.E.(CONV) S and	38 KM	0	31-MAR-19	0
			5640N13	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 12 core x 1.5 sq mm as per RDSO Specification No. IRS:S- 63/2014 [Rev 4.0] with latest amendment.	014	Sr. Section Engineer	56 KM	0	31-MAY-19	0
71	<a href="#">48186853151151</a> dt. 15-SEP-18 on M/s.TECHNO MECH ENGINEERING- HOWRAH <a href="#">RITES-CALL</a>	304440.00 (FP)	30NSN1	BOGIE SUSPENSION COIL SPRING TO DRG.NO. NO. SE/DL/SN-96 FOR NARROW GAUGE ZDM3 LOCOS.	001	DIESEL HYDROULIC SHO	60 Nos.	0	14-NOV-18	0
72	<a href="#">56185727150597</a> dt. 17-SEP-18 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.-MUMBAI <a href="#">RITES-CALL</a>	1403057.00 (FP)	2517N07	ELGI MAKE DISC COUPLING TRC 1000MN UG PART NO.070310410 [ HSN CODE NO. 84836010] ACCEPTED: FIRMS OFFER " ELGI MAKE DISC COUPLING TRC1000MN UG PART NO. 070310410 [HSN CODE NO 8483]	001	SSE(TRS/TM)BSL	45 Set	0	16-JAN-19	0
73	<a href="#">56185566150598</a> dt. 17-SEP-18 on M/s.KIM INDUSTRIES- RAISEN <a href="#">RITES-CALL RITES-IC</a>	1386500.00 (FP)	2554N03	FORK LIFTER 05 TON CAPACITY[DIESEL OPERATED].SPECIFICATION AS PER ANN-I ACCPETED: MAKE VOLTAS	001	SSE(TRS/GENL) BSL	1 Nos.	0	02-NOV-18	0
74	<a href="#">56185565150599</a> dt. 17-SEP-18 on M/s.KIM INDUSTRIES- RAISEN <a href="#">RITES-CALL RITES-IC</a>	1386500.00 (FP)	2538N06	FORK LIFTER 05 TON CAPACITY [DIESEL OPERATED].SPECIFICATION AS PER ANN -I. ACCEPTED FIRMS OFFER MAKE VOLTAS	001	SSE(TRS/GENL) BSL	1 Nos.	0	03-NOV-18	0
75	<a href="#">85187299251377</a> dt. 17-SEP-18 on M/s.KJM GROUP SYSTEM SOLUTIONS, BHAYANDER (EAST) <a href="#">RITES-CALL</a>	1642050.00 (FP)	043XXNS	PROCUREMENT OF 30 NOS DESKTOP COMPUTER ON REPLACEMENT ACCOUNT FOR F.Y.2018-19 AS PER TECHNICAL SPECIFICATION IN ANNEXURE ATTACHED.	001	CWM, CARRIAGE WORKSH	30 Set	0	18-SEP-18	0
			56XXN1		001		11 Nos.	0		0
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;										

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
76	<a href="#">91186206150717</a> dt.17-SEP-18 on M/s.TIRUPATI INDUSTRIAL CORPORATION- KOLKATA <a href="#">RITES-CALL</a>	369606.00 (FP)		Supply of 2 wire subscriber loop interface card (4 channels per card) of primary drop / insert MUX to specification No. IRS:TC:~*-2012 with latest amendment. Compatible with existing Webfil make.		SR.SECTION ENGINEER(			05-NOV-18	
77	<a href="#">91186207150723</a> dt.17-SEP-18 on M/s.A M JAIN AND CO-BHUSAWAL <a href="#">RITES-CALL</a>	374741.00 (FP)	56XXN1	Supply of 2 wire / 4 wire E&M card (4 channels per card) of primary drop / insert MUX as per specification No. IRS:TC:68/2012 with latest amendment. Compatible with existing Webfil Make MUX. OFFER	001	SR.SECTION ENGINEER(	13 Nos.	0	21-JAN-19	0
78	<a href="#">90175005170351</a> dt.17-SEP-18 on M/s.SAGAR ISPAT- MUMBAI <a href="#">RITES-CALL</a>	984076.00 (FP)	9090N13	MS PLATE SIZE 110mm THICK X 2500mm X 6150mm LENGTH CONFIRMING TO is 2062/11 E-250 Gr BOFK/FN DULY UT WITH RELEVANT CERTIFICATE. (MATERIAL IS REQUIRED WITH ISI MARK/TAG ONLY)	001	GSS POINTS & CROSSIN	13.5 MT	0	31-DEC-18	0
79	<a href="#">90175005170352</a> dt.17-SEP-18 on M/s.SAGAR ISPAT- MUMBAI <a href="#">RITES-CALL</a>	952216.00 (FP)	9090N13	MS PLATE SIZE 110mm THICK X 2500mm X 6150mm LENGTH CONFIRMING TO is 2062/11 E-250 Gr BOFK/FN DULY UT WITH RELEVANT CERTIFICATE. (MATERIAL IS REQUIRED WITH ISI MARK/TAG ONLY)	001	GSS POINTS & CROSSIN	13.5 MT	0	31-DEC-18	0
80	<a href="#">90185008170353</a> dt.17-SEP-18 on M/s.GREENPLY INDUSTRIES LIMITED-KOLKATA <a href="#">RITES-CALL</a>	980179.00 (FP)	9301N25	DENSIFIED RESINS IMPREGNATED COMPREG PLYWOOD SIZE: 2850 X 850 X 12MM THICK TO RDSO SPECN NO. C-9407 (REV-3 OF FEB 2007 WITH 03 AMENDMENT SLIP-3 OF AUGUST-2006 CORIGENDUM-1 OF JUNE 2015) TYPE-II. THIS	001	ELECTRIC LOCO REPAIR	528 Nos.	0	31-DEC-18	0
81	<a href="#">56185587150601</a> dt.17-SEP-18 on M/s.THE SPECIAL ELECTRIC AND ENGG CO-MUMBAI <a href="#">RITES-CALL</a>	646800.00 (FP)	0125NS	MODIFIED TOP SLACK ADJUCTER FOR CONCENTIONAL EXCEPT WAP-4 LOCO BOGIE AS PER RDSO DR NO SKVL-190 ALT-1 [ITEM RESERVED FOR CLW APPROVED SOURCES ONLY]	001	BOGIE AC LOCO W/SHOP	176 Nos.	0	18-DEC-18	0
82	<a href="#">56186010150602</a> dt.17-SEP-18 on M/s.HIND ENTERPRISES- MUMBAI <a href="#">RITES-CALL</a>	381364.00 (FP)	2516N03	WOAMA MAKE PCB FOR Q-44 RELAY AS PER WOAMA PART NO.WE/RL/44/117 ACCEPTED: FIRMS OFFER WOAMA MAKE PCB FOR WOAMA MAKE Q44 RELAY. WOAMA PT NO.WE/RL/44/117.	001	SR.SEC.ENG. (PROGRESS	81 Nos.	0	18-FEB-19	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
83	<a href="#">93185626150494</a> dt.18-SEP-18 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI <a href="#">RITES-CALL</a>	969252.00 (FP)	9379N1	Point Group RRI Siemens Make Type RSSK- 3515/19-V make Siemens without base plate. Offer Accepted :- SIEMENS MAKE.	001	Sr. Section Engineer	10 Nos.	0	28-OCT- 18	0
84	<a href="#">83175054170354</a> dt.18-SEP-18 on M/s.DECCAN AUTOMOBILE CO.-MUMBAI <a href="#">RITES-CALL</a>	997100.00 (FP)	6565N79	OXY FUEL GAS CUTTING EQUIPMENT [UNDER WATER CUTTING EQUIPMENT] COMPLETE SET. AS PER RDSO SPECIFICATION NO. MP-0.08.00.63[REV-01] OCT-2005. MATERIAL REQUIRED AS PER RDSO SPECIFICATION NO.MP-0.08.00.63(	001	TRACTION FOREMAN,[DC	1 Set	0	27-DEC- 18	0
85	<a href="#">90185008170355</a> dt.18-SEP-18 on M/s.SHRI RAM PANELS-MANDI GOBINDGARH <a href="#">RITES-CALL</a>	3965512.00 (FP)	0301N25	DENSIFIED RESINS IMPREGNATED COMPREG PLYWOOD SIZE: 2850 X 850 X 12MM THICK TO RDSO SPECN NO. C-9407 (REV-3 OF FEB 2007 WITH 03 AMENDMENT SLIP-3 OF AUGUST-2006 CORIGENDUM-1 OF JUNE 2015) TYPE-II. THIS	001	ELECTRIC LOCO REPAIR	2112 Nos.	0	31-DEC- 18	0
86	<a href="#">85186230151386</a> dt.18-SEP-18 on M/s.JALDOOTMATERIALS HANDLING PVT LTD., PUNE <a href="#">RITES-CALL</a>	967680.00 (FP)	6719NS	BATTERY OPERATED PLATFORM TRUCK CAP- 2 TON (3 WHEELERS) as per specification attached.	001	CWM, CARRIAGE WORKSH	2 Nos.	0	16-DEC- 18	0
87	<a href="#">03188023250003</a> dt.18-SEP-18 on M/s.TECHNICAL TRADE LINKS, NAGPUR <a href="#">RITES-CALL</a>	1548832.00 (FP)	0322N01	FIVE STAR ENERGY EFFICIENT INVERTER SPLIT AIR CONDITIONER FITTED WITH ROATERY COMPRESSOR COOLING CAPACITY NORMAL (K CAL/HR) 5800 TO 6000	001	SR.SE ELE.(C) MTP(RI	14 Nos.	0	31-OCT- 18	0
					002	SR.SE ELE.(C) MTP(RI	18 Nos.	0	31-OCT- 18	0
88	<a href="#">56185911150611</a> dt.18-SEP-18 on M/s.MACKEIL AND COMPANY PVT LTD-KOLKATA <a href="#">RITES-CALL</a>	846720.00 (FP)	2516N02	COUPLING CAPACITY (MIN) SE OF SAFETY DEVICE ASSEMBLY FOR WAP-8 5500 MIN ROOM DISC LOCOMOTIVE GEAR BOX AS PER RDSO MOD NO.0424 REV-1,DRG NO.SKEL-5003,ALT-0 IN 11 SHEETS. ONE SET CONSISTING OF 15 ITEMS,29 NOS.AS PER ANNEXURE.[ ITEM IS RESERVED	001	BOGIE AC LOCO W/SHOP	63 Set	0	30-NOV- 18	0
89	<a href="#">38185040170356</a> dt.18-SEP-18 on M/s.SKM INDUSTRIES- MUMBAI <a href="#">RITES-CALL</a>	1672650.00 (FP)	0001N35	BRAKE BEAM COMPLETE TO ICF DRG.NO.T-3-2- 624, ALT.M/7 OR LATEST, ITEM NO.1,3,4,7,10, 11 AND 12. MATERIAL AND SPECIFICATION AS PER DRAWING.	001	ELECTRIC LOCO REPAIR	675 Nos.	0	24-DEC- 18	0
90	<a href="#">92186707250880</a> dt.18-SEP-18 on M/s.ABB INDIA LIMITED-Maneja <a href="#">RITES-CALL</a>	1003000.00 (FP)	11	Overhauling of ABB Make TPR-61 Turbocharger to 3100/3300 HP rating confirming to RDSO Spec. No. TS/ED/96/10.3 Sept. 1996. Details of technical	001	Sr. Section Engineer	1 Nos.	0	17-DEC- 18	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
				requirement and other terms and condition as per annexure						
91	<a href="#">85186398151393</a> dt.19-SEP-18 on M/s.SHRI VENKATESHWARA ENTERPRISES- KOLHAPUR <a href="#">RITES-CALL</a>	639560.00 (FP)	7630NS	FULLY THYRISTORISED MIG CO2 WELDING MACHINE CAP - 400A. as per specification attached.	001	CWM, CARRIAGE WORKSH	4 Nos.	0	19-NOV-18	0
92	<a href="#">42185017170357</a> dt.19-SEP-18 on M/s.RECON ENGINEERING CO P LTD-KOLKATA <a href="#">RITES-CALL</a>	1323000.00 (FP)	8501N55	Dome Cover Complete to RDSO Drg. No. SKETCH-81202, ALT-3 along with Roller Plate to RDSO Drg. No. SKETCH-81201, ALT-5, for EMU Coaches. Material and Specification as per Drawing. MAKE BRAND SELF.	001	L.V.B. SHOP MTN	1008 Nos.	0	23-MAR-19	0
93	<a href="#">42185011170358</a> dt.19-SEP-18 on M/s.ANIL METAL AND WIRE INDUSTRIES- MUMBAI <a href="#">RITES-CALL</a>	3067764.00 (FP)	8101N79	Dual Channel Speed Sensor Type GEL-2475 as per Lenord Baumer Cat No. 2475V1200LW250N or M/s. Jaquet make Speed Sensor type DSD 1820.40 S4HW for AC-DC Siemens EMU Rake. Firm's offer: Make - JAQUET, TYP	001	SR,DEE,[TRS] CLA	100 Nos.	0	25-JAN-19	0
94	<a href="#">96185672150413</a> dt.19-SEP-18 on M/s.SANCHAR TELESYSTEMS LIMITED-NEW DELHI <a href="#">RITES-CALL</a>	960166.00 (FP)	5023NXX	Trans receiver handheld 5 watt Digital VHF Set confirming to central Railway specification No. CR/SPN/VHF -5 W /TC-2018 effective from 12/01/2018 along with two set of OEM approved rechargeable Ni- MH	001	Sr. Section Engineer	60 Set	0	20-NOV-18	0
95	<a href="#">96185685150415</a> dt.19-SEP-18 on M/s.ASSOCIATED LIGHTING SYSTEM PVT. LTD.-NEW DELHI <a href="#">RITES-CALL</a>	936750.00 (FP)	4204Nxx	LED Based Emergency Light Unit as per ICF Specification No. ICF / Elect / 917. Rev (1) make - Concorde Control System Pvt. Ltd., IC electricals , Maave , V.G.S. Technologies , Intra electronics System	001	SEE (TL) SOLAPUR	250 Nos.	0	20-NOV-18	0
96	<a href="#">95175460150572</a> dt.19-SEP-18 on M/s.RAJ TRADE LINK-NAGPUR <a href="#">RITES-CALL</a>	498750.00 (FP)	6500N00	Set of Tools and Equipment used for maintenance of ICF& LHB coaches as per Detailed list and technical specification attached as Annexure-I.	001	SR.SEC.ENGR/ C&W/ AJ	5 Set	0	17-DEC-18	0
97	<a href="#">41185282246278</a> dt.20-SEP-18 on M/s.MICROWORLD SOFTWARE SERVICES PVT LTD, MUMBAI <a href="#">RITES-CALL</a>	1357000.00 (FP)	4301N15	PROCUREMENT OF ANTI VIRUS SOFTWARE WITH THREE YEAR UPDATES SUPPLY, INSTALLATION AND COMMISSION. BASIC INFORMATION OF END POINT PROTECTION SOFTWARE (GOLDEN) MODEL : ESCAN CORPORATE EDITION (WITH HYBRID	001	Sr.EDP Manager,IT Ce	2300 Nos.	0	04-OCT-18	0
			4301N15		001		33 Nos.	0		0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
98	<a href="#">41185066246280</a> dt.20-SEP-18 on M/s.CONCO ELECTRIC-MUMBAI <a href="#">RITES-CALL</a>	1716000.00 (FP)		INVERTER SPLIT AIRCONDITIONER 1.5 TON CAPACITY IS 1391 LATEST MODEL VASYR185ITH BEE STAR RATING - 5 STAR WARRANTY FOR MACHINE 3 YEARS WARRANTY FOR COMPRESSOR - 6 YEARS WITH INSTALLATION AND COMMISSION		SE/ED(AC AND R) BHUS			22-OCT- 18	
99	<a href="#">41185171170364</a> dt.20-SEP-18 on M/s.ICON INFOTECH PRIVATE LIMITED-MUMBAI <a href="#">RITES-CALL</a>	4890274.00 (FP)	4301N15	RAKE MANAGEMENT SYSTEMS , SUPPLY, INSTALATION & COMMISSIONING OF RMS EQUIPMENTS ( PC + MONITORS + UPS + PRINTERS- IN ONE SET WITH 3 YEARS ONSITE WARRANTY. AS PER ANNEXURE "A, B, AND C ATTACHED IN PDF	001	ASST. EXEC. MECH. EN	1 Set	0	24-NOV- 18	0
100	<a href="#">92186503250890</a> dt.20-SEP-18 on M/s.CONCO ELECTRIC-MUMBAI <a href="#">RITES-CALL</a>	1400000.00 (FP)	78	GODREJ 3.0 TONNE DIESEL FORKLIFT TRUCK MODEL GX 300 D 3- STAGE MFH 5500 MM ATT DUAL DRIVE	001	SR. S.E. (AC/ TL) KU	1 Nos.	0	20-OCT- 18	0
101	<a href="#">96185671150417</a> dt.20-SEP-18 on M/s.HINDUSTHAN TRADE AGENCY- KOLKATA <a href="#">RITES-CALL</a>	828360.00 (FP)	5023NXX	2 MBPS Digital Modem confirming to RDSO Specification No. RDSO/SPN/TC/80/ 2008 (Rev.0.0) amendment No. 10 with following digital interfaces- (i) carrier END -G 703. E.1 Interface (ii) DTE End - V- 35	001	Sr. Section Engineer	60 Pairs	0	27-DEC- 18	0
102	<a href="#">95186114150577</a> dt.20-SEP-18 on M/s.CHANDRA INDUSTRIAL WORKS-HOWRAH <a href="#">RITES-CALL</a>	1580950.00 (FP)	07498NS0	Rail Switch Clamp as per C. Rly Drawing No. G.M. (W)BB/P-15903/R1. Accepted: Firm's OWN MAKE.	001	SR DOS [M] NGP	1077 Nos.	0	31-MAR- 19	0
103	<a href="#">56186012150619</a> dt.22-SEP-18 on M/s.TOPGRIP INSTRUMENTS COMPANY- KOLKATA <a href="#">RITES-CALL</a>	635313.00 (FP)	2515N05	SET OF PNEUMATIC GAUGES OF CREW FRIENDLY LOCO TYPE WAP-4,WAG-7. ONE SET CONSISTS OF 03 ITEMS 06 NOS. AS PER ANNEXURE ATTACHED. AS PER DRG.NO. CLW/TS/99/CF/03 ALT-03 OR LATEST. TO BE PROCURED FROM CLW	001	SR.SEC.ENG. (PROGRESS	20 Set	0	22-JAN- 19	0
104	<a href="#">86185654150434</a> dt.22-SEP-18 on M/s.INDRA ELECTRONICS- KOLKATA <a href="#">RITES-CALL</a>	342302.00 (FP)	29NS	Set of Cards of MPCs of M/s Stesalit make MPCs Ver.2 with M9 software. One set comprising of, i. CPU Card as per M/s Stesalit Part No.CPU/FDCS01/44 Qty- 02 Nos. ii. Complete Display Module as per M/	001	Sr. Section Engineer	2 Set	0	31-DEC- 18	0
105	<a href="#">92186474150893</a> dt.24-SEP-18 on M/s.KNORR- BREMSE INDIA	1445500.00 (FP)	92	"Speed sensor G-16 for axle mounted disk brake system of LHB coaches to part No. 1135456/20013	001	JR.ENGINEER COACHING	35 Nos.	0	22-MAY- 19	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
	PVT. LTD.-PALWAL <a href="#">RITES-CALL</a>			or STN 31450/205A 18u. Make - Knorr-Bremse.						
106	<a href="#">38183463170365</a> dt.24-SEP-18 on M/s.DURABLE POLYMERS- LUCKNOW <a href="#">RITES-CALL</a>	950494.00 (FP)	3001N57	SET OF DENSIFIED THERMAL BONDED POLYESTER BLOCKS FOR ACCN COACHES RDSO SPECN NO STR C-K607 REV 1 OF JUNE 2011.( 01 SET CONSISTS OF 104 NOS) DRAWING AS PER ANNEXURE ENCLOSED.	001	TRIMMING SHOP MTN	12 Set	0	05-DEC- 18	0
107	<a href="#">38183462170366</a> dt.24-SEP-18 on M/s.NARBADA FOREST INDUSTRIES PRIVATE LIMITED- BHOPAL <a href="#">RITES-CALL</a>	945000.00 (FP)	3030N57	SET OF DENSIFIED THERMAL BONDED POLYESTER BLOCKS FOR ACCW COACHES RDSO SPECN N STR.C.K 607 (REV ) OF JUNE 2011.DRG NO WGSCWAC-6-6-1-608 COL 1.ONE SET CONSIST OF 121 NOS ITEM NO 01 TO 15.AS PER ANNEXURE	001	TRIMMING SHOP MTN	12 Set	0	30-NOV- 18	0
108	<a href="#">83185048246281</a> dt.24-SEP-18 on M/s.ASKA EQUIPMENTS LIMITED-DELHI <a href="#">RITES-CALL</a>	5475200.00 (FP)	6501N05	WATER MISTBASED AND CAF FIRE EXTINGUISHER BACK PACK GST HSN CODE NO;-84241000	001	Sr. Section Engineer	20 Nos.	0	04-DEC- 18	0
109	<a href="#">91185833150726</a> dt.24-SEP-18 on M/s.CANDOUR MEDICAL INSTRUMENTS PRIVATE LIMITED- PUNE. <a href="#">RITES-CALL</a>	999040.00 (FP)	83XXN1	Provision of Anesthesia work station of OT for of use divisional railway hospital, PUNE. [As per annexure attached]. OFFER FOR:- OEM brand. NOTE:-1]Price not to exceeds MRP. 2]LD as applicabl	001	SR. DMO PUNE PA	1 Nos.	0	15-NOV- 18	0
110	<a href="#">91185847150728</a> dt.24-SEP-18 on M/s.HBL POWER SYSTEMS LTD- HYDERABAD <a href="#">RITES-CALL</a>	4104301.00 (FP)	05615N1	Supply, installation, testing & commissioning of SMPS based integrated power supply confirming to RDSO specification No. RDSO/SPN/165/2012 version 3.0 with latest amendment of PI station as per centra	002	SIGNAL INSPECTOR PA	1 Nos.	0	25-NOV- 18	0
			56XXN1	Supply, installation, testing and commissioning of SMPS based integrated power supply confirming to RDSO specification No. RDSO/SPN/165/2012 version 3.0 with latest amendment of PI stations as per cen	001	SIGNAL INSPECTOR PA	2 Nos.	0	25-NOV- 18	0
111	<a href="#">41185040170367</a> dt.24-SEP-18 on M/s.PPS INTERNATIONAL- GAUTAM BUDH NAGAR <a href="#">RITES-CALL</a>	1968240.00 (FP)	04646N42	Tension Insulator Rod 2500 of PTFE Short Neutral Section, GF 25 spare part, [One set consisting of four pieces] OEM's M/s. Arthur Flury, Switzerland ID No. 659.500.013 conforming to RDSO Specification	001	Sr. Section Engineer	4 Set	0	22-NOV- 18	0
112	<a href="#">92186712150895</a> dt.24-SEP-18 on	424800.00 (FP)	7898NS1	Dust Bins ( Wheel Barrow ) HDPE Capacity	001	ALL SANITARY INSPECT	100 Nos.	0	01-OCT- 18	165200
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;										

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
	M/s.HANS ENTERPRISES-MUMBAI. <a href="#">RITES-CALL</a>			120 Ltrs. Colour Green & Blue with Dry & Wet marked ( Sticker ) Make Nilkamal.						
			7898NS2	Dust Bins ( Wheel Barrow ) HDPE Capacity 240 Ltrs. Colour Green & Blue with Dry & Wet marked ( Sticker ) Make Nilkamal.	002	ALL SANITARY INSPECT	100 Nos.	0	01-OCT-18	259600
113	<a href="#">92186310150896</a> dt.24-SEP-18 on M/s.DYNALOG INDIA LIMITED-MUMBAI <a href="#">RITES-CALL</a>	1121274.00 (FP)	50	Industrial Grade PC, IPC -610 ( Specification 4U Rackmount Chassis with 300 W Power Supply socket LGA 775 with Intel Chipset Intel G41 + ICH7/ICH7R Back plane = slots : 8ISA, 4PCI, 2PICMG, I/O's : 7	001	TCI (HF) CLA	12 Nos.	0	24-OCT-18	0
114	<a href="#">92175753150897</a> dt.24-SEP-18 on M/s.AKSHAR MARKETING-VASAI (WEST) <a href="#">RITES-CALL</a>	879200.00 (FP)	8298NS1	Chilling unit for physiotherapist dept. as per specification attached. Note :- See specification carefully. The required warranty is 2 years . Please quote rates with two years free warranty in this r	001	Chief Medical Superi	1 Nos.	0	22-APR-19	0
115	<a href="#">92186655150898</a> dt.24-SEP-18 on M/s.PRISTINE ENGINEERING SERVICES PRIVATE LIMITED-MUMBAI <a href="#">RITES-CALL RITES-IC</a>	977040.00 (FP)	46	Double Pole SF-6 Circuit breaker 110KV or 132 KV 3150 Amps with accessories,As per RDSO Spec. No. TI/SPC/PSI/HVC 3/0120 (june 2014) Rev.o with A&C slip No. 1&2 or latest.(Accepted offer for make CGL).	001	SR.SE.TD.SS. KALYAN	1 Nos.	0	08-NOV-18	0
116	<a href="#">38185047170368</a> dt.24-SEP-18 on M/s.GR ENGINEERING COMPANY-PALGHAR <a href="#">RITES-CALL</a>	305773.00 (FP)	3030N52	ARRANGEMENT OF MUG IN AC COACHES TO ICF/SK-6-3-426 ALT-d/Nil, COL.I EXCEPT ITEM 5 AND 6. MATERIAL AND SPECIFICATION AS PER DRG.	001	CARRIAGE REPAIR SHOP	3098 Nos.	0	20-NOV-18	0
117	<a href="#">38185047170369</a> dt.24-SEP-18 on M/s.MITISHA ENGINEERING COMPANY-PALGHAR <a href="#">RITES-CALL</a>	305773.00 (FP)	3030N52	ARRANGEMENT OF MUG IN AC COACHES TO ICF/SK-6-3-426 ALT-d/Nil, COL.I EXCEPT ITEM 5 AND 6. MATERIAL AND SPECIFICATION AS PER DRG.	001	CARRIAGE REPAIR SHOP	3098 Nos.	0	23-NOV-18	0
118	<a href="#">80185017246282</a> dt.24-SEP-18 on M/s.INDIAN OIL CORPORATION LIMITED(MUMBAI), MUMBAI <a href="#">RITES-CALL</a>	33502299.00 (FP)	0201N80	HIGH SPEED DIESEL OIL BS-IV (AUTOMOTIVE DIESEL FUEL) CONFIRMING TO IS:1460-2005 (5TH REVISION OR LATEST) AMENDMENT NO.1 SEPT 2007 - BHARAT STAGE -III/AMENDMENT NO.2 MARCH 2010 BHARAT STAGE-IV.	001	SR.SECTION ENGG (TL/	564 KLTR	0	31-MAR-19	0
119	<a href="#">80185016246283</a> dt.24-SEP-18 on M/s.INDIAN OIL CORPORATION	28382668.00 (FP)	0201N80	HIGH SPEED DIESEL OIL BS-IV (AUTOMOTIVE DIESEL FUEL) CONFIRMING TO IS:1460-	001	SR.SECTION ENGG (TL/	492 KLTR	0	31-MAR-19	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
	LIMITED(MUMBAI), MUMBAI <a href="#">RITES-CALL</a>			2005 (5TH REVISION OR LATEST) AMENDMENT NO.1 SEPT 2007 - BHARAT STAGE -III/AMENDMENT NO.2 MARCH 2010 BHARAT STAGE-IV.						
120	<a href="#">38185044170371</a> dt.24-SEP-18 on M/s.SUPER INDUSTRIES...- MOHALI <a href="#">RITES-CALL</a>	312816.00 (FP)	3030N55	BRACKET FOR ANCHOR LINK ON BOGIE FRAME TO ICF DRAWING NO. T-0-3-635 COL-II, ALT-I/16 OR LATEST. MATERIAL AND SPECIFICATION AS PER DRAWING.	001	ELECTRIC LOCO REPAIR	608 Nos.	0	27-DEC-18	0
121	<a href="#">38171818170372</a> dt.25-SEP-18 on M/s.LAKSHMI INDUSTRIES- CUDDALORE <a href="#">RITES-CALL</a>	434700.00 (FP)	3001N55	25 NB Flange Welded Joint (pipe to pipe) to ICF Drg.No.ICF.SK-3-5-232 Alt-d/nil,Col-I,item No.1 to 7, this item is reserved for procurement from RDSO approved sources only.	001	L.V.B. SHOP MTN	2000 Set	0	28-DEC-18	0
122	<a href="#">93185665150501</a> dt.25-SEP-18 on M/s.ADITYA ENTERPRISES- KOTA <a href="#">RITES-CALL</a>	356832.00 (FP)	9379N1	Two Pole Power Contactor, type MNX Conform to IS/IEC - 60947-4-1 Rating - AC3, 32 Amps Capacity, Operating Coil Voltage 230 V, 50 HZ AC Supply. Make :- L&T, Havells, CG, HPL, Siemens. Of	001	SR.SECTION ENG. ELEC	300 Nos.	0	10-NOV-18	0
123	<a href="#">38175003740031</a> dt.25-SEP-18 on M/s.TIMKEN INDIA LIMITED, KOLKATA <a href="#">RITES-CALL</a>	1183160.00 (FP)	3030N05	Grease Seal for AAR approved Taper Roller Cartridge Bearings Class 'E'("6X11") Bearing used on Casnub Bogies of freight stock RDSO Specification:WD-50-MISC-2007 of October 2007 or latest amendment	001	M/C SHOP KVV	4000 Nos.	0	31-MAR-19	0
124	<a href="#">38175003740032</a> dt.25-SEP-18 on M/s.SKf INDIA LTD, GURGAON <a href="#">RITES-CALL</a>	1774740.00 (FP)	3030N05	Grease Seal for AAR approved Taper Roller Cartridge Bearings Class 'E'("6X11") Bearing used on Casnub Bogies of freight stock	001	M/C SHOP KVV	6000 Nos.	0	31-MAR-19	0
125	<a href="#">92186654150899</a> dt.25-SEP-18 on M/s.STANCHION DESIGNS PRIVATE LIMITED-MUMBAI <a href="#">RITES-CALL</a>	1003000.00 (FP)	46	25 KV signal pole vaccume circuit breakr RDSO Specification No. TI/SPC/PSI/LVC BIN/0120. Dec -2016 or latest with spring mechanism Alind type- VSE 5/20 Normal current 2000A breaking current 20KA AUX s	001	SR.SE.TD.SS. KALYAN	2 Nos.	0	23-JAN-19	0
126	<a href="#">91186193150729</a> dt.25-SEP-18 on M/s.VSPECTRA COMMUNICATION SYSTEMS PVT. LTD.-NEW DELHI <a href="#">RITES-CALL</a>	509760.00 (FP)	56XXN1	Supply of trans receiver 25W VHF set synthesized configuration VM4 Band:136-174 MHz full band. [A] Power supply SMPS 12V, Mobile /static, Output current:15A, [B] 6dB gain GP VHF antenna. [C] RG 213 Co	001	SR.SECTION ENGINEER(	32 Nos.	0	16-NOV-18	0
127	<a href="#">85186861151417</a> dt.25-SEP-18 on M/s.RAJESH	1143774.00 (FP)	023XXNS	Dehydrating Silica Gel Breather for 1250 KVA EMU Transformer as per	001	Sr. Section Engineer	1 Set	0	21-JAN-19	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
	TRADERS-MUMBAI <a href="#">RITES-CALL</a>			annexure attached. ( 1 set consist of 4 items of total 105 Nos.) Make Yogya Enterprises						
128	<a href="#">92186680150901</a> dt.25-SEP-18 on M/s.A. R. ENTERPRISES- MUMBAI <a href="#">RITES-CALL</a>	339958.00 (FP)	42	Fabricated electrical board with 15 nos heavy duty 5 pin socket of 6/10 amp capacity connected with 03 nos single pole 06 amp MCB for suitable electrical connection and tripping with complete body of	001	SR.SECTION ENG. [ EL	10 Nos.	0	24-NOV-18	0
129	<a href="#">27185031170374</a> dt.25-SEP-18 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.-MUMBAI <a href="#">RITES-CALL</a>	1686917.60 (FP)	2923N79	Bracket Mounting Compressor Side (Elgi Part No. 070300900 of M/s Elgi Compressor Model-RR20100). FIRMS ACCEPTED OFFER: ELGI MAKE BRACKET MTG UNIT SIDE RR 20100 PART NO.070300900.	001	SR.SEC.ENG. (STORES)	185 Nos.	0	31-MAR-19	0
130	<a href="#">27185019170375</a> dt.25-SEP-18 on M/s.SIMPLEX ENGINEERING AND FOUNDRY WORKS PVT. LTD.-BHILAI <a href="#">RITES-CALL</a>	11025000.00 (FP)	2301N79	FABRICATED BOLSTER FOR WAP-4 ELECTRIC LOCOS AS PER SPECIFICATION No. VL-SPEC-6 (REV-03), OCTOBER 15 OR LATEST AND AS PER RDSOs DRG. No. SKVL-207 (ALT-2), 208 (ALT-2), 209 (ALT-1) AND 210 (ALT-1).	001	SSE(TRS/GENL) BSL	28 Nos.	0	28-FEB-19	0
131	<a href="#">36175009170376</a> dt.25-SEP-18 on M/s.PPS INTERNATIONAL- GAUTAM BUDH NAGAR <a href="#">RITES-CALL</a>	2715180.00 (FP)	04640N10	PTFE Type 25 KV Short Neutral Section Assembly [Phase Break] suitable for 193 sq.mm. Contact Wire and 129 sq.mm. Copper Catenary Wire as per RDSO Specification No. TI/SPC/OHE/SNS/0000 with Addendum a	001	SR.SE ELE.(C) MTP(RI	3 Nos.	0	15-MAR-19	0
132	<a href="#">82185659150388</a> dt.25-SEP-18 on M/s.NEW VISHCO ENGINEERING WORKS-MUMBAI <a href="#">RITES-CALL</a>	414750.00 (FP)	5600N01	Cast Iron Base (with Grinding, with Machining), As per Drg No- SGE-01A ( Without Holes) as per Grade-FG-200, IS specification IS-210, Chemical analysis composition certificate from NABL Accredited Lab	001	CWM(S&T) WS BYCULLA	200 Nos.	0	24-DEC-18	0
133	<a href="#">95185613150579</a> dt.25-SEP-18 on M/s.VISHAL CRANES PVT. LTD- GHAZIABAD <a href="#">RITES-CALL</a>	332760.00 (FP)	6548NS0	Electric Wire Rope Hoist of Cap. - 7.5 Ton as per detailed specification attached as Annexure-I. Accepted Make: 'HIGHTEK'	001	SR.SEC.ENGR/ C&W/ AJ	1 Nos.	0	31-JAN-19	0
134	<a href="#">95186194150580</a> dt.25-SEP-18 on M/s.N D SOLUTIONS- NAGPUR <a href="#">RITES-CALL</a>	1499456.00 (FP)	05225N1	Supply and Installation of Display System set comprising of minimum 85-inch Large Format Display, all in one digital operating console, HDMI Cables and Powder Coated housing arrangement as per attache	001	Sr. Section Engineer	1 Set	0	30-SEP-18	0
			00		001		2 Set	0		0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
135	<a href="#">95185603150581</a> dt.25-SEP-18 on M/s.BRIGHT LIFE TECHNOLOGIES- GAUTAM BUDH NAGAR <a href="#">RITES-CALL</a>	1454941.00 (FP)		Supply, installation and commissioning of Track Based Rail Lubricator (Hydraulic Type) complete system as per RDSO Specification of June-2013 attached herewith. Accepted Make/Brand :- BIJURDELIMON		SE(PWAY) , [STORES]			25-OCT-18	
136	<a href="#">95185784150582</a> dt.25-SEP-18 on M/s.KNORR- BREMSE INDIA PVT. LTD.-PALWAL <a href="#">RITES-CALL</a>	2124000.00 (FP)	B302NS06	Set of Spares of Brake System for maintenance of LHB coaches of make Knorr-Bremse as per Annexure-A attached. Accepted:- Set of Spares of Brake System for maintenance of LHB coaches of make Knorr-Bre	001	SR.SEC.ENG. (C&W) NAG	1 Set	0	06-MAY-19	0
137	<a href="#">92186679150903</a> dt.26-SEP-18 on M/s.UNION ELECTRIC HARDWARE COMPANY-MUMBAI <a href="#">RITES-CALL</a>	498060.00 (FP)	42	fabricated wooden mobile charging stand of size 60 inch X 24 inch with heavy base plateform of size 30 inch X 30 inch with 12 Nos suitable charging point with 5 Pin 6 Amps with complete electrical con	001	SR.SECTION ENG. [ EL	15 Nos.	0	10-DEC-18	0
138	<a href="#">56186014150628</a> dt.26-SEP-18 on M/s.MEDHA SERVO DRIVES PRIVATE LIMITED- HYDERABAD <a href="#">RITES-CALL</a>	485369.00 (FP)	2516N06	SET OF COMPLETE CABLE FOR MEDHA MAKE SPEEDOMETER TYPE MRT-921.ONE SET CONSISTS OF 05 ITEMS 05 NOS AS PER ANNEXURE ATTACHED. ACCEPTED: FIRMS OFFER AS PER FIRMS ANNEXURE	001	SR.SEC.ENG. (PROGRESS	15 Set	0	25-JUN-19	0
139	<a href="#">56186011150629</a> dt.26-SEP-18 on M/s.SONATA INDUSTRIAL ELECTRONICS- MUMBAI <a href="#">RITES-CALL</a>	414750.00 (FP)	2513N04	SET OF CREW FRIENDLY CAB METERS. ONE SET CONSISTS OF 03 ITMES 08 NOS. AS PER ANNEXURE ATTACHED [TO BE PROCURED FROM CLW APPROVED SOURCES ONLY] AS PER CLW SPECN.NO.CLW/ES/I-26/C OR LATEST. ACCEPTED: FI	001	SR.SEC.ENG. (PROGRESS	20 Set	0	27-NOV-18	0
140	<a href="#">86185588150438</a> dt.26-SEP-18 on M/s.WOAMA ELECTRONICS- KOLKATA <a href="#">RITES-CALL</a>	683550.00 (FP)	23NS	Master Controller as per CLW Specification No.CLW-ES-3-0031 Alt.G or latest. Material to be procured from CLW approved source of Master Controller only.	001	Sr. Section Engineer	7 Nos.	0	31-JAN-19	0
141	<a href="#">86185701150441</a> dt.26-SEP-18 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.-MUMBAI <a href="#">RITES-CALL</a>	321184.00 (FP)	2342N06	Programme Switch HCP for Loco M/s Siemens type K138X244A-0067-9611 3LAO-250-4YW/001W3P-0001-0106-910-001	001	Sr. Section Engineer	43 Nos.	0	03-JAN-19	0
142	<a href="#">38185033170381</a> dt.26-SEP-18 on M/s.INTRA CONTINENTAL ENGINEERING CORP-HOWRAH <a href="#">RITES-CALL</a>	4239375.00 (FP)	B001N36	BOGIE BOLSTER ARRANGEMENT TO ICF DRAWING NO. T-0-4-654, SHEET 1 & 2, ALT-f/4, OR LATEST CONFORMONG TO RDSO SPECN. NO. C-9202 OR MARCH-1992, (REV.2) OF OCT.2008 [NOTE:	001	ELECTRIC LOCO REPAIR	95 Nos.	0	11-FEB-19	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
				FULL BOGIE BOLSTER ARRGT. TO BE T						
143	<a href="#">90185004170382</a> dt.26-SEP-18 on M/s.SHASWAT STEEL WORKS PRIVATE LIMITED- MUMBAI <a href="#">RITES-CALL</a>	4548900.00 (FP)	9101N22	ALUMINIUM CHEQUERED SHEET TO SIZE 3048 X 880 X 2.03MM THICK TO RDSO SPECN.NO. C-8217 [REV.2] FOR EMU COACHES.	001	EMU POH MTN	15000 Kgs.	0	31-DEC- 18	0
144	<a href="#">92186287250904</a> dt.27-SEP-18 on M/s.ASKA EQUIPMENTS LIMITED-DELHI <a href="#">RITES-CALL</a>	1357500.00 (FP)	92NS	PORTABLE INFLATABLE EMERGENCY LIGHTING SYSTEM MODEL NO ALT- 4500 GENERAL	001	HTXR KYN	6 Nos.	0	11-OCT- 18	0
145	<a href="#">93186008250507</a> dt.27-SEP-18 on M/s.G P ASSOCIATES- BHUSAWAL. <a href="#">RITES-CALL</a>	972000.00 (FP)	9379N1	1.5 TON PANASONIC 5 STAR INVERTER SPLIT [ AIR CONDITIONER] MODEL -- PANASONIC , CS/CU - XS18UKY.	001	SE/ED(AC AND R) BHUS	24 Nos.	0	27-OCT- 18	0
146	<a href="#">93186063250508</a> dt.27-SEP-18 on M/s.CLASSIC COMPUTERS, MUMBAI <a href="#">RITES-CALL</a>	950400.00 (FP)	57XXN01	Desktop computer all in one intel core i 5 7th generation processor (3.9 GHz), 3 MB cache, 4 GB Ram 1 TB hard disc, 23.8 inch full HD screen, window 10 operating system with wireless key board and m	001	DRM [L] BSL	16 Nos.	0	12-OCT- 18	0
147	<a href="#">92185929250908</a> dt.27-SEP-18 on M/s.CONCO ELECTRIC-MUMBAI <a href="#">RITES-CALL</a>	749000.00 (FP)	92NS	BATTERY OPERATED MATERIAL HANDELING TROLLEY 2.0 T PLATFORM TRUCK MODEL EASYMOVE ( STACKERS & MOVERS) BD20. ( SPECIFICATION ATTACHED)	001	JR. ENGINEER COACHIN	1 Nos.	0	10-NOV- 18	0
148	<a href="#">82185628150392</a> dt.28-SEP-18 on M/s.ARIHANT TUFFLEX AGENCY- MUMBAI <a href="#">RITES-CALL</a>	328748.00 (FP)	5600N01	M.S. Polish Rod 8mm dia, as per IS - 9550 / 2001 or Latest, (PARTY SHOULD SUBMIT TEST CERTIFICATE FROM NABL ACCREDITED LAB TO CONFIRM REQUIRED MATERIAL AS PER SPECIFICATION.) Length of Rod should be	001	CWM(S&T) WS BYCULLA	5000 Kgs.	0	23-OCT- 18	0
149	<a href="#">93185865150511</a> dt.28-SEP-18 on M/s.KRISHNA ADVERTISING PVT LTD-AHMEDABAD <a href="#">RITES-CALL</a>	2095144.00 (FP)	09379N1	LED LAMP (Retrofit Lamp) rated Wattage ;9.0watt,Lumen :900, lamp Efficacy minimum ;100 Lm/w,LED Chip efficacy minimum; 130 Lm/W, CRI > 80,Beam angle >120 degree cel,pf >0.9,colour Temperat	001	SR.SECTION ENG. ELEC	31760 Nos.	0	28-OCT- 18	0
150	<a href="#">96185681150426</a> dt.28-SEP-18 on M/s.TRINITY MAHALASA DURGA SALES AND SERVICES- AURANGABAD <a href="#">RITES-CALL</a>	437895.00 (FP)	3001NXX	Element , Fuel Filter for Cummins Engine model QSK50L equivalent to CIL part no. 4328043 . Procurement through OEM or authorized dealer only make cummins or	001	SENIOR SECTION ENGI	28 Nos.	0	13-NOV- 18	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
				fleetguard only. firms offer Make / Brand C						
151	<a href="#">92175770150912</a> dt.28-SEP-18 on M/s.COMPUTER CENTER-MUMBAI <a href="#">RITES-CALL</a>	365800.00 (FP)	5001	Wise image pro 2011 for Raster to Vector drawing conversion ( software for signalling circuits for digitization.Specification:- The ultimate image and vector processing tool, Automatic R 2 V and V2R c	001	TCI (HF) CLA	1 Nos.	0	28-OCT-18	0
152	<a href="#">41185302246285</a> dt.28-SEP-18 on M/s.J.F INFO SYSTEMS - MUMBAI, MUMBAI <a href="#">RITES-CALL</a>	558350.00 (FP)	4101N15	ALL - IN - ONE COMPUTER. LENOVO V310 Z OR HIGHER i3 7100 - 4 GB, 1 TB, W10P, 20"- DVD- WIFI- 3 YEARS WARRANTY.	001	Sr.EDP Manager,IT Ce	13 Nos.	0	09-OCT-18	0
153	<a href="#">96185715150427</a> dt.28-SEP-18 on M/s.P C ENTERPRISE- MUMBAI <a href="#">RITES-CALL</a>	1577471.00 (FP)	7831NXX	Stainless steel benches 04 seater with back rest with seat partition total width 1886mm X height 796mm X Depth 696mm with pipe and specification as per drawing grade JT with base plate 200mm X 200mm X	001	DRM [C] SUR	76 Nos.	0	30-OCT-18	0
154	<a href="#">46185649150572</a> dt.29-SEP-18 on M/s.KNORR- BREMSE INDIA PVT. LTD.-PALWAL <a href="#">RITES-CALL</a>	649094.00 (FP)	31XXNS	AIR FILTER HOUSING WITH COVER AND DUST DISCHARGE VALVE FOR AIR COMPRESSOR MODEL NO. VV 120 OF KNORR BREMSE AS PER KBI PART (1) NO.8.000.0.923.721.6 (2) 8.000.8.787.700.4 (3) 8.000.8.460.702.4.	001	SR,DEE,[TRS] CLA	30 Nos.	0	29-JUL-19	0
155	<a href="#">88185115150150</a> dt.29-SEP-18 on M/s.NATROYAL INDUSTRIES PVT LTD-PANCHMAHAL <a href="#">RITES-CALL</a>	426951.00 (FP)	38	Stainless steel seat frame 2 seator, double set type. Specification :- IS : 6911 : 1992 Grade 304 Drawing Ref : Drg No. KWV/SK/MLR/Double/ 01	001	IRON SHOP WM KWV	54 Nos.	0	29-NOV-18	0
156	<a href="#">86185653150447</a> dt.29-SEP-18 on M/s.R.P.MACHINE TOOLS-GAZIABAD <a href="#">RITES-CALL</a>	324382.00 (FP)	23NS	Impeller for TM Blower type MLBR 42-5-1-44 VMT [Fiakt Make] as per Drawing No.ELW/BSL/WAM-4/3/124 Material to be procured from CLW approved sources of Blower VMT only.	001	Sr. Section Engineer	25 Nos.	0	05-APR-19	0
<b>TOTAL PO VALUE :</b>		460884398.62	* END OF REPORT *							
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;										