

CENTRAL RAILWAY

Run Date : 02/01/19

Depot : All Depots

## LIST OF PURCHASE ORDERS

Section : ALL

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
1	<a href="#">87185215150168</a> dt.01-DEC-18 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA LIMITED- HOSUR <a href="#">RITES-CALL</a>	394150.00 (FP)	3357N2	MV BOARD TO OEM'S PART NO. 1/600006 MAKE: M/S. FTRTIL ONLY	001	JR.ENGINEER COACHING	5 Nos.	0	18-MAY- 19	0
2	<a href="#">85186716151599</a> dt.01-DEC-18 on M/s.JALDOOT MATERIALS HANDLING PVT. LTD.-PUNE <a href="#">RITES-CALL</a>	998400.00 (FP)	6717NS	BATTERY OPERATED PLATFORM TRUCK 3 WHEELER CAPACITY 3 TON IS USED FOR TRANSPORTATION & HANDLING MATERIAL AND EQUIPMENTS RELEASED FROM EMU COACHES TO VARIOUS SHOPS & ALSO INTER- SHOP TRANSPORTATION. (As	001	SHOP SUPDTT [ELEC] V	2 Nos.	0	08-FEB- 19	0
3	<a href="#">91186238150828</a> dt.03-DEC-18 on M/s.SDV EENGINEERING- VARANASI <a href="#">RITES-CALL</a>	1274400.00 (FP)	065XXN1	Supply, erection,testing and commissioning of battery test bench at GCMC Pune. Specification:- 1)Provision of CCCV battery charger for charging battery cells - 02 Nos. (2)Provision of LT panel with 1	001	SSE(TL-AC)PA	1 Set	0	12-JUN- 19	0
4	<a href="#">85187593851614</a> dt.04-DEC-18 on M/s.Controller of Stores, ICF, Perambur <a href="#">RITES-CALL</a>	1480500.00 (FP)	011XXNNS	EMU BOGIE FRAME ARRANGEMENT TO DRG. NO. ICF/MRVC/D-0-3-001, ALT-g, COL-II. SHEET 1 & 2	001	TROLLEY REPAIR SHOP	6 Nos.	0	04-MAR- 19	0
5	<a href="#">41185199170488</a> dt.04-DEC-18 on M/s.NIRMAL ENTERPRISES- VARANASI <a href="#">RITES-CALL</a>	2303187.00 (FP)	4601N12	Porcelain Stay Arm Insulator RI No, 6000 - 2 [Minimum C.D. 1050 mm] as per RDSO Specification No. TI/SPC/OHE/INS/0070 [04/2007] with A and C Slip No. 1 and 2. Make/Brand : abi	001	Sr. Section Engineer	378 Nos.	0	30-JUL- 19	0
			4601N42	Porcelain Stay Arm Insulator RI No, 6000-2 [Minimum C.D. 1050 mm] as per RDSO Specification No. TI/SPC/OHE/INS/0070 [04/2007] with A and C Slip No. 1 and 2. Make/Brand : abi.	002	Sr. Section Engineer	419 Nos.	0	30-JUL- 19	0
6	<a href="#">41185212170489</a> dt.04-DEC-18 on M/s.NIRMAL ENTERPRISES- VARANASI <a href="#">RITES-CALL</a>	2161758.00 (FP)	4601N13	Porcelain Bracket Insulator RI No, 6030-1 [Minimum C.D. 1050 mm] as per RDSO Specification No. TI/SPC/OHE/INS/0070 [04/2007] with A and C Slip No. 1 and 2. Make/Brand : abi.	002	Sr. Section Engineer	378 Nos.	0	30-JUL- 19	0
			4601N42	Porcelain Bracket Insulator RI No, 6030-1 [Minimum C.D. 1050 mm] as per	001	Sr. Section Engineer	364 Nos.	0	30-JUL- 19	0
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;										

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
				RDSO Specification No. TI/SPC/OHE/INS/0070 [04/2007] with A and C Slip No. 1 and 2. Make/Brand : abi.						
7	<a href="#">41185277170490</a> dt.04-DEC-18 on M/s.GE T AND D INDIA LIMITED- NEW DELHI <a href="#">RITES-CALL</a>	17310600.00 (FP)	4001N06	132 kV/27 kV, 21.6/30.24 MVA, 50 Hz, Single Phase ONAN/ONAF Traction Power Transformer. Complete with all accessories and first fill of Transformer Oil [Delivery at BAU/TSS]. Conforming to RDSO Speci	001	Sr. Section Engineer	1 Nos.	0	31-MAR-19	0
8	<a href="#">22168004246335</a> dt.04-DEC-18 on M/s.S.S. CABLE INDUSTRIES- LUDHIANA <a href="#">RITES-CALL</a>	1499980.00 (FP)	4007N	4 CORE CIRCULAR ARMoured XLPE CABLES. SPECIFICATION: ISI MARKED CABLE, CROSS LINKED POLYETHELENE [XLPE] INSULATED, PVC OUTER SHEATHED, ARMoured WITH GALVANISED ROUND STEEL WIRE OR STEEL STRIP AND WITH	001	SR.SE ELE.(C) MTP(RI)	2520 MTR	0	31-DEC-18	0
9	<a href="#">95186260250818</a> dt.04-DEC-18 on M/s.DATAVANE SYSTEM-.NAGPUR <a href="#">RITES-CALL</a>	996000.00 (FP)	43XXN1	SUPPLY AND INSTALLATION OF 30 KVA ON LINE UPS, WITH BATTERY BACK UP 60 MINUTES AS PER SPECIFICATION ANNEXURE "A" Accepted as per Gem Purchase Contract :- On Line UPS Model -- BPE HXI Series 4800	001	SR.SECTION ENGINEER(	2 Nos.	0	14-DEC-18	0
10	<a href="#">83175027170491</a> dt.04-DEC-18 on M/s.POWERICA LIMITED-MUMBAI <a href="#">RITES-CALL</a>	28440004.00 (FP)	40665N79	Main diesel engine. As per RDSO Specification No.MP-0.08.00.103 (Rev-00) of July 2012 along with all systems and accessories required for smooth operationnof 140 T diesel HYD. breakdown cranes of COWA	001	CRANE REPAIR SHOP PR	12 Set	0	31-MAY-19	0
11	<a href="#">83185058170492</a> dt.04-DEC-18 on M/s.SURGICAL SYSTEMS-NEW DELHI <a href="#">RITES-CALL</a>	4256000.00 (FP)	408201N35	ARTHROSCOPY SET OF ORTHOPEDIC / OT DEPT. MATERIAL REQUIRED AS PER SPECIFICATION ATTACHED. MAKE - STRYKER USA. GST.HSN.CODE - Copy Enclosed	001	MD BY	1 Set	0	29-MAR-19	0
12	<a href="#">43185010170493</a> dt.05-DEC-18 on M/s.STAR ELECTRIC COMPANY- LUDHIANA <a href="#">RITES-CALL</a>	2246720.00 (FP)	404501N32	Brushless Alternator 4.5 KW, 110/120V DC to RDSO Specification. No. RDSO/PE/SPEC/TL/0054-2003 [Rev-0] with Amendment No. 1 and 2, with Universal Type Rectifier-Cum-Regulator with Provision of Filter C	001	CWM / PR	14 Nos.	0	30-MAR-19	0
13	<a href="#">92186824251023</a> dt.05-DEC-18 on M/s.WINDSOR CABLES PVT. LTD.,,	757440.00 (FP)	42NS	ISI MARKED 2C X 95 SQ. MM ARMoured XLPE CABLE- MAKE WINDSOR 2C X 95 SQ. MM ( A2XFY)	001	Sr Section Engineer	4000 MTR	0	03-JAN-19	0
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;										

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
	DELHI <a href="#">RITES-CALL</a>									
14	<a href="#">27183579170494</a> dt.05-DEC-18 on M/s.ELMEC COM AGENCIES-MALAD (W), MUMBAI <a href="#">RITES-CALL</a>	691428.00 (FP)	2923N99	Printed Circuit Board Type: KUB 921 A01 as per ABB document No: 3 EHL 409054 R0001 or latest. Firms Accepted Offer: PRINTED CIRCUIT BOARD TYPE KUB 921 A01 AS PER ABB DOCUMENT NO. 3EHL409054R0001 CGPIS	001	Sr. Section Engineer	7 Nos.	0	10-AUG- 19	0
15	<a href="#">91186043150842</a> dt.05-DEC-18 on M/s.EIBENSTOCK POSITRON ELEKTROWERK PRIVATE LIMITED- KOLHAPUR. <a href="#">RITES-CALL</a>	367452.00 (FP)	45XXN1	Battery operated torque impact wrench with friction ring. Impact rate 0-2300, max. fastening torque 1016 Nm & nut busting torque -1626 Nm. As per specification attached. SPEC:- 1]Battery Type:- Li-i	001	SR. S.E. (TRACK MACH	6 Nos.	0	10-JAN- 19	0
16	<a href="#">96185508150506</a> dt.05-DEC-18 on M/s.KIRAN FURNITURE- BHUSAWAL <a href="#">RITES-CALL</a>	304440.00 (FP)	7831NXX	Manufacturing and supply of common mini line box as per drawing No. A2/EL/SAMP/3/2709 attached as annexure to this NS requisition. firms offer Make / Brand Self	001	SENIOR SECTION ENGI	150 Nos.	0	22-JAN- 19	0
17	<a href="#">48187352151310</a> dt.06-DEC-18 on M/s.ROTOMAC INDUSTRIES- MUMBAI <a href="#">RITES-CALL</a>	337920.00 (FP)	1119NNS	Fan Engine to Cummins part No 3012968 for Cummins Diesel Engine model no KTA-1150 L for Narrow Gauge locos. (Material to be procured from OEM or authorised dealer of OEM only). FIRM'S OFFER - MAKE - C	001	DIESEL HYDROULIC SHO	1 Nos.	0	07-JAN- 19	0
18	<a href="#">92186823251029</a> dt.06-DEC-18 on M/s.VIJAYA CABLES-DELHI <a href="#">RITES-CALL</a>	1646450.00 (FP)	42NS	LT XLPE ARMOURED CABLES OF SIZE 4 CORE X 95 SQ.,MM AS PER IS 7098 PART-I/1988	001	Sr Section Engineer	5000 MTR	0	31-DEC- 18	0
19	<a href="#">93185990150605</a> dt.06-DEC-18 on M/s.PREKSHA ENTERPRISES- KOLKATA <a href="#">RITES-CALL</a>	458901.00 (FP)	9379N1	CMS Compatible handheld fuel cell Sensor based breath analyzer with Printer as per latest RDSO Specification No- RDSO/2015/EL/SPEC/0119 (Rev-1) dated. 11.04.2017. *** NOTE :- Since this a Safety Mat	001	CHIEF CREW CONTROLLE	9 Nos.	0	05-JAN- 19	0
20	<a href="#">92186794251030</a> dt.07-DEC-18 on M/s.VIJAYA CABLES-DELHI <a href="#">RITES-CALL</a>	1629800.00 (FP)	4230N3	LT XLPE ARMOURED CABLES OF SIZE 4 CORE X 35 SQ. MM AS PER IS : 7098 PART-I/1988 BRAND OSKAR	001	Sr Section Engineer	10000 MTR	0	26-DEC- 18	0
21	<a href="#">96185752150512</a> dt.07-DEC-18 on M/s.DCYGNUS AUTOMATES PRIVATE LIMITED- NASHIK <a href="#">RITES-CALL</a>	702905.00 (FP)	6025NXX	GPS base tracking devices with pre-installed SIM for monitoring of track patrolling gang with mapping customisation in software installation android AAP generation and related assistance including AM	001	SE(PWAY) , [P.WAY DE	355 Nos.	0	24-JAN- 19	0
			2379N01		001		4 Nos.	0		0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
22	<a href="#">86185849150608</a> dt.08-DEC-18 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.-MUMBAI <a href="#">RITES-CALL</a>	832169.00 (FP)		Schneider Electric Infrastructure Limited make Top Insulator and Mechanism Assembly Old Reference Code No.5520000 to New Reference Code No.NPSF5520000 S for VCB type 22CB.		Sr. Section Engineer			15-JUN- 19	
23	<a href="#">82185720150479</a> dt.08-DEC-18 on M/s.SIRJAM CORPORATION- MUMBAI <a href="#">RITES-CALL</a>	499777.00 (FP)	5600N01	Steel wire rope 6mm dia with steel core ( WSC ), 6/19 (12/6/1) construction as per Workshop Drg. No. S&T/BY/F-287, Galvanized wire type A , Grade I, freedom from defects, Right hand ordinary lay confi	001	CWM(S&T) WS BYCULLA	18000 MTR	0	26-FEB- 19	0
24	<a href="#">56185807150753</a> dt.10-DEC-18 on M/s.QUALITY MACHINE TOOLS CORP.-BATALA <a href="#">RITES-CALL</a>	1552880.00 (FP)	0198N01	SUPPLY ERECTION TESTING AND COMMISSIONING OF SLIDING SURFACE AND SCREW CUTTING LATHE [ALL GEAR HEAD] ALONGWITH OPTIONAL ACCESSORIES [ANNEXURE-A] LEADING PARAMETERS [ANNEXURE-B] FOR GENERAL PURPOSE LA	001	CWM(ELW) BSL	2 Nos.	0	12-MAR- 19	0
25	<a href="#">56185913150754</a> dt.10-DEC-18 on M/s.KNORR- BREMSE INDIA PVT. LTD.-PALWAL <a href="#">RITES-CALL</a>	3505950.00 (FP)	02513N02	TRIPLATE PANEL MOUNTED IRAB 9 BRAKE SYSTEM FOR CONVENTIONAL LOCO AS PER RDSO SPEC. NO.ELRS/SPEC/PBS/0034,REV-1 OF APRIL 2005.[ITEM IS RESERVED FOR CLW APPROVED SOURCES ONLY] ACCEPTED: FIRMS OFFER "	001	PNEUMATIC AC LOCO W/	6 Nos.	0	10-AUG- 19	0
26	<a href="#">56185675150755</a> dt.10-DEC-18 on M/s.VACUUM PLANT AND INSTRUMENTS MFG COMPANY LTD- PUNE <a href="#">RITES-CALL</a>	1268500.00 (FP)	02514N02	SUPPLY,ERRECTION/INSATA TESTING AND COMMISSIONING OF HIGH VACUM TYPE TRANSFORMER OIL FILTRATION PLANT,CAPACITY 3000 LPH AS PER ANNEXURE ATTACHED. ACCEPTED : FIRMS OFFER AS ATTACHED ANNEXURE	001	ADDITIONAL SECTION ENG. [PR	1 Nos.	0	28-JAN- 19	0
27	<a href="#">56185949150756</a> dt.10-DEC-18 on M/s.KAY PEE EQUIPMENTS PVT LTD-HOWRAH <a href="#">RITES-CALL</a>	4170600.00 (FP)	02513N07	SET OF GEAR DRIVE ASSEMBLY COMPONENTS FOR WAP-5 LOCOMOTIVE WHEEL SET,ONE SET CONSIST OF 4 ITEMS,15 NOS,AS PER ANNEXURE.	001	WHEEL SETS AC LOCO W	6 Set	0	16-JUL- 19	0
28	<a href="#">80185015170498</a> dt.10-DEC-18 on M/s.INDIAN OIL CORPORATION LTD-MUMBAI <a href="#">RITES-CALL</a>	589056.00 (FP)	8001N05	Gear Oil, Optigear RMO lubricant of M/s Castrol in container of 208 ltrs. OR Servosyn Gear 320 of M/s Indian Oil only for 3-phase traction motor gear box type Mitrax GB 18005	001	SR,DEE,[TRS] CLA	1040 LTR	0	15-FEB- 19	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
				(1QFT 4420 of M/s Bombard						
29	<a href="#">93185985150607</a> dt.10-DEC-18 on M/s.VIKAS INSTRUMENTS- KOLKATA <a href="#">RITES-CALL</a>	870840.00 (FP)	9379N1	Micro processor based Capacitance and Dissipation Factor (Tan Delta) Bridge for Measurement of Solid Insulation and Insulating Oil.(Tan delta testing machine) Specification:- As per RDSO Specification	001	Sr. Section Engineer	1 Nos.	0	19-JAN-19	0
30	<a href="#">27185041170499</a> dt.10-DEC-18 on M/s.BHEL-BHOPAL <a href="#">RITES-CALL</a>	2000429.00 (FP)	02923N79	Set of Bus Station Auxiliary Converter comprising of Unit 1, 2 & 3 (including all bus station cards) of three phase locomotives, Type-HV-B697 B52K, ABB ID No. 3EHE-400473 R0001. Firms Accepted Offer:	001	SR.SEC.ENG. (STORES)	1 Set	0	10-AUG-19	0
31	<a href="#">41185209170500</a> dt.10-DEC-18 on M/s.KASERA ELECTRICALS PRIVATE LIMITED- KOLKATA <a href="#">RITES-CALL</a>	346566.00 (FP)	4601N42	Porcelain Section Insulator RI-6110 [Minimum CD 850 mm] as per RDSO Specification No. TI/SPC/OHE/INS/0070 [04/2007] with A and C Slip No. 1 and 2 or latest. Make/Brand : Saravana Global Energy Limited	001	Sr. Section Engineer	66 Nos.	0	31-JUL-19	0
32	<a href="#">27185033170502</a> dt.11-DEC-18 on M/s.DIVKUNJ ENTERPRISES-NI MUMBAI <a href="#">RITES-CALL</a>	819439.00 (FP)	2523N38	Capacitor MSR type 22 MFD, 550 Volt, Make ICAR/Italy Model No. MSR-25D22-50 or Capacitor 25 MFD, 660 Volt of M/s Advance/Mysore ASPR-15 or 25 MFD 660 Volt Model No. YE-001 of M/s Yash Capacitor, Nasik	001	SR.SEC.ENG. (STORES)	1080 Nos.	0	10-JAN-19	0
33	<a href="#">82185797150480</a> dt.12-DEC-18 on M/s.ASDIN ENTERPRISES- MUMBAI <a href="#">RITES-CALL</a>	369340.00 (FP)	5600N01	Stainless Steel ROD Dia 18 mm, Material-Stainless Steel Grade-304 ( Party should submit test certificate from NABL Accredited Lab to confirm Specified Grade.) Length of Rod should be 2.5 to 3 mtr or 5	001	CWM(S&T) WS BYCULLA	2000 Kgs.	0	02-JAN-19	0
34	<a href="#">82185798150481</a> dt.12-DEC-18 on M/s.ASDIN ENTERPRISES- MUMBAI <a href="#">RITES-CALL</a>	485100.00 (FP)	5600N01	Sides for medium size weldless detachable S.S.Location Box as per Drg No. DMLB-11B (1Set =02 Nos.) (SAMPLE TO BE GOT APPROVED BEFORE BULK SUPPLY) . Party Should Submit Test Certificate from NABL Accre	001	CWM(S&T) WS BYCULLA	70 Set	0	02-JAN-19	0
35	<a href="#">92185941251034</a> dt.12-DEC-18 on M/s.KJM GROUP SYSTEM SOLUTIONS, BHAYANDER (EAST) <a href="#">RITES-CALL</a>	434889.00 (FP)	8301	LENOVO 510 S CORE I3 -7100 B250, 4 GB, 1 TB, DVD, 21.5, WIN 10 PRO 3 YEAR WARRANTY WITH SUPPLY AND INSTALLATION, COMMISSIONING, TSTING ETC.	001	Sr. Section Engineer	13 Set	0	22-DEC-18	0
			42		001			0		0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
36	<a href="#">92186793251037</a> dt.12-DEC-18 on M/s.WINDSOR CABLES PVT. LTD.,, DELHI <a href="#">RITES-CALL</a>	1358636.00 (FP)		ISI MARKED 4C X 25 SQ. MM ARMoured XLPE CABLE - WINDSOR 4C X 25 SQ. MM ( A2XFY)		Sr Section Engineer	10001 MTR		26-DEC- 18	
37	<a href="#">92186822251038</a> dt.12-DEC-18 on M/s.WINDSOR CABLES PVT. LTD.,, DELHI <a href="#">RITES-CALL</a>	1055300.00 (FP)	42	ISI MARKED 4C X 16 SQ. MM ARMoured XLPE CABLE MAKE WINDSOR	001	Sr Section Engineer	10000 MTR	0	31-DEC- 18	0
38	<a href="#">86185694150618</a> dt.12-DEC-18 on M/s.IC ELECTRICALS COMPANY PRIVATE LIMITED-NEW DELHI <a href="#">RITES-CALL</a>	738738.00 (FP)	2343N03	Set of items for Vigilance control device as per RDSO Specification No.RDSO/2008/EL/Spec/0025/Rev.5 Mar 2010 with amendment 1, each set comprises of a. VCD main unit- Qty-01 No. b. VCD Display unit- Q	001	Sr. Section Engineer	11 Set	0	20-FEB- 19	0
39	<a href="#">43181079170503</a> dt.12-DEC-18 on M/s.IMT CABLES PVT. LTD.-NEW DELHI <a href="#">RITES-CALL</a>	6829764.00 (FP)	4501N79	110V BRUSHLESS SENSORLESS DC FAN, FIXED TYPE, 400 MM SWEEP AS PER RDSO SPECIFICATION No. RDSO/PE/SPEC/TL/0021/2005 [REV-3] WITH AMENDMENT No. 1. FIRM'S OFFER: MAKE/BRAND - IMT.	001	CWM / PR	2016 Nos.	0	30-MAR- 19	0
40	<a href="#">56186019150760</a> dt.12-DEC-18 on M/s.TRIMURTI TRADING COMPANY-MUMBAI <a href="#">RITES-CALL</a>	444570.00 (FP)	2512N10	AOH KIT FOR ROTEX MAKE NC4 VALVE TYPE NO.3103C [1] COIL O RING,POSITION NO.35,QTY 01 NO.[2] GUIDE O RING POSITION NO 33,QTY 01 NO [3] BODY O RING,POSITION NO-20,QTY 1 NO[4] MA O RING POSITION NO-22, QT	001	SSE(TRS/MAINT) BSL	730 Set	0	02-FEB- 19	0
41	<a href="#">95185795150842</a> dt.12-DEC-18 on M/s.VIKAS IRON FOUNDRY-RAIPUR <a href="#">RITES-CALL</a>	5905900.00 (FP)	7248NS0	Cast Iron Hexagonal Standard Weight of 50 Kgs. capacity conforming to IS:1056:2004. Suppliers should have valid license for sale of commercial weights. Initial Calibration Certificate and Verification	001	SR.SEC.ENGR/ C&W/ AJ	2600 Nos.	0	18-JUN- 19	0
42	<a href="#">85186465151646</a> dt.13-DEC-18 on M/s.ENGINEERS COMBINE-MUMBAI <a href="#">RITES-CALL</a>	679680.00 (FP)	7625NS	FULLY THYRISTORISED WELDING RECTIFIER CAP- 600A	001	MILL WRIGHT SHOP MTN	5 Nos.	0	13-MAR- 19	0
43	<a href="#">48187441151318</a> dt.13-DEC-18 on M/s.RAJ INDUSTRIES- THANE <a href="#">RITES-CALL</a>	325680.00 (FP)	11 NS	Supply and fitment of Plain Laminated Look Out Glass as per IS 2553 of 6 mm / 8 mm thickness along with Weather Strip (EDPM) for Tower Car Mark III / IV	001	CWM / PR	24 Set	0	28-JAN- 19	0
44	<a href="#">92186836251040</a> dt.13-DEC-18 on M/s.MAGNET TECHNOLOGY,	549500.00 (FP)	5701N01	ALL IN ONE PC INTEL 8 TH GEN, CHIPSET- INTEL Q 370, HD 1000 HDD SPEED 7200 RAM DDR4,PROCESSOR INTEL	001	Sr.Commanding Office	14 Nos.	0	27-DEC- 18	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
	Mumbai <a href="#">RITES-CALL</a>			CORE I3 8130U ( 2.2 GHZ 4 MB CACHE, 2 CORES, WIN 10 PRO, ON SITE WARRANTY 3 YEARS WITH INSTALLATION						
45	<a href="#">86185897150628</a> dt.13-DEC-18 on M/s.SETH TRADERS-MUMBAI <a href="#">RITES-CALL</a>	309964.00 (FP)	2323N05	PAN Head (2030 mm) for M/s Schunk WBL/85/HR Pantograph.	001	Sr. Section Engineer	2 Nos.	0	20-JUN- 19	0
46	<a href="#">38172234170504</a> dt.13-DEC-18 on M/s.POWER MOULD-DAMAN <a href="#">RITES-CALL</a>	1142978.00 (FP)	08030N55	THERMOPLASTIC POLYESTER ELASTOMER (HYTREL)UPPER WASHER FOR PRIMARY SUSPENSION TO RDSO DRG.NO.CG-K-4058, ALT.3, MATERIAL AND SPECIFICATION:RDSO SPECIFICATION NO.C-K- 409, REV.2 OF DEC-2008 AND AMENDMEN	001	ELECTRIC LOCO REPAIR	1230 Nos.	0	31-MAR- 19	0
47	<a href="#">96185739150518</a> dt.13-DEC-18 on M/s.BENTRON POWER SYSTEMS-.KOLKATA <a href="#">RITES-CALL</a>	350318.00 (FP)	5022N01	Supply of master Telephone of electronic LC gate communication system with power supply as per RDSO Spec. RDSO/SPN/TC/51/2011 (Rev. 3.0 or latest) with voice logging facility with latest amendment com	001	Sr. Section Engineer	6 Nos.	0	13-MAR- 19	0
48	<a href="#">91186406150852</a> dt.13-DEC-18 on M/s.KNORR BREMSE INDIA PVT LTD-PALWAL <a href="#">RITES-CALL</a>	318600.00 (FP)	45XXN1	Electro Pneumatic Brake Controller for DEMU/UPC coach/DPC Coach suitable for 1600 HP DPC. OFFER FOR:- SELF made. Electro pneumatic brake controller for DEMU/UPC coach/DPC coach suitable for 1600HP DPC	001	SR.DME CnW	2 Nos.	0	15-JUN- 19	0
49	<a href="#">92186788151044</a> dt.13-DEC-18 on M/s.HEMAL ENTERPRISES- KALYAN <a href="#">RITES-CALL</a>	414180.00 (FP)	78	Supply and installation of Stainless Steel dustbins of JT grade, in cylindrical shape of size: 20" x 14" dia. thickness of stainless steel sheet: 1.2 mm, size of pipe shall be 40 mm dia. on twin pole	001	SR DIVL COMMERCIAL M	100 Nos.	0	28-DEC- 18	0
50	<a href="#">27185035170505</a> dt.13-DEC-18 on M/s.AIR CONTROL AND CHEMICAL ENGG CO LTD- AHMEDABAD <a href="#">RITES-CALL</a>	5489360.00 (FP)	02923N79	Blower for Oil Cooling Unit with aluminium impeller and casing including 30KW motor for oil cooling unit as per CLW Specn. No. CLW/ES/3/0647 Alt-E and RDSO Specn. No.	001	SR.SEC.ENG. (STORES)	7 Nos.	0	30-JUN- 19	0
					002	SR.SEC.ENG. (STORES)	7 Nos.	0	30-SEP- 19	0
					003	SR.SEC.ENG. (STORES)	6 Nos.	0	31-DEC- 19	0
51	<a href="#">27185012170506</a> dt.13-DEC-18 on M/s.AUTOMETERS ALLIANCE LTD- NOIDA <a href="#">RITES-CALL</a>	8177400.00 (FP)	02301N79	E/10/3/09 (Motor) with Single Bottle Vacuum Circuit Breaker (VCB) for Electric Locos as per CLWs Specn. No. CLW/ES/C-47 Alt-G or latest. Firms Accepted Offer: As per Annexure-II attached herewith.	001	Sr. Section Engineer	30 Nos.	0	31-JUL- 19	0
52	<a href="#">93186160250616</a> dt.14-DEC-18 on M/s.SNEHA	443880.00 (FP)	9301N1	PROCUREMENT OF 12 NOS DESKTOP COMPUTER SYSTEMS ON	001	Sr. DFM BHUSAWAL	12 Nos.	0	03-JAN- 19	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
	INFOTECH, THANE <a href="#">RITES-CALL</a>			REPLACEMENT ACCOUNT AS PER SPECIFICATIONS ATTACHED.						
53	<a href="#">92186728151048</a> dt.14-DEC-18 on M/s.PREMIER INDIA AGENCIES- VISAKHAPATNAM <a href="#">RITES-CALL</a>	1276962.00 (FP)	92	Lukas jack spares for HRE of ART IGP (Pistons and valves). Annexure - I attached. (Accepted offer for Make/Brand - Lukas).	001	HTXR IGP	1 Set	0	31-MAY-19	0
54	<a href="#">56185842150770</a> dt.14-DEC-18 on M/s.R.P.MACHINE TOOLS-GAZIABAD <a href="#">RITES-CALL</a>	648764.00 (FP)	0123N01	IMPELLER FOR T.M.BLOWER TYPE MLBR 42-5-1-44 VMT [FLAKT MAKE] AS PER DRG.NO.ELW/BSL/WAM4/3/124.274. [MATERIAL TO BE PROCURED FROM CLW APPROVED SOURCES ONLY.]	001	SSE(TRS/TM)BSL	50 Nos.	0	15-OCT-19	0
55	<a href="#">56186057150771</a> dt.14-DEC-18 on M/s.SUSTAIN TECHNOLOGY- RAIGARH <a href="#">RITES-CALL</a>	565928.00 (FP)	25XXNS	POWER LUGGING TOOL FOR ELECTRICAL CABLING APPLICATION OF LOCOMOTIVE AS PER SPECIFICATION ATTACHED.MAKE- M/S KLAUKE GMBH/ WEIDMUELLER GMBH / TYCO GMBH. NOTE :- TO BE PROCURED FORM OEM OR ITS AUTHORIZED	001	CWM/ELW/BSL	2 Nos.	0	16-MAR-19	0
56	<a href="#">56186079150772</a> dt.14-DEC-18 on M/s.SUSTAIN TECHNOLOGY- RAIGARH <a href="#">RITES-CALL</a>	586460.00 (FP)	25XXNS	UNIVERSAL TOOL FOR CRIMPING AND CUTTING AS PER SPECIFICATION ATTACHED. MAKE-M/S KLAUKE GMBH/WEIDMUELLER GMBH/ TYCP GMBH. NOTE :- TO BE PROCURED FROM OEM AND ITS AUTHORISED DEALER WITH SPECIFIC TENDER	001	CWM/ELW/BSL	2 Nos.	0	16-MAR-19	0
57	<a href="#">56186078150773</a> dt.14-DEC-18 on M/s.SUSTAIN TECHNOLOGY- RAIGARH <a href="#">RITES-CALL</a>	521300.00 (FP)	25XXNS	SET OF ACCESSORIES SUITABLE FOR CRIMPING RANGE OF 6-300 SQMM FOR TUBULAR LUGS OF 6 TON CAPACITY OF CRIMPING TOOL,MATERIAL OF THE DIES IS COPPER , SIZES 6,10,16,25,35,50,70,120,240,300 &CABLE CUTTER SU	001	CWM/ELW/BSL	2 Set	0	16-MAR-19	0
58	<a href="#">56186104150774</a> dt.14-DEC-18 on M/s.KIRLOSKAR PNEUMATIC CO LTD,-PUNE <a href="#">RITES-CALL</a>	462000.00 (FP)	2501N01	15 teeth motor pinion for traction motor TAO 659 A1.As per RDSO Drg No DDO-296,Alt-E.(Material to be procured from CLW approved sources.) ACCEPTED: FIRMS OFFER 15 teeth motor pinion for traction mot	001	SSE(TRS/MAINT) BSL	40 Nos.	0	15-SEP-19	0
59	<a href="#">56186104150775</a> dt.14-DEC-18 on M/s.G.G.AUTOMOTIVE GEARS LTD.-DEWAS <a href="#">RITES-CALL</a>	462000.00 (FP)	2501N01	15 teeth motor pinion for traction motor TAO 659 A1.As per RDSO Drg No DDO-296,Alt-E.(Material to be procured from CLW approved sources.)	001	SSE(TRS/MAINT) BSL	40 Nos.	0	16-JUN-19	0
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;										



Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
60	<a href="#">56186018150776</a> dt.14-DEC-18 on M/s.ATLAS ADHESIVES-NEW DELHI <a href="#">RITES-CALL</a>	307744.00 (FP)	2511N09	G.P.RUBBER BASED NON- INFLAMMABLE ADHESIVE IN 5 LITRE PACK. AS PER SPECIFICATION IN ANNEXURE -A ACCEPTED: FIRMS OFFER MAKE Griptite	001	SSE(TRS/MAINT) BSL	1600 LTR	0	02-FEB- 19	0
61	<a href="#">91185928150857</a> dt.14-DEC-18 on M/s.CHETAAN INC.-THANE <a href="#">RITES-CALL</a>	307383.00 (FP)	56XXN07	Supply of PVC Jacketed wire rope for Track Lead connection. PVC Jacketed wire rope should of Galvanized steel wire rope 6mm dia(6X19 Stranded wire with steel core of 6mm dia)Sheathed with PVC 2mm wall	001	SIGNAL INSPECTOR PA	8600 MTR	0	25-APR- 19	0
62	<a href="#">91185892150858</a> dt.14-DEC-18 on M/s.SPIN AQM TECHNOLOGIES INDIA PVT LTD- COIMBATORE <a href="#">RITES-CALL</a>	396480.00 (FP)	83XXN1	Refrigerated air dryer of 250CFM. OFFER FOR: SPIN AQM NOTE: 1) Price not to exceeds MRP. 2)LD as applicable 3) Xerox copy of delivery challan must be submitted to this office after delivery of the mat	001	SR.DME CnW	4 Nos.	0	22-FEB- 19	0
63	<a href="#">90175010740037</a> dt.14-DEC-18 on M/s.STEEL AUTHORITY OF INDIA LTD.(SAIL), KOLKATA <a href="#">RITES-CALL</a>	1691695.00 (FP)	0909N13	MS PLATE SIZE 14mm	001	SSS CUTTING SHOP MMR	39 MT	0	31-MAR- 19	0
64	<a href="#">90175004740038</a> dt.14-DEC-18 on M/s.STEEL AUTHORITY OF INDIA LTD.(SAIL), KOLKATA <a href="#">RITES-CALL</a>	1406938.00 (FP)	0909N13	MS PLATE 28mm thickx2500mm width x12500 mm length confirming to IS 2062/11,E250 Gr.BO FKN duly UT	001	SSS CUTTING SHOP MMR	32 MT	0	31-MAR- 19	0
65	<a href="#">10185001170508</a> dt.14-DEC-18 on M/s.FRONTIER ALLOY STEELS LTD-KANPUR <a href="#">RITES-CALL</a>	1659000.00 (FP)	1101N23	LOCO SIDE BEFFER ASSEMBLY (RUBBER SPRING TYPE) TO RDSO DRG. NO. SK.DL-4561 ALT-1 OR LATEST WITH ALL PART DRGS. 1] SKDL- 4562 ALT-1 OR LATEST, 2] SKDL- 4563 ALT-NIL OR LATEST,3] SKDL-4564 ALT-1 OR LATES	001	SR.SEC.ENG. (STORES)	79 Nos.	0	25-JUN- 19	0
66	<a href="#">48187315151322</a> dt.15-DEC-18 on M/s.TAWAKKAL WOOD PRODUCTS PVT LTD.-MUMBAI <a href="#">RITES-CALL</a>	332716.00 (FP)	93XXN00	WOOD BASED IMPREGNATED COMPRESSED LAMINATES SHEET BOTH SIDE PLAIN BOARD TO RDSO SPECN. NO C-9407, TYPE -II, REV.03 OF FEB-07 [WITH 03 AMENDMENTS. LAST AMENDMENT - NO. 03 ISSUED IN AUGUST 2016 & CORIG	001	STRUCTURAL SHOP PR	648 Nos.	0	13-MAR- 19	0
67	<a href="#">95185939150856</a> dt.16-DEC-18 on M/s.RAILCON INTERNATIONAL- KOLKATA <a href="#">RITES-CALL</a>	585280.00 (FP)	5600NS0	20 pairs PIJF Cable, 0.5 mm conductor dia, Armoured Underground Telephone Cable as per Specification IRS : TC 41/97 with amendment	001	Sr. Section Engineer	4 KM	0	15-JUN- 19	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
				No.1 to 3. Accepted Make/Brand :- M/s Vindhya Telelinks Ltd., Rewa.						
68	<a href="#">92186730151049</a> dt.17-DEC-18 on M/s.DAPHAL INDUSTRIES-PUNE <a href="#">RITES-CALL</a>	4005045.00 (FP)	60	CREEP ANCHOR FOR 60 KG RAIL AS PER RDSO DRG. NO. T- 1045 ( ACCEPTED MAKE DAPHAL )	001	SE(PWAY) LNL	4500 Nos.	0	15-FEB-19	0
69	<a href="#">82185793150492</a> dt.17-DEC-18 on M/s.SIRJAM CORPORATION- MUMBAI <a href="#">RITES-CALL</a>	451940.00 (FP)	56XXN01	TRACK CABLE(Field cable) 2CORE.HR PVC INSULATED PVC SHEATHED AS PER IS: 5831/84 - (ST-2) FOR RX-TX COILS(POTTING PURPOSE)OF SIZE 24/0.20MM,CROSS SECTIONAL AREA 0.75SQ.MM,ANNEALED HIGH CONDUCTIVITY TIN	001	CWM(S&T) WS BYCULLA	20000 MTR	0	07-JAN-19	0
70	<a href="#">55185104150090</a> dt.17-DEC-18 on M/s.PRAG INDUSTRIES (INDIA) PVT. LTD.-LUCKNOW <a href="#">RITES-CALL</a>	589050.00 (FP)	38XXN1	CONSTANT CONTACT POLYURETHENE SIDE BEARER PAD ASSEMBLY FOR NLB BOGIE TO DRG. NO. AAL-021101/N ITEM 1 TO 7, ALT NO.-1 OR RDSO SPECIFICATION NO. WD-38 MISC 2004 REV-01 OF JAN 2008 WITH AMENDMENT NO. 1	001	Sr. Section Engineer	120 Nos.	0	29-MAR-19	0
71	<a href="#">95186069150857</a> dt.17-DEC-18 on M/s.N D SOLUTIONS- NAGPUR <a href="#">RITES-CALL</a>	1093248.00 (FP)	5225N00	Professional LED signage Display panel 65" suitable for display at control room, as per specification enclosed. Make: SAMSUNG Model QMH 65 or equivalent of LG, SONY BRAVIA or similar/equivalent. Acce	001	Sr. Section Engineer	6 Nos.	0	07-JAN-19	0
72	<a href="#">22168013246345</a> dt.17-DEC-18 on M/s.VIJAYA CABLES-DELHI <a href="#">RITES-CALL</a>	696303.00 (FP)	4003N	SIZE 4 CORE X 120 SQ. MM, FOUR CORE CIRCULAR ARMoured XLPE CABLES. SPECIFICATION: ISI MARKED CABLE, CROSS LINKED POLYETHELENE [XLPE] INSULATED, PVC OUTER SHEATHED, ARMoured WITH GALVANISED ROUND STEEL	001	SR.SE ELE.(C) MTP(RI)	1700 MTR	0	21-JAN-19	0
73	<a href="#">48187301151327</a> dt.17-DEC-18 on M/s.POWERFLEX INDUSTRIES- MUMBAI <a href="#">RITES-CALL</a>	499998.00 (FP)	66NSN1	SET OF HYDRAULIC FITTINGS (CARBON STEEL FITTINGS TO 14C14S14 OF IS 1570 PART III WITH PARKERIZED FINISH AS PER ANNEXURE ATTACHED FOR 140 TONNE DIESEL HYDRAULIC BREAKDOWN CRANE (COWANS SHELDON-OLD DESI	001	CRANE REPAIR SHOP PR	1 Set	0	21-JAN-19	0
74	<a href="#">92186704151050</a> dt.17-DEC-18 on M/s.PREMIER CONTROL SYSTEM-	1175959.00 (FP)	65	Mobile assembly frame along with Hydraulic Units, Fixtures & Control Panels for lifting of filters, TMB	001	Sr. Section Engineer	1 Nos.	0	16-JAN-19	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
	NAVI MUMBAI <a href="#">RITES-CALL</a>			and MRB of WAG-9 locos as per specification No. KYN/RS/L-19/2018 attached. (Accepted offer for M						
75	<a href="#">96185781150523</a> dt.18-DEC-18 on M/s.ROSS ENTERPRISES-NAVI MUMBAI <a href="#">RITES-CALL</a>	418900.00 (FP)	8190N01	Tower cloth special fabric cylindrical shape suitable for ASKA tower light, equivalent to ASKA Part No. FAB 2022. Length of cylindrical fabric cloth is minimum 4 meter and diameter is 400 MM. Tower cl	001	SENIOR SECTION ENGI	5 Nos.	0	17-FEB-19	0
76	<a href="#">56186159150783</a> dt.18-DEC-18 on M/s.KIRAN FURNITURE- BHUSAWAL <a href="#">RITES-CALL</a>	787560.00 (FP)	25XXNS	Beams and deck panels for pallet storage system HSN code-94032010 of M/s Nilkamal or equivalent model of M/s Sintex Ltd or M/s Godrej Ltd. The details are as per annexure attached. Note:- Material to	001	LIFTING BAY AC LOCO	8 Set	0	04-FEB-19	0
77	<a href="#">92186792151051</a> dt.18-DEC-18 on M/s.BHASIN PACKARD ELECTRONICS PVT. LTD.-MOHALI <a href="#">RITES-CALL</a>	731600.00 (FP)	4590N01	Dry type power distribution transformer 60 KVA, capacity 750/415V, 3-Ph for LHB type AC coaches as per RDSO Spec No. RDSO/PE/SPEC/AC/0080-2007 (Rev-1), Material shall be procured from RDSO/RCF/ICF app	001	SR. SECT.ENG. [AC/COG	4 Nos.	0	17-JAN-19	0
78	<a href="#">47139001246346</a> dt.18-DEC-18 on M/s.SOGEFI HD Suspensions Germany GmbH, Hagen <a href="#">RITES-CALL</a>	37313950.00 (FP)	02501N	Set of Helical Spring for WAG-9H Locomotives (one set consists of 4 items, 64 Nos.), as per CLW Specn. No. CLW/MS/3/SPEC/ELDO-BOGIE/004, follows: (1) Primary Spring Outer, as per ABB Drg. No. IB-011-	001	BOGIE AC LOCO W/SHOP	75 Set	0	30-SEP-19	0
79	<a href="#">92186927251052</a> dt.19-DEC-18 on M/s.MAGNET TECHNOLOGY, Mumbai <a href="#">RITES-CALL</a>	1962500.00 (FP)	43	ALL IN ONE PC INTEL 8 TH GEN, CHIPSET INTEL Q 370, HD 1000 HDD SPEED 7200 RAM DDR4 PROCESSOR INTEL CORE I3 8130 U 9 2.2 GHZ 4 MB CACHE 2 CORES WIN 10 PRO ON SITE WARRANTY 3 YEARS WITH SUPPLY INSTALATI	001	SR DAO BB VT	50 Nos.	0	02-JAN-19	0
80	<a href="#">38185048170512</a> dt.19-DEC-18 on M/s.SANTO ENGINEERING COMPANY PRIVATE LIMITED-MUMBAI <a href="#">RITES-CALL</a>	9496200.00 (FP)	0303N55	SET OF BOGIE FRAME (13T), BOLSTER, LOWER SPRING BEAM WITH COMPONENT AS PER ANNEXURE ATTACHED.	001	TROLLEY REPAIR SHOP	28 Set	0	28-MAR-19	0
81	<a href="#">41185350740039</a> dt.19-DEC-18 on M/s.PCMM/CORE, ALLAHABAD <a href="#">RITES-CALL</a>	831900.00 (FP)	4601N42	PTFE type 25 kv Short Neutral Section Assembly [Phase Break] suitable for 107 sq.mm. Contact Wire and 65 sq.mm. Catenary Wire as per RDSO Specification No.	001	SSE(OHE)PA	1 Set	0	19-APR-19	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
				ETI/SPC/OHE/SNS/0000 Rev. - 1 with addendum						
82	<a href="#">48187316151328</a> dt.19-DEC-18 on M/s.ENGINEERS COMBINE-MUMBAI <a href="#">RITES-CALL</a>	403560.00 (FP)	65NSN1	Portable Plasma Cutting Machine As Per Specification. FIRM'S OFFER - MAKE - ESAB MAKE PLASMA CUTTING MACHINE BRAND: CUTMASTER 40.	001	STRUCTURAL SHOP PR	2 Nos.	0	16-MAR- 19	0
83	<a href="#">38185048170513</a> dt.19-DEC-18 on M/s.SHREE SHAKTI WELDTECH PRIVATE LIMITED- THANE <a href="#">RITES-CALL</a>	48033367.00 (FP)	3030N55	SET OF BOGIE FRAME (13T), BOLSTER, LOWER SPRING BEAM WITH COMPONENET AS PER ANNEXURE ATTACHED.	001	TROLLEY REPAIR SHOP	12 Set	0	20-JAN- 20	0
			3030N55	SET OF BOGIE FRAME (13T), BOLSTER, LOWER SPRING BEAM WITH COMPONENT AS PER ANNEXURE ATTACHED.	002	TROLLEY REPAIR SHOP	100 Set	0	20-JAN- 20	0
84	<a href="#">91186458150866</a> dt.19-DEC-18 on M/s.AMINI INDUSTRIES- MUMBAI <a href="#">RITES-CALL</a>	378788.00 (FP)	6025NNx	Reflective Safety Jackets EN OR IS approved standards EN-471/IS 15809:2008 for Railway Track maintainer, Sizes XL, with 3M Scotchlite 6260 High Gloss tape, Reflective tap 50 MM wide, 3M Scotchlite 626	001	SE(PWAY) PA	925 Nos.	0	25-JAN- 19	0
85	<a href="#">85186399151657</a> dt.20-DEC-18 on M/s.ENGINEERS COMBINE-MUMBAI <a href="#">RITES-CALL</a>	911727.00 (FP)	7625NS	PORTABLE SINGLE OPERATOR LIGHT WEIGHT COMPACT AIR COOLED WELDING TRANSFORMER CAP 400A	001	CWM, CARRIAGE WORKSH	17 Nos.	0	18-MAR- 19	0
86	<a href="#">87185172150183</a> dt.20-DEC-18 on M/s.KUMRA ELECTRIC STORE- KAPURTHALA <a href="#">RITES-CALL</a>	306800.00 (FP)	45XXN1	HIGH VOLTAGE FUSE OF RATING 2A , 1.2 KV AC AS PER PART NO 184000.2 OF SIBA OF SIZE 8 X 50mm FOR USE IN PRIMARY CIRCUIT OF 100 VA CONTROL TRANSFORMER OF LHB AC/NON AC COACHES. SIMILAR MAKE EFEN/FERRAZ	001	Sr. S.E. (AC/ TL) KU	500 Nos.	0	19-JAN- 19	0
87	<a href="#">66185887150480</a> dt.20-DEC-18 on M/s.MAXIMUS SOLUTIONS-THANE <a href="#">RITES-CALL</a>	499730.00 (FP)	65XXN00	Computerized SFC recorder for measurement of specific fuel consumption of WDG3A, WDM3D and WDP3A diesel locomotives as per detail specification and annexture attached.	001	Sr. Section Engineer	1 Nos.	0	20-MAR- 19	0
88	<a href="#">85186939151661</a> dt.20-DEC-18 on M/s.SIDWAL REFRIGERATION INDUSTRIES PRIVATE LIMITED- NEW DELHI <a href="#">RITES-CALL</a>	820664.00 (FP)	4322NS	SELF CONTAINED DRINKING WATER COOLER WITH ( NON- CFC REFRIGERANT ) ENERGY EFFICIENT COMPRESSOR COOLING CAPACITY LTRS/HRS. 150; TYPE- STORAGE; STORAGE CAPACITY LTRS-150; OPERATE ON 230 VOLTS SINGLE	001	SHOP SUPDT.AIR CONDI	21 Nos.	0	18-FEB- 19	0
89	<a href="#">85187403151662</a> dt.20-DEC-18 on	2362595.00 (FP)	7630NS	AUTO DARKENING WELDING FACE SHEILD	001	STEEL COACH RECONDIT	20 Nos.	0	28-MAR- 19	0
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;										

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
	M/s.V.M.ENTERPRISE- MUMBAI <a href="#">RITES-CALL</a>			WITH POWERED AIR PURIFYING RESPIRATORY SYSTEM AS PER SPEC ATTACHED						
90	<a href="#">41185361246360</a> dt.20-DEC-18 on M/s.MSW INFOTECH, MUMBAI <a href="#">RITES-CALL</a>	308100.00 (FP)	4341N15	Laser Jet Printer (make- HP-P1108 or Similar -As per Spec. enclosed as annex-A )+ 03 years on Site Warranty Supply, installation and commissioning of Equipment's at FOIS/TMS locations Of Central Rai	001	ASST. EXEC. MECH. EN	26 Nos.	0	01-JAN- 19	0
91	<a href="#">41185375246362</a> dt.20-DEC-18 on M/s.MSW INFOTECH, MUMBAI <a href="#">RITES-CALL</a>	1449750.00 (FP)	315N01	DESKTOP COMPUTER,INTEL CORE i-5 (7 th GENERATION) OR HEIGHER, RAM-4 GB OR MORE, HDD 1-TB OR HEIGHER, MONITOR SCREEN 18.5 INCH OR BIGGER,KEYBOARD,MOUSE, WITH WINDOWS 10 PROFESSIONAL, 03 YEARS ONSITE WARR	001	DIRECTOR IRIEEN NKRD	25 Set	0	01-JAN- 19	0
92	<a href="#">42185038170514</a> dt.21-DEC-18 on M/s.JOLLY STEELS- MUMBAI. <a href="#">RITES-CALL</a>	481081.00 (FP)	3101N55	PILLAR PART FOR PASSAENGR COMP. ENTRENCE AS PER DRG. No. MISC SK. No. 5011/ REF-2, ALT-1.	001	EMU REHALS MTN	1068 Nos.	0	21-MAY- 19	0
93	<a href="#">92186926251053</a> dt.21-DEC-18 on M/s.MAGNET TECHNOLOGY, Mumbai <a href="#">RITES-CALL</a>	384800.00 (FP)	92NS	DESKTOP PC MAKE DELL VOSTRO 3470 C15 8 WIN 10 PRO 20 - INTEL 8 TH , INTEL CORE I5 8400 ( 2.8 GHZ. 9 MB CAHCE 6 CORES INTEL Q 270 WINDIW 10 PROFESSIONAL, RAM 8/32 HD 1 TB, MONITOR RESOLUTION 1920 X 1	001	SR DIVL COMMERCIAL M	8 Nos.	0	04-JAN- 19	0
94	<a href="#">92186675151056</a> dt.21-DEC-18 on M/s.SIDWAL REFRIGERATION INDUSTRIES PRIVATE LIMITED- DELHI <a href="#">RITES-CALL</a>	710602.00 (FP)	43	Storage type self contained water cooler with stainless steel tank 150 ltrs capcity cooling capacity 150 ltrs suitable to oprate on 230 Volt 50Hz AC power supply with latest envirmnt friendly refrige	001	SEE(A C) CSTM	19 Nos.	0	27-JAN- 19	0
95	<a href="#">91186129150870</a> dt.21-DEC-18 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI <a href="#">RITES-CALL</a>	617801.00 (FP)	18XXN1	Supply of tuning unit D14 for audio frequency track circuit AFTC as per RDSO specification no. RDSO/SPN/146/2001 or latest. Frequency details 1) B-09, F-09 -01 No. (2) B-11, F-11 -02 No, (3) B-10, F-	001	SIGNAL INSPECTOR PA	5 Nos.	0	10-JUL- 19	0
96	<a href="#">85186984251664</a> dt.21-DEC-18 on M/s.V.M.ENTERPRISES., MUMBAI. <a href="#">RITES-CALL</a>	433405.00 (FP)	7831NS	SHOP FURNITURE AS PER ANNEXURE ATTACHED	001	CWM, CARRIAGE WORKSH	29 Nos.	0	22-DEC- 18	433405.03
97	<a href="#">36175002170515</a> dt.21-DEC-18 on M/s.VEEKAY	18056950.00 (FP)	3646N35	65 mm2 Uninsulated Copper Catenary Wire [19/2.10 mm.], as per	001	SECTION ENG. (CONST)E	50 KM	0	30-JUN- 19	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
	GENERAL INDUSTRIES-NEW DELHI <a href="#">RITES-CALL</a>			RDSO Specn. No. ETI/OHE/50[6/97] with A&C Slip Nos. 1, 2 & 3 or latest. Make/Brand: Self.						
98	<a href="#">36175002170516</a> dt.21-DEC-18 on M/s.STELLAR CABLES AND INFRASTRUCTURE PRIVATE LIMITED-KOLKATA <a href="#">RITES-CALL</a>	2666232.00 (FP)	4646N33	65 mm2 Uninsulated Copper Catenary Wire [19/2.10 mm.], as per RDSO Specn. No. ETI/OHE/50[6/97] with A&C Slip Nos. 1, 2 & 3. Make/Brand: Stellar.	001	Sr. Section Engineer	.42 KM	0	30-JUN-19	0
			4646N34	65 mm2 Uninsulated Copper Catenary Wire [19/2.10 mm.], as per RDSO Specn. No. ETI/OHE/50[6/97] with A&C Slip Nos. 1, 2 & 3. Make/Brand: Stellar	002	Sr. Section Engineer	.35 KM	0	30-JUN-19	0
			4646N36	65 mm2 Uninsulated Copper Catenary Wire [19/2.10 mm.], as per RDSO Specn. No. ETI/OHE/50[6/97] with A&C Slip Nos. 1, 2 & 3. Make/Brand: Stellar	003	Sr. Section Engineer	6.46 KM	0	30-JUN-19	0
99	<a href="#">80185037170517</a> dt.21-DEC-18 on M/s.THREE STAR COMPANY-MUMBAI <a href="#">RITES-CALL</a>	343950.00 (FP)	8301N001	1135 GSM yugoart paper 30" H X 20" W multicolor with top and bottom reaming wall calender for 2019	001	CPRO CSMT	12500 Nos.	0	31-DEC-18	0
			8301N002	CPRO BB VT Without reaming 1100 quantity wall calendar	002	CPRO CSMT	1100 Nos.	0	31-DEC-18	0
			8301N003	CPRO BB VT 500 with front side Bopp lamination without reaming glossy only	003	CPRO CSMT	500 Nos.	0	31-DEC-18	0
100	<a href="#">85176164151671</a> dt.22-DEC-18 on M/s.HAMSHIELD SOLUTIONS-PUNE <a href="#">RITES-CALL</a>	5287590.00 (FP)	091XXNS	Set of Braille Notices for SCN Coaches to ICF/MD/ SPECN-253 Issued Status 01 Rev,00 consists of (1) Sleeper Class Plate Braille to Drg. 140-8-3-011 Col.1,	001	CARRIAGE REPAIR SHOP	160 Set	0	25-MAR-19	0
					002	CARRIAGE REPAIR SHOP	120 Set	0	01-MAR-19	0
101	<a href="#">85176164151672</a> dt.22-DEC-18 on M/s.ACME INDIA-NEW DELHI <a href="#">RITES-CALL</a>	5287590.00 (FP)	091XXNS	1 Set, (2) Seat Location Sticker Plate with B	001	CARRIAGE REPAIR SHOP	280 Set	0	25-MAR-19	0
102	<a href="#">80185028170519</a> dt.22-DEC-18 on M/s.S K ENTERPRISE-MUMBAI. <a href="#">RITES-CALL</a>	357540.00 (FP)	8303N001	Printing of 3000 Nos. Bilingual Hindi/English of multicolour annual safety poster cum calendar to educate optg, S&T, Mechanical, Engg, Elect staff C.Rly. for year 2019 of size 20" x 30" in SIX (6) s	001	ASST. EXEC. MECH. EN	3000 Nos.	0	31-DEC-18	0
103	<a href="#">41185387246363</a> dt.22-DEC-18 on M/s.MSW INFOTECH,	395820.00 (FP)	4315N001	Desktop Computers (hp) ( Hp Business Desktop 280-Intel Core i 3 7th gen processor , 4GB RAM, 1TB HDD , DVDRW , 19.5",	001	COMPILATION OFFICER	9 Nos.	0	29-DEC-18	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
	MUMBAI <a href="#">RITES-CALL</a>			Win10pro, 3 years warranty. or SIMILAR						
104	<a href="#">87185224150191</a> dt.24-DEC-18 on M/s.JUGAL UDYOG- MUMBAI <a href="#">RITES-CALL</a>	442260.00 (FP)	33XXN37	SET OF ITEMS CONSISTING OF PVC ANGLE COCK SIZE 15 mm Qty 1 no. GI TEE SIZE 15 mm Qty 1 no. HEX NIPPLE SIZE 15 mm Qty 02 nos. AS PER ATTACHED SPECIFICATION.	001	JR.ENGINEER COACHING	3900 Set	0	23-JAN- 19	0
105	<a href="#">96185784150532</a> dt.24-DEC-18 on M/s.CHETAAN INC- THANE <a href="#">RITES-CALL</a>	323189.00 (FP)	46XXN11	Class III Disconnector Suitable for 42 KV lighting arrestor (One Disconnector , one busbar and hardware ) as per RDSO Specification no: TI/PSI/GAPLA/POLICY/13 dtd.17.10.13 . Make Brand: Core/RDSO Aprr	001	SSE(TRD) BAP Belapur	100 Set	0	24-FEB- 19	0
106	<a href="#">82185655150500</a> dt.26-DEC-18 on M/s.RELIANCE ELECTRICALS- THANE <a href="#">RITES-CALL</a>	305856.00 (FP)	5600N01	Mother Board For 4 Fuses common buzzer & SMPS Power Supply for Fuse Auto changeover system of 02 Amp to 16 Amp HRC "D" Type As Per RDSO Specification No- RDSO/SPN/209/2012 Rev I	001	CWM(S&T) WS BYCULLA	72 Nos.	0	25-FEB- 19	0
107	<a href="#">82185802150502</a> dt.26-DEC-18 on M/s.NANDA ELECTRO STAMPING-MUMBAI <a href="#">RITES-CALL</a>	478608.00 (FP)	5600N01	LAMINATION TYPE 8A AS PER IS; 11794 (PART 1 SECTION 1) OF 1986 THICKNESS 0.27MM TO 0.35MM. MATERIAL SILICON STEEL ORIENTED AS PER IS; 11794 PART 1 DRG NO. CWM/S&T/WSHOP/BY NO F-284. NABL certificate i	001	CWM(S&T) WS BYCULLA	2400 Kgs.	0	30-JAN- 19	0
108	<a href="#">95185752150870</a> dt.26-DEC-18 on M/s.KASERA ELECTRICALS PRIVATE LIMITED- KOLKATA <a href="#">RITES-CALL</a>	1177876.00 (FP)	4606NS0	Disconnector assembly consisting of Disconnector, Insulating Base, Adaptor and Earth plate suitable for 42 KV Lighting Arrestor as per RDSO Specification No. TI/SPC/PSI/MOGLA/0101 (02/2015). Accepte	001	Sr. Section Engineer	322 Set	0	07-JUL- 19	0
109	<a href="#">92186870251065</a> dt.27-DEC-18 on M/s.CONCO ELECTRIC-MUMBAI <a href="#">RITES-CALL</a>	553464.00 (FP)	4290N00	1) GODREJ REFRIGERATOR RT EON 311 SD 4.4 CAPACITY 300 LTRS, DOUBLE DOOR, STAR RATING 4. @ RS. 37950/- EACH 2) GODREJ REGRIGERATOR 190 L CAPACITY 5 STAR MODEL RDEPRO 205 TAI 5.2 STAR RATING 5 @RS. 163	001	SEE(A C) CSTM	1 Set	0	10-JAN- 19	0
110	<a href="#">82185708150503</a> dt.27-DEC-18 on M/s.OMM INDUSTRIES- HOWRAH. <a href="#">RITES-CALL</a>	499690.00 (FP)	5600N01	Detector Rod far End for CGL/IRS 52 Kgs One piece Rodding with solid Jaw Drg No- S&T/BY/ F-338/A Test certificate from Govt. Approved NABL Lab. Material should be As per Drg.with M.S. Square Head Pin	001	CWM(S&T) WS BYCULLA	350 Nos.	0	07-MAR- 19	0
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;										

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
111	<a href="#">82185814150504</a> dt.27-DEC-18 on M/s.MITTAL INDUSTRIES- MUMBAI <a href="#">RITES-CALL</a>	470525.00 (FP)	5600N01	Cabinet with capacitor & capacitor PCB as per RDSO spec.IRS/S/89/2013 ver.1.0 for Track feed Battery Charger All lug & Terminal properly crimped soldered & wires of proper rating must be used.	001	CWM(S&T) WS BYCULLA	275 Nos.	0	25-FEB-19	0
112	<a href="#">93186167250624</a> dt.27-DEC-18 on M/s.Solutions Computers System, Mumbai <a href="#">RITES-CALL</a>	795000.00 (FP)	9379N1	Intel i3/i5 Processor 7th Gen or better, 1 TB HDD, 4/8 GB RAM, Monitor, keyboard, mouse with windows 10 operating system with media standard configuration. Four years warranty.	001	DRM [C] BSL	20 Nos.	0	16-JAN-19	0
113	<a href="#">41185312170522</a> dt.27-DEC-18 on M/s.STELLAR CABLES AND INFRASTRUCTURE PRIVATE LIMITED- KOLKATA <a href="#">RITES-CALL</a>	41719608.00 (FP)	4601N33	Copper Catenary Wire 129 sq.mm. [0.2 sq. inch] as per Central Railway Specification No. D-89 Make/Brand : Stellar	002	SR.SECT ENG/TRD/CSMT	25 KM	0	30-APR-19	0
			4601N34	Copper Catenary Wire 129 sq.mm. [0.2 sq. inch] as per Central Railway Specification No. D-89 Make/Brand : Stellar	003	SR.SECT ENG/TRD/CSMT	1.5 KM	0	30-APR-19	0
			4601N35	Copper Catenary Wire 129 sq.mm. [0.2 sq. inch] as per Central Railway Specification No. D-89 Make/Brand : Stellar	001	SR.SECT ENG/TRD/CSMT	25 KM	0	30-APR-19	0
			4601N36	Copper Catenary Wire 129 sq.mm. [0.2 sq. inch] as per Central Railway Specification No. D-89 Make/Brand : Stellar	004	SR.SECT ENG/TRD/CSMT	4.5 KM	0	30-APR-19	0
114	<a href="#">63185237250181</a> dt.27-DEC-18 on M/s.SAI INDUSTRIAL ALLIANCES PRIVATE LIMITED- MUMBAI <a href="#">RITES-CALL</a>	732500.00 (FP)	63NS	SUPPLY OF BEE 3- STAR RATED, 1 TON CAPACITY INVERTER TYPE SPLIT AIR CONDITIONERS WITH ROTARY COMPRESSOR, [R-22 REFRIGERANT OR SIMILAR]MIN.COOLING CAPACITY [K CAL/HR] -4000,MIN.ROOM AIR FLOW: 630[CMH],	001	DIRECTOR IRIEEN NKRD	25 Nos.	0	25-FEB-19	0
115	<a href="#">85187319151677</a> dt.28-DEC-18 on M/s.SEEMA ENTERPRISES-NAVI MUMBAI <a href="#">RITES-CALL</a>	388530.00 (FP)	30XXNS	SET OF MOUNTING BRACKETS AS PER ATTACHED ANNEXURE. MATERIAL AND SPECIFICATION AS PER DRAWING MENTIONED IN THE ANNEXURE.	001	FITTING SHOP MTN	37 Set	0	02-MAR-19	0
116	<a href="#">55185094150093</a> dt.28-DEC-18 on M/s.FRANCIS KLEIN AND CO. PRIVATE LIMITED-KOLKATA <a href="#">RITES-CALL</a>	457840.00 (FP)	00XXN1	SPARE POWER PACK AND SPARE HYDRULIC HOSE PIPE SET (SPARE FOR REPLACEMENT FOR EXISTING HRE (MFD MAKE) AS PER SPECIFICATION ENCLOSED (PAC ITEM)	001	JR ENG.II ( LOCO ) C	1 Set	0	27-APR-19	0
117	<a href="#">82185811150507</a> dt.28-DEC-18 on M/s.ASCO INDUSTRIES-	446040.00 (FP)	5600N01	Aluminium Sheet 8' x 4' x 2 mm or 2032 x 1219 x 2 mm as per IS: 737/1986	001	CWM(S&T) WS BYCULLA	2000 Kgs.	0	04-FEB-19	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;



Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
	MUMBAI <a href="#">RITES-CALL</a>			or latest Grade 40800 Condition Hx2.						
118	<a href="#">82185817150508</a> dt.28-DEC-18 on M/s.ASCO INDUSTRIES- MUMBAI <a href="#">RITES-CALL</a>	345923.00 (FP)	5600N01	Fabricated door for 02 aspect modular type LED CLS Unit as per drg.No.S&T/BY/MCLS-05	001	CWM(S&T) WS BYCULLA	550 Nos.	0	11-FEB-19	0
119	<a href="#">88185029170523</a> dt.28-DEC-18 on M/s.CRG INDUSTRIES- BADDI <a href="#">RITES-CALL</a>	1194000.00 (FP)	0001N55	Bogie Frame to ICF Drg. No. T-0-3-804, Alt-J/2 or latest as per RDSO Specification No. C-9202 of March-1992 (Rev-2) Oct-2008 (Note : Full Bogie Frame to be tested for Non Destructive Test, Stress Reli	001	ELECTRIC LOCO REPAIR	6 Nos.	0	30-MAR-19	0
120	<a href="#">88185029170524</a> dt.28-DEC-18 on M/s.HINDUSTHAN ENGINEERING AND INDUSTRIES LTD.-KOLKATA <a href="#">RITES-CALL</a>	1194000.00 (FP)	0001N55	Bogie Frame to ICF Drg. No. T-0-3-804, Alt-J/2 or latest as per RDSO Specification No. C-9202 of March-1992 (Rev-2) Oct-2008 (Note : Full Bogie Frame to be tested for Non Destructive Test, Stress Reli	001	ELECTRIC LOCO REPAIR	6 Nos.	0	30-MAR-19	0
121	<a href="#">82185842150512</a> dt.28-DEC-18 on M/s.MICO METAL INDUSTRIES- MUMBAI <a href="#">RITES-CALL</a>	450288.00 (FP)	56XXN01	Alluminium Sheet Size: 8' X 4' X 1/8" As per IS 737/2008 or latest Ammendment Grade 40800 Condition H X 2 . (Party should submit Govt. Approved Lab Test Certificate for chemical Composition of supplie	001	CWM(S&T) WS BYCULLA	2000 Kgs.	0	04-FEB-19	0
122	<a href="#">91186334150882</a> dt.29-DEC-18 on M/s.V.M.ENTERPRISES- MUMBAI <a href="#">RITES-CALL</a>	360297.00 (FP)	45XXN1	Side table cum locker with SS top as per attached drg. No. PA/MECH/FNO/2018/20.	001	CCOR(D) PUNE	114 Nos.	0	10-MAY-19	0
123	<a href="#">82185807150514</a> dt.29-DEC-18 on M/s.SUPREMO METAL INDUSTRIES- THANE <a href="#">RITES-CALL</a>	403011.00 (FP)	5600N01	Door for medium size weldless detachable S.S.Location Box as per Drg No. DMLB-10B. (1Set =02 Nos) (SAMPLE TO BE GOT APPROVED BEFORE BULK SUPPLY). Party Should Submit Test Certificate from NABL Accre	001	CWM(S&T) WS BYCULLA	60 Set	0	30-APR-19	0
124	<a href="#">42185015170525</a> dt.31-DEC-18 on M/s.ESCORTS LIMITED- FARIDABAD <a href="#">RITES-CALL</a>	868445.00 (FP)	3101N13	Leveling Valve to M/s. KBIL Part No. 1168831 or M/s. FTIL Part No. 038001000 or M/s. Escorts Part No. 3EB6631.FIRM OFFER ; MAKE/BRAND ESCORTS.	001	SR,DEE,[TRS] CLA	110 Nos.	0	11-APR-19	0
125	<a href="#">47109023170526</a> dt.31-DEC-18 on M/s.ELMEC COM AGENCIES-MALAD (W), MUMBAI <a href="#">RITES-CALL</a>	2938200.00 (FP)	2501N	Motor for Traction Motor Blower as per CLW Specn. No. CLW/ES/3/0019 ALT-G or latest and RDSO Specn. No. E-10/3/09 [Motor] with amendment No. 01, 02, 03, 04 and 05 or	001	AUXILIARIES OVERHAUL	30 Nos.	0	15-MAY-19	0

PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
				latest. Firms Accepted Offer: Make						
126	<a href="#">92186502251068</a> dt.31-DEC-18 on M/s.CONCO ELECTRIC-MUMBAI <a href="#">RITES-CALL</a>	749000.00 (FP)	78	BATTERY OPERATED MATERIAL HANDLING TROLLEY 2.0 T PLATFORM TRUCK - MAKE- MODEL EASYMOVE ( STACKERS & MOVERS) BD20 CAPACITY 2000 KGS., RATED VOLTAGE OF DC MOTOR (VOLTS) 48 TRUCK SIZE - 3158X1140X1134 SI	001	SSE (ELECT. TRAIN LI	1 Nos.	0	14-FEB-19	0
127	<a href="#">92186940251070</a> dt.31-DEC-18 on M/s.VIJAYA CABLES-DELHI <a href="#">RITES-CALL</a>	2689500.00 (FP)	42NS	LT XLPE ARMoured CABLES OF SIZE 4 CORE X 70 SQ. MM AS PER IS 7098 PART-1/1988 MAKE BRAND OSCAR	001	Sr Section Engineer	10000 MTR	0	03-FEB-19	0
128	<a href="#">92186941251071</a> dt.31-DEC-18 on M/s.WINDSOR CABLES PVT. LTD.,, DELHI <a href="#">RITES-CALL</a>	1968700.00 (FP)	42NS	ISI MARKED 4C X 50 SQ. MM ARMoured XLPE CABLE MAKE WINDSOR	001	Sr Section Engineer	10000 MTR	0	03-FEB-19	0
129	<a href="#">96185757150544</a> dt.31-DEC-18 on M/s.SUDARSHAN STEEL MFG CO- MUMBAI <a href="#">RITES-CALL</a>	820963.00 (FP)	96XXN25	Iron cot of size L 1850MM x W 900MM x H 450MM made up of Mild Steel 50 MM X 25 MM support pipe 25 x 25 MM with 18 MM plywood. Cot in powder coated of coffee brown colour. Sample to be approved by Rail	001	SENIOR SECTION ENGI	138 Nos.	0	14-FEB-19	0
130	<a href="#">95186052150871</a> dt.31-DEC-18 on M/s.RESISTOFLEX DYNAMICS PVT. LTD.-Greater Noida <a href="#">RITES-CALL</a>	2490180.00 (FP)	0098NS0	Air Spring assembly 140 KN Capacity for Air Spring of Main Line Coaches Conforming to RDSO specification No. C-K509 (Rev.2), Amendment-4 of Oct 2016. Accepted Description: Air Spring Assembly (140 KN	001	SR.SEC.ENG. (C&W) NAG	20 Nos.	0	31-MAY-19	0
131	<a href="#">95186135150872</a> dt.31-DEC-18 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI <a href="#">RITES-CALL</a>	4039140.00 (FP)	0000NS0	Battery operated LED based Torch light cum flashing Hand signal lamp. RDSO Specification No RDSO/SPN/195/2008 Revision 2.2. Accepted Make/Brand: GAEC.	001	SR DOS [M] NGP	1630 Nos.	0	30-JUN-19	0
<b>TOTAL PO VALUE :</b>		353604296.00								
* END OF REPORT *										
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;										