

PURCHASE ORDER ISSUED DURING THE MONTH OF JUL 2019 (VALUE OVER RS. 3 LAKH)

Sr.	P.O.No. & Date Name of Firm	Order Value	PL No.	Item Description	PO Sr.	Consignee	Order Qty	Unit	Delivery Date	Demand No.
1	92186891100463 dated 03-JUL-19 EMAC OPTO ELECTRONICS PVT LTD-MUMBAI	1208390	4219N01	LED retrofit tube PL-L plug lamp 22 watts, 170 to 270 volt. base type 2G11, 120 degree angel, Total lumens 2640, Power factor :> 90, ATHD < 10%, surge protection 3 KV, Aluminium enclosure, colour tempareture 6500k. As per LED 4 India model No. 22w4pb. Submit test certificate and warrenty certificate of 60 month at the time of supply. Make LED 4 India, Bajaj, CGL, Philips. CRI > 90. Specification annexure attached.(ACCEPTED OFFER FOR MAKE LED 4 INDIA WITH 5 YEARS WARRANTY)	1	SR.SECTION ENG. [EL	1998	Nos.	04-Aug-19	17860699
2	92195448100464 dated 03-JUL-19 BHAWANI SALES AGENCIES- MUMBAI	1412460	6098NS01	LEVER BOX WITH PULL ROD AS PER RDSO DRAWING NO MA 3040	1	SE(PWAY) , [STORES]	150	Set	01-Sep-19	14497190
3	92195298100465 dated 04-JUL-19 EXCEL ENTERPRISES-MUMBAI	3575400	5279N1	LED Engine source with complete accessories for existing BARCO make Rear View Projection Unit(RVPU) cubes of TMS Mumbai Div. C. Railway including installation and commissioning as per annexure A & B in the attachment. Make BARCO , Christie and Delta only offer acceptedBARCO make	1	TCI (HF) CLA	5	Nos.	18-Aug-19	18490041
4	92186848100466 dated 04-JUL-19 PACIFIC MARKETING-NASIK	3882240	5615N01	Sealed Maintenance free VRLA Battery set of 60 cells (Stackable), in combination of 55 + 5 cells for SMPS based Integrated Power supply system, each cell of 2 Volt/300 AH capacity, fully charged, confirming to RDSO specification No. IRS: S:93/96(A) Amendment 1 complete with connected links and suitably numbered in stackable racks along with user manuals. The basic rate is based o HZL lead price of Rs 181000 of Apr-19,PVC on lower side applicable.	1	Sr. Section Engineer	10	Set	01-Nov-19	18440012
5	92186951100467 dated 04-JUL-19 PACIFIC MARKETING-NASIK	4080845	56980164	Maintenance free Secondary Lead Acid (VRLA) Battery 2V, 200 AH confirming to RDSO specification IRS-S-93/96(A) with latest amendments. (PLEASE NOTE EACH SET WILL CONSIST OF 60 CELLS ALONGWITH STAND FOR MOUNTING BATTERIES AND CONNECTING PLATES) (Accepted offer for Make/Brand - EXIDE).	1	Sr. Section Engineer	18	Set	02-Sep-19	18450030
6	92186550100470 dated 04-JUL-19	3803100	45NS	Design, supply, errection, testing and commissioning of IGBT based 25 KW alternator testing bed with regeneration features for PIT application one set consists	1	SSE (ELECT. TRAIN LI	2	Set	03-Aug-19	17850840

	KAMAL AUTOMATION SYSTEMS PVT. LTD-MUMBAI			regeneration features for FTI application one set consists of 02 Nos. test bed complete with control panel required for testing of one AC coach on PIT i.e. PIT type application as per RDSO Spec, No. RDSO/PE/SPEC/AC/0081-2007 (Rev-0), amendment No.1 07 May 2012 & RDSO/PE/STR/AC/0019-2008 (Rev-0) complete with earthing arrangement. (Accepted offer for Make/Brand - KAMAL).						
7	92195259100471 dated 04-JUL-19 SUPER REFRIGERATION INDUSTRIES-NEW DELHI	1109200	4590N02	Hot case for LHB type AC coaches as per RCF Drawing No.LE-72205 and confirming to spec. No.EDTS-139, Rev-E, for Rajdhani Express. offer: Super make as per tender drawing and specification.	1	SR. SECT.ENG.[AC/COG	10	Nos.	01-Nov-19	17940191
8	92195412100472 dated 04-JUL-19 ANKUR ELECTRONICS-MUMBAI	354000	5090N02	2 Mbps Digital Modems Conforming to Specification NO.RDSO/SPN/TC 80/2008 REV.0.0, AMMENDMENT-1 [With following Digital Interface: (i)CARRIER END: G-703,E1 INTERFACE AS PERCLAUSE NO.2.1.1.2 . (ii)DTE END:V.35 AS PER CLAUSE NO.2.1.1.3.] MAKE/BRAND : CYGUNS 850 /2MBPS	1	Sr. Section Engineer	10	Pairs	02-Sep-19	18500042
9	92195411100474 dated 04-JUL-19 MARVEL ELECTRIC EQUIPMENTS PRIVATE LIMITED-MUMBAI	519200	5010N01	Control Way Station Equipment [MTWE] Rack Mounted, - 48.Volt Operated. As per RDSO Specification.no RDSO/TC/66/07 WITH AMNDT.2 OR LATEST IF ANY. System should be compatible with existing Control communication System of Mumbai Division. MAKE :MARVEL	1	Sr. Section Engineer	8	Nos.	02-Sep-19	18500031
10	92195319100477 dated 05-JUL-19 SMALL TOOLS AND HARDWARE SUPPLY AGENCY-MUMBAI	454167	5601N01	Track Magnet clamp assembly as per Drg.No. R-ST-11463/1 (2) Small JAW Drg.No. R-ST-11463/2 (3) Log Jaw Drg.No. R-ST-11463/3 (4) Clamp for track magnet Body Drg. No. R-ST-11463/4 (5) Spring Washer Drg. No. R-ST-11463/5 (6) Check Nut Drg. No. R-ST-11463/6 (7) Nut Drg. No. R-ST-11463/7 (8) Spring Washer Drg.No. R-ST-11463/8 (9) Plain Washer Drg.No. R-ST-11463/9 (10) Kurling Washer Drg.No. R-ST-11463/10 (11) Adjusting Plate Drg.No. R-ST-11463/11 NOTE : FIRM WILL SUBMIT ONE ADVANCE SAMPLE TO CONSIGNEE FOR APPROVAL BEFORE BULK SUPPLY.	1	Sr. Section Engineer	89	Set	02-Nov-19	18440050
11	92195362100478 dated 05-JUL-19 AARSYS SOLUTION-MUMBAI	495600	11XXN1	ULTRA CAPACITOR MODLE ASSEMBLY 72 DCV FOR CRANKING DIESEL LOCO ENGINE.	1	Sr. Section Engineer	1	Nos.	04-Aug-19	12600016
12	92195290100479 dated 05-JUL-19	614544	73XXN123	Supply & application of cast vinyl graphic film on panels of deenay & ganway area of coaches under project	1	JR.ENGINEER COACHING	3100	SQFT	29-Aug-19	13808054

	D N MARKETING-MUMBAI			of doorway, & gangway area of coaches under project utkrisht. Technical specification given as under:- a) Cast vinyl graphic film as per RDSO Specification no. RDSO/2006/CG-13, REV-1, Option B with anti-graffiti measure as per ASTM Designation D 6578-00.and its tender condition b) Gurantee - 03 years from the application of film. c) Payment to be made as per actual applied vinyl wraps area. d) Color and pattern to be approved by Railways before supply and application. e) Proposed work should be carried out at IOH/Shed WB or any suitable location identified by railway administration in consultation with Sr. DME (Cog)/BB and ADME (Cog)/BB or his representative. f) Inspection - By RITES. Inspection of cast vinyl graphic film as per RDSO/2006/CG-13, Rev.-1 against OEM WTC and GC by RITES and inspection of anti-graffiti measure as per ASTM designation D 6578-00 g) Make:- 3M or Avery Dennison FIRMS OFFER IS FOR : AVERY DENNISION							
13	92195349100483 dated 08-JUL-19 PAT AND COMPANY-MUMBAI	1446946	92NSN1	New Ribbons for LIPI-6610/6605 Chart Printers in manufacturer's original packing.	1	SR DIVL COMMERCIAL M	500	Nos.	07-Aug-19	11733097	
14	92195347100484 dated 08-JUL-19 PAT AND COMPANY-MUMBAI	1273975	92NSN1	Ribbons for Printronix P-8005 Chart Printers in manufacturer's Original Packaging. (Make : Printronix, Part No. 259885-104).	1	SR DIVL COMMERCIAL M	360	Nos.	07-Aug-19	11733087	
15	92195385100485 dated 08-JUL-19 SUSTAIN TECHNOLOGY-RAIGARH	731600	4601N01	Digital insulation analyser suitable for 5000 V PI & DAR for insulation measurements as per specification attached. Make: Megger, Sonel, Fluke Only. MAKE ; MEGGER ,MODEL	1	Sr. Section Engineer	1	Nos.	06-Sep-19	16860695	
17	BOMBARDIER TRANSPORTATION INDIA PRIVATE LIMITED-Vadodara	1085432	5279N1	Power Supply Unit Card POW/702 part. No. ANR 218720 Suitable for EBISAT 890 FIU of Existing TMS system installed in CSMT - KYN section in Mumbai division of Central Railway. Accepted offer for make : OEM.	1	TCI (HF) CLA	2	Nos.	06-Sep-19	18490061	
18	92195244100491 dated 08-JUL-19 MARVEL ELECTRIC EQUIPMENTS PRIVATE LIMITED-MUMBAI	784000	45XXN05	Supply and installation of LED light fitting 18 watts (4 feet lenth) inside the coach (Upper and lower deck) in double decker coaches as per RDSO Specification No. RDSO/PE/SPEC/TL/0091-2016 (Rev.1) or latest. of Make Ensave Devices Pvt. Ltd/Auto Industries/RT Vision Technologies Pvt. Ltd/MIC Electronics Ltd/ 2.K-Lite Industries/Iglow Lighting Solutions Pvt. Ltd/Intra Electronics. This Material to be Procured From ICF/RCF/RDSO Approved Source Or His Authorized Dealer with Valid Authorization Only. MAKE; ENSAVE	1	SR. S.E. (AC/ TL) KU	140	Nos.	06-Oct-19	17810279	
19	92195243100492 dated 08-JUL-19	852786	4012N01	Thin walled electronic beam irradiated/ chemically cured cross linked thin walled flexible elastomeric cable with	1	SR. S.E. (AC/ TL) KU	730	MTR	06-Sep-19	17810267	

	THERMO CABLES LIMITED-HYDERABAD			copper conducted working voltage 750 volts and upto 1.8/3.0 KV, Grade size 120 Sq. MM as per RDSO Spec. no. ELRS/SPEC/ELC/0019 Rev-4 of FEB, 2018 or latest. Make:Thermo cable						
20	EPSILON ELECTRONIC EQPT AND COMP P LTD-HYDERABAD	511530	5010N01	Supply of Electronic LC Gate Telephone system with Voice Logging Facility as per RDSO Spn /TC/51 /2011 (rev 3.0) or Latest, consisting of 1 Master telephone, 6Slave Telephone along with Modified Surge Protection and Line connection unit and 24 V DC Power supply with MF Battery, Compatible with existing Electronic LC Gate Telephone System of Mumbai Division ,Central Railway. (To be supplied by RDSO approved Firms only.). MAKE : EPSILON	1	Sr. Section Engineer	6	Set	08-Oct-19	18500014
21	92195107100502 dated 12-JUL-19 PREMIER CONTROL SYSTEM-NAVI MUMBAI	941640	92XXN125	Lifting and Handling System of Draft Gear As Per Technical Specifications Attached MAKE : PREMIER CONTROL SYSTEM	1	Sr.CDO LTT	2	Nos.	20-Oct-19	1383309
22	92195003100503 dated 12-JUL-19	928564	33XXN64	HYDRAULIC OPERATED REMOTE TYPE HYDROLIC JACK WITH POWER PACK AS PER SPECIFICATION ATTACHED AS ANNEXURE - A MAKE ; PREMIER CONTROL SYSTEM	1	Sr.CDO LTT	1	Set	20-Oct-19	138330080B8
24	J K MACHINE TOOLS GUJ PVT.LTD.-RAJKOT	580000	65XXN1	GTAW WELDING MACHINE 600 AMP SINGLE OPERATOR AC AND DC ARC WELDING TRANSFORMERS GTAW WELDING MACHINE MODEL JK - GTAW-600 AS PER GEM SANCTON ORDER AND	1	Sr. Section Engineer	2	Nos.	07-Aug-19	12600054
25	92186792100509 dated 15-JUL-19 BHASIN PACKARD ELECTRONICS PVT. LTD.-MOHALI	731600	4590N01	Dry type power distribution transformer 60 KVA, capacity 750/415V, 3-Ph for LHB type AC coaches as per RDSO Spec No. RDSO/PE/SPEC/AC/0080-2007 (Rev-1), Material shall be procured from RDSO/RCF/ICF approved sources only. BHASINPACKARD	1	SR. SECT.ENG.[AC/COG	4	Nos.	13-Sep-19	17940059
26	92195509200514 dated 18-JUL-19 SPACE OFFICE SYSTEMS INDIA PRIVATE LIMITED-MUMBAI	656640	5023N1	Supply of fixed cellular Terminal (FCT) GSM Router Device with 4 G VOLTE supported as per specification 1 GSM Port and 1 FXS Port , 12V DC adopter based power, built in battery back up, Quad band, Automatic Number translation and GSM Antenna with SMA Panel connector make/model -MATRIX SIMADO GFX11E 4G (GEM OFFER MATRIX SIMADO GFX11E 4G WITH BB AS PER GEM SANCTION ORDER AND CONTRACT)	1	TCI (HF) CLA	54	Nos.	16-Aug-19	18490077
27	92195077100522 dated 19-JUL-19 SURGEINE HEALTHCARE INDIA PVT. LTD.-SONIPAT	3195861	73XXN123	Requirement of Disposables Hand Towels. Size 30x 40. Specifications as per Annexure attached. (Accepted offer for Make/Brand - Surgeine).	1	JR.ENGINEER COACHING	764743	Nos.	18-Oct-19	13808029
28	92195052100533 dated 26-JUL-19 ASDIN ENTERPRISES-MUMBAI	459492	72XXN73	SCRAPPER MATTING FOR LAVATORY FLOOR EURO TYPE AS PER RCF DRG. NO. MI004553 ALT NIL	1	Sr.CDO LTT	132	Nos.	24-Sep-19	13833009519