

## CENTRAL RAILWAY

Depot : All Depots

## LIST OF PURCHASE ORDERS

n : ALL

| Sr.  | P.O. No. and Date   | PO Value            | PL.No    | Item Description  | Consignee                | PO Qty                                     | Dely.Dt                                 |
|--|---|---------------------|----------|---|--------------------------|--|---|
| PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled; |   |                     |          |   |                          |  |   |
| 1  | 38193365903452<br>dt.05-SEP-19 on<br>M/s.PCMM, Rail<br>Coach Factory,<br>Kapurthala,<br>HUSSAINPUR<br>RITES-CALL                      | 566475<br><br>(FC)  | 33500459 | SECONDARY LATERAL DAMPER TO RCF DRG.NO.LW-05100 ALT A. CONFIRMING TO SPECIFICATION NO. T.S. 17 560 100 03.  | LTT                      | 100 Nos.                                   | 8-Oct-19                                |
| 2  | 42193786103527<br>dt.11-SEP-19 on<br>M/s.SANROK<br>ENTERPRISES-<br>FARIDABAD<br>RITES-CALL  | 787878<br><br>(FC)  | 31220230 | BUSH [UPPER] FOR BEARING BRACKET OF SHAKU COUPLER TO ESCORT DRG. NO.40-524-07-3[4] OR WSF DRG. NO.40.524-07-03[4]. FIRM'S OFFER: BUSH [UPPER] FOR BEARING BRACKET OF SHAKU                              | MTN<br><br>SNPD          | 384 Nos.<br><br>292 Nos.                   | 16-Dec-19<br><br>16-Dec-19              |
| 3  | 43191086103534<br>dt.11-SEP-19 on<br>M/s.KERALA<br>ELECTRICAL AND<br>ALLIED ENGINEERING<br>CO. LTD-KUNDARA<br><br>RITES-CALL RITES-IC | 772192<br><br>(PC)  | 45214128 | STACKED AND MACHINE ROTOR FOR 4.5KW, 110V DC ALTERNATOR OF M/s. KEL TO KEL PART No. A-3202. FIRM'S OFFER: MAKE/BRAND - KEL.   | MTN<br><br>MTN           | 7 Nos.<br><br>9 Nos.                       | 7-Dec-19<br><br>30-May-20               |
| 4  | 75192065203617<br>dt.16-SEP-19 on<br>M/s.SREE GURU<br>DULALI ENTERPRISE-<br>KOLKATA<br>RITES-CALL                                     | 1467762<br><br>(PC) | 75209550 | LEATHER GAUNTLETS MEDIUM SIZE 350 MM FOR WORKERS [OTHER THAN WELDERS] TO IS 2573/1986 ( REAFFIRMED - 1997 ) OR LATEST, TYPE-II.FIRMS OFFER: LEATHER GAUNTLET FOR WELDER TO IS: 2573/1986 ( REAFFIRMED - | MTN<br><br>PR<br>ACL BSL | 11933 Pairs<br><br>4172 Pairs<br>962 Pairs | 28-Jan-20<br><br>28-Jan-20<br>28-Jan-20 |
| 5  | 90190634703632<br>dt.16-SEP-19 on<br>M/s.Secretary<br>(Stores), Railway<br>Board, New Delhi<br>RITES-CALL                             | 1728511<br><br>(FP) | 90221291 | INDIAN STANDARD MEDIUM WEIGHT CHANNELS SIZE:- 400 X 100 mm X 49.4 KGS/M SEMIKILLED IN THE LENGTH OF 10 MTS AND ABOVE.TO IS:2062/11 E 250 GR BO, SEMIKILLED  | MMR                      | 36000 Kgs.                                 | 16-Jan-21                               |
| 6  | 27193634103640<br>dt.16-SEP-19 on<br>M/s.WOAMA<br>ELECTRONICS-<br>KOLKATA<br>RITES-CALL   | 595351<br><br>(FP)  | 29610114 | SET OF BLOCKING DIODES ILLUMINATION TEST (POSITION NO. 123.1) & ITS ACCESSORIES AS PER CLW SPECN NO. CLW/ES/3/0055, ALT-B, ONE SET CONSISTS OF 4 ITEMS ACCORDING TO                                     | ACL BSL<br><br>ACL BSL   | 25 Set<br><br>59 Set                       | 31-Mar-20<br><br>30-May-20              |
| 7  | 85191425801717<br>dt.16-SEP-19 on<br>M/s.Controller of<br>Stores, JAIPUR<br>RITES-CALL  | 814795<br><br>(PX)  | 37137610 | FACE PLATE FOR BUFFER PLUNGER TO RDSO SKETCH NO. 94254 ALT-3, C.RLY. ALT-a. Material and specification as per drawing. (PL operate UPL-37136203)  | MTN                      | 500 Nos.                                   | 15-Dec-19                               |

|         |  |                          |          |  |         |               |           |
|---------|--|--------------------------|----------|--|---------|---------------|-----------|
| 8       | 27192935103713<br>dt.18-SEP-19 on<br>M/s.S. N.<br>MECHANICAL<br>ENTERPRISE PRIVATE<br>LIMITED-HOWRAH<br><br>RITES-CALL | 686158<br><br><br>(FP)   | 25257262 | Set of Rubber items for<br>brake cylinder for co-co<br>bogie comprising of 06<br>items 48 NOs as per<br>Drg.Nos.: 1)<br>BSL/TRS/SK/4/721 (01<br>ITEM 08 NOs) 2)<br>BSL/TRS/SK/3/723 (01<br>ITEM 08 NOs) 3)<br>BSL/TRS/SK/3/724 (04   | ACL BSL | 100 Set       | 31-Jan-20 |
|         |  |                          |          |  | ACL BSL | 55 Set        | 31-May-20 |
|         |  |                          |          |  | AQ      | 81 Set        | 31-May-20 |
| 9       | 90190750703728<br>dt.19-SEP-19 on<br>M/s.Secretary<br>(Stores), Railway<br>Board, New Delhi<br>RITES-CALL              | 35155315<br><br><br>(FX) | 90420056 | Mild Steel Plates 10 X 2500<br>X12500 to the specification<br>IS 2062:2011 Grade E 250<br>BO FKFN Duly UT  | MMR     | 7890<br>QTL.  | 19-Jan-21 |
| 10      | 10192278103731<br>dt.19-SEP-19 on<br>M/s.SIGNOTRON<br>(INDIA) PVT.LTD.-<br>KOLKATA<br>RITES-CALL RITES-IC              | 710360<br><br><br>(PC)   | 12102039 | O.5 HP AC Crank Case<br>Exhauster Motor and Blower<br>fan with built in individual<br>invertor, supply voltage 72 V<br>DC and indication panel.<br>RDSO SPEC<br>NO.MP.O.24.00.20 [Rev.01]<br>JULY 2008 OR LATEST. &<br>MOD. shee     | CLA     | 4 Nos.        | 11-Dec-19 |
|         |  |                          |          |  | CLA     | 5 Nos.        | 30-Apr-20 |
|         |  |                          |          |  | GPR PA  | 1 Nos.        | 11-Dec-19 |
|         |  |                          |          |  | GPR PA  | 3 Nos.        | 30-Apr-20 |
| DLS KYN | 1 Nos.   | 30-Apr-20                |          |  |         |               |           |
| 11      | 90190641803741<br>dt.19-SEP-19 on<br>M/s.Diesel<br>Locomotive Works,<br>Varanasi, Varanasi<br>RITES-CALL               | 1097400<br><br><br>(FX)  | 90230838 | M.S.ANGLES 75 X 75 X 10<br>MM TO IS 2062/99 GR "A"<br>SEMIKILLED IN LENGTH<br>5.5 mtr.To 13.5<br>Mtrs,"Material is required<br>with ISI Marked/TAG."   | MMR     | 20000<br>Kgs. | 31-Oct-19 |
| 12      | 75191014103749<br>dt.19-SEP-19 on<br>M/s.ADVANCE PAINTS<br>PRIVATE LIMITED-<br>MUMBAI<br>RITES-CALL RITES-IC           | 15168546<br><br><br>(PC) | 77900121 | Set of PU paints for<br>UTKRISHT coaches. One<br>set contains following 03<br>items with their respective<br>quantities : [1] PU top coat<br>as per RDSO spec. no.<br>M&C/PCN/100/2018. RAL<br>0303045 Blood Red - 40<br>Ltrs        | MTN     | 40 Set        | 17-Oct-19 |
|         |  |                          |          |  | MTN     | 40 Set        | 18-Dec-19 |
|         |  |                          |          |  | MTN     | 80 Set        | 31-Jan-20 |
|         |  |                          |          |  | MTN     | 83 Set        | 30-Apr-20 |
| 13      | 27193239203761<br>dt.20-SEP-19 on<br>M/s.SKf INDIA LTD-<br>GURGAON<br>RITES-CALL RITES-IC                              | 30932214<br><br><br>(PC) | 29030110 | Set of Driving End and Non-<br>Driving End Suspension<br>Tube Bearing for<br>WAG9/WAP7 Locos, as per<br>SKF Description: (1) DE-NU<br>1964 MA/C4 VA327 a n d<br>(2) NDE-NJ 1044<br>MP/C4VA327 + HJ<br>1044/VA335.<br>MAKE:SKF/GERMAN | ACL BSL | 51 Set        | 15-Mar-20 |
|         |  |                          |          |  | ACL BSL | 44 Set        | 30-May-20 |
|         |  |                          |          |  | ACL BSL | 44 Set        | 30-Sep-20 |
|         |  |                          |          |  | ACL BSL | 44 Set        | 31-Jan-21 |
|         |  |                          |          |  | ACL BSL | 43 Set        | 31-May-21 |

|      |  |   |          |  |         |              |           |
|------|--|---|----------|--|---------|--------------|-----------|
| 14   | 41183917103768<br>dt.20-SEP-19 on<br>M/s.B. R. INDUSTRIAL<br>TRADING CO-<br>KANDIVALI (W)<br>MUMBAI<br><br>RITES-CALL                    | 2787828<br><br><br><br><br><br><br><br><br><br>(FC) | 41158854 | FIRM'S ACCEPTED<br>OFFER:- SUPPLY<br>M/S.DUPONT USA MAKE<br>POLYIMIDE FOIL KAPTON<br>TYPE HN 500 SIZE 0.125<br>MM THICK X 510 MM<br>WIDE X 50 MTRS ROLS<br>LENGTH OR THEIR<br>STANDARAD LENGTH ALL<br>SUPPLY MADE UNDER<br>OEM GUIDE L | TMW     | 1670<br>MTR  | 31-Jan-20 |
| 15   | 75192109103806<br>dt.23-SEP-19 on<br>M/s.ASIANARC<br>ELECTRODES PVT.<br>LTD.-NOIDA<br>RITES-CALL   | 629712<br><br><br><br><br><br><br><br><br><br>(FP)  | 76010727 | M.S. WELDING<br>ELECTRODES CLASS A1<br>SIZE 3.15 X 350MM<br>MEDIUM COATED TO<br>IRSM 28/12 AS PER IS:814-<br>2004 AWS CODE<br>NO.ER4112 RDSO<br>APPROVED BRAND.<br>FIRMS OFFER : MAKE/<br>BRAND: SUPERCRAFT.                           | CRD     | 25196<br>MTR | 31-May-20 |
|      |  |   |          |  | KYN     | 8492<br>MTR  | 31-May-20 |
|      |  |   |          |  | ACL BSL | 37250<br>MTR | 31-May-20 |
|      |  |   |          |  | CLA     | 3167<br>MTR  | 31-May-20 |
|      |  |   |          |  | DLS KYN | 2915<br>MTR  | 31-May-20 |
|      |  |   |          |  | AQ      | 2740<br>MTR  | 31-May-20 |
|      |  |   |          |  | WB      | 20864<br>MTR | 31-May-20 |
|      |  |   |          |  | SNPD    | 1514<br>MTR  | 31-May-20 |
| PUNE | 2500<br>MTR  | 31-May-20   |          |  |         |              |           |
| 16   | 75192122103808<br>dt.23-SEP-19 on<br>M/s.MODI HITECH<br>INDIA LIMITED-<br>MEERUT<br>RITES-CALL RITES-IC                                  | 564252<br><br><br><br><br><br><br><br><br><br>(FC)  | 76011379 | M.S.WELDING<br>ELECTRODES CLASS : D<br>SIZE : 4 X 450MM TO IRS<br>M-28/2017, AWS Spec A<br>5.5,AWS Code E8018 W2<br>(Heavy coated)   | PR      | 39519<br>MTR | 25-Nov-19 |
| 17   | 43191108103809<br>dt.23-SEP-19 on<br>M/s.S. P. J.<br>INDUSTRIES PRIVATE<br>LIMITED-KOLKATA<br><br>RITES-CALL RITES-IC                    | 2424145<br><br><br><br><br><br><br><br><br><br>(FC) | 45180787 | CRASH WORTHY FAN<br>GUARD ASSEMBLY [TOP<br>AND BOTTOM]<br>COMPLETE WITH<br>BEADING PROVIDING<br>SECURING CLAMPS AND<br>2 CLIPS WITH SECURING<br>FASTENERS MADE OF<br>POLISHED STAINLESS<br>STEEL GR. 304 AS PER<br>ICF DRG No. ICF/SK3 | MTN     | 931<br>Nos.  | 31-Mar-20 |
|      |  |   |          |  | MTN     | 1000<br>Nos. | 31-Mar-20 |
|      |  |   |          |  | SNPD    | 473<br>Nos.  | 31-Mar-20 |
|      |  |   |          |  | KALVA   | 148<br>Nos.  | 31-Mar-20 |
| 18   | 42191367103811<br>dt.23-SEP-19 on<br>M/s.PT<br>COMMUNICATION<br>SYSTEMS PRIVATE<br>LIMITED-GAUTAM<br>BUDDHA NAGAR<br>RITES-CALL RITES-IC | 7107022<br><br><br><br><br><br><br><br><br><br>(FC) | 31908093 | INTERNAL DISPLAY 16X96<br>IP 54 FOR GP 194/MRVC<br>COMPATIBLE FOR PIS<br>SYSTEM OF AC-DC<br>SIEMENS EMU RAKE AS<br>PER PART NO.<br>40.4321.0910 OF M/S. PT<br>COMMUNICATION<br>SYSTEMS PVT. LTD.                                       | KALVA   | 5 Nos.       | 1-Apr-20  |
|      |  |   |          |  | SNPD    | 8 Nos.       | 1-Apr-20  |

|    |  |                      |          |   |         |            |           |
|----|--|----------------------|----------|---|---------|------------|-----------|
|    |  |                      |          |   | VVH     | 100 Nos.   | 1-Apr-20  |
| 19 | 43191148203856<br>dt.24-SEP-19 on<br>M/s.HMTD<br>ENGINEERING PVT.<br>LTD.-NAVI MUMBAI<br>RITES-CALL RITES-IC | 11328000<br><br>(PC) | 45030868 | Brushless Alternator 25 KW, 110/130V DC without any type of rectifier cum regulating unit but with other accessories as per RDSO specification no. RDSO/PE/Spec/AC/0056-2014 (Rev.1)    | MTN     | 15 Nos.    | 30-Nov-19 |
|    |  |                      |          |   | MTN     | 15 Nos.    | 1-Jan-20  |
|    |  |                      |          |   | MTN     | 10 Nos.    | 1-Apr-20  |
| 20 | 79193094103929<br>dt.26-SEP-19 on<br>M/s.SONAL TEX-<br>MUMBAI<br>RITES-CALL                                  | 2307246<br><br>(FP)  | 79511843 | "Cotton Yarn Waste-Type -1 to IS: 5485 latest version". Packing condition should be as specified in IS -5485 latest version. FIRMS OFFER :- MAKE/ BRAND - SELF OEM                      | MTN     | 6400 Kgs.  | 30-Apr-20 |
|    |  |                      |          |   | KYN     | 1100 Kgs.  | 30-Apr-20 |
|    |  |                      |          |   | VVH     | 2700 Kgs.  | 30-Apr-20 |
|    |  |                      |          |   | PR      | 500 Kgs.   | 30-Apr-20 |
|    |  |                      |          |   | MMR     | 415 Kgs.   | 30-Apr-20 |
|    |  |                      |          |   | ACL BSL | 15000 Kgs. | 30-Apr-20 |
|    |  |                      |          |   | KWV     | 345 Kgs.   | 30-Apr-20 |
|    |  |                      |          |   | TMW     | 725 Kgs.   | 30-Apr-20 |
|    |  |                      |          |   | KALVA   | 2400 Kgs.  | 30-Apr-20 |
|    |  |                      |          |   | AQ      | 8075 Kgs.  | 30-Apr-20 |
|    |  |                      |          |   | SNPD    | 4000 Kgs.  | 30-Apr-20 |
|    |  |                      |          |   | PUNE    | 1500 Kgs.  | 30-Apr-20 |
|    |  |                      |          |   | BB      | 9000 Kgs.  | 30-Apr-20 |
|    |  |                      |          |   | SUR     | 1500 Kgs.  | 30-Apr-20 |
| 21 | 27193454103428<br>dt.03-SEP-19 on<br>M/s.WOAMA<br>ELECTRONICS-<br>KOLKATA<br>RITES-CALL RITES-IC             | 672000<br><br>(FC)   | 29860015 | MASTER CONTROLLER AS PER CLW SPECN. NO.CLW/ES/3/0031 ALT-1 OR LATEST. Firms Accepted Offer: Woama make Master Controller for 3-Phase electric locomotives as per CLW                    | ACL BSL | 8 Nos.     | 15-Apr-20 |
| 22 | 18192123103442<br>dt.03-SEP-19 on<br>M/s.MACO<br>CORPORATION INDIA<br>PRIVATE LTD-Kolkata<br><br>RITES-CALL  | 2126360<br><br>(FC)  | 16070124 | Water pump repair kit DLW Drg. No.40000927 Alt. a or latest . (DLW PT.NO.16070124) WITH ALL PART DRGS, SPECN:EMS-630,EMS-870,EMS-864 MISC-397. Accepted offer :- Make/ Brand - VRC USA. | GPR PA  | 40 Nos.    | 26-Nov-19 |
|    |  |                      |          |   | GPR PA  | 18 Nos.    | 28-Feb-20 |
|    |  |                      |          |   | DLS KYN | 30 Nos.    | 26-Nov-19 |
|    |  |                      |          |   | DLS KYN | 18 Nos.    | 28-Feb-20 |

|    |  |                     |          |   |         |              |           |
|----|--|---------------------|----------|---|---------|--------------|-----------|
| 23 | 38193300903453<br>dt.05-SEP-19 on<br>M/s.PCMM, Rail<br>Coach Factory,<br>Kapurthala,<br>HUSSAINPUR<br>RITES-CALL | 746232<br><br>(FX)  | 33500381 | OUTER SECONDARY<br>SPRING GENERATOR<br>SIDE1 as per Drg.No. RCF<br>DRG. NO. 1277146 specn:<br>VER 01 & SPECIFICATION<br>NO. 17.248 100 05 &<br>17.471.101.01  | LTT     | 20 Nos.      | 8-Oct-19  |
| 24 | 10182042103488<br>dt.10-SEP-19 on<br>M/s.ASSAM CARBON<br>PRODUCTS LTD-<br>GUWAHATI<br><br>RITES-CALL RITES-IC    | 557551<br><br>(PC)  | 12964414 | CARBON BRUSH FOR<br>AUXILIARY/EXCITOR<br>GENERATOR TYPE AG<br>3101 TO RDSO Lr. No.<br>EL/2.2.70 dt: 27/06/16<br>(Valid upto 30/06/2018)<br>REFER ANN. 'C' Sr. No. 11.<br>HSN Code :- 85452000.                                      | GPR PA  | 2413<br>Nos. | 18-Dec-19 |
|    |  |                     |          |   | DLS KYN | 672<br>Nos.  | 5-Dec-19  |
|    |  |                     |          |   | CLA     | 415<br>Nos.  | 5-Dec-19  |
| 25 | 10191910103491<br>dt.10-SEP-19 on<br>M/s.ESCORTS<br>LIMITED-FARIDABAD<br><br>RITES-CALL                          | 1159200<br><br>(FP) | 11666857 | Secondary Lateral Damper<br>for WDG3A / WDM3D<br>locomotives. RDSO Drg.No.<br>SK.VL 328, ALT 2 OR<br>LATEST (ITEM NO. 2)<br>RDSO SPEC.<br>MP.0.49.00.16 {REV.02}<br>OCT-2018 & RDSO<br>STR.NO.MP.STR.VL.01.01                       | DLS KYN | 100<br>Nos.  | 5-Feb-20  |
| 26 | 38190055703514<br>dt.10-SEP-19 on<br>M/s.Secretary<br>(Stores), Railway<br>Board, New Delhi<br>RITES-CALL        | 3028636<br><br>(FP) | 17230019 | AXLE ROUGH MACHINED<br>FOR WDG4(EMD) LOCO<br>TO DLW PART NO.1723<br>0019 AND EMD PART<br>NO.4007 7315. specn: IRS -<br>R - 43 - Rev 1992 or latest.   | PR      | 7 Nos.       | 10-Mar-20 |
|    |  |                     |          |   | PR      | 20 Nos.      | 10-Jul-20 |
|    |  |                     |          |   | PR      | 25 Nos.      | 10-Jul-21 |
| 27 | 41181990103525<br>dt.11-SEP-19 on<br>M/s.GLASSFIBRE AND<br>ALLIED INDUSTRIES-<br>MUMBAI<br><br>RITES-CALL        | 849650<br><br>(FP)  | 41134709 | " Set of Insulating<br>Components [Glass Epoxy]<br>for Smoothing Reactor type<br>SL-30 to CLW DRG.<br>NO.3TWD.073.013B ALT.-4<br>AND CLW<br>SPECN.NO.4TMS.073.003<br>A. AS PER SK NO.<br>ELW/BSL/MISC/SK.NO.002<br>(ONE SET CONSIST | ACL BSL | 81 Set       | 17-Feb-20 |
| 28 | 18192177103536<br>dt.11-SEP-19 on<br>M/s.AGROMACH<br>SPARES<br>CORPORATION-<br>MUMBAI<br>RITES-CALL              | 2266460<br><br>(FP) | 17020244 | PAD -ASM-LAT THRUST<br>FOR HHP LOCOMOTIVES<br>TO EMD PART<br>NO.40074617,alt.g or latest<br>(DLW PART NO.17020244)<br>RDSO<br>SPECN.NO.MP.0.49.00.20<br>(REV.00)March 2010 or<br>latest. HSN code.<br>8607.1930                     | GPR PA  | 117<br>Nos.  | 30-Apr-20 |
| 29 | 81192025103556<br>dt.12-SEP-19 on<br>M/s.TRADEWELL-<br>MUMBAI<br>RITES-CALL                                      | 723341<br><br>(FP)  | 83096097 | STRAW BOARD GRADE 'A'<br>CONFORMING TO IS<br>2617/2006 Revision 2 IN<br>SHEETS AND IN<br>STANDARD PACKING<br>SIZE 65 X 77.5 CMS. 91<br>DKG PER SHEET 1807   | SIG/BSL | 240<br>QTL.  | 31-Mar-20 |

|    |   |  |          |  |         |               |           |
|----|---|--|----------|--|---------|---------------|-----------|
| 30 | 42191018103968<br>dt.30-SEP-19 on<br>M/s.PT<br>COMMUNICATION<br>SYSTEMS PRIVATE<br>LIMITED-GAUTAM<br>BUDDHA NAGAR<br>RITES-CALL | 2849700<br><br><br><br><br><br><br>(FP)  | 31337077 | IMS RACK FOR GP 194 /<br>MRVC EMU AC-DC RAKES<br>COMPATIBLE FOR PIS<br>SYSTEM OF AC-DC<br>SIEMENS EMU RAKE.<br>FIRM'S OFFER: IMS Rake<br>compatible with Siemens<br>existing EMU Rakes of<br>MRVC-I as per Ident No.<br>33.92.6491 | SNPD    | 7 Nos.        | 30-May-20 |
|    |   |  |          |  | KALVA   | 3 Nos.        | 30-May-20 |
| 31 | 27191895203583<br>dt.13-SEP-19 on<br>M/s.SCHAEFFLER<br>INDIA LIMITED-<br>VADODARA<br>RITES-CALL                                 | 3762548<br><br><br><br><br><br><br>(FP)  | 25605422 | CYLINDRICAL ROLLER<br>BEARING OF TYPE NO.NU<br>330 (SHOULDER<br>GUIDED)FOR P.E.SIDE OF<br>HITACHI TMHS-15250 A.  | KYN     | 22 Nos.       | 30-May-20 |
|    |   |  |          |  | KYN     | 22 Nos.       | 30-Sep-20 |
|    |   |  |          |  | ACL BSL | 82 Nos.       | 30-May-20 |
|    |   |  |          |  | ACL BSL | 82 Nos.       | 30-Sep-20 |
|    |   |  |          |  | AQ      | 3 Nos.        | 30-May-20 |
|    |   |  |          |  | AQ      | 3 Nos.        | 30-Sep-20 |
| 32 | 81192141103598<br>dt.13-SEP-19 on<br>M/s.NATIONAL<br>ENGINEERING<br>INDUSTRIES LTD.-<br>JAIPUR<br>RITES-CALL RITES-IC           | 719370<br><br><br><br><br><br><br>(FC)   | 85011850 | Single Row Deep Groove<br>Ball Bearing No. 6310 with<br>C-3 clearance. NOTE:- This<br>item is strictly reserved for<br>procurement from RDSO<br>approved sources only.   | KYN     | 74 Nos.       | 6-Feb-20  |
|    |   |  |          |  | ACL BSL | 1294<br>Nos.  | 6-Feb-20  |
|    |   |  |          |  | AQ      | 101<br>Nos.   | 6-Feb-20  |
| 33 | 10191920103633<br>dt.16-SEP-19 on<br>M/s.NATIONAL<br>ENGINEERING<br>INDUSTRIES LTD.-<br>JAIPUR<br>RITES-CALL                    | 764640<br><br><br><br><br><br><br>(FP)   | 11805316 | TAPER ROLLER<br>SUSPENSION BEARING<br>FOR ALCO LOCOS. FAG<br>BRG. No.547733 / TIMKEN<br>BRG. No.M249747 /<br>M249710 OR SIMILAR.<br>RDSO SPEC.<br>No.MP.O.2402.17 (<br>REV.01) MAY 2012 WITH<br>CORRIGENDUM                        | PR      | 36 Set        | 31-May-20 |
| 34 | 90190640703634<br>dt.16-SEP-19 on<br>M/s.Secretary<br>(Stores), Railway<br>Board, New Delhi<br>RITES-CALL                       | 619335<br><br><br><br><br><br><br>(FX)   | 90230826 | IS EQUAL ANGLES 75 X<br>75 X 8MM IN THE LENGTH<br>OF 10 M AND ABOVE<br>CONFORMING TO IS 2062/<br>2011 E-250 GR BO SEMI-<br>KILLED OR KILLED.   | MMR     | 14000<br>Kgs. | 16-Jan-21 |
| 35 | 90190667703714<br>dt.18-SEP-19 on<br>M/s.Secretary<br>(Stores), Railway<br>Board, New Delhi<br>RITES-CALL                       | 14233809<br><br><br><br><br><br><br>(PC) | 90402443 | M.S.PLATE STRUCTURAL<br>QUALITY 5mm<br>THICKNESS x STD WIDTH<br>x STD LENGTH TO<br>SPECIFICATION.No.<br>IS:2062/2011 Grade E 250<br>Cu Quality A.  | MTN     | 202<br>QTL.   | 18-Jan-21 |
|    |   |  |          |  | ACL BSL | 2920<br>QTL.  | 18-Jan-21 |
|    |   |  |          |  | ACL BSL | 300<br>QTL.   | 31-Mar-20 |

|    |  |                              |          |   |                 |           |           |
|----|--|------------------------------|----------|---|-----------------|-----------|-----------|
| 36 | 27191900103725<br>dt.18-SEP-19 on<br>M/s.PRAG<br>INDUSTRIES (INDIA)<br>PVT. LTD.-LUCKNOW<br><br>RITES-CALL | 1468698<br><br><br><br>(FP)  | 25108013 | Side Bearer (RUBBER SPRING) for WAG-7 Loco as per RDSO Drg. No SKVL-127 ALT-10 or latest. Firms Accepted Offer: Side Bearer (RUBBER SPRING) for WAG-7 Locomotive Bogie as per RDSO Drg. No SKVL-127 ALT-  | KYN             | 39 Nos.   | 30-May-20 |
|    |  |                              |          |   | KYN             | 39 Nos.   | 30-Sep-20 |
|    |  |                              |          |   | ACL BSL         | 66 Nos.   | 30-May-20 |
|    |  |                              |          |   | ACL BSL         | 67 Nos.   | 30-Sep-20 |
|    |  |                              |          |   | AQ              | 16 Nos.   | 30-May-20 |
| AQ | 15 Nos.  | 30-Sep-20                    |          |   |                 |           |           |
| 37 | 38182502103754<br>dt.20-SEP-19 on<br>M/s.SIMHAGIRI<br>FOUNDRY WORKS<br>PVT LTD-Durg<br>RITES-CALL          | 536231<br><br><br><br>(FP)   | 30020451 | REAR COVER FOR AXLE BOX [FINISHED MACHINED] TO ICF DRG NO. T-0-2-603, ALT-G/14, ITEM NO. 2. MTRL AND SPECN: AS PER DRG.   | MTN             | 519 Nos.  | 8-Apr-20  |
| 38 | 47171101103758<br>dt.20-SEP-19 on<br>M/s.KAY PEE<br>EQUIPMENTS PVT LTD-<br>HOWRAH<br>RITES-CALL            | 14035840<br><br><br><br>(PC) | 25058058 | Set of items for Suspension Unit of Wheel Set for Hitachi TM Type HS 15250A as per Sketch No.ELW/BSL/SK No.6013 Alt.4. One Set consists of 07 items 07 Nos. as under. (1) Suspension Tube. Hitachi Drg.N  | DYCM (AC L) BSL | 30 Set    | 31-Jan-20 |
|    |  |                              |          |   | DYCM (AC L) BSL | 37 Set    | 10-Apr-20 |
|    |  |                              |          |   | DYCM (AC L) BSL | 37 Set    | 10-Jul-20 |
| 39 | 27193920103777<br>dt.20-SEP-19 on<br>M/s.SRIDHAR RUBBER<br>PRODUCTS-KOLKATA<br><br>RITES-CALL              | 1695424<br><br><br><br>(FP)  | 29738180 | SET OF FLAME RETARDANT AND QUICK RELEASE COUPLING HOSE ASSEMBLY FOR 6500 KVA 3 PHASE LOCO TRANSFORMER SET CONSISTS OF 07 ITEMS IN 09 NOS. AS UNDER, EACH SET, AS PER SKETCH NO-                           | KYN             | 2 Set     | 31-Jan-20 |
|    |  |                              |          |   | AQ              | 7 Set     | 31-Jan-20 |
|    |  |                              |          |   | ACL BSL         | 7 Set     | 31-Jan-20 |
| 40 | 27193876103830<br>dt.23-SEP-19 on<br>M/s.RADHIKA<br>INDUSTRIES-KANPUR<br><br>RITES-CALL                    | 31371763<br><br><br><br>(FP) | 29170977 | ZIRCONIUM COPPER ROTOR BARS FOR ZIRCONIUM TYPE SHAFT MOUNTED DESIGN ROTOR [SCHEME-1] FOR 3 PHASE TM TYPE 6FRA-6068 AS PER RDSO DRG. No. SKEL-4740 ALT.3 OR LATEST AND SPECN.No. RDSO/2008/EL/SPEC/0063 .R | TMW             | 4250 Nos. | 1-Apr-20  |
|    |  |                              |          |   | TMW             | 4250 Nos. | 31-May-20 |
|    |  |                              |          |   | TMW             | 4975 Nos. | 31-May-20 |
|    |  |                              |          |   | TMW             | 4975 Nos. | 30-Sep-20 |
|    |  |                              |          |   | TMW             | 4974 Nos. | 31-Dec-20 |
| 41 | 27193529103421<br>dt.03-SEP-19 on<br>M/s.RIVER<br>ENGINEERING PVT<br>LTD-NOIDA<br>RITES-CALL               | 3532212<br><br><br><br>(PC)  | 23842283 | AUX. CAM SWITCH COMPLETE FOR SMGR AS per AAL item No. M713 & Drg. No. 9910383855002 or BT part No. A6331 & BT Drg. No. AM 400 660 R1 or ELMEX TYPE No. 3, CAMSWT (PART No. EX406.1) FOR SMGR.             | KYN             | 1080 Nos. | 30-May-20 |
|    |  |                              |          |   | ACL BSL         | 500 Nos.  | 15-Mar-20 |

|    |  |                     |          | Firms Acce  | ACL BSL | 3300 Nos. | 30-May-20 |
|----|--|---------------------|----------|---|---------|-----------|-----------|
|    |  |                     |          |   | AQ      | 109 Nos.  | 30-May-20 |
| 42 | 75191060103423<br>dt.03-SEP-19 on<br>M/s.GS INDUSTRIES-<br>JALANDHAR<br>RITES-CALL RITES-IC  | 1177050<br><br>(PC) | 77190415 | Petroleum Hydrocarbon solvent (Mineral Turpentine) to IS:1745/1978 Second Revision, Grade 145/205 low aromatic. Item is reserved for purchase from RDSO approved firms. Firm's accepted make/brand: GS    | MTN     | 10750 LTR | 31-Oct-19 |
|    |  |                     |          |   | VVH     | 220 LTR   | 31-Oct-19 |
|    |  |                     |          |   | WB      | 1800 LTR  | 31-Oct-19 |
|    |  |                     |          |   | PUNE    | 355 LTR   | 31-Oct-19 |
| 43 | 85191092101641<br>dt.04-SEP-19 on<br>M/s.POOJA<br>ENTERPRISES-<br>YAMUNA NAGAR<br>RITES-CALL RITES-IC                              | 726579<br><br>(FC)  | 30568067 | LAVATORY DOOR ARRANGMENT FOR NON AC COACHES TO DRG. NO. ICF/STD/5-6-011 ALT.'C'. ONE SET CONSISTS OF COL. NO. III QUANTITY 01 NO. AND COL. NO. IV QUANTITY 01 NO. ITEM NO. 2/PANEL 1                      | MTN     | 114 Nos.  | 22-Oct-19 |
| 44 | 70193421103485<br>dt.09-SEP-19 on<br>M/s.THE STANDARD<br>SPRING MFG. CO.-<br>KOLKATA<br>RITES-CALL RITES-IC                        | 650038<br><br>(FC)  | 73324395 | PIN SPLIT COTTER STEEL 10 MM X LENGTH 112 MM TO IS 549/2005 REAFFIRMED 2016, Revision 2. Firms offer:- Make : "SF" Mfg. Month Year Stated on Gunny bags .   | MTN     | 1565 HDS  | 7-Dec-19  |
| 45 | 41193001103526<br>dt.11-SEP-19 on<br>M/s.RADIANT - RSCC<br>SPECIALTY CABLE<br>PRIVATE LIMITED-<br>HYDERABAD<br>RITES-CALL RITES-IC | 1911600<br><br>(FP) | 40070384 | TIN COATED COPPER CONDUCTOR ELECTRON BEAM IRRADIATION CROSS LINKED CABLE SIZE 1 CORE X 35 SQ. MM [SCREENED] VOLTAGE VARIING 3.6 KV TO 6-0 KV AC AS PER RDSO SPECIFICATION No. ELPS/SPEC/ELC/0019 REV 4 FE | MTN     | 900 MTR   | 28-Feb-20 |
| 46 | 91191010800462<br>dt.11-SEP-19 on<br>M/s.Controller of<br>Stores, JAIPUR<br>RITES-CALL   | 947500<br><br>(PX)  | 30316121 | NON ASBESTOS BASED "K" TYPE HIGH FRICTION COMPOSITION BRAKE BLOCKS TO DRG. NO. RDSO SK-98066 ALT-6. MATERIAL AND SPECIFICATION: RDSO  | PUNE    | 5000 Nos. | 5-Oct-19  |
| 47 | 38191197203542<br>dt.12-SEP-19 on<br>M/s.MASU BRAKE<br>PADS PVT LTD-<br>JHAJJAR<br>RITES-CALL                                      | 764726<br><br>(FC)  | 38140809 | K-TYPE COMPOSITION BRAKE BLOCK TO RDSO DRG. NO. WD-00006-S-01 ALT-3 OR LATEST. MATERIAL AS PER RDSO SPECIFICATION NO. WD-14-ABR-2019 OF APRIL 2019 OR LATEST.   | SIG/BSL | 2930 Nos. | 16-Dec-19 |
| 48 | 27193087203557<br>dt.13-SEP-19 on<br>M/s.SCHUNK METAL<br>AND CARBON (INDIA)<br>PRIVATE LIMITED-<br>BANGALORE<br>RITES-CALL         | 7450380<br><br>(FP) | 25888055 | METALISED CARBON STRIP FOR AC PANTOGRAPH TYPE AM-12 AS PER RDSO DRAWING NO.SKEL-4303 REV.6 WITH ACCEPTED GRADES AS PER APPROVAL ISSUED BY RDSO AND CONFIRMING TO RDSO SPECIFICATION NO. RDSO/2009/EL/SP   | MTN     | 193 Nos.  | 30-May-20 |
|    |  |                     |          |   | MTN     | 192 Nos.  | 31-Oct-20 |



|    |   |  |          |  |         |          |           |
|----|---|--|----------|--|---------|----------|-----------|
|    |   |  |          |  | KYN     | 124 Nos. | 30-May-20 |
|    |   |  |          |  | KYN     | 124 Nos. | 31-Oct-20 |
|    |   |  |          |  | ACL BSL | 247 Nos. | 30-May-20 |
|    |   |  |          |  | ACL BSL | 246 Nos. | 31-Oct-20 |
|    |   |  |          |  | KALVA   | 105 Nos. | 30-May-20 |
|    |   |  |          |  | KALVA   | 105 Nos. | 31-Oct-20 |
|    |   |  |          |  | AQ      | 228 Nos. | 30-May-20 |
|    |   |  |          |  | AQ      | 227 Nos. | 31-Oct-20 |
|    |   |  |          |  | SNPD    | 90 Nos.  | 30-May-20 |
|    |   |  |          |  | SNPD    | 90 Nos.  | 31-Oct-20 |
| 49 | 27193866103909<br>dt.26-SEP-19 on<br>M/s.APOLLO<br>INDUSTRIAL<br>CORPORATION-VASAI<br>(E)-THANE-VASAI (E)-<br>THANE<br>RITES-CALL | 13977600<br><br><br><br><br><br><br><br><br><br><br>(FP) | 29730077 | OIL COOLER RADIATOR FOR CONVERTER / TRANSFORMER AS PER CLW SPECN. No. CLW/ES/3/0102 ALT-E OR LATEST. Accepted offer: Make/Brand: APOLLO.   | KYN     | 2 Nos.   | 31-Mar-21 |
|    |   |  |          |  | ACL BSL | 10 Nos.  | 31-Mar-21 |
|    |   |  |          |  | AQ      | 14 Nos.  | 31-Mar-21 |
| 50 | 10192305103930<br>dt.26-SEP-19 on<br>M/s.KAYSONS<br>ELECTRICALS PVT.<br>LTD.-varanasi<br>RITES-CALL RITES-IC                      | 624113<br><br><br><br><br><br><br><br><br><br><br>(FC)   | 12130229 | Master Controller Improved stick type for ALCO LOCOS to DLW Drg. No.EL/PT-0633 Alt.R3 or latest. (DLW Pt.No.12130229).   | GPR PA  | 1 Nos.   | 26-Mar-20 |
|    |   |  |          |  | DLS KYN | 2 Nos.   | 26-Mar-20 |
| 51 | 26191080103563<br>dt.13-SEP-19 on<br>M/s.RIVER<br>ENGINEERING PVT<br>LTD-NOIDA<br>RITES-CALL RITES-IC                             | 618046<br><br><br><br><br><br><br><br><br><br><br>(PC)   | 27440114 | SET OF MAINTENANCE KIT FOR AOH OF AIR MOTOR. ONE SET CONSISTS OF 4 ITEMS,20 NOS. AS PER GIVEN BELOW: [1] PACKING RING BOMBARDIER PART NO. A 1213 OR AAL PART NO. M4019 - 01 NOC - 101              | KYN     | 40 Set   | 31-Dec-19 |
|    |   |  |          |  | KYN     | 54 Set   | 31-May-20 |
| 52 | 85191424801696<br>dt.14-SEP-19 on<br>M/s.NORTHERN<br>RAILWAY<br>HEADQUARTERS,<br>RITES-CALL                                       | 3194192<br><br><br><br><br><br><br><br><br><br><br>(PC)  | 77900121 | Set of PU paints for UTKRISHT coaches. One set contains following 03 items with their respective quantities :(1.) PU top coat as per RDSO spec. no. M&C/PCN/100/2018. RAL 0303045 – Blood Red - 4  | MTN     | 50 Set   | 1-Apr-20  |
| 53 | 10194272103621<br>dt.16-SEP-19 on<br>M/s.CHANDRALOK-<br>VARANASI<br>RITES-CALL RITES-IC   | 689588<br><br><br><br><br><br><br><br><br><br><br>(PC)   | 10130184 | COVER ASSLY BASE DOOR DLW Drg No.SKE-0568 Alt (b) or latest.(DLW Pt.No.10.02.1255) with all part Drgs. DLW SPECN. D-3180 - (R 4), D-8300 (R 1), D-58632 (NIL), 31 PD 5605 (R5); &D-99999 Va (R 4). | CLA     | 42 Nos.  | 20-Feb-20 |
|    |   |  |          |  | PR      | 280 Nos. | 20-Feb-20 |
|    |   |  |          |  | GPR PA  | 141 Nos. | 20-Feb-20 |
|    |   |  |          |  | DLS KYN | 74 Nos.  | 20-Feb-20 |

|    |   |                      |          |  |         |               |           |
|----|---|----------------------|----------|--|---------|---------------|-----------|
| 54 | 90190684703627<br>dt.16-SEP-19 on<br>M/s.Secretary<br>(Stores), Railway<br>Board, New Delhi<br>RITES-CALL | 12618472<br><br>(FX) | 90426058 | Mild Steel Plates 25 X 2500 X12500 to the specification IS 2062:2011 Grade E 250 BO with furnace Normalization with UST as Per ASTM A435/A435 M-90   | MMR     | 2870<br>QTL.  | 16-Jan-21 |
| 55 | 27191939103656<br>dt.16-SEP-19 on<br>M/s.ELCO<br>ENTERPRISE-KOLKATA<br><br>RITES-CALL                     | 678300<br><br>(FP)   | 25948696 | Brush holder spring for Hitachi TM type HS-15250 A to Drg. No. ELW/BSL/3/WAG-5HB/150.034/Alt.1 to item no.1 to 5.  | KYN     | 1200<br>Nos.  | 30-May-20 |
|    |   |                      |          |  | ACL BSL | 1100<br>Nos.  | 30-May-20 |
|    |   |                      |          |  | AQ      | 1100<br>Nos.  | 30-May-20 |
| 56 | 75181085103677<br>dt.17-SEP-19 on<br>M/s.ANUPAM<br>ENTERPRISES-<br>KOLKATA<br>RITES-CALL RITES-IC         | 2149601<br><br>(PC)  | 77093306 | Aluminium brushing, bright finishing for general purpose to IS:2339/1963 (Reaffirmed 2009) Packing in 4 ltrs duel container (Alluminium paste packed in polyurethane bags and dipped in 4 ltr contain    | CRD     | 3710<br>LTR   | 17-Dec-19 |
|    |   |                      |          |  | MTN     | 8520<br>LTR   | 17-Dec-19 |
|    |   |                      |          |  | PR      | 470           | 17-Dec-19 |
|    |   |                      |          |  | SUR     | 200           | 17-Dec-19 |
|    |   |                      |          |  | ACL BSL | 500           | 17-Dec-19 |
|    |   |                      |          |  | PUNE    | 750           | 17-Dec-19 |
|    |   |                      |          |  | MMR     | 1760<br>LTR   | 17-Dec-19 |
| 57 | 38193534103710<br>dt.18-SEP-19 on<br>M/s.CALSTAR STEEL<br>LTD-KOLKATA<br>RITES-CALL RITES-IC              | 788256<br><br>(FC)   | 30548214 | FRP BODY SIDE WINDOW ARRGT. FOR SCN IRQ COACH W/O ITEM NO.14 TO RCF DRG.NO. SQ54100 ALT. i MATERIAL AND SPECIFICATION : RDSO SPECIFICATION   | MTN     | 160<br>Nos.   | 24-Jan-20 |
| 58 | 27193243203727<br>dt.19-SEP-19 on<br>M/s.ESCORTS<br>LIMITED-FARIDABAD<br><br>RITES-CALL RITES-IC          | 12867750<br><br>(PC) | 29040012 | Set of Damper (Shock Absorbers) for WAG-9 Locos as per CLW Specn. No. CLW/MS/3/009 Alt.02 or latest and CLW Drg. No. 1209.01.215.014 Alt. 1 or latest as per Ref. No. [1] Axle Damper Qty=08 Nos. Per Se | KYN     | 7 Set         | 30-May-20 |
|    |   |                      |          |  | KYN     | 6 Set         | 30-Sep-20 |
|    |   |                      |          |  | ACL BSL | 10 Set        | 15-Jan-20 |
|    |   |                      |          |  | ACL BSL | 8 Set         | 30-May-20 |
|    |   |                      |          |  | ACL BSL | 8 Set         | 30-Sep-20 |
|    |   |                      |          |  | AQ      | 2 Set         | 30-May-20 |
| AQ | 2 Set   | 30-Sep-20            |          |  |         |               |           |
| 59 | 81191022803729<br>dt.19-SEP-19 on<br>M/s.CONTROLLER OF<br>STORES,<br>Secunderabad                         | 1245700              | 83031273 | Paper Maplitho White 60 GSM with manufacturers water mark confirming to IS: 1848/2007 or latest amendment in reels of 61 CMS with not more than 3 joints properly pasted without stitching together and  | STY     | 20000<br>Kgs. | 31-Dec-19 |

|    |  |          |          |  |         |           |           |
|----|--|----------|----------|--|---------|-----------|-----------|
|    | MITES-CALL   | (FP)     | 83037354 | Paper Pink Water Mark with Indian Railway Logo in Reels 58 GSM. IS: 1848/2007 as amended upto December 2016. Reel width:43 cms. The paper is manufactured out of pulp containing not less than 60 perc   | STY     | 1000 Kgs. | 31-Dec-19 |
| 60 | 27193937103742<br>dt.19-SEP-19 on<br>M/s.HYDROMAC<br>HYDRAULICS-<br>SECUNDERABAD<br>MITES-CALL       | 540488   | 29238018 | SET OF HOSES FOR WAG-9 LOCOMOTIVE COMPRISING OF 08 ITEMS AND 28 NOS. EACH SET, AS PER SKETCH No. ELS/AQ/WAG-9/SK. No. 0018, REV-01. Firms Accepted Offer: Make: MUMBAI                                   | KYN     | 41 Set    | 31-May-20 |
|    |  | (FP)     |          |  | ACL BSL | 30 Set    | 31-May-20 |
| 61 | 27193249203764<br>dt.20-SEP-19 on<br>M/s.SKF INDIA LTD-<br>GURGAON<br>MITES-CALL MITES-IC            | 17308240 | 29030020 | SET OF CYLINDRICAL ROLLER BEARING FOR THREE PHASE TRACTION MOTOR TYPE 6FRA 6068 OF QTY. = 01 NO. EACH OF DE AND NDE SIDE BEARING AS PER (A) FOR SKF / GERMANY, AUSTRIA MAKE DE: NU-2236 ECMRD/C-4VA 301, | KYN     | 7 Set     | 31-Mar-20 |
|    |  | (PC)     |          |  | KYN     | 6 Set     | 30-Sep-20 |
|    |  |          |          |  | KYN     | 6 Set     | 31-Jan-21 |
|    |  |          |          |  | ACL BSL | 27 Set    | 15-Mar-20 |
|    |  |          |          |  | ACL BSL | 31 Set    | 30-May-20 |
|    |  |          |          |  | ACL BSL | 32 Set    | 30-Sep-20 |
|    |  |          |          |  | ACL BSL | 32 Set    | 31-Jan-21 |
|    |  |          |          |  | AQ      | 4 Set     | 30-May-20 |
|    |  |          |          |  | AQ      | 4 Set     | 30-Sep-20 |
|    |  |          |          |  | AQ      | 3 Set     | 31-Jan-21 |
| 62 | 27192349103776<br>dt.20-SEP-19 on<br>M/s.TRINITY HOUSE<br>(INDIA) PVT. LTD.-<br>MUMBAI<br>MITES-CALL | 2115568  | 25718290 | POH REPLACEMENT KIT FOR SINGLE BOTTLE VCB OF M/S SCHNEIDER ELECTRIC TYPE 22CB (PART NO.5510760) AS PER SKETCH NO. ELW/BSL/SK.NO.3011 (in 2sheets) One set consists of 04 items FIRM                      | ACL BSL | 40 Set    | 30-Jun-20 |
| 63 | 27193952103778<br>dt.20-SEP-19 on<br>M/s.HIND<br>ENTERPRISES-<br>MUMBAI<br>MITES-CALL                | 3008880  | 29708084 | SET OF ROTARY SWITCH SET COMPRISING OF 04 ITEMS IN 06 NOS EACH SET AS PER SKETCH NO: ELS/AQ/WAG-9/S.K. NO:0023/REV-01. Firms accepted offer: SET OF ROTARY SWITCH CONSIST OF FOLLOWING                   | ACL BSL | 30 Set    | 30-Jun-20 |
|    |  | (FP)     |          |  | AQ      | 4 Set     | 30-Jun-20 |
| 64 | 27193467103780<br>dt.20-SEP-19 on<br>M/s.KAY PEE<br>EQUIPMENTS PVT LTD-<br>HOWRAH<br>MITES-CALL      | 7948023  | 29940096 | SET OF LABYRINTH AND BEARING CAP [DE] FOR WAP-7/WAG-9 TRACTION MOTOR TYPE 6FRA 6068.ONE SET CONSISTS OF 04 ITEMS 04 NOS. AS PER SKETCH NO. BSL/ELW/SK.NO.6014 ALT. 3 (Sketch attached herewith).         | KYN     | 12 Set    | 15-May-20 |
|    |  | (FP)     |          |  | ACL BSL | 88 Set    | 15-May-20 |
|    |  |          |          |  | ACL BSL | 102 Set   | 31-May-20 |
|    |  |          |          |  | ACL BSL | 101 Set   | 30-Sep-20 |
| 65 | 27191868103843<br>dt.24-SEP-19 on<br>M/s.GALAXY<br>INSTRUMENT-<br>KOLKATA                            | 730774   | 23508516 | AUX. LINE VOLTMETER TYPE MOVING IRON, SCALE RANGE ZERO TO 600 VOLT and ZERO TO 35 KV FOR 25 KV AC ELECTRIC LOCOMOTIVES AS PER CLW SPECN.NO.  | ACL BSL | 24 Nos.   | 31-Dec-19 |

|    |   |          |          |  |         |              |           |
|----|---|----------|----------|--|---------|--------------|-----------|
|    | BITES-CALL BITES-IC   | (PC)     |          | CLW/ES/I-21 ALT-A. FIRMS<br>ACCEPTED OFFER :   | ACL BSL | 263<br>Nos.  | 30-May-20 |
| 66 | 42190033103863<br>dt.24-SEP-19 on<br>M/s.INDIA AUTO<br>INDUSTRIES PVT. LTD.-<br>NEW DELHI<br>BITES-CALL BITES-IC                        | 743598   | 31057809 | INDIA AUTO INDUSTRIES<br>MAKE POH<br>MAINTENANCE KIT FOR<br>300 KG VERTICAL<br>DAMPER FOR<br>SECONDARY AIR SPRING<br>SUSPENSION<br>ARRANGEMENT<br>CONSISTS OF 8 ITEMS  | MTN     | 363 Set      | 26-Dec-19 |
| 67 | 27193341103904<br>dt.26-SEP-19 on<br>M/s.TIRUPATI<br>ENGINEERING WORKS-<br>KOLKATA<br>BITES-CALL  | 8725629  | 29100069 | PUSH PULL ROD FOR<br>WAP7/WAG9 AS PER CLW<br>DRG. No. 1209.01.113. 006<br>ALT-2 OR LATEST,<br>CONSISTING OF:(1)<br>FLANGE SHOULD BE AS<br>PER CLW DRG.NO.<br>1209.01.113.007 ALT-5 OR<br>LATEST (2)TUBE<br>WELDING AS PER CLW<br>DRG.N | KYN     | 10 Nos.      | 31-May-20 |
|    |   | (FP)     |          |  | KYN     | 9 Nos.       | 30-Sep-20 |
|    |   |          |          |  | KYN     | 9 Nos.       | 31-Dec-20 |
|    |   |          |          |  | ACL BSL | 39 Nos.      | 31-May-20 |
|    |   |          |          |  | ACL BSL | 40 Nos.      | 30-Sep-20 |
|    |   |          |          |  | ACL BSL | 39 Nos.      | 31-Dec-20 |
|    |   |          |          |  | AQ      | 3 Nos.       | 31-May-20 |
|    |   |          |          |  | AQ      | 3 Nos.       | 30-Sep-20 |
|    |   |          |          |  | AQ      | 4 Nos.       | 31-Dec-20 |
| 68 | 85191302101784<br>dt.27-SEP-19 on<br>M/s.DEVINTEC<br>ELECTRICAL<br>TECHNOLOGIES<br>PRIVATE LIMITED-<br>JALANDHAR<br>BITES-CALL BITES-IC | 582400   | 45158824 | 5 W TUBULAR LED<br>RETROFIT LAMPS TO BE<br>OPERATED IN VOLTAGE<br>RANGE OF 90 V-140 V<br>AC/DC TO BE USED IN<br>THE EXISTING HOLDER<br>IN PLACE OF 11 W CFL<br>LAMPS IN TL AND AC<br>COACHES AS PER ICF<br>SPECN NO. ICF/E             | MTN     | 2000<br>Nos. | 27-Oct-19 |
| 69 | 27193706103959<br>dt.27-SEP-19 on<br>M/s.ELASTIMOLD<br>INDIA PVT. LTD.-<br>VILLAGE DADRA<br>BITES-CALL BITES-IC                         | 7336875  | 23733330 | CABLE HEAD<br>TERMINATION SYSTEM<br>WITH VERTICAL<br>RECEPTACLE FOR 25 KV<br>AC LOCOMOTIVE<br>TRANSFORMER HAVING<br>120 SQ.mm, 45KV XLPE<br>COPPER CABLE ITEM No.<br>01 TO 13 AND 15 TO 21 IN<br>A SET AS PER RDSO                     | KYN     | 2 Set        | 30-Jun-20 |
|    |   | (PC)     |          |  | ACL BSL | 45 Set       | 30-Jun-20 |
|    |   |          |          |  | AQ      | 3 Set        | 30-Jun-20 |
| 70 | 27191816103970<br>dt.30-SEP-19 on<br>M/s.SAHNEY<br>COMMUTATORS<br>PRIVATE LIMITED-<br>BANGALORE<br>BITES-CALL                           | 18733727 | 25949731 | Commutator Assembly with<br>steel parts for TAO-659<br>Armature [17mm riser width]<br>as per Drg. No. 3TMW/DRG-<br>CA/553 ALT-3 and Specn.<br>No. 4TMW/SPEC/168 Alt-3.<br>Accepted offer: Make/Brand-<br>SAHNEY.                       | TMW     | 0 Nos.       | 31-Dec-20 |
|    |   | (PC)     |          |  | TMW     | 15 Nos.      | 31-Dec-19 |
|    |   |          |          |  | TMW     | 3 Nos.       | 30-Mar-20 |
|    |   |          |          |  | TMW     | 18 Nos.      | 30-Mar-20 |
|    |   |          |          |  | TMW     | 18 Nos.      | 30-Jun-20 |
|    |   |          |          |  | TMW     | 19 Nos.      | 30-Sep-20 |

|    |  |                      |          |  |         |              |           |
|----|--|----------------------|----------|--|---------|--------------|-----------|
| 71 | 42193196103459<br>dt.05-SEP-19 on<br>M/s.MANAS<br>INDUSTRIES-HOWRAH<br><br>RITES-CALL  | 553361<br><br>(FP)   | 31321501 | PIN ELECTROPLATED<br>FOR AC-DC/MRVC<br>COACHES TO ICF DRG.<br>NO. EMU/M-3-2-065 ALT-<br>a/NIL Item No. 7.<br>MATERIAL AND<br>SPECIFICATION AS PER<br>DRAWING. FIRM'S OFFER:<br>MAKE/BRAND - MI.  | SNPD    | 1000<br>Nos. | 11-Mar-20 |
|    |  |                      |          |  | MTN     | 2000<br>Nos. | 11-Mar-20 |
| 72 | 38190017703468<br>dt.06-SEP-19 on<br>M/s.Secretary<br>(Stores), Railway<br>Board, New Delhi<br>RITES-CALL                    | 20042880<br><br>(FP) | 38064522 | AXLE FOR BOX 'N'<br>WAGON WHEEL (W / WL -<br>4901/X) / (WD-92039 / S-1<br>ITEM NO.1 Alt.2 OR<br>LATEST) SPECN. IRS-R-<br>16/1995 OR LATEST. as<br>per Drg.No. W/WL-4901/ X   | KWV     | 67 Nos.      | 6-Mar-20  |
|    |  |                      |          |  | KWV     | 125<br>Nos.  | 6-Oct-20  |
|    |  |                      |          |  | KWV     | 100<br>Nos.  | 6-Jul-21  |
| 73 | 38193375103481<br>dt.09-SEP-19 on<br>M/s.GUMMI METALL<br>TECHNIK (INDIA) PVT<br>LTD-BANGALORE<br><br>RITES-CALL              | 5981473<br><br>(FP)  | 33500060 | AXLE BOX PIVOT BUSH<br>TO DRG. NO.1247488,<br>ALT. 'a' WITH SOLID OR<br>HOLLOW PIN<br>CONSTRUCTION TO BE<br>READ WITH TECHNICAL<br>SPECN NO.17.359.100. 03,<br>TECHNICAL SPECN<br>NO.17.617.100.02 AND<br>MDTS 148. REV.01 &<br>MDTS   | MTN     | 490<br>Nos.  | 8-Mar-20  |
|    |  |                      |          |  | MTN     | 150<br>Nos.  | 8-Mar-20  |
| 74 | 27193961103532<br>dt.11-SEP-19 on<br>M/s.FAIVELEY<br>TRANSPORT RAIL<br>TECHNOLOGIES INDIA<br>LIMITED-HOSUR<br><br>RITES-CALL | 684176<br><br>(FP)   | 29168314 | SET OF KIT FOR SAFETY<br>VALVE CONTAINING 02<br>SUBKITS i.e. 790024101 &<br>790024103 containing 04<br>ITEMS & 08 NOS. AS PER<br>ANNEXURE ATTACHED.  | KYN     | 10 Set       | 11-Mar-20 |
|    |  |                      |          |  | ACL BSL | 80 Set       | 11-Mar-20 |
|    |  |                      |          |  | AQ      | 20 Set       | 11-Mar-20 |
| 75 | 27192375103533<br>dt.11-SEP-19 on<br>M/s.RIVER<br>ENGINEERING PVT<br>LTD-NOIDA<br>RITES-CALL                                 | 505016<br><br>(FP)   | 23569074 | AUXILIARY SWITCH<br>DRUM COMPLETE 10<br>STEP (AC.MT) M/S<br>ADTRANZ PT.NO.A.55a.<br>DRG.NO. SWT.135034 R1<br>SPARE FOR AIR MOTOR<br>OF TAP CHANGER.2   | ACL BSL | 4 Nos.       | 30-Jun-20 |
| 76 | 26191145103543<br>dt.12-SEP-19 on<br>M/s.ARIHANT<br>ELECTRICALS-NEW<br>DELHI<br>RITES-CALL RITES-IC                          | 786175<br><br>(PC)   | 27770140 | Semi conductor fuses 1500<br>Amps, 1500 V type X<br>081854 adopter J96010 of<br>"Ferraz France make" or<br>"similar from CLW / RDSO<br>approved sources of HRC<br>fuse [Semiconductor type]"<br>suitable for BHEL make RSI             | KYN     | 8 Nos.       | 10-Feb-20 |
|    |  |                      |          |  | KYN     | 5 Nos.       | 30-May-20 |
| 77 | 38193227103575<br>dt.13-SEP-19 on<br>M/s.SIENA<br>ENGINEERING PVT.<br>LTD.-INDORE<br>RITES-CALL                              | 2453052<br><br>(PC)  | 38134305 | KNUCKLE FOR HIGH<br>TENSILE CBC [NON-<br>TRANSITION] TO RDSO<br>DRG NO SK-62724, ITEM<br>NO. 2, ALT 25 OR LATEST.<br>RDSO SPECN. NO.48-BD-<br>2008 WITH AMENDMENT-<br>1 OF SEPT, 2016 OR<br>LATEST. MATERIAL AND<br>SPECIFICATION AS P | AQ      | 18 Nos.      | 5-Jan-20  |
|    |  |                      |          |  | KYN     | 80 Nos.      | 5-Jan-20  |
|    |  |                      |          |  | KYN     | 46 Nos.      | 30-Jun-20 |

|    |  |                      |          |   |         |            |           |
|----|--|----------------------|----------|---|---------|------------|-----------|
|    |  |                      |          |   | GPR PA  | 28 Nos.    | 5-Jan-20  |
|    |  |                      |          |   | ACL BSL | 146 Nos.   | 5-Jan-20  |
|    |  |                      |          |   | ACL BSL | 194 Nos.   | 30-Jun-20 |
|    |  |                      |          |   | PR      | 14 Nos.    | 5-Jan-20  |
|    |  |                      |          |   | DLS KYN | 25 Nos.    | 5-Jan-20  |
| 78 | 90190795703631<br>dt.16-SEP-19 on<br>M/s.Secretary<br>(Stores), Railway<br>Board, New Delhi<br>RITES-CALL      | 45849278<br><br>(FP) | 90424207 | Mild Steel Plates 20 X 2500 X12500 to the specification IS 2062:2011 Grade E 250 BO with furnace Normalization with UST as Per ASTM A435/A435 M-90                                  | MMR     | 10570 QTL. | 16-Jan-21 |
| 79 | 90190755703635<br>dt.16-SEP-19 on<br>M/s.Secretary<br>(Stores), Railway<br>Board, New Delhi<br>RITES-CALL      | 20476446<br><br>(FX) | 90426459 | Mild Steel Plates 50 X 2500 X12000 to the specification IS 2062:2011 Grade E 250 BO with furnace Normalization with UST as Per ASTM A435/A435 M-90                                  | MMR     | 4420 QTL.  | 16-Jan-21 |
| 80 | 27193586103721<br>dt.18-SEP-19 on<br>M/s.POWER<br>EQUIPMENTS-<br>BHOPAL<br>RITES-CALL                          | 2134620<br><br>(FP)  | 25968609 | MICRO CONTACTS N/O FOR CONTACTOR HSM ABB DOCUMENT No. 420574P0001. FIRMS ACCEPTED OFFER: SECHORON SA/SWZ MAKE SWITCH MICRO NO. S846-1-20 AS PER PART                                | ACL BSL | 80 Nos.    | 31-Mar-20 |
|    |  |                      |          |   | ACL BSL | 255 Nos.   | 30-Jun-20 |
| 81 | 85191351101638<br>dt.03-SEP-19 on<br>M/s.SKM INDUSTRIES-<br>MUMBAI<br>RITES-CALL RITES-IC                      | 710325<br><br>(FC)   | 30327611 | BRAKE BEAM COMPLETE TO ICF DRG. NO. T-3-2-624 ALT-M/7. ITEM NOS. 1, 3, 4, 7, 10, 11, AND 12. MATERIAL AND SPECIFICATION AS PER DRAWING. (PI OPERATE UPL 30921995 )                  | MTN     | 275 Nos.   | 18-Sep-19 |
| 82 | 27191949103743<br>dt.19-SEP-19 on<br>M/s.GANESH<br>FOUNDRY-JODHPUR<br>RITES-CALL RITES-IC                      | 5891539<br><br>(PC)  | 25010918 | AXLE BOX HOUSING WITH FULLY WELDED LINERS TO NEI. DRG. NO. 92-4271/C.ITEM NO.1B,21,22,& 23.   | ACL BSL | 100 Nos.   | 31-Jan-20 |
|    |  |                      |          |   | ACL BSL | 115 Nos.   | 30-May-20 |
|    |  |                      |          |   | ACL BSL | 115 Nos.   | 30-Sep-20 |
| 83 | 41193650103767<br>dt.20-SEP-19 on<br>M/s.LORD KRISHNA<br>ELECTRONIC<br>INDUSTRIES-DELHI<br>RITES-CALL RITES-IC | 2192017<br><br>(FC)  | 42114986 | TYPE A, 9 W TUBULAR LED RETROFIT LAMPS TO BE OPERATED IN VOLTAGE RANGE OF 90 V -140 V AC/DC TO BE USED IN THE EXISTING HOLDER IN PLACE OF 18 W FLUORESCENT LAMPS IN THE LHB COACHES | MTN     | 8400 Nos.  | 27-Dec-19 |
| 84 | 75191119103804<br>dt.23-SEP-19 on<br>M/s.GS INDUSTRIES-<br>JALANDHAR<br>RITES-CALL RITES-IC                    | 678500<br><br>(FC)   | 77900080 | Set of PU paints and related items for LHB coaches. One set contains following items with their respective quantities 1) PU thinner compatible for PU paints as per Spec. No.       | MTN     | 50 Set     | 21-Nov-19 |

|    |   |                     |          |  |         |              |           |
|----|---|---------------------|----------|--|---------|--------------|-----------|
| 85 | 42193452103884<br>dt.25-SEP-19 on<br>M/s.WAHEGURU<br>RUBBER<br>MANUFACTURING CO<br>P LTD-KOLKATA<br>RITES-CALL    | 1756755<br><br>(FP) | 31010246 | LOWER RUBBER<br>WASHER FOR AXLE BOX<br>GUIDE ARRANGEMENT<br>FOR EMU 20 T BOGIE TO<br>ICF DRG. NO.<br>EMU/M.0.1.008 ALT-s/6.<br>MATERIAL AND<br>SPECIFICATION AS PER<br>DRAWING.  | MTN     | 3000<br>Nos. | 1-Apr-20  |
|    |   |                     |          |  | MTN     | 2577<br>Nos. | 30-May-20 |
| 86 | 75191057103893<br>dt.25-SEP-19 on<br>M/s.BLACK BURN<br>AND CO. PRIVATE LTD-<br>KOLKATA<br>RITES-CALL RITES-IC     | 913752<br><br>(FC)  | 75909935 | SET OF WEAR<br>RESISTANCE NYLON-66<br>BUSHES HAVING 100 MM<br>LENGHT, QTY-02 NOS<br>AND 200 MM LENGTH,<br>QTY-1 NO FOR<br>SUSPENSION OF 25 KW<br>110 V DC BRUSHLESS<br>ALTERNATORS<br>CONFORMING TO RDSO<br>DRG. NO.                 | MTN     | 736<br>Nos.  | 21-Nov-19 |
|    |   |                     |          |  | MTN     | 774<br>Nos.  | 28-Feb-20 |
|    |   |                     |          |  | PUNE    | 44 Nos.      | 21-Nov-19 |
| 87 | 38192261103894<br>dt.25-SEP-19 on<br>M/s.LAKSHMI<br>INDUSTRIES-<br>CUDDALORE<br>RITES-CALL                        | 623900<br><br>(FP)  | 30351340 | BRAKE PIPE 15 MM<br>BORE, 1316 MM LONG,<br>BLACK STEEL, HEAVY<br>DUTY SEAMLESS AS PER<br>IS:1239[PART-1]/2004<br>TABLE 5 CLAUSE 8.1 &<br>8.1.1 FOR BG MAIN LINE<br>COACHES [WITH BOGIE<br>MOUNTED BRAKE                              | MTN     | 2213<br>Nos. | 30-May-20 |
| 88 | 27193503103917<br>dt.26-SEP-19 on<br>M/s.EASTERN<br>EQUIPMENT<br>ENTERPRISES-<br>KOLKATA<br>RITES-CALL            | 610461<br><br>(FC)  | 29030018 | GEAR CASE MACHINED<br>[MS] FOR WAP-7/WAG-9<br>LOCOS AS PER CLW<br>DRG. No. 1209.01-013.014<br>ALT-7 OR LATEST [ABB<br>DRG. NO. IB 011-00266 OR<br>LATEST.] Firms Accepted<br>Offer: GEAR CASE<br>MACHINED [MS] FOR WAP-<br>7/WAG-9 L | ACL BSL | 9 Nos.       | 31-Jan-20 |
| 89 | 43193791103921<br>dt.26-SEP-19 on<br>M/s.MIKA ENGINEERS-<br>MUMBAI<br>RITES-CALL                                  | 2016000<br><br>(FC) | 45158824 | Type 'C', 5 W tubular LED<br>Retrofit Lamps to be<br>operated in voltage range of<br>90V-140V AC/DC to be<br>used in the existing holder<br>in place of 11 W CFL Lamps<br>in TL and AC coaches as<br>per ICF Specification No        | MTN     | 7500<br>Nos. | 28-Nov-19 |
| 90 | 43191021103949<br>dt.27-SEP-19 on<br>M/s.AIRCONDITIONIN<br>G SPARES CENTRE-<br>MUMBAI<br>RITES-CALL               | 1869238<br><br>(FC) | 45210366 | HERMETICALLY SEALED<br>COMPRESSOR,<br>COPELAND SCROLL,<br>SUITABLE FOR R-22 GAS<br>OPERATING VOLTAGE<br>380/420 VOLTS AC, 3<br>PHASE 50 Hz, MODEL NO.<br>ZR-61, KC-TFD-522,<br>SUITABLE FOR R22 GAS                                  | MTN     | 73 Nos.      | 1-Apr-20  |
| 91 | 38193632103510<br>dt.10-SEP-19 on<br>M/s.SHIV SHAKTI<br>ENGINEERING WORKS-<br>YAMUNA NAGAR<br>RITES-CALL RITES-IC | 623700<br><br>(FC)  | 30676642 | Wall protector for lavatory<br>pan to RDSO DRG. NO. CG-<br>K-6085 ALT-1. ITEM NO. 1<br>to 4. MTRL AND SPECN<br>AS PER DRG.   | MTN     | 600<br>Nos.  | 20-Dec-19 |

|    |   |                     |          |  |         |              |           |
|----|---|---------------------|----------|--|---------|--------------|-----------|
| 92 | 42191106103518<br>dt.11-SEP-19 on<br>M/s.GABRIEL INDIA<br>LIMITED-PUNE<br>RITES-CALL                      | 5730428<br><br>(FP) | 31050530 | LATERAL DAMPER FOR<br>SECONDARY AIR SPRING<br>SUSPENSION<br>ARRANGEMENT TO DRG.<br>NO. DC/EMU/M/ASR-0-5-<br>005 ALT- n/6. ITEM NO. 2.<br>AND GUARANTEE SHALL<br>BE AS PER CLAUSE 8 OF<br>RDSO SPECIFICATION C-                             | MTN     | 201<br>Nos.  | 30-Apr-20 |
|    |   |                     |          |  | VVH     | 20<br>Nos.   | 1-Apr-20  |
|    |   |                     |          |  | MTN     | 282<br>Nos.  | 1-Apr-20  |
| 93 | 41181833103524<br>dt.11-SEP-19 on<br>M/s.RAJESH<br>HARDWARE<br>PRODUCTS-MUMBAI<br><br>RITES-CALL RITES-IC | 1046447<br><br>(PC) | 41134771 | MULTIPURPOSE SILICON<br>SEALANT ( CLEAR )IN A<br>TUBE OF 300ml .SIMILAR<br>TO DOW CORNING<br>PRODUCT No.733 OR<br>MASTER BOND PRODUCT-<br>MASTER SIL 415 OR<br>BOSS PRODUCT-BOSS<br>322 OR ANABOND RTV<br>SILICONES 666.<br>MAKE/BRAND:    | MTN     | 1467<br>Nos. | 2-Dec-19  |
|    |   |                     |          |  | VVH     | 105<br>Nos.  | 30-May-20 |
|    |   |                     |          |  | WB      | 1380<br>Nos. | 2-Dec-19  |
|    |   |                     |          |  | AQ      | 3750<br>Nos. | 2-Dec-19  |
|    |   |                     |          |  | AQ      | 943<br>Nos.  | 30-May-20 |
| 94 | 43191013103537<br>dt.11-SEP-19 on<br>M/s.BETLE<br>ENGINEERING WORKS-<br>HOWRAH<br>RITES-CALL RITES-IC     | 758546<br><br>(FC)  | 45157390 | LED BASED TAIL LAMP<br>FOR 110V DC COACHES<br>AS PER RDSO SPECN.<br>No.<br>RDSO/PE/SPEC/TL/0119/2<br>008[REV-0] TYPE-1   | MTN     | 185<br>Nos.  | 30-May-20 |
| 95 | 27193087203566<br>dt.13-SEP-19 on<br>M/s.ASSAM CARBON<br>PRODUCTS LTD-<br>GUWAHATI<br><br>RITES-CALL      | 7446600<br><br>(FP) | 25888055 | METALISED CARBON<br>STRIP FOR PANTOGRAPH<br>TYPE AM-12 AS PER<br>RDSO DRG. NO. SKEL-<br>4303 REV.6 WITH<br>ACCEPTED GRADES AS<br>PER APPROVAL ISSUED<br>BY RDSO AND<br>CONFIRMING TO RDSO<br>SPECN. NO.<br>RDSO/2009/EL/SPEC/0097<br>REV-1 | MTN     | 192<br>Nos.  | 30-May-20 |
|    |   |                     |          |  | MTN     | 192<br>Nos.  | 31-Oct-20 |
|    |   |                     |          |  | KYN     | 124<br>Nos.  | 30-May-20 |
|    |   |                     |          |  | KYN     | 124<br>Nos.  | 31-Oct-20 |
|    |   |                     |          |  | ACL BSL | 247<br>Nos.  | 30-May-20 |
|    |   |                     |          |  | ACL BSL | 247<br>Nos.  | 31-Oct-20 |
|    |   |                     |          |  | KALVA   | 105<br>Nos.  | 30-May-20 |
|    |   |                     |          |  | KALVA   | 105<br>Nos.  | 31-Oct-20 |
|    |   |                     |          |  | AQ      | 228<br>Nos.  | 30-May-20 |
|    |   |                     |          |  | AQ      | 227<br>Nos.  | 31-Oct-20 |
|    |   |                     |          |  | SNPD    | 89 Nos.      | 30-May-20 |
|    |   |                     |          |  | SNPD    | 90 Nos.      | 31-Oct-20 |



|     |   |                      |          |  |         |               |           |
|-----|---|----------------------|----------|--|---------|---------------|-----------|
| 96  | 18193463103572<br>dt.13-SEP-19 on<br>M/s.NEW KESSLER<br>ENGINEERING<br>PRIVATE LIMITED-<br>MUMBAI<br>RITES-CALL | 1074203<br><br>(FC)  | 16040144 | LASH ADJUSTER<br>ASSEMBLY - DLW<br>DRG.NO.40118613 Alt. Ba<br>or latest DLW PT No:<br>16040144. Specn. as per<br>drg. Accepted Offer:<br>Make/Brand: INFINITIVE<br>INC. USA. HSN Code:-<br>8607                    | DLS KYN | 430<br>Nos.   | 30-Nov-19 |
|     |   |                      |          |  | GPR PA  | 1420<br>Nos.  | 30-Nov-19 |
| 97  | 27191372103585<br>dt.13-SEP-19 on<br>M/s.PRECISION<br>ELECTRO<br>ENGINEERING-<br>HOWRAH<br>RITES-CALL RITES-IC  | 3670800<br><br>(FP)  | 25708016 | B.L. SWITCH BOX<br>COMPLETE SUITABLE<br>FOR 25KV AC LOCO WITH<br>SIEMENS MAKE<br>PROGRAMME SWITCH<br>AND LIMIT SWITCHES AS<br>PER CLW SPECN. No.<br>CLW/ES/S-31/C.   | ACL BSL | 24 Nos.       | 15-Mar-20 |
|     |   |                      |          |  | ACL BSL | 68 Nos.       | 30-Sep-20 |
| 98  | 38192616103609<br>dt.14-SEP-19 on<br>M/s.AGLOW<br>ENGINEERS-HOWRAH<br><br>RITES-CALL                            | 567000<br><br>(PC)   | 38101361 | INSIDE COLUMN LINER.<br>SIZE 03X10X240 MM. AS<br>PER FIG.25 OF RDSO'S<br>CASNUB BOGIE MANUAL<br>NO. G.95 [REV-1OF MAR<br>1997 ] AMENDMENT NO. 5<br>OF JUNE 2003 OR<br>LATEST. MATERIAL AND<br>SPECIFICATION AS PER | KWV     | 10000<br>Nos. | 20-Jan-20 |
|     |   |                      |          |  | KWV     | 10000<br>Nos. | 30-May-20 |
| 99  | 90190749803652<br>dt.16-SEP-19 on<br>M/s.NORTHERN<br>RAILWAY<br>HEADQUARTERS,<br>RITES-CALL                     | 511330<br><br>(PC)   | 90526417 | Corrosion Resistance Steel<br>HR Plates 5 x 1250 x 5000<br>to the Specification IRS M-<br>41 (PL Close PL<br>No:90526480)  | PR      | 100<br>QTL.   | 31-Oct-19 |
| 100 | 42184271103684<br>dt.17-SEP-19 on<br>M/s.EMSON TOOLS<br>MFG. CORPN. LTD.-<br>LUDHIANA<br>RITES-CALL             | 512077<br><br>(FP)   | 31050300 | SADDLE FOR BOGIE<br>BOLSTER SUSPENSION<br>[MOTOR BOGIE] TO DRG.<br>NO. RDSO SKETCH. 95018<br>ALT-NIL. MATERIAL AND<br>SPECIFICATION NO.<br>RDSO STR NO. C-K202<br>WITH AMDT-1 OF AUG-<br>2002. FIRM'S OFFER.       | MTN     | 1178<br>Nos.  | 30-Apr-20 |
| 101 | 42191424103704<br>dt.18-SEP-19 on<br>M/s.AUTOMETERS<br>ALLIANCE LTD-NOIDA<br><br>RITES-CALL RITES-IC            | 618424<br><br>(FC)   | 31437023 | ANNAUL OVERHAULING<br>REPLACEMENT KIT FOR<br>SINGLE BOTTLE VCB OF<br>AAL TYPE VCBA25.10Tr<br>PART NO. 4300007100/30<br>AS PER ANNEXURE<br>ATTACHED. (ONE SET<br>CONSISTS OF 05 ITEMS<br>(HAVING 03 NOS.)           | MTN     | 87 Set        | 20-Feb-20 |
| 102 | 38193370103707<br>dt.18-SEP-19 on<br>M/s.SKf INDIA LTD-<br>GURGAON<br>RITES-CALL                                | 11198200<br><br>(FP) | 33500071 | UIC TAPER ROLLER<br>BEARING FOR DIA 130<br>mm AXLE JOURNAL FOR<br>FIAT BOGIE AS PER SKf<br>DRG. NO. 1639433 BC OR<br>TIMKEN DRG. NO. E48999<br>PART NO. H127746H<br>ASSEMBLY NO. 90010                             | MTN     | 150<br>Nos.   | 10-Apr-20 |
|     |   |                      |          |  | PR      | 142<br>Nos.   | 10-Apr-20 |
| 103 | 27192697103724<br>dt.18-SEP-19 on<br>M/s.SHREE RUBBER<br>WORKS-THANE<br>RITES-CALL RITES-IC                     | 2086246<br><br>(PC)  | 25256208 | Modified rubber seal for<br>LOCO Roof Joint to DRG<br>No. ELW/BSL/4/F/81.029 alt<br>4.   | KYN     | 760<br>MTR    | 15-Jan-20 |
|     |   |                      |          |  | ACL BSL | 1440<br>MTR   | 15-Jan-20 |

|     |  |                              |          |  |         |               |           |
|-----|--|------------------------------|----------|--|---------|---------------|-----------|
|     |  |                              |          |  | ACL BSL | 4450<br>MTR   | 30-May-20 |
|     |  |                              |          |  | ACL BSL | 4450<br>MTR   | 30-Sep-20 |
| 104 | 27193239203762<br>dt.20-SEP-19 on<br>M/s.SCHAEFFLER<br>INDIA LIMITED-<br>VADODARA<br>RITES-CALL                | 20667099<br><br><br><br>(FP) | 29030110 | Suspension Tube Bearing for WAG9 and WAP7 Locomotives consisting 1 No. each of - a) FAG NU1964M1A.C4 (DE Side) (with marking as NU1964-M1AC4) b) FAG NJ1044.566185 (with Marking as Z-566185.NJ1044) + H | ACL BSL | 38 Set        | 30-May-20 |
|     |  |                              |          |  | ACL BSL | 38 Set        | 30-Sep-20 |
|     |  |                              |          |  | ACL BSL | 38 Set        | 31-Jan-21 |
|     |  |                              |          |  | ACL BSL | 37 Set        | 31-May-21 |
| 105 | 27193955203766<br>dt.20-SEP-19 on<br>M/s.NATIONAL<br>ENGINEERING<br>INDUSTRIES LTD.-<br>JAIPUR<br>RITES-CALL   | 5539392<br><br><br><br>(FP)  | 29018067 | Set of Taper Roller Bearing Assembly for TM Suspension Unit of HITACHI Wheel set Type HS-15250A, comprising of 02 items, 02 Nos., as per M/s. Timken or M/s. SKF Bearing No. PE-M249747/ M249710 or GEM3 | ACL BSL | 144 Set       | 30-May-20 |
| 106 | 27193952103779<br>dt.20-SEP-19 on<br>M/s.BHARAT RAIL O<br>MOTIVE<br>CORPORATION-<br>KOLKATA<br>RITES-CALL      | 3008880<br><br><br><br>(FP)  | 29708084 | SET OF ROTARY SWITCH SET COMPRISING OF 04 ITEMS IN 06 NOS EACH SET AS PER SKETCH NO: ELS/AQ/WAG-9/S.K. NO:0023/REV-01. Firms Accepted Offer: Set of Rotary Switch comprising of 04 items in 06 Nos. each | ACL BSL | 30 Set        | 30-Jun-20 |
|     |  |                              |          |  | AQ      | 4 Set         | 30-Jun-20 |
| 107 | 70193151103791<br>dt.20-SEP-19 on<br>M/s.SUNFLAG<br>INDUSTRIES-<br>LUDHIANA<br>RITES-CALL RITES-IC             | 670255<br><br><br><br>(PC)   | 73100316 | Nut M.S. black hex dia M20 to property class 5 to IS: 1363 Part III 2018 Revision 5.   | MTN     | 7781<br>Kgs.  | 15-Feb-20 |
| 108 | 41191828103810<br>dt.23-SEP-19 on<br>M/s.CGPPI-ADHESIVE<br>PRODUCTS LTD-<br>KUNDAIM<br><br>RITES-CALL RITES-IC | 2074239<br><br><br><br>(FC)  | 41099618 | " POLYIMIDE ADHESIVE TAPE SIZE 0.06 X 13 MM KAPTON 'HN' TO CLW SPECN. No. 4TMS.095.038 for HS-15250 ARMATURE.  | TMW     | 65980<br>MTR  | 20-Dec-19 |
|     |  |                              |          |  | TMW     | 233333<br>MTR | 29-Feb-20 |
| 109 | 42191336103812<br>dt.23-SEP-19 on<br>M/s.SONI RUBBER<br>PRODUCTS LTD-<br>KOLKATA<br>RITES-CALL RITES-IC        | 1084629<br><br><br><br>(PC)  | 31351888 | HOSE CONNECTION FOR 1/2 INCH BORE [12.5 MM BORE] TO ICF DRG. NO. EMU/M-3-5-079 ALT-s/2. ITEM NO. 2. MATERIAL AND SPECIFICATION AS PER DRAWING. FIRM'S OFFER: MAKE/BRAND - SONI.                          | PR      | 180<br>Nos.   | 1-Apr-20  |
|     |  |                              |          |  | MTN     | 3680<br>Nos.  | 1-Apr-20  |
|     |  |                              |          |  | MTN     | 3680<br>Nos.  | 30-May-20 |

|     |   |                 |          |   |         |                 |           |
|-----|---|-----------------|----------|---|---------|-----------------|-----------|
| 110 | 27193266103820<br>dt.23-SEP-19 on<br>M/s.KNORR-BREMSE<br>INDIA PVT. LTD.-<br>PALWAL<br>RITES-CALL                 | 3181500<br>(FP) | 29040024 | SET OF DAMPER FOR<br>WAP-5 LOCOS AS PER<br>CLW SPEDIFICATION<br>NO.CLW/MS/10/005 ALT-1<br>OR LATEST & CLW<br>DRG.NO.1210-01-215-014.<br>ALT-1 OR LATEST.ONE<br>SET CONSIST OF 05<br>ITEMS AS PER<br>ANNEXURE. FIRMS<br>ACCEPTED OFFER: AS<br>PER ANNE | ACL BSL | 10 Set          | 31-Mar-20 |
| 111 | 27193942103425<br>dt.03-SEP-19 on<br>M/s.AUTOMETERS<br>ALLIANCE LTD-NOIDA<br><br>RITES-CALL RITES-IC              | 5100550<br>(FC) | 29718235 | INTERMEDIATE OVER<br>HAULING (IOH)<br>REPLACEMENT KIT<br>(4300007100/32) FOR<br>SINGLE BOTTLE VCB OF<br>M/s AAL TYPE VCB A<br>25.10 Tr., ONE KIT<br>COMPRIHING OF 20<br>ITEMS AS PER<br>ANNEXURE. FIRMS<br>ACCEPTED OFFER: AS<br>PER ANNE             | MTN     | 34 Set          | 10-Apr-20 |
|     |   |                 |          |   | KYN     | 8 Set           | 10-Apr-20 |
|     |   |                 |          |   | VVH     | 7 Set           | 10-Apr-20 |
|     |   |                 |          |   | KALVA   | 2 Set           | 10-Apr-20 |
| AQ  | 14 Set  | 10-Apr-20       |          |   |         |                 |           |
| 112 | 90190749703458<br>dt.05-SEP-19 on<br>M/s.Secretary<br>(Stores), Railway<br>Board, New Delhi<br>RITES-CALL         | 6784685<br>(FP) | 90526417 | Corrosion Resistance Steel<br>HR Plates 5 x 1250 x 5000<br>to the Specification IRS M-<br>41 (PL Close PL<br>No:90526480)   | PR      | 85.62<br>QTL.   | 5-Jan-21  |
|     |   |                 |          |   | MTN     | 1241.25<br>QTL. | 5-Jan-21  |
| 113 | 85191410801666<br>dt.09-SEP-19 on<br>M/s.Controller of<br>Stores, JAIPUR<br>RITES-CALL                            | 547604<br>(PX)  | 30358838 | AUXILLARY RESERVOIR<br>[200 LITERS] TO RDSO.<br>SK. 96081 ALT-5 ITEM NO.<br>1 TO 18. MATERIAL &<br>SPECIFICATION RDSO<br>SPECIFICATION NO.02-<br>ABR-02.AMDT.NO.4 OF  | MTN     | 80 Nos.         | 8-Dec-19  |
| 114 | 27191711103508<br>dt.10-SEP-19 on<br>M/s.ELECTRO<br>MECHANICALS-<br>JHANSI<br>RITES-CALL RITES-IC                 | 789919<br>(FC)  | 25949639 | SET OF END SHIELDS DE<br>& NDE SIDE FOR CGL<br>MAKE MVM TO DRG. No.<br>ELW/BSL/2/WAM-<br>4/124.334 ITEM No. 1 TO 4<br>& DRG. No.<br>ELW/BSL/2/WAM-4/124.335<br>ITEM No. 1 TO 4 WITH<br>SUITABLE GREASE PIPE   | KYN     | 5 Set           | 30-Oct-19 |
|     |   |                 |          |   | ACL BSL | 37 Set          | 30-Oct-19 |
| 115 | 90190643703628<br>dt.16-SEP-19 on<br>M/s.Secretary<br>(Stores), Railway<br>Board, New Delhi<br>RITES-CALL         | 4662133<br>(FX) | 90231120 | IS EQUAL ANGLES 100 X<br>100 X 10 MM IN LENGTH<br>OF 12mtrs confirming to<br>SPECN IS 2062/ 2011 E-<br>250 GR "BO" SEMIKILLED<br>OR KILLED  | MMR     | 104000<br>Kgs.  | 16-Jan-21 |
| 116 | 27193721803700<br>dt.18-SEP-19 on<br>M/s.Principal Chief<br>Materials Manager,<br>CLW, Chittaranjan<br>RITES-CALL | 3279634<br>(FP) | 29695028 | PRIMARY VOLTAGE<br>TRANSFORMER AS PER<br>CLW.S SPECN. NO.<br>CLW/ES/3/0009 ALT-B OR<br>LATEST.  | KYN     | 1 Nos.          | 31-Jul-20 |
|     |   |                 |          |   | ACL BSL | 5 Nos.          | 31-Jul-20 |
|     |   |                 |          |   | AQ      | 1 Nos.          | 31-Jul-20 |

|     |  |                      |          |   |                         |              |           |
|-----|--|----------------------|----------|---|-------------------------|--------------|-----------|
| 117 | 79192357103850<br>dt.24-SEP-19 on<br>M/s.INDIAN CANVAS<br>INDUSTRIES-<br>GUWAHATI<br><br>RITES-CALL                        | 520543<br><br>(FP)   | 79332766 | "Mosquito nets to IS<br>9886/1990, revision 1<br>Reffirmed 2012 with<br>amendment 1 of 2000. Size<br>2.13 X 1.06 X 1.52 Mtrs.<br>HDPE monofilament<br>mosquito netting, round<br>mesh to IS 10054/1996<br>revision 1 reffirmed    | CRD                     | 1856<br>Nos. | 28-Feb-20 |
|     |  |                      |          |   | CRD                     | 781<br>Nos.  | 28-Feb-20 |
| 118 | 27193956103905<br>dt.26-SEP-19 on<br>M/s.R S<br>TECHNOLOGIES-<br>KOLKATA<br>RITES-CALL                                     | 6189876<br><br>(FP)  | 29100010 | ELASTIC RING FOR WAG-<br>9 LOCOMOTIVE.<br>MATERIAL ACLATHAN-<br>2300H, as per Amendment.<br>No.1 to RDSO SPECN. NO.<br>RDSO/2007/EL/SPEC/0053<br>[Rev.0] June-2007 and<br>RDSO Drg. No. SKEL-4717<br>Alt-2. Accepted offer: Make: | KYN                     | 29 Nos.      | 31-Dec-20 |
|     |  |                      |          |   | ACL BSL                 | 96 Nos.      | 31-Dec-20 |
|     |  |                      |          |   | AQ                      | 78 Nos.      | 31-Dec-20 |
| 119 | 27193956103907<br>dt.26-SEP-19 on<br>M/s.SEUOIA SAFETY<br>PRODUCTS PRIVATE<br>LIMITED-NEW DELHI<br><br>RITES-CALL RITES-IC | 6159384<br><br>(PC)  | 29100010 | ELASTIC RING FOR WAG-<br>9 LOCOMOTIVE.<br>MATERIAL ACLATHAN-<br>2300H, as per Amendment.<br>No.1 to RDSO SPECN. NO.<br>RDSO/2007/EL/SPEC/0053<br>[Rev.0] June-2007 and<br>RDSO Drg. No. SKEL-4717<br>Alt-2. Accepted offer: Firms | KYN                     | 29 Nos.      | 31-Dec-20 |
|     |  |                      |          |   | ACL BSL                 | 95 Nos.      | 15-Feb-20 |
|     |  |                      |          |   | AQ                      | 78 Nos.      | 31-Dec-20 |
| 120 | 27192304103912<br>dt.26-SEP-19 on<br>M/s.ACME<br>ENGINEERING WORKS-<br>KHARAGPUR<br><br>RITES-CALL                         | 1980752<br><br>(FP)  | 25828022 | DRUM CONTACT<br>SEGMENT ASSLY. T TYPE<br>FOR 1500 AMPS<br>REVERSER. AS PER CLW<br>DRG.NO. 3TWD.101.050<br>ALT-3 (SHEET NO.1) OR<br>LATEST & 2TWD.101.050<br>ALT-7 (SHEET NO.2.) OR<br>LATEST.                                     | ACL BSL                 | 243<br>Nos.  | 30-Sep-20 |
|     |  |                      |          |   | AQ                      | 30 Nos.      | 30-Sep-20 |
| 121 | 38193370103706<br>dt.18-SEP-19 on<br>M/s.TIMKEN INDIA<br>LIMITED-NEW DELHI<br><br>RITES-CALL                               | 11198200<br><br>(FP) | 33500071 | UIC TAPER ROLLER<br>BEARING FOR DIA 130<br>mm AXLE JOURNAL FOR<br>FIAT BOGIE AS PER SKF<br>DRG. NO. 1639433 BC OR<br>TIMKEN DRG. NO. E48999<br>PART NO. H127746H<br>ASSEMBLY NO. 90010<br>CONFIRMING TO FIAT                      | PR                      | 92 Nos.      | 10-Apr-20 |
|     |  |                      |          |   | Sr. Section<br>Engineer | 200<br>Nos.  | 10-Apr-20 |
| 122 | 27191752103744<br>dt.19-SEP-19 on<br>M/s.KRISTEEL<br>CORPORATION-<br>MUMBAI<br>RITES-CALL RITES-IC                         | 3830244<br><br>(PC)  | 25148709 | SET OF BRAKE GEAR<br>PINS and TRUNION FOR<br>WAG-7 LOCO BOGIE,<br>COMPRISING of 13 ITEMS<br>144 NOS. AS PER<br>SKETCH NO.<br>BSL/ELW/SK.NO.9168, ALT<br>5   | AQ                      | 20 Set       | 30-Jun-20 |
|     |  |                      |          |   | ACL BSL                 | 12 Set       | 28-Feb-20 |
|     |  |                      |          |   | ACL BSL                 | 26 Set       | 30-Jun-20 |
| 123 | 27193239203760<br>dt.20-SEP-19 on<br>M/s.NATIONAL<br>ENGINEERING<br>INDUSTRIES LTD.-<br>JAIPUR<br>RITES-CALL               | 3738240<br><br>(FP)  | 29030110 | Cylindrical Roller Bearing<br>NU1964 to NEI Drg. No.<br>PESD-3454, Mod. A;<br>Cylindrical Roller Bearing<br>NH1044 to NEI Drg. No.<br>PESD-3453, Mod. B.  | ACL BSL                 | 17 Set       | 30-May-20 |
|     |  |                      |          |   | ACL BSL                 | 16 Set       | 30-Sep-20 |

|     |   |           |          |  |         |               |           |
|-----|---|-----------|----------|--|---------|---------------|-----------|
| 124 | 27193249203763<br>dt.20-SEP-19 on<br>M/s.SCHAEFFLER<br>INDIA LIMITED-<br>VADODARA<br>RITES-CALL RITES-IC                        | 32111340  | 29030020 | SET OF CYLINDRICAL<br>ROLLER BEARING FOR<br>THREE PHASE TRACTION<br>MOTOR TYPE 6FRA 6068<br>OF QTY. = 01 NO. EACH<br>OF DE AND NDE SIDE<br>BEARING AS PER (A) FOR<br>SKF / GERMANY,<br>AUSTRIA MAKE DE: NU-<br>2236 ECMRD/C-4VA 301, | KYN     | 12 Set        | 30-May-20 |
|     |   |           |          |  | KYN     | 11 Set        | 30-Sep-20 |
|     |   |           |          |  | KYN     | 11 Set        | 31-Jan-21 |
|     |   |           |          |  | ACL BSL | 49 Set        | 15-Mar-20 |
|     |   |           |          |  | ACL BSL | 59 Set        | 30-May-20 |
|     |   |           |          |  | ACL BSL | 60 Set        | 30-Sep-20 |
|     |   |           |          |  | ACL BSL | 59 Set        | 31-Jan-21 |
|     |   |           |          |  | AQ      | 7 Set         | 30-May-20 |
|     |   |           |          |  | AQ      | 7 Set         | 30-Sep-20 |
| AQ  | 7 Set   | 31-Jan-21 |          |  |         |               |           |
| 125 | 27193955203765<br>dt.20-SEP-19 on<br>M/s.INDIA SALES<br>SERVICE-KOLKATA<br>RITES-CALL   | 12978584  | 29018067 | Set of Taper Roller Bearing<br>Assembly for TM<br>Suspension Unit of<br>HITACHI Wheel set Type<br>HS-15250A, comprising of<br>02 items, 02 Nos., as per<br>M/s. Timken or M/s. SKF<br>Bearing No. PE-M249747/<br>M449749 - GEM       | ACL BSL | 104 Set       | 30-May-20 |
|     |   |           |          |  | ACL BSL | 103 Set       | 30-Sep-20 |
|     |   |           |          |  | ACL BSL | 103 Set       | 31-Dec-20 |
| 126 | 38192074103784<br>dt.20-SEP-19 on<br>M/s.MANISH RUBBER<br>INDUSTRIES-MUMBAI<br><br>RITES-CALL                                   | 551861    | 30351133 | PISTON PACKING FOR<br>203.2 MM BOGIE<br>MOUNTED BRAKE<br>CYLINDER TO RDSO SK<br>81204 ALT-4, ITEM NO. 10.<br>MTRL AND SPECN. RDSO<br>SPECN NO. SPECN. C-<br>K013 REV-1 OF OCTOBER<br>2012 ANNEX-A.                                   | MTN     | 11315<br>Nos. | 20-Feb-20 |
| 127 | 42191443103814<br>dt.23-SEP-19 on<br>M/s.PT<br>COMMUNICATION<br>SYSTEMS PRIVATE<br>LIMITED-GAUTAM<br>BUDDHA NAGAR<br>RITES-CALL | 2180640   | 31900628 | Front Display Left [Head<br>Code] for AC-DC Siemens<br>EMU rakes as per RDSO<br>Specification No.<br>RDSO/PE/SPEC/EMU/0065<br>[Rev.03]-March 2011 or<br>latest with manual operating<br>facilities [Head Code<br>Software, Power     | VVH     | 6 Nos.        | 1-Apr-20  |
|     |   |           |          |  | KALVA   | 1 Nos.        | 1-Apr-20  |
|     |   |           |          |  | KALVA   | 2 Nos.        | 30-May-20 |
|     |   |           |          |  | SNPD    | 6 Nos.        | 1-Apr-20  |
|     |   |           |          |  | SNPD    | 7 Nos.        | 30-May-20 |
| 128 | 79192357103849<br>dt.24-SEP-19 on<br>M/s.INDIAN CANVAS<br>INDUSTRIES-<br>GUWAHATI<br><br>RITES-CALL                             | 830462    | 79332766 | "Mosquito nets to IS<br>9886/1990, revision 1<br>Reffirmed 2012 with<br>amendment 1 of 2000. Size<br>2.13 X 1.06 X 1.52 Mtrs.<br>HDPE monofilament<br>mosquito netting, round<br>mesh to IS 10054/1996<br>revision 1 reffirmed       | CRD     | 4207<br>Nos.  | 28-Feb-20 |
| 129 | 42192033103883<br>dt.25-SEP-19 on<br>M/s.AJ TECH<br>EQUIPMENTS PVT LTD-<br>HOWRAH   | 1991556   | 31357957 | 203 MM AIR BRAKE<br>CYLINDER ASSEMBLY<br>[WITH SLACK ADJUSTER]<br>TO RDSO DRG. NO. SK-<br>81200. ALT-5, ITEM NO. 1<br>TO 61, EXCEPT ITEM NO.<br>17,18 AND 19 [WORKING  | MTN     | 240<br>Nos.   | 1-Apr-20  |

|     |  |  |          |   |         |               |           |
|-----|--|--|----------|---|---------|---------------|-----------|
|     | MITRAN AND<br>STROKE 32 MM].<br>MATERIAL   | (FP)   |          |   |         |               |           |
| 130 | 27193956103906<br>dt.26-SEP-19 on<br>M/s.ELECTRO PLAST-<br>GHAZIABAD<br>RITES-CALL   | 1084776<br><br><br><br><br><br><br><br><br><br>(FP)  | 29100010 | ELASTIC RING FOR WAG-<br>9 LOCOMOTIVE.<br>MATERIAL ACLATHAN-<br>2300H, as per Amendment.<br>No.1 to RDSO SPECN. NO.<br>RDSO/2007/EL/SPECN/0053<br>[Rev.0] June-2007 and   | ACL BSL | 44 Nos.       | 26-Jul-20 |
| 131 | 38192506103438<br>dt.03-SEP-19 on<br>M/s.SUPER STEEL<br>TRADERS-HOWRAH<br>RITES-CALL   | 616733<br><br><br><br><br><br><br><br><br><br>(FP)   | 30511252 | BODY SIDE DOOR<br>COMPLETE [RH] WITH 8<br>WINDOW BARS TO ICF<br>DRG. NO. T-5-1-672 ALT-<br>18 AND x. COL-II. MTRL<br>AND SPECN AS PER DRG.  | MTN     | 79 Nos.       | 30-Apr-20 |
| 132 | 38190252703440<br>dt.03-SEP-19 on<br>M/s.ICF Headquarters,<br>Chennai<br><br>RITES-CALL  | 29996232<br><br><br><br><br><br><br><br><br><br>(FP) | 30027068 | DOUBLE ROW SELF<br>ALIGNING SPHERICAL<br>ROLLER BEARING NO<br>22326 C/C3 CONFORMING<br>TO RDSO SPECN. C-8527<br>(REV.1) WITH<br>AMENDMENT SLIP NO.<br>1&2 SUITABLE FOR 16.25<br>TONNES AND 13 TONNES                          | PR      | 813<br>Nos.   | 3-Jul-21  |
|     |  |  |          |   | MTN     | 1727<br>Nos.  | 3-Jul-21  |
| 133 | 38190012703441<br>dt.03-SEP-19 on<br>M/s.Secretary<br>(Stores), Railway<br>Board, New Delhi<br>RITES-CALL                      | 954815<br><br><br><br><br><br><br><br><br><br>(FP)   | 29050091 | Axle for WAP5 locos as per<br>CLW Drg no- 1210-01-011-<br>002 , Alt-Nil or latest and<br>ABB drg No- IA 011-00118 ,<br>Rev1 or latest .   | ACL BSL | 20 Nos.       | 3-Jul-21  |
| 134 | 41181048103467<br>dt.06-SEP-19 on<br>M/s.MICAPLY-<br>BHOPAL<br>RITES-CALL  | 794808<br><br><br><br><br><br><br><br><br><br>(FP)   | 41077490 | "MOULD RELEASE SHEET<br>NOMEX 'R' SIZE 0.13 X<br>520 MM WIDE X 50 MTR.<br>LONG CONF.TO<br>SPEC.NO.A0 139 ALT-2<br>HITACHI FOR HS-15250<br>ARMATURE ". [Shelf Life:12<br>months]<br>MAKE/BRAND:SELF.                           | TMW     | 508<br>MTR    | 23-Mar-20 |
|     |  |  |          |   | TMW     | 509<br>MTR    | 16-Feb-20 |
|     |  |  |          |   | TMW     | 487<br>MTR    | 23-Apr-20 |
|     |  |  |          |   | TMW     | 488<br>MTR    | 16-Aug-20 |
| 135 | 38190056703513<br>dt.10-SEP-19 on<br>M/s.Secretary<br>(Stores), Railway<br>Board, New Delhi<br>RITES-CALL                      | 1942877<br><br><br><br><br><br><br><br><br><br>(FP)  | 18251365 | WHEEL MONOBLOCK<br>ROLLED (ROUGH<br>FINISHED)FOR ZDM4 AND<br>NDMS LOCOS TO DRG.<br>NO. CI/WA-276A   | PR      | 45 Nos.       | 10-Jul-21 |
| 136 | 43191381103520<br>dt.11-SEP-19 on<br>M/s.MARVEL<br>ELECTRIC<br>EQUIPMENTS<br>PRIVATE LIMITED-<br>MUMBAI<br>RITES-CALL RITES-IC | 3884160<br><br><br><br><br><br><br><br><br><br>(FC)  | 45156580 | Type 'D', 2 W LED Retrofit<br>lamps to be operated in<br>voltage range of 90V-140V<br>AC/DC to be used in the<br>existing holder in place of<br>incandescent bulbs in TL<br>and AC coaches, As per<br>ICF Specn. No. ICF/ELEC | MTN     | 10200<br>Nos. | 9-Nov-19  |
| 137 | 10191331103535<br>dt.11-SEP-19 on<br>M/s.RIDDHI SIDDHI<br>UDYOG-KOLKATA  | 2884875<br><br><br><br><br><br><br><br><br><br>(FC)  | 11020180 | BRAKE SHOE I.R. PART<br>NO. D/BG-1753/X2, ALT (8)<br>OR LATEST, RDSO<br>SPECN. NO. M and<br>C/MTD/101/2007. Drawing<br>attached.  | KYN     | 2500<br>Nos.  | 13-Dec-19 |

|     |   |          |          |  |         |               |           |
|-----|---|----------|----------|--|---------|---------------|-----------|
|     | RITES-CALL RITES-IC   | (FC)     |          |  |         |               |           |
| 138 | 26192015103584<br>dt.13-SEP-19 on<br>M/s.VISHNU FORGE<br>INDUSTRIES LIMITED-<br>BANGALORE       | 2201850  | 27630158 | FULLY FINISHED SHAFT<br>FOR 4601 AZ TM<br>ARMATURE AS PER<br>DRG.NO. 1 TMW/DRG-<br>CA/190 ALT-3 OR LATEST.   | TMW     | 45 Nos.       | 11-Jan-20 |
|     | RITES-CALL RITES-IC   | (PC)     |          |  | TMW     | 45 Nos.       | 30-May-20 |
| 139 | 27194599103932<br>dt.26-SEP-19 on<br>M/s.KNORR-BREMSE<br>INDIA PVT. LTD.-<br>PALWAL             | 709888   | 29188350 | SET OF OVERHAULING<br>KIT FOR ELECTRIC CCB<br>COMPRISING OF a)<br>OVERHAULING KIT FOR<br>MAIN RESERVOIR FILTER<br>ASSEMBLY (05 ITEMS 06<br>NOS.) b) OVERHAULING<br>KIT FOR BP FILTER<br>ASSEMBLY (05 ITEMS 06<br>NOS.) | KYN     | 16 Set        | 26-Mar-20 |
|     | RITES-CALL  | (FP)     |          |  | AQ      | 16 Set        | 26-Mar-20 |
| 140 | 81192032803973<br>dt.30-SEP-19 on<br>M/s.PRINCIPAL CHIEF<br>MATERIALS<br>MANAGER,<br>CHURCHGATE | 602952   | 83030682 | PRINTING PAPER<br>MAPLITHO CONFORMING<br>TO IS: 1848-1991 WITH<br>AMENDMENT NO. 1 TO 4<br>IN SHEETS/ REAMS WITH<br>MANUFACTURERS<br>WATERMARK. GENERAL<br>TECHNICAL<br>REQUIREMENTS WITH<br>SUPERIOR                   | STY     | 644.6<br>Ream | 31-Dec-19 |
|     | RITES-CALL  | (PC)     |          |  |         |               |           |
| 141 | 27193231103587<br>dt.13-SEP-19 on<br>M/s.CONTRANSYS<br>PRIVATE LIMITED-<br>KOLKATA              | 4021920  | 25880068 | PANTOGRAPH FOR 3<br>PHASE LOCOMOTIVES<br>ALONG WITH SERVO<br>MOTOR AND<br>ACCESSORIES AS PER<br>CLW SPECIFICATION No.<br>CLW/ES/P-5 ALT-F OR<br>LATEST. Firms Accepted   | ACL BSL | 9 Nos.        | 15-Jan-20 |
|     | RITES-CALL RITES-IC   | (PC)     |          |  | ACL BSL | 12 Nos.       | 30-May-20 |
| 142 | 42184266103616<br>dt.16-SEP-19 on<br>M/s.CASTCON-<br>HOWRAH                                     | 637003   | 31050130 | WEARING PIECE FOR<br>SIDE BEARER ON<br>BOLSTER SUSPENSION<br>TO ICF DRG. NO. EMU/M-0<br>5-010 ALT-I/3. MATERIAL<br>AND SPECIFICATION AS<br>PER DRAWING. FIRM'S<br>OFFER: Wearing piece for                             | VVH     | 45 Nos.       | 31-Dec-19 |
|     | RITES-CALL RITES-IC   | (FC)     |          |  | MTN     | 161<br>Nos.   | 31-Dec-19 |
| 143 | 81192060103619<br>dt.16-SEP-19 on<br>M/s.TRADEWELL-<br>MUMBAI                                   | 551493   | 83036489 | PAPER PRINTING WHITE<br>RULED IN SIZE 29.7 CMS<br>x 42 CMS, 60 GSM 3.7<br>KGS. PER REAM OF 500<br>SHEETS CONFIRMING TO<br>IS:1848/2007 TYPE 'A' AND<br>PACKING AS PER  | STY     | 2154<br>Ream  | 31-Dec-19 |
|     | RITES-CALL RITES-IC   | (PC)     |          |  |         |               |           |
| 144 | 90190751703629<br>dt.16-SEP-19 on<br>M/s.Secretary<br>(Stores), Railway<br>Board, New Delhi     | 22456627 | 90421267 | Mild Steel Plates 12 X 2500<br>X12500 to the specification<br>IS 2062:2011 Grade E 250<br>B0 with furnace<br>Normalisation with UST as<br>Per ASTM A435/A435 M-90  | MMR     | 5040<br>QTL.  | 16-Jan-21 |
|     | RITES-CALL  | (FP)     |          |  |         |               |           |
| 145 | 90190903703630<br>dt.16-SEP-19 on<br>M/s.Secretary<br>(Stores), Railway<br>Board, New Delhi     | 6595020  | 90426277 | Mild Steel Plates 40 x 1800<br>x 12500 to the Specification<br>IS:2062:2011 Grade E 250<br>B0 With Furnace<br>Normalisation With UST as<br>per ASTM A435/A 435 M-90  | MMR     | 1500<br>QTL.  | 16-Jan-21 |
|     | RITES-CALL  | (FP)     |          |  |         |               |           |

|     |   |                          |          |   |         |                |           |
|-----|---|--------------------------|----------|---|---------|----------------|-----------|
| 146 | 27191481103654<br>dt.16-SEP-19 on<br>M/s.ATUL<br>ENGINEERING UDYOG-<br>AGRA<br>RITES-CALL                             | 545958<br><br><br>(FP)   | 25138194 | BUFFER CASING TO<br>DRG.NO.SKDL-4563 Nos.   | ACL BSL | 70 Nos.        | 30-May-20 |
| 147 | 80192244103735<br>dt.19-SEP-19 on<br>M/s.NATIONAL<br>ENGINEERING<br>INDUSTRIES LTD.-<br>JAIPUR<br>RITES-CALL RITES-IC | 3427499<br><br><br>(FC)  | 80011147 | GADUS S5 V 42 P 2.5 FOR<br>WAG-9 AND WAP-7 LOCO<br>AXLE BOX BEARING.<br>Firms Offer :- Make / Brand -<br>SHELL.   | KYN     | 774<br>Kgs.    | 30-Mar-20 |
|     |   |                          |          |   | AQ      | 2070<br>Kgs.   | 30-Mar-20 |
|     |   |                          |          |   | ACL BSL | 90 Kgs.        | 30-Mar-20 |
| 148 | 75191014103752<br>dt.20-SEP-19 on<br>M/s.GS INDUSTRIES-<br>JALANDHAR<br>RITES-CALL RITES-IC                           | 10049942<br><br><br>(PC) | 77900121 | Set of PU paints for<br>UTKRISHT coaches. One<br>set contains following 03<br>items with their respective<br>quantities :[1] PU top coat<br>as per RDSO spec. no.<br>M&C/PCN/100/2018. RAL<br>0303045 Blood Red - 40 L<br>[2        | MTN     | 10 Set         | 18-Dec-19 |
|     |   |                          |          |   | MTN     | 40 Set         | 31-Jan-20 |
|     |   |                          |          |   | MTN     | 81 Set         | 30-Apr-20 |
|     |   |                          |          |   | MTN     | 30 Set         | 7-Oct-19  |
| 149 | 18192218103757<br>dt.20-SEP-19 on<br>M/s.PIONEER FIL-<br>MED PVT LTD-NEW<br>DELHI<br>RITES-CALL                       | 597204<br><br><br>(FC)   | 16240390 | SPIN ON FUEL FILTER<br>AASLY.FOR EMD LOCOS.<br>RDSO DRG.<br>NO.SK.DP.3676 ALT(2) OR<br>LATEST WITH PART<br>DRGS. OR ( EMD PART<br>NO 8423132,DLW PT.<br>NO.16240390) RDSO<br>SPECN. NO. MP.0.2600-                                  | DLS KYN | 116<br>Nos.    | 28-Jan-20 |
|     |   |                          |          |   | GPR PA  | 386<br>Nos.    | 28-Jan-20 |
| 150 | 27193239203759<br>dt.20-SEP-19 on<br>M/s.SCHAEFFLER<br>INDIA LIMITED-<br>VADODARA<br>RITES-CALL                       | 6910080<br><br><br>(FP)  | 29030110 | SET OF DRIVING END<br>AND NON DRIVING<br>SUSPENSION TUBE<br>BEARING FOR WAG -<br>9/WAP-7 LOCO 1) NU 1964<br>(DE) (ABB DRG .NO.IB012-<br>00752 )-1 NO/SET & ii) NH<br>1044(NDE) (ABB<br>DRG.NO.IBO12-00584)-1<br>NO/SET. Accepted of | ACL BSL | 21 Set         | 30-May-20 |
|     |   |                          |          |   | ACL BSL | 20 Set         | 30-Sep-20 |
|     |   |                          |          |   | ACL BSL | 20 Set         | 31-Jan-21 |
| 151 | 38193660703439<br>dt.03-SEP-19 on<br>M/s.Secretary<br>(Stores), Railway<br>Board, New Delhi<br>RITES-CALL             | 7317548<br><br><br>(FP)  | 38037452 | GREASE SEAL FOR AAR<br>STANDARD CLASS-'E'[6" X<br>11"] BEARING USED ON<br>CASNUB BOGIES OF<br>FREIGHT STOCK. RDSO<br>SPECIFICATION NO. WD-<br>50-MISC-2007 OF<br>OCTOBER 2007 OF<br>LATEST AMENDMENTS, IF                           | KWV     | 6660<br>Nos.   | 3-Jul-20  |
|     |   |                          |          |   | KWV     | 18079<br>Nos.  | 3-Jul-21  |
| 152 | 90190668703509<br>dt.10-SEP-19 on<br>M/s.Secretary<br>(Stores), Railway<br>Board, New Delhi<br>RITES-CALL             | 15002651<br><br><br>(FP) | 90403502 | M.S. PLATE 6 mm THICK<br>TO IS:2062/2011 Grade E<br>250 Cu Quality A<br>Semikilled.   | ACL BSL | 2139.5<br>QTL. | 10-Jan-21 |
|     |   |                          |          |   | PR      | 128.81<br>QTL. | 10-Jan-21 |
|     |   |                          |          |   | MTN     | 838.53<br>QTL. | 10-Jan-21 |



|     |  |                     |          |  |         |           |           |
|-----|--|---------------------|----------|--|---------|-----------|-----------|
|     |  |                     |          |  | ACL BSL | 500 QTL.  | 31-Mar-20 |
| 153 | 18192136103824<br>dt.23-SEP-19 on<br>M/s.K K INDUSTRIES-<br>PUNE<br>RITES-CALL RITES-IC                                      | 2142246<br><br>(PC) | 16060271 | TUBE ASSEMBLY PISTON COOLING TO EMD DRG. NO 40046561 / DLW PT NO 16060271 Alt. Ba.   | DLS KYN | 26 Nos.   | 28-Feb-20 |
|     |  |                     |          |  | GPR PA  | 210 Nos.  | 20-Jan-20 |
|     |  |                     |          |  | GPR PA  | 198 Nos.  | 28-Feb-20 |
| 154 | 81192124103838<br>dt.23-SEP-19 on<br>M/s.RADEX<br>STATIONERY INDIA<br>PRIVATE LIMITED-<br>NEW DELHI<br>RITES-CALL RITES-IC   | 2223661<br><br>(PC) | 83042362 | PAPER DUPLICATING WHITE SEMI-ABSORBENT IN SIZE 29.7 X 21 CMS 75 GSM 2.3 KGS PER REAM OF 500 SHEETS TO IS:1848/2007 TYPE 'A' AND PACKING AS PER IS:6211/93. MAKE/BRAND: RADEX                           | STY     | 9500 Ream | 15-Jan-20 |
|     |  |                     |          |  | STY     | 5982 Ream | 31-May-20 |
| 155 | 10191242103839<br>dt.23-SEP-19 on<br>M/s.FAIVELEY<br>TRANSPORT RAIL<br>TECHNOLOGIES INDIA<br>LIMITED-HOSUR<br><br>RITES-CALL | 1512793<br><br>(PC) | 11360021 | SA-9 Independent Brake Valve with handle assly to WABCO Part No. 564141 and 564143, FTRTILNO. 503001000, SIL NO. 30201407. HSN code : 86072900 Accepted Offer:- SA9 Independent Brake Valve with Handl | PR      | 29 Nos.   | 30-May-20 |
|     |  |                     |          |  | DLS KYN | 5 Nos.    | 30-May-20 |
|     |  |                     |          |  | CLA     | 4 Nos.    | 30-May-20 |
|     |  |                     |          |  | GPR PA  | 6 Nos.    | 30-May-20 |
| 156 | 27193786103842<br>dt.24-SEP-19 on<br>M/s.ALASIA<br>ENGINEERING<br>COMPANY PRIVATE<br>LIMITED-HOWRAH<br>RITES-CALL            | 638001<br><br>(FP)  | 23700191 | SET OF CONTACT SEGMENTS FOR REVERSER & CTF CONSISTING OF 03 ITEMS, 06 NOS. AS PER SKETCH NO. BSL/ELW/SK.NO. 9138 ALT 1.  | ACL BSL | 19 Set    | 31-May-20 |
| 157 | 27193694103902<br>dt.26-SEP-19 on<br>M/s.MADHVA<br>ENTERPRISES INDIA<br>PRIVATE LIMITED-<br>MUMBAI<br>RITES-CALL             | 871430<br><br>(FP)  | 29690067 | Current sensor (POS No. 18.2, 18.5,32) LT2000-S/ SP20, 1:5000-2000A-25 Ohm as per LEM Part No.LT.2000-S/SP-20 for 3-phase loco or latest. Firms Accepted Offer: make of LEM Switzerland SA.            | ACL BSL | 5 Nos.    | 30-Jun-20 |
| 158 | 38191011103937<br>dt.27-SEP-19 on<br>M/s.SRM EXOFLEX<br>PRIVATE LIMITED-<br>KOLKATA<br>RITES-CALL                            | 557542<br><br>(FP)  | 38106322 | MODIFIED ELASTOMERIC PAD COMPLETE TO RDSO DRG. NO. WD-95005/S-1, ALT. NO. 7[SEVEN] OR LATEST AND RDSO SPECN. NO. WD-20-MISC-95[REV-3] OF MARCH 2003 WITH 6 AMENDMENT/ACT                               | KWV     | 601 Nos.  | 21-Mar-20 |
|     |  |                     |          |  | SIG/BSL | 15 Nos.   | 21-Mar-20 |
| 159 | 85191454801796<br>dt.28-SEP-19 on<br>M/s.Controller of<br>Stores, JAIPUR   | 1348308             | 33500071 | UIC TAPER ROLLER BEARING FOR DIA 130 mm AXLE JOURNAL FOR FIAT BOGIE AS PER SKF DRG NO. 1639433 BC OR TIMKEN DRG NO. E48999   | MTN     | 36 Nos.   | 27-Dec-19 |

|     |  |                     |          |  |                          |                                       |   |
|-----|--|---------------------|----------|--|--------------------------|---------------------------------------|---|
|     | ITES-CALL  | (PX)                |          | PART NO. H127746H  |                          |                                       |   |
| 160 | 81192273203969<br>dt.30-SEP-19 on<br>M/s. RADEX<br>STATIONERY INDIA<br>PRIVATE LIMITED-<br>NEW DELHI<br>ITES-CALL  | 3987720<br><br>(FC) | 83049400 | Photocopier paper(Xerox paper) having GSM 80 +/- 3% with 80% brightness in size 29.7 X 21 CMS A-4 SIZE conforming to IS-14490/1997 OR LATEST with INDIAN RAILWAY logo size 5 cms X 5 cms in centre in l                                  | STY                      | 19000<br>Ream                         | 8-Dec-19                                |
| 161 | 43191108103517<br>dt.11-SEP-19 on<br>M/s. NEW DURGA<br>WIRE NETTING<br>WORKS-INDORE<br>ITES-CALL RITES-IC          | 588524<br><br>(FC)  | 45180787 | CRASH WORTHY FAN<br>GUARD ASSEMBLY [TOP<br>AND BOTTOM]<br>COMPLETE WITH<br>BEADING PROVIDING<br>SECURING CLAMPS AND<br>2 CLIPS WITH SECURING<br>FASTENERS MADE OF<br>POLISHED STAINLESS  | MTN                      | 798<br>Nos.                           | 31-Jan-20                               |
| 162 | 56191444800841<br>dt.11-SEP-19 on<br>M/s. Principal Chief<br>Materials Manager,<br>CLW, Chittaranjan<br>ITES-CALL  | 990000<br><br>(FP)  | 29100057 | HOUSING FOR TRACTION<br>BAR AS PER CLW<br>DRG. NO. 1209.01.113.002.<br>ALT-6 OR LATEST AND<br>ABB DRG. NO. IA011-<br>00380.REV.5 OR LATEST.<br>D190.01.113.002 ALT-6 OR<br>LATEST AND RDSO SMI<br>NO. RDSO/0002/EL/0044                  | ACL BSL                  | 40 Nos.                               | 12-Oct-19                               |
| 163 | 38191197203541<br>dt.12-SEP-19 on<br>M/s. HINDUSTAN<br>COMPOSITES LIMITED-<br>MUMBAI<br>ITES-CALL                  | 764726<br><br>(FP)  | 38140809 | K-TYPE COMPOSITION<br>BRAKE BLOCK TO RDSO<br>DRG. NO. WD-00006-S-01<br>ALT-3 OR LATEST.<br>MATERIAL AS PER RDSO<br>SPECIFICATION NO. WD-<br>14-ABR-2019 OF APRIL<br>2019 OR LATEST.  | SIG/BSL                  | 2930<br>Nos.                          | 30-Apr-20                               |
| 164 | 38193162103571<br>dt.13-SEP-19 on<br>M/s. JINDAL UDYOG<br>LTD-KOLKATA<br>ITES-CALL RITES-IC                        | 784350<br><br>(FC)  | 30636188 | Stainless Steel Wash basin<br>'D' type with mounting<br>brackets, to ICF Drg. No.<br>ICF/STD-6-3-020, Alt-d/NIL.<br>MATERIAL AND<br>SPECIFICATION AS PER<br>DRAWING.   | MTN                      | 830<br>Nos.                           | 16-Nov-19                               |
| 165 | 27193424103586<br>dt.13-SEP-19 on<br>M/s. HIND<br>ENTERPRISES-<br>MUMBAI<br>ITES-CALL                              | 1064832<br><br>(FP) | 29660014 | EARTH FAULT RELAY<br>FOR AUX.CONVERTOR<br>415/110V CKT.HARMONIC<br>FILTER AND CONTORL<br>CIRCUIT (POS<br>NO.89.2.89.5.89.6 AND<br>89.7) 150 MA 43 OHM-<br>36/110 VOLT AS PER ABB<br>DOCUMENT NO. HBVW<br>400011R0001 OR LATEST<br>AND CI | KYN<br><br>AQ<br>ACL BSL | 20 Nos.<br><br>100<br>Nos.<br>72 Nos. | 30-Jun-20<br><br>30-Jun-20<br>30-Jun-20 |
| 166 | 41191974103626<br>dt.16-SEP-19 on<br>M/s. GLASSFIBRE AND<br>ALLIED INDUSTRIES-<br>MUMBAI<br><br>ITES-CALL RITES-IC | 543533<br><br>(PC)  | 41076515 | " Nomex Aramide Paper<br>type 410, 15 [Fifteen] mil<br>thick, 914 mm wide [plus<br>minus one percent] in rolls<br>conforming to CLW<br>Specification No. A 0255<br>ALT-2 ".<br>MAKE/BRAND:DUPONT.  | ACL BSL<br><br>TMW       | 6 Kgs.<br><br>113<br>Kgs.             | 19-Dec-19<br><br>19-Dec-19              |

|     |   |                     |          |  |         |              |           |
|-----|---|---------------------|----------|--|---------|--------------|-----------|
| 167 | 38181653103705<br>dt.18-SEP-19 on<br>M/s.ANNAPURNA<br>ENGINEERING WORKS-<br>HOWRAH<br>RITES-CALL                                | 692437<br><br>(FP)  | 30350955 | ISOLATING COCK OLP<br>TYPE FOR LOCATIONS<br>OTHER THAN BRAKE<br>CYLINDER [BALL TYPE]<br>TO RDSO DRG. NO. SK.<br>97002 ALT-2. ITEM NO. 1<br>TO 12 AND MTRL<br>SPECIFICATION RDSO<br>SPECN. NO. 02-ABR-02,<br>APPENDIX-I,<br>AMENDMENT N | MTN     | 1115<br>Nos. | 20-Jul-20 |
|     |   |                     |          |  | PUNE    | 125<br>Nos.  | 20-Jul-20 |
|     |   |                     |          |  | WB      | 120<br>Nos.  | 20-Jul-20 |
| 168 | 27193674103722<br>dt.18-SEP-19 on<br>M/s.KHARAGPUR<br>METAL REFORMING<br>INDUSTRIES PVT LTD-<br>KHARAGPUR<br>RITES-CALL         | 1449000<br><br>(FP) | 29940084 | End Frame Driving End<br>assembly (machined) with<br>Air out let Net of WAP-5<br>loco for Traction Motors<br>(Type 6FXA 7059) as per<br>CLW Drg. No.<br>1TWD.097.011, Alt.-3 (Ref-<br>1) or latest and CLW<br>Specification No. 4      | ACL BSL | 20 Nos.      | 31-Mar-20 |
| 169 | 27193007103748<br>dt.19-SEP-19 on<br>M/s.TIRUPATI<br>ENGINEERING WORKS-<br>KOLKATA<br>RITES-CALL                                | 671580<br><br>(FP)  | 25148989 | SET OF BRAKE GEAR<br>PARTS FOR WAP-1 AND<br>WAP-4 LOCO BOGIE.<br>COMPRISING OF 25<br>ITEMS 196 NOS. AS PER<br>SKETCH NO.<br>ELW/BSL/SK.NO. 7035,<br>ALT-3 OR LATEST. Set of  | ACL BSL | 2 Set        | 30-May-20 |
| 170 | 27193401103775<br>dt.20-SEP-19 on<br>M/s.TIRUPATI<br>ENGINEERING WORKS-<br>KOLKATA<br>RITES-CALL                                | 7333200<br><br>(FP) | 29100057 | HOUSING FOR TRACTION<br>BAR AS PER CLW<br>DRG.NO.1209.01.113.002.<br>ALT-6 OR LATEST AND<br>ABB DRG.NO. IA011-<br>00380.REV.5 OR LATEST<br>AND RDSO SMI NO.<br>RDSO/2006/EL/0241<br>[REV.0] DATED 24.10.06.                            | KYN     | 10 Nos.      | 31-May-20 |
|     |   |                     |          |  | ACL BSL | 53 Nos.      | 31-Mar-20 |
|     |   |                     |          |  | ACL BSL | 45 Nos.      | 31-May-20 |
|     |   |                     |          |  | ACL BSL | 79 Nos.      | 30-Sep-20 |
|     |   |                     |          |  | ACL BSL | 79 Nos.      | 31-Dec-20 |
|     |   |                     |          |  | AQ      | 25 Nos.      | 30-May-20 |
| 171 | 27191823103807<br>dt.23-SEP-19 on<br>M/s.FRONTIER<br>SPRINGS LIMITED-<br>KANPUR<br>RITES-CALL                                   | 1198585<br><br>(FP) | 25040066 | PRIMARY SPRING FOR<br>WAP-4 LOCO BOGIE AS<br>PER DRG.NO.SKDL-3472<br>ALT-6. PAIRING OF<br>SPRING AS PER<br>COMPRESSED HEIGHT<br>AT WORKING LOAD WITH<br>GROUP-B(YELLOW<br>COLOUR ONLY)   | ACL BSL | 170<br>Nos.  | 30-Jun-20 |
| 172 | 42191444103813<br>dt.23-SEP-19 on<br>M/s.PT<br>COMMUNICATION<br>SYSTEMS PRIVATE<br>LIMITED-GAUTAM<br>BUDDHA NAGAR<br>RITES-CALL | 1604800<br><br>(PC) | 31900630 | Front Display Right [Head<br>Code] for AC-DC Siemens<br>EMU rakes as per RDSO<br>Specification No.<br>RDSO/PE/SPEC/EMU/0065<br>[Rev.03]-March 2011 or<br>latest with manual operating<br>facilities [Head Code<br>Software, Powe       | KALVA   | 3 Nos.       | 1-Apr-20  |
|     |   |                     |          |  | SNPD    | 13 Nos.      | 1-Apr-20  |

|     |  |                         |          |   |         |             |           |
|-----|--|-------------------------|----------|---|---------|-------------|-----------|
| 173 | 43191150103873<br>dt.25-SEP-19 on<br>M/s.THE BHARAT<br>BATTERY<br>MANUFACTURING<br>COMPANY PRIVATE<br>LIMITED-KOLKATA<br>RITES-CALL RITES-IC | 6693059<br><br><br>(PC) | 45170370 | DIESEL LOCO STARTER<br>BATTERY, [8 BATTERIES<br>OF 8V EACH] 500AH<br>CAPACITY LOW<br>MAINTENANCE LEAD<br>ACID BATTERY, TO DLW<br>SPECIFICATION No.<br>DEL/SPN/193 ALT. R3<br>JULY 1998 OR LATEST.<br>FIRM'S OFFER: Low<br>Maintenance | DLS KYN | 6 Set       | 31-Jan-20 |
|     |  |                         |          |   | CLA     | 6 Set       | 31-Jan-20 |
|     |  |                         |          |   | GPR PA  | 12 Set      | 31-Jan-20 |
| 174 | 27193333103882<br>dt.25-SEP-19 on<br>M/s.SKF INDIA LTD-<br>GURGAON<br>RITES-CALL   | 7237648<br><br><br>(PC) | 29010032 | TAPPER ROLLER<br>BEARING UNIT TBU-150<br>SKF NO<br>1639457A(150X250X160)A<br>S PER ABB DRG.NO.1A<br>016-01494 OR LATEST<br>FOR WAP5 LOCO.   | ACL BSL | 88 Nos.     | 25-May-20 |
| 175 | 81192042203888<br>dt.25-SEP-19 on<br>M/s.K.B. COMPUTER<br>FORMS., DEHRADUN.<br><br>RITES-CALL  | 1876000<br><br><br>(FP) | 83048832 | PAPER COMPUTER<br>INTERLEAVED WITH<br>CARBON IN SHEETS<br>CONFORMING TO IS<br>12766/97 WITH TEST<br>REQUIREMENT AS GIVEN<br>IN ISS.3 PLY<br>CONTINUOUS<br>STATIONERY WITH TWO<br>ONE TIME CARBON                                      | STY     | 1120<br>Set | 10-Mar-20 |
| 176 | 27193286103900<br>dt.26-SEP-19 on<br>M/s.POWER<br>EQUIPMENTS-<br>BHOPAL<br>RITES-CALL  | 2493951<br><br><br>(FP) | 29960083 | MAINTENANCE KIT FOR<br>CONTACTOR FOR FILTER<br>ON-PFF ADAPTATION<br>TYPE BPS 30.06S.<br>CONSISTING OF 11 ITEMS<br>01 NO. EACH AS PER<br>ANNEXURE.   | ACL BSL | 11 Set      | 30-Sep-20 |
| 177 | 38190020103957<br>dt.27-SEP-19 on<br>M/s.RELIABLE<br>POLYCOMPOUNDS<br>PVT LTD-GHAZIABAD<br><br>RITES-CALL RITES-IC                           | 581154<br><br><br>(FC)  | 33560717 | HOPPER WINDOW FOR<br>LHB COACHES AS PER<br>DRG.NO.MI 007168<br>ALT.NIL AS PER IS:733-83<br>63400 W AND MDTS 089<br>REV.03.  | MTN     | 101<br>Nos. | 31-Jan-20 |
| 178 | 65191194800426<br>dt.30-SEP-19 on<br>M/s.Office of the<br>Principal Chief<br>Materials Manager,<br>Allahabad<br>RITES-CALL                   | 797444<br><br><br>(PC)  | 16141210 | GEAR LOWER IDLER TO<br>EMD PT.NO.9543203 DLW<br>PT.NO.16141210 [DLW<br>INDENT ITEM]   | GPR PA  | 1 Nos.      | 30-Dec-19 |
|     |  |                         | 16170489 | GASKET CHAMBER TO<br>CRANK CASE TO EMD<br>PART NO 40055466 DLW<br>PART NO.16170489  | GPR PA  | 50 Nos.     | 30-Dec-19 |

|  |  |          |  |        |          |           |
|--|--|----------|--|--------|----------|-----------|
|  |  | 16240390 | SPIN ON FUEL FILTER TO EMD PART NO 8423132,DLW PT. NO.16240390. AS PER RDSO DRG. NO.SK.DP.3676 ALT(2) OR LATEST WITH ALL PART DRGS. RDSO SPECN. NO. MP.0.2600-19,Rev.01,AUG-2004 & TEST PROGRAMME NO. MP | GPR PA | 100 Nos. | 30-Dec-19 |
|  |  | 16241344 | VALVE ASSY RELIEF TO EMD PART NO.40069721 DLW PT NO.16241344 [DLW INDENT ITEM] specn: TO EMD PT NO.40069721  | GPR PA | 1 Nos.   | 30-Dec-19 |
|  |  | 17452855 | SECONDARY YAW DAMPER FOR EMD LOCOS TO RDSO DRG NO SK.VL-484 SPEC NO.MP.0.40.99.03 SK.VL-484 Nii REV. 02 JUNE 10 [WDG4] PART NO 40057722  | GPR PA | 10 Nos.  | 30-Dec-19 |
|  |  | 17454992 | DAMPER PRIMARY VERTICAL TO EMD PT NO 40123074 RDSO DRG NO SK.VL-484, SPEN NO MP 0.40.99.03 REV 02  | GPR PA | 10 Nos.  | 30-Dec-19 |