

CENTRAL RAILWAY

Depot : All Depots

LIST OF PURCHASE ORDERS

Section

Sr.	P.O. No. and Date	PO Value	PLNo	Item Description	Consignee	PO Qty	Dely.Dt
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;							
1	69195061100162 dt.03-MAY-19 on M/s.S.INTERNATIONALS MUMBAI RITES-CALL RITES-IC	811368 (FP)	2901N00	400A, 750V ZS COUPLING (SOCKET) WITH LOCKING ARRANGEMENT BUT WITHOUT CABLE FOR PROVISION ON WAP-7 LOCOMOTIVES CAB FOR	SR.SEC.ENG. (STORES)	12 Nos.	30-Jul-19
2	27195002101518 dt.07-MAY-19 on M/s.TOPGRIP INDUS INSTRUMENTS PVT LTD- KOLKATA RITES-CALL	1064578 (FP)	2501N00	BRAKE PIPE (BP) GAUGE AS PER CLW DRG. No. 1209-18-306-225 ALT-1 FOR THREE PHASE LOCOS. Firms Accepted Offer: Make/Brand-topgrip.	SR.SEC.ENG. (STORES)	188 Nos.	10-Jan-20
3	93195070200073 dt.07-MAY-19 on M/s.KENDRIYA BHANDAR-NEW DELHI RITES-CALL	2996000 (FP)	4315N1	Supply ,Installation, Testing & commissioning of Split type (Inverter AC) Air conditioner 1.5 Ton. Cap. Fitted with rotary type Compressor using Eco friendly Non CFC Refrigerant R-22/R-410/R134A, Co	SE/ED(AC AND R) BHUS	70 Nos.	1-Jun-19
4	50175063101566 dt.10-MAY-19 on M/s.HBL POWER SYSTEMS LTD- HYDERABAD RITES-CALL	5861110 (FP)	5646N08	Supply, checking of installation, testing and commissioning of SMPS based Integrated Power Supply system, conforming to RDSO Specification RDSO/SPN/ 165/2012 Version 3.0 with later amendments for pane	Sr. Section Engineer	2 Set	20-Feb-20
			5646N14	Supply, checking of installation, testing and commissioning of SMPS based integrated power supply conforming to RDSO Specifications RDSO/SPN/165/2012 Version 3.0 with later amendments for panel inter	Sr. Section Engineer	2 Set	20-Feb-20
5	96195033100169 dt.10-MAY-19 on M/s.ELECTRO EQUIPMENTS- HARIDWAR RITES-CALL RITES-IC	1685040 (FP)	4702Nxx	Supply, installation, Testing and commissioning of silent diesel generating set complying to C.P.C.B. II norms with AMF control panel and proper capacity for rated capacity of DG set in KVA;-125KVA	SR.SEC ENGG(ELE/M AIN	2 Nos.	24-Jul-19
6	92195036100360 dt.15-MAY-19 on M/s.AAS UDYOG- KOLKATA RITES-CALL RITES-IC	659325 (FP)	60	CROSSING BOLT WITH NUT 25 X 180 MM AS PER RDSO DRG. NO. T- 11513 FIRM OFFER :CROSSING BOLT WITHNUT 25 X180 MM AS PER RDSO DRG NO. T 11513	SE(PWAY) , [STORES]	7500 Nos.	13-Aug-19

7	91195204100255 dt.21-MAY-19 on M/s.SUNGLOBE INDUSTRIES-PUNE RITES-CALL RITES-IC	834750 (FP)	83XXN1	Rail switch clamp as per Drawing No. GM/(W)BB/P- 15903/R1 dated 30/01/2018 used by operating department staff at various stations and yards. GRADE OF MATERIAL	SR. DOM PUNE PA	300 Nos.	30-Aug-19
8	56195132100420 dt.23-MAY-19 on M/s.LAXVEN SYSTEMS- HYDERABAD RITES-CALL RITES-IC	686052 (FP)	25XXN01	Recorder main card (Part No 2000E2-SA-1001-2) for M/s Laxven type E2 make speedometer. ACCEPTED: FIRMS OFFER MAKE LAXVEN HSN CODE IS 90299000	SSE(TRS/MAI NT)BSL	20 Nos.	25-Jul-19
9	56186330100441 dt.23-MAY-19 on M/s.MULTIVISTA GLOBAL PRIVATE LIMITED-CHENNAI RITES-CALL RITES-IC	4052399 (FP)	25XXNS	TIMKEN MAKE TAPERED ROLLER BEARING L-558548/ L- 558510 FOR MAIN GEAR FOR WAP-5 WHEEL SET (ITEM RESERVED FOR RDSO APPROVED SOURCES ONLY) ACCEPTED: FIRMS OFFER TIMKEN MAKE PART NO	WHEEL SETS AC LOCO W	10 Nos.	28-Feb-20
10	96195071100178 dt.23-MAY-19 on M/s.RNVK IRON AND STEELS PRIVATE LIMITED-HOWRAH RITES-CALL RITES-IC	536098 (FP)	6012Nxxx	M.S. Crossing bolts with nuts size 25mm x 400 mm as per RDSO Drg No.T-11535 & confirming to to IRS Specification No.IRS T-23-67 with corrigendum No.5 of Oct-87 with latest amendment if any.. Firms	SE(PWAY) , [P.WAY DE	7.2 MT	12-Feb-20
11	96195114200157 dt.02-MAY-19 on M/s.AKASH SALES CORPORATION,, MUMBAI CITY RITES-CALL	549000 (FP)	4204Nxx	Item Description- RECHARGEABLE LED HIGH POWER NIGHT TORCH. Category Name- hand held search light. Model- OLIGHT 6110.	SE(PWAY) , [P.WAY DE	500 Nos.	30-May-19
12	48195007100384 dt.06-MAY-19 on M/s.AGROMACH SPARES CORPORATION- MUMBAI RITES-CALL	814200 (FP)	66NS	AIR BRAKE DISTRIBUTOR VALVE KE 1 DSL CAT No.N50002 OEM P.No. BE4604003-019 FOR 140 TON DIESEL HYDRAULIC BREAKDOWN CRANE (COWANS SHELDON -NEW DESIGN) FIRMS OFFER: MAKE/ BRAND- KNORR	CRANE REPAIR SHOP PR	1 Nos.	28-Dec-19
13	92195331100337 dt.07-MAY-19 on M/s.PARK AND COMPANY-MUMBAI RITES-CALL RITES-IC	770599 (FP)	92XXN022	Welton Tablets for use as disinfection of Water containing 65% available chlorine calcium hypochlorite for in tablet from of 20 grms. each make Aquafit, Aqua gard, Gangasagar , Chlorine containt variatio	SE(WORKS) , [M] BY	1850 Kgs.	5-Aug-19
14	90195007701526 dt.08-MAY-19 on M/s.Secretary (Stores), Railway Board, New Delhi	6393098	9013N01	M.S. PLATE 50MM THICK X 2500MM WIDTH X 10000MM LENGTH CONFIRMING TO IS:2062/11 E-250 GRADE "B0" FULLY KILLED AND NORMALIZED DULY UT. SPECIFICATION	SSS WELDING SHOP MMR	138 MT	8-May-20

	MITES-CALL	(FX)		SPECIFICATION- CONFIRMING TO IS-2062/11 E			
15	92195265100352 dt.14-MAY-19 on M/s.EXCEL ENTERPRISES-MUMBAI MITES-CALL	550400 (FP)	5225N1	Supply and installation of 75 inch UHD Large format display of Commercial grade with standard wall mount bracket and should have minimum 03 years warranty, as per attached specification. Make /model	TCI (HF) CLA	1 Nos.	13-Jun-19
16	96195066100179 dt.23-MAY-19 on M/s.RNVK IRON AND STEELS PRIVATE LIMITED-HOWRAH MITES-CALL MITES-IC	550989 (FP)	6012Nxxx	M.S. .Crossing Blots with Nuts Size 25 mm x 350 mm as per RDSO Drg No .T-11530 & confirming to IRS Specification No. IRS T-23-67 with corrigendum No.5 of Oct -87 with latest amendment if any Firms off	SE(PWAY) , [P.WAY DE	7.4 MT	12-Feb-20
17	85195101100954 dt.25-MAY-19 on M/s.JERO ELECTRICALS AND ELECTRONICS- MUMBAI MITES-CALL MITES-IC	1221123 (FP)	42XXNS	NATURAL AIR CIRCULATION HEAT TRANSFER SOLUTION SIZE 750MM TURBO EXHAUST COMBO, WITH NATURAL LIGHT, DAY LIGHTING SYSTEM. MODEL MULTI LENS DIFFUSER 750MM APPROXIMATE TUBE LENGTH, FITTED IN NON-	SR. SECT. ENGG.,S/S,	15 Nos.	30-Oct-19
18	56186335100468 dt.28-MAY-19 on M/s.SCHAEFFLER INDIA LIMITED-VADODARA MITES-CALL MITES-IC	2145240 (FP)	25XXNS	SET OF CYLINDRICAL ROLLER BEARING (DRIVING & NON DRIVING) NU 1964 & NH 1044 FOR WAG9/WAP7 CLASS LOCO. MANUFACTURERS DRG. NO. (a) DE:NU 1964 M1A.C4 NDE:NI 1044 566185 . H I	WHEEL SETS AC LOCO W	18 Set	30-Jan-20
19	86185907100163 dt.30-MAY-19 on M/s.MADHVA ENTERPRISES INDIA PRIVATE LIMITED- MUMBAI MITES-CALL MITES-IC	872610 (FP)	2979N01	LEM Switzerland make Voltage Sensor, Type No.DV 4200/SP4 for ALSTOM make SI Unit of AC DC locomotives.	Sr. Section Engineer	10 Nos.	31-Oct-19
20	56195009100471 dt.30-MAY-19 on M/s.VIVID METRAWATT VASAI EAST MITES-CALL MITES-IC	761100 (FP)	25XXN01	Supply,Installation and commissioning of surge comparison Tester for monitoring condition of Auxiliary motors as per TMW Specification No 4TMW/SPEC/194 Rev-3. ACCEPTED- Firms offer	SSE(TRS/TM) BSL	1 Nos.	1-Sep-19
21	41195025201593 dt.14-MAY-19 on M/s.VEEKAY GENERAL INDUSTRIES-GAUTAM BUDDHA NAGAR	41509159	4601N32	Jointless Grooved Copper Contact Wire, 107mm ² , made out of Continuous Cast Copper (CCC) Wire Rod, as per RDSO Specn. No. ETI/OHE/76(6/97) with A & C Slip Nos. 1, 3, 4, 5, 6,7,8 and 9 or latest. (In t	SSE(TRD) Yeola	3 KM	25-Nov-19

	RITES-CALL RITES-IC	(FP)	4601N33	Jointless Grooved Copper Contact Wire, 107mm ² , made out of Continuous Cast Copper (CCC) Wire Rod, as per RDSO Specn. No. ETI/OHE/76(6/97) with A & C Slip Nos. 1, 3, 4, 5, 6,7,8 and 9 or latest. (In t	Sr. Section Engineer	1.5 KM	25-Nov-19
			4601N34	Jointless Grooved Copper Contact Wire, 107mm ² , made out of Continuous Cast Copper (CCC) Wire Rod, as per RDSO Specn. No. ETI/OHE/76(6/97) with A & C Slip Nos. 1, 3, 4, 5, 6,7,8 and 9 or latest. (In t	Sr. Section Engineer	1.5 KM	25-Nov-19
			4601N35	Jointless Grooved Copper Contact Wire, 107mm ² , made out of Continuous Cast Copper (CCC) Wire Rod, as per RDSO Specn. No. ETI/OHE/76(6/97) with A & C Slip Nos. 1, 3, 4, 5, 6,7,8 and 9 or latest. (In t	Sr. Section Engineer	.5 KM	25-Nov-19
			4601N36	Jointless Grooved Copper Contact Wire, 107mm ² , made out of Continuous Cast Copper (CCC) Wire Rod, as per RDSO Specn. No. ETI/OHE/76(6/97) with A & C Slip Nos. 1, 3, 4, 5, 6,7,8 and 9 or latest. (In t	SR. SECT. ENGG.(CONS	64 KM	25-Nov-19
22	92195327100364 dt.17-MAY-19 on M/s.R K PLASTIC INDUSTRIES- AHMEDABAD RITES-CALL RITES-IC	595463 (FP)	92XXN019	HDPE Plastic Tarpoline with stitched and eye hooks of min finish size 26 feet X 16 feet not less than 200 GSM with eyelets to be fix at spacific distance weight appeox 7.73 Kgs eyelets will fix manufa	SE(WORKS) , [M] BY	567 Nos.	10-Jul-19
23	56186231800397 dt.17-MAY-19 on M/s.Principal Chief Materials Manager, CLW, Chittaranjan RITES-CALL	1801800 (FP)	25XXNS	BOGIE FRAME ASSEMBLY FOR WAG-9 LOCO. AS PER CLW DRG NO 1209-01.112-001 (ITEM RESERVED FOR CLW APPROVED SOURCES ONLY)	BOGIE AC LOCO W/SHOP	1 Set	25-Jun-19
24	41185259101698 dt.21-MAY-19 on M/s.THERMO CABLES LIMITED-HYDERABAD RITES-CALL RITES-IC	795226 (FP)	4040N05	95 sq mm ELECTRON BEAM IRRADIATED THIN WALLED FLEXIBLE ELASTOMETRIC CABLE WITH COPPER CONDUCTORS FOR WORKING VOLTAGE UP TO 750 VOLTS AS PER RDSO SPECIFICATION NO	CWM / PR	936 MTR	5-Dec-19

25	56185515100435 dt.23-MAY-19 on M/s.KAY PEE EQUIPMENTS PVT LTD- HOWRAH RITES-CALL	1418550 (FP)	2513N19	SET OF LABYRINTH RING FOR NOSE SUSPENDED DRIVE [MSU TUBE] OF WAP- 7/WAG-9 AS PER ELW/BSL SKETCH NO ELW/BSL/3- PH/SK NO.502[ONE SET CONSIST OF 10 ITEM,ONE NO EACH TOTAL 10ITEM	WHEEL SETS AC LOCO W	14 Set	25-Jan-20
26	56186331100436 dt.23-MAY-19 on M/s.KAY PEE EQUIPMENTS PVT LTD- HOWRAH RITES-CALL	1627343 (FP)	25XXNS	AXLE BOX HOUSING WITHOUT ROLLER BEARING FOR WAP-5 LOCOS. AS PER ABB DRG. NO. IA011-00371- 001 REV-4 (ITEM RESERVED FOR CLW APPROVED SOURCES) ACCEPTED: FIRMS OFFER AXLE BOX	WHEEL SETS AC LOCO W	10 Nos.	25-Jan-20
27	56186324100438 dt.23-MAY-19 on M/s.KNORR-BREMSE INDIA PVT. LTD.- PALWAL RITES-CALL RITES-IC	2493120 (FP)	25XXNS	TRI-PLATE PANEL MOUNTED IRAB-9 BRAKE SYSTEM FOR ELECTRIC LOCOMOTIVE AS PER RDSO SPECIFICATION NO. ELRS/SPEC/PBS/0034 REV-1 OF APRIL-2005 OR LATEST. (ITEM RESERVED FOR CLW APPROVED	PNEUMATIC AC LOCO W/	4 Nos.	24-Jan-20
28	56186157100440 dt.23-MAY-19 on M/s.ELCO ENTERPRISE- KOLKATA RITES-CALL RITES-IC	3534300 (FP)	25XXNS	SET OF HIGHER CAPACITY CTF-1,2 AND 3 OF 1500 AMP FOR WAG-5/WAG-7 LOCOS.ONE SET CONSISTS OF 03 ITEMS 03 NOS.AS PER ANNEXURE ATTACHED.SET CONFIRMING TO CLW SPECN NO ATTS 101 005 (A)	CWM(ELW) BSL	6 Set	25-Sep-19
29	85187832100962 dt.25-MAY-19 on M/s.AYUSH ENTERPRISES-RAIGARH RITES-CALL RITES-IC	1361248 (FP)	42XXNS	SUPPLY OF three phase, 4 WIRE ELECTRICAL ENERGY MEASURING / MONITORING SYSTEM FOR 415 VOLTS LT BUS BAR DISTRIBUTION PANEL WITH HM1 FOR REMOTE MONITORING AND ALERT FACILITY FOR	SR. SECT. ENGG.,S/S,	7 Nos.	24-Jul-19
30	56186211100467 dt.28-MAY-19 on M/s.ELMEC COM AGENCIES-MALAD(W), MUMBAI RITES-CALL	1032042 (FP)	25XXNS	MOTOR FOR MACHINE ROOM BLOWER AS PER CLW SPEC NO- CLWES/3/0020 OR LATEST [ITEM RESERVED FOR CLW APPROVED SOURCES ONLY] ACCEPTED: MAKE CGPISL	AUXILIARIES OVERHAUL	41 Nos.	29-Oct-19
31	96195017100161 dt.03-MAY-19 on M/s.MIKA ENGINEERING INDIA PRIVATE LIMITED- MUMBAI RITES-CALL	1250445 (FP)	96xN02	Lavatory air exhauster (Venturi) for ICF coaches as per RCF Drg No. MI006343, Alt. Nil, item no. 1 to 7 Firms offer MAKE/BRAND - MIKA	SENIOR SECTION ENGI	1000 Nos.	17-Jul-19

32	93195071200072 dt.07-MAY-19 on M/s.KENDRIYA BHANDAR-NEW DELHI RITES-CALL	2794000 (FP)	4315N1	Supply ,Installation, Testing & commissioning of Split type (Inverter AC) Air conditioner 2.0 Ton. Cap. Fitted with rotary type Compressor using Eco friendly Non CFC Refrigerant R-22/R-410/R134A, Co	SE/ED(AC AND R) BHUS	44 Nos.	1-Jun-19
33	92195360100339 dt.08-MAY-19 on M/s.EXCEL ENGINEERS- MUMBAI RITES-CALL RITES-IC	711540 (FP)	65XXN1	HOT WATER HIGH PRESSURE CLEANING MACHINE WITH ELECTRIC BOILER EFFICIENT AS PER SPECIFICATION NO. KYN-RS-L6-2018 REV-1, KARCHER OR MARICLEAN OR COMBIJET MAKE ONLY MATERIAL TO	Sr. Section Engineer	1 Nos.	7-Jul-19
34	90195006701524 dt.08-MAY-19 on M/s.Secretary (Stores), Railway Board, New Delhi RITES-CALL	7319634 (FX)	9013N01	M.S.Plate 50MM THICK X 1600MM WIDTH X 12000MM LENGTH CONFIRMING TO IS:2062/11 E-250 GRADE "B0" FULLY KILLED AND NORMALIZED DULY UT. SPECIFICATION CONFIRMING TO IS:2062/11 E-	SSS WELDING SHOP MMR	158 MT	8-May-20
35	69195078100166 dt.10-MAY-19 on M/s.STACKERS AND MOVERS I MFG CO-AHMEDABAD RITES-CALL	944000 (FX)	SPXXN01	FORK LIFT TRUCK AS PER SPECIFICATION ATTACHED IN ANNEXURE-C.	SR.SEC.ENG. (STORES)	1 Nos.	12-Dec-19
36	60195012101671 dt.20-MAY-19 on M/s.SAHIL ENTERPRISES-THANE RITES-CALL RITES-IC	1711000 (FP)	6579N01	Procurement of Tissue Embedding System for Pathology Dept. at Byculla Hospital. Material required as per Specification. MAKE/BRAND - LIECA GST.HSN.CODE - 84798997	MD BY	1 Nos.	14-Nov-19
37	93186190100079 dt.22-MAY-19 on M/s.LED HOUSE-JABALPUR RITES-CALL RITES-IC	3170160 (FP)	4211N1	LED Street Light (Roadway) Fitting in aluminium PDC Housing with inbuilt Lens for each LED for distribution in wide beam angle of light alongwith clear Toughened glass Cover	SR.SECTION ENG. ELEC	3700 Nos.	26-Jun-19
38	56186198100433 dt.23-MAY-19 on M/s.SCHUNK METAL AND CARBON (INDIA) PRIVATE LIMITED-BANGALORE RITES-CALL RITES-IC	3349920 (FP)	25XXNS	HIGH REACH PANTOGRAPH FOR ELECTRIC LOCOS AS PER RDSO SPECIFICATION NO RDSO/2007/EL/SPEC/0054 DATED 04.11.2015 [ITEM RESERVED FOR RDSO APPROVED SOURCES ONLY]	AUXILIARIES OVERHAUL	6 Nos.	25-Nov-19
39	38185034101812 dt.28-MAY-19 on M/s.G.B. SPRINGS PRIVATE LIMITED-DEHRADUN	6559195	3001N42	HELICAL SPRING (CENTER LESS GROUND) ICF DRG. NO. F-0-1-006, ALT E/10, FOR AXLE BOX GUIDE ARRANGEMENT.	ELECTRIC LOCO REPAIR	912 Nos.	30-Sep-19

	BITES-CALL	(FP)					
40	50175139301827 dt.29-MAY-19 on M/s.EVERSHINE ELECTRICAL WORKS(I)- NEW DELHI	48675000	5611N7	PVC INSULATED ARMOURED UNSCREENED COPPER CONDUCTOR UNDERGROUND RAILWAY SIGNALLING CABLE SIZE 12 CORE X 1.5 SQ.MM CONFORMING TO RDSO SPECIFICATION IRS:S-63/2014 [REV.4.0] WITH LATEST AMENDMENTS.	CSI [C] Kalyan	30 KM	31-Jul-19
	BITES-CALL	(FP)			CSI [C] Kalyan	70 KM	31-Jul-19
					CSI [C] Kalyan	100 KM	31-Aug-19
					CSI [C] Kalyan	50 KM	30-Sep-19
41	86185579100159 dt.17-MAY-19 on M/s.PPS INTERNATIONAL- GAUTAM BUDH NAGAR	735789	29NS	Set of Connector for WAG-9 locomotives as per Specification No.CLW/ES/3/0124 Alt.N. One set consists of 78 Items in 860 Nos. as per Annexure attached. Material to be procured from CLW approved sourc	Sr. Section Engineer	1 Set	16-Aug-19
	BITES-CALL BITES-IC	(FP)					
42	27195001101683 dt.21-MAY-19 on M/s.AUTOMETERS ALLIANCE LTD-NOIDA	5672142	2326N1	Single Bottle Vacuum Circuit Breaker (VCB) for conventional Electric Locomotives as per CLWs Specification No. CLW/ES/C/47 Alt-H or latest. Firms Accepted Offer: As per Annexure attached.	SR.DEE, [TRS] KYN	21 Nos.	31-Jan-20
	BITES-CALL BITES-IC	(FP)					
43	92195328100367 dt.21-MAY-19 on M/s.MAHAVIR PLASTIC- AHMEDABAD	537627	92XXN020	HDPE Plastic Tarpoline with stitching eye hooks of size 24 feet X 21 feet (Cut of size 23 feet X 19 feet) 200GSM made from closely woven HDPE fabric & laminated with virgin quality LDPE granules join	SE(WORKS) , [M] BY	452 Nos.	15-Aug-19
	BITES-CALL BITES-IC	(FP)					
44	50195011101746 dt.24-MAY-19 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI	13557734	5601N79	Supply of SIEMENS Make Shunt Signal Relay Group Type A-RT- RG-A-065 suitable for LED Signal without base plate as per specification IRS-S-46 with latest Amendments and Firms specifications. Make/Bra	SIGNAL INSPECTOR PA	107 Nos.	31-Mar-20
	BITES-CALL	(FP)	5601N80	Supply of SIEMENS Make Shunt Signal Relay Group Type A-RT- RG-A-065 suitable for LED Signal without base plates as per specification IRS-S-46 with latest Amendment and Firm's specifications.	Sr. Section Engineer	84 Nos.	31-Mar-20
45	38192131101763 dt.24-MAY-19 on M/s.KIRAN RUBBER PRODUCTS-PUNE	578550	30568146	UIC TYPE RUBBER VESTIBULE UPPER FLANGE COMPLETE, TO RDSO DRG. NO. SK-99056 ALT-3..ITEM NO. 2. MATERIAL AND	ELECTRIC LOCO REPAIR	58 Set	31-Aug-19

	BITES-CALL BITES-IC	(FP)		SPECIFICATION: RDSO STR			
46	85187872100956 dt.25-MAY-19 on M/s.BHASIN PACKARD ELECTRONICS PVT. LTD.- MOHALI BITES-CALL BITES-IC	1246080 (FP)	45XXNS	EMERGENCY BATTERY CHARGER SINGLE PHASE, 50HZ FOR EOG TYPE LHB AC COACHES AS PER RCF SPECIFICATION NO. EDTS - 163 REV - C, CORRIGENDUM 4 OR LATEST.	Sr. Section Engineer	48 Nos.	15-Oct-19
47	85195040100961 dt.25-MAY-19 on M/s.JERO ELECTRICALS AND ELECTRONICS- MUMBAI BITES-CALL	1356468 (FP)	45XXNS	110 VOLT DC MOBILE CHARGING SOCKET 3 - PIN PREWIRED WITH FUSE COMPLETE AS PER ICF DRG. NO. ICF/ SK3-7-6-036 ALT.' F ' OR LATEST. NOTE :- MATERIAL PURCHASE FROM RCF / ICF /RDSO APPROVED SOURCES.	SR. SECT. ENGINEER,	3391 Nos.	14-Feb-20
48	85187711100964 dt.25-MAY-19 on M/s.AVADH RAIL INFRA LIMITED-HARIDWAR BITES-CALL	1837500 (FP)	30XXNS	AIR SPRING ASSEMBLY 140 KN CAPACITY FOR MAINLINE COACHES AS PER RDSO STR CK 509 REV.2 TO DRG. NO CA 05 100 ITEM NO 1 FOR ICF TYPE ACCN (LGS & GS) BOGIES OF DURANTO EXPRESS.	MACHINE SHOP MTN	14 Nos.	16-Dec-19
49	50185115301826 dt.29-MAY-19 on M/s.ATLANTA TELE CABLES, ROORKEE BITES-CALL	274721700 (FP)	5611N8	PVC INSULATED ARMoured UNSCREENED COPPER CONDUCTOR UNDERGROUND RAILWAY SIGNALLING CABLE SIZE 12 CORE X 1.5 SQ.MM CONFORMING TO RDSO SPECIFICATION IRS:S-63/2014 [REV.4.0] WITH LATEST AMENDMENTS.	Sl, [C] Nagpur	350 KM	30-Sep-19
					Sl, [C] Nagpur	350 KM	31-Dec-19
					Sl, [C] Nagpur	350 KM	31-Mar-20
					Sl, [C] Nagpur	361 KM	30-Jun-20
50	96195089100197 dt.31-MAY-19 on M/s.BEMCO HYDRAULICS LIMITED- BELGAUM BITES-CALL BITES-IC	944000 (FP)	6501N07	Pump set with petrol engine for SPARMV/Solapur for BEMCO make HRE as per COFMOW order G-601410 (Model : PEP 5.5 & Ordering code A-1001). The detailed specifications are as under : 1) Model No. PEP 5.5	SENIOR SECTION ENGI	1 Set	13-Oct-19
51	83185030201483 dt.03-MAY-19 on M/s.JAKSON LIMITED- NEW DELHI BITES-CALL	3436440 (FP)	6501N79	SUPPLY AND INSTALATION OF 500 KVA LIQUID COOLED DIESEL GENERATOR SET WITH AMF CONTROL PANEL AS PER SPECIFICATION ATTACHED.	SR.SECTION ENGINEER(1 Nos.	31-May-19
52	43185016101539 dt.09-MAY-19 on M/s.THE BHARAT BATTERY MANUFACTURING COMPANY PRIVATE LIMITED-KOLKATA	1793194	4501N24	110 VOLTS, 40 AH Lead Acid Battery Set Complete with all Accessories as per RDSO Specification No. RDSO/PE/SPEC/TL/0040-2003 [Rev-0] with A & C Slip No. 1 OR Latest. FIRM'S OFFER: Low Maintenance Lead	Sr. Section Engineer	19 Set	5-Nov-19

	MITES-CALL MITES-IC	(FP)					
53	43181129101647 dt.16-MAY-19 on M/s.AMARA RAJA BATTERIES LTD- CHENNAI MITES-CALL MITES-IC	12791368 (FP)	45178460	110V/120AH CAPACITY VALVE REGULATED LEAD ACID BATTERIES FOR TL COACHES IN SETS OF 19 MODULES [6 VOLTS PER MODULE], IN CHARGED CONDITION, WITH INTER CELL CONNECTOR AS PER RDSO SPECIFICATION No. RDSO/PE	CWM / PR CWM / PR CWM / PR CWM / PR	25 Set 25 Set 25 Set 16 Set	17-Jun-19 17-Jul-19 17-Aug-19 17-Sep-19
54	95195112100241 dt.20-MAY-19 on M/s.SHREE GANESH ENTERPRISES-MUMBAI MITES-CALL MITES-IC	862096 (FP)	5606N001	Description : Complete barrier pedestal without boom complete with gear drive unit clutch motor timing belt terminal and wiring pedestal with limit switches frame housing and counter balance channels,	SIGNAL INSPECTOR NGP	6 Nos.	28-Oct-19
55	91186244100258 dt.22-MAY-19 on M/s.SYSTEMS 24X7- PUNE MITES-CALL	552240 (FP)	56XXN1	Supply of 52 port gigabit PoE managed layer two switch with four No. SFP port loaded with atleast two no. of ten gigabite SFP module. Make:- CISCO/Juniper/Nortel. Conforming to specification attached	SR.SECTION ENGINEER(1 Nos.	12-Jul-19
			56XXN2	Supply of 52 port Gigabit PoE manged layer two switch with 04 nos. SFP port loaded with atleast two nos. of ten gigabite SFP module. make CISCO/Juniper/Nortel confirming to specification attached. MAK	SR.SECTION ENGINEER(5 Nos.	12-Jul-19
56	85187605100955 dt.25-MAY-19 on M/s.HEM ENTERPRISES- MUMBAI MITES-CALL MITES-IC	1098745 (FP)	4521NS	SET OF BLOWER (EVAPORATOR) RUNNERS 'A' TYPE- QTY. 01 NO., 'B' TYPE- QTY.01 NO. MADE OF STAINLESS STEEL SIZE - 250 X 150 MM SUITABLE FOR FEDDERS LLOYD/ LEEL MAKE RMPIL AS PER FEDDER	SHOP SUPDPT.AIR CONDI	126 Set	10-Oct-19
57	85187831100957 dt.25-MAY-19 on M/s.AYUSH ENTERPRISES-RAIGARH MITES-CALL MITES-IC	1019963 (FP)	42XXNS	SUPPLY OF THREE PHASE, 3 WIRE ELECTRICAL ENERGY MEASURING/MONITORING SYSTEM FOR 22KV HT BUS BAR PANNEL WITH HMI FOR REMOTE MONITORING AND ALERT FACILITY FOR SATPLIDA AND SAHYADRI	SR. SECT. ENGG.,S/S,	5 Nos.	23-Aug-19
58	48195265200506 dt.29-MAY-19 on M/s.B J AUTOMATION- MUMBAI MITES-CALL	861000 (FP)	43NS	All in One Desktop computers, Technical specification as per make Lenovo ThinkCentre M820z - i3 with 3 year OEM warranty.	DYCOMM [M] PR	21 Nos.	28-Jun-19

59	92195053100392 dt.29-MAY-19 on M/s.SIDDHI VINAYAK ENTERPRISES-MUMBAI RITES-CALL RITES-IC	822360 (FP)	72XXN74	CHROME PLATED HEALTH FAUCET (JETS) WITH 1.5 METER FLEXIBLE PVC PIPES AND T FITTINGS FOR TOILETS OF AC COACHES. FIRM OFFER MAKE MAGIC FLO IN ALL RESPECT. FIRM SHOULD SUBMIT AN ADVANCE SAMPLE FOR	Sr.CDO LTT	4250 Nos.	27-Aug-19
60	38195003101880 dt.31-MAY-19 on M/s.SHASWAT STEEL WORKS PRIVATE LIMITED-MUMBAI RITES-CALL RITES-IC	919502 (FP)	3063N905	S.S. INLAY SUPPORT PLATE TO DRG. NO. CRW/SK-543, ITEM NO. 1.	STRUCTURA L SHOP PR	4514 Nos.	5-Aug-19
61	90195005701525 dt.08-MAY-19 on M/s.Secretary (Stores), Railway Board, New Delhi RITES-CALL	5508854 (FX)	9013N01	M.S.PLATE 16MM THICK X 2000MM WIDTH X 12000MM LENGTH CONFIRMING OT IS:2062/11 E-250 GRADE "B0" FULLY KILLED AND NORMALIZED DULY UT. SPECIFICATION : CONFIRMING OT IS:2062/11 E	SSS WELDING SHOP MMR	127 MT	8-May-20
62	92195070100358 dt.15-MAY-19 on M/s.PARK AND COMPANY-MUMBAI RITES-CALL RITES-IC	677365 (FP)	73XXN001	Non Flammable green bio product for odor control in portable toilets/bio toilet, Make- BIOSOL FRESHIN or similar. FIRM'S OFFER: "ZERODOR ODOCARE CONCENTRATE.	JR. ENGINEER COACHIN	1008 LTR	31-Jan-20
63	92195286100368 dt.21-MAY-19 on M/s.s.INTERNATIONALS MUMBAI RITES-CALL	525690 (FP)	4514N02	UIC Jumper cable with connector to RCF Drawing No.75206, alt. 'C'. Make Schaltbau India Pvt. Ltd. or S. International.	SSE (ELECT. TRAIN LI	27 Nos.	20-Jul-19
64	41185259101697 dt.21-MAY-19 on M/s.RADIANT - RSCC SPECIALTY CABLE PRIVATE LIMITED- HYDERABAD RITES-CALL RITES-IC	4359603 (FP)	4040N05	95 sq mm ELECTRON BEAM IRRADIATED THIN WALLED FLEXIBLE ELASTOMETRIC CABLE WITH COPPER CONDUCTORS FOR WORKING VOLTAGE UP TO 750 VOLTS AS PER RDSO SPECCIFICATION NO ELRS/SPEC/ELC/0019, REV-"4" OF FE	CWM / PR	3744 MTR	14-Aug-19
65	56185858100431 dt.23-MAY-19 on M/s.SCOPE T AND M PVT LTD-MUMBAI RITES-CALL RITES-IC	1056100 (FP)	2513N01	Third harmonic measuring arrangement of gapless lighting arrestors. as per RDSO TC No. RDSO/2016/EL/TC/0136 [REV.0] dtd.08/08/16[specification as per annexure-I][material to be procured from RDSO ap	SSE(TRS/MAI NT)BSL	1 Nos.	30-Nov-19

66	56185820100437 dt.23-MAY-19 on M/s.VIKRANT ENGINEERING WORKS- KOLKATA RITES-CALL RITES-IC	1417500 (FP)	0125NS	FILTER ASSEMBLY FOR MACHINE ROOM VENTILATION FOR 3 PHASE LOCO.AS PER CLW SPEC NO.CLW/MS/3/012 PART-1 AND CLW DRAWING NO.1209.11.135-121 ALT- 2 (ITEM RESERVED FOR CLW)	CWM/ELW/BS L	18 Nos.	25-Sep-19
67	56185990100439 dt.23-MAY-19 on M/s.THE SPECIAL ELECTRIC AND ENGG CO MUMBAI RITES-CALL RITES-IC	1395723 (FP)	2515N04	SET OF BUSHES FOR BOGIE BRAKE RIGGING OF WCAM 3 LOCO. ONE SET CONSIST OF 21 ITEMS 588 NOS AS PER BHEL DRAWING NO TACHA 6 REV-4 (ITEMS RESERVED FOR CLW APPROVED SOURCE ONLY)	BOGIE AC LOCO W/SHOP	20 Set	14-Oct-19
68	92195004100389 dt.29-MAY-19 on M/s.YOGEETECH SERVICES-NASHIK RITES-CALL RITES-IC	657331 (FP)	83XXN61	ECO SOLVENT DIGITAL ADHESIVE LAMINATED VINYL PRINTS FOR DESITNATION , PANEL , AND COACH INDICATION BOARDS AS PER ANNEXURE COMPRISE	Sr.CDO LTT	38471 FT	28-Jul-19
69	50185201301825 dt.29-MAY-19 on M/s.SUYOG ELECTRICALS LTD.- VADODARA RITES-CALL	141352200 (FP)	5611N1	PVC INSULATED ARMOURED UNSCREENED COPPER CONDUCTOR UNDERGROUND RAILWAY SIGNALLING CABLE SIZE 12 CORE X 1.5 SQ.MM CONFORMING TO RDSO SPECIFICATION IRS:S-63/2014	Sr. Section Engineer	303 KM	31-Oct-19
					Sr. Section Engineer	100 KM	31-Oct-19
			5611N3	PVC INSULATED ARMOURED UNSCREENED COPPER CONDUCTOR UNDERGROUND RAILWAY SIGNALLING CABLE SIZE 12 CORE X 1.5 SQ.MM CONFORMING TO RDSO SPECIFICATION IRS:S-63/2014 [REV.4.0] WITH LATEST AMENDMENTS	Sr. Section Engineer	3 KM	31-Oct-19
					Sr. Section Engineer	4 KM	31-Oct-19
					Sr. Section Engineer	4 KM	31-Oct-19
					Sr. Section Engineer	6 KM	31-Oct-19
					Sr. Section Engineer	6 KM	31-Oct-19
			5611N4	PVC INSULATED ARMOURED UNSCREENED COPPER CONDUCTOR UNDERGROUND RAILWAY SIGNALLING CABLE SIZE 12 CORE X 1.5 SQ.MM CONFORMING TO RDSO SPECIFICATION IRS:S-63/2014 [REV.4.0] WITH LATEST AMENDMENTS	SIGNAL INSPECTOR PA	11 KM	31-Oct-19
					SIGNAL INSPECTOR PA	5 KM	31-Oct-19
					SIGNAL INSPECTOR PA	78 KM	31-Oct-19
			5611N5	PVC INSULATED ARMOURED UNSCREENED COPPER CONDUCTOR UNDERGROUND RAILWAY SIGNALLING CABLE SIZE 12 CORE X 1.5 SQ.MM CONFORMING TO RDSO SPECIFICATION IRS:S-63/2014 [REV.4.0] WITH LATEST AMENDMENTS.	SIGNAL INSPECTOR KWW	10 KM	31-Oct-19
					SIGNAL INSPECTOR KWW	10 KM	31-Oct-19
					SIGNAL INSPECTOR KWW	8 KM	31-Oct-19
SIGNAL INSPECTOR KWW	8 KM	31-Oct-19					

			5611N6	PVC INSULATED ARMOURED UNSCREENED COPPER CONDUCTOR UNDERGROUND RAILWAY SIGNALLING CABLE SIZE 12 CORE X 1.5 SQ.MM CONFORMING TO RDSO SPECIFICATION IRS:S-63/2014 [REV.4.0] WITH LATEST AMENDMENTS.	Sr. Section Engineer	20 KM	31-Oct-19
			5611N9	PVC INSULATED ARMOURED UNSCREENED COPPER CONDUCTOR UNDERGROUND RAILWAY	CSI [C] Pune	24 KM	31-Oct-19
					CSI [C] Pune	126 KM	31-Jan-20
70	42185016101868 dt.31-MAY-19 on M/s.SOMESHWAR CASTINGS PVT LTD- ALLAHABAD RITES-CALL	4588500 (FP)	3501N55	Axle Box Housing [Finished Machined] for Motor Coach to Drg. No. EMU/M-0-2-002, Alt-H/2, Item No. 2 Material Specification to RDSO Specn. No. RDSO/2007/CG-08 and Amendment Slip No. 1 of July 2009	CWM WHEEL SHOP MTN	500 Nos.	10-Feb-20
71	92186616100330 dt.06-MAY-19 on M/s.EASTERN TRACK UDYOG PVT. LTD.- KOLKATA RITES-CALL RITES-IC	698560 (FP)	7398NS02	Junction Fish Plate 60 /52 Kg. as per RDSO Drg. No. 696-699 IRS/T -1-2012 (Prov)	SE(PWAY) , [STORES]	40 Set	5-Jul-19
72	48195264100385 dt.07-MAY-19 on M/s.MARINE ENGINEERING AND EQUIPMENT CO- MUMBAI RITES-CALL	833070 (FP)	19NS	Set of Axle Box Assembly to drawing No. F-10544/1 for Narrow Gauge NDM1 Loco as per Annexure "A". FIRM'S OFFER - MAKE - MEECO.	DIESEL HYDROULIC SHO	20 Set	5-Aug-19
73	91195131200229 dt.08-MAY-19 on M/s.B.S. VENTURES, RAIPUR RITES-CALL	836000 (FP)	40XXN01	HT XLPE 3 CORE CABLE 11 KV (E) VOLTAGE GRADE. HT XLPE CABLE, ALUMINIUM CONDUCTOR SIZE 3 X 300 SQ.MM. CONDUCTOR SHOULD BE STRANDED,	SR. SECT. ENGG.(CONS)	550 MTR	10-May-19
74	38195014101691 dt.21-MAY-19 on M/s.HINDUSTAN WAGON-HOWRAH RITES-CALL	1173060 (FP)	30050108	ALTERNATE EQUALISING STAY FOR LOWER SPRING BEAM [FORGED TYPE] BOTH 16.25 T AND 13 T BOGIES, TO RDSO DRG. NO. CG-11060, ALT-1, WITHOUT ITEM NO. 2	ELECTRIC LOCO REPAIR	760 Nos.	28-Feb-20
75	56185813100407 dt.23-MAY-19 on M/s.PERFECT GEARS- MUMBAI RITES-CALL	661500 (FP)	0125NS	HURTH COUPLING [CROWNED GEAR COUPLING] 3 PHASE WAP-5 LOCO SPECIFICATION AS PER ANNEXURE.[ITEM IS RESERVED FOR CLW	BOGIE AC LOCO W/SHOP	1 Set	30-Sep-19

76	56186329100432 dt.23-MAY-19 on M/s.KAY PEE EQUIPMENTS PVT LTD- HOWRAH RITES-CALL	1639575 (FP)	25XXNS	SET OF MAIN GEAR DRIVE ASSEMBLY COMPONENTS FOR WAP-5 LOCO.SET OF WHEEL SET. ONE SET CONSISTS OF 5 ITEMS 10 NOS.AS FOLLOWS- [1] CAP PIECE OF BEARING WITH GEAR COMPLETE ABB	WHEEL SETS AC LOCO W	5 Set	25-Jan-20
77	96195072100180 dt.23-MAY-19 on M/s.RNVK IRON AND STEELS PRIVATE LIMITED-HOWRAH RITES-CALL RITES-IC	550989 (FP)	6012Nxxx	M.S. Crossing bolts with nuts size 25mmx410 mm as per RDSO Drg No T-11536 & confirming to IRS Specification T- 23-67 with corrigendum No.5 of Oct -87 with latest amendment if any Firms offer MAKE/BRAND	SE(PWAY) , [P.WAY DE	7.4 MT	12-Feb-20
78	48195117100469 dt.25-MAY-19 on M/s.V.M.ENTERPRISE- MUMBAI RITES-CALL RITES-IC	951788 (FP)	65NSN03	Pneumatic Nut Runner Pack Set as per technical specification attached. FIRM'S OFFER - MAKE - CP 6613 OF CHICAGO PNEUMATIC.	ELECTRIC LOCO REPAIR	2 Nos.	22-Aug-19
79	48187467100478 dt.25-MAY-19 on M/s.TECHNICAL INDUSTRIES-HOWRAH RITES-CALL	963585 (FX)	3010N01	Step sheet at door pillar [ICF Falka] to Drg.No. CRWS/SK- 501, Alt. NIL. Material IRS M-41.	STRUCTURA L SHOP PR	2280 Nos.	23-Nov-19
80	92195291100387 dt.29-MAY-19 on M/s.MOBI SERVE PRIVATE LIMITED-DELHI RITES-CALL RITES-IC	632480 (FP)	73XXN45	Supply, installation, testing and commissioning of On-Board Wi- Fi Hotspot based MOD(Media on Demand) Entertainment system in 22119/20 Tejas Express. As per specification EDTS-396, corr.1&2. FIRM OFFER	JR.ENGINEE R COACHING	16 Nos.	28-Jul-19
81	93195070200071 dt.07-MAY-19 on M/s.KENDRIYA BHANDAR-NEW DELHI RITES-CALL	2794000 (FX)	4315N1	Supply ,Installation, Testing & commissioning of Split type (Inverter AC) Air conditioner 1.5 Ton. Cap. Fitted with rotary type Compressor using Eco friendly Non CFC Refrigerant R-22/R- 410/R134A, Co	SE/ED(AC AND R) BHUS	44 Nos.	24-May-19
82	83185055201581 dt.13-MAY-19 on M/s.ELECTRO EQUIPMENTS- HARIDWAR RITES-CALL RITES-IC	3493000 (FP)	6501N79	500 KVA 3 phase liquid cooled diesel generator set with AMF control panel part no:318151- 3212.	SSE(EM)GPR	1 Set	16-Jun-19
83	56195370800396 dt.17-MAY-19 on M/s.Principal Chief Materials Manager, CLW, Chittaranjan RITES-CALL	1801800 (FP)	25XXNS	SET OF CO-CO BOGIE FRAME ASSEMBLY FOR WAG- 9 LOCO. AS PER CLW SPEC NO CLW/MS/3/BOGIE/003 ALT- 1 & CLW DRG NO 1209-01.112- 001, ONE SET CONSISTS OF 02 BOGIE FRAMES	BOGIE AC LOCO W/SHOP	1 Set	20-Jun-19

84	41185408101677 dt.20-MAY-19 on M/s.RAILCON INTERNATIONAL- KOLKATA	999130 (FP)	46120129	"PORCELAIN STAY-ARM INSULATOR R.I.6000-2 [MINIMUM C.D. 1050 MM] AS PER RDSO SPECN.NO.TI/SPC/OHE/INS/0 070[4/07] with A & C Slip no. 1and 2 OR LATEST. Make/Brand - M/S. INSULATORS & ELECTRICALS COMPAN	Sr. Section Engineer	168 Nos.	31-Dec-19
	RITES-CALL RITES-IC		4612N019	"PORCELAIN BRACKET INSULATOR [MINIMUM C.D. 1050 MM] R.I. NO. 6030-1 AS PER RDSO SPECN.NO.TI/SPC/OHE/INS/0 070[4/07] with A& C Slip no. 1&2 OR LATEST. Make/Brand - M/S. INSULATORS & ELECTRICALS COMPAN	Sr. Section Engineer		
85	56186336100434 dt.23-MAY-19 on M/s.KAY PEE EQUIPMENTS PVT LTD- HOWRAH RITES-CALL	1823850 (FP)	25XXNS	SET OF LABYRINTH RING FOR NOSE SUSPENDED DRIVE (MSU TUBE) OF WAP- 7/WAG-9 AS PER ELW/BSL SKETCH NO ELW/BSL/3- PH/SK.NO 502 (ONE SET CONSIST OF 10 ITEMS, ONE NO EACH TOTAL 10 NOS)	WHEEL SETS AC LOCO W	18 Set	25-Dec-19
86	92195232100373 dt.24-MAY-19 on M/s.BHARTI ENTERPRISES-MUMBAI RITES-CALL	1181250 (FP)	8303N1	Printing of multi-color performance book contains 196 pages, on 80 GSM Maplito paper in 5 inch X 7 inch size with multi- color glossy hard bound cover and hard bound gally binding with section sewing (TE, [RS] BB VT	5000 Nos.	23-Jun-19
87	85187889100958 dt.25-MAY-19 on M/s.SETH TRADERS- MUMBAI RITES-CALL RITES-IC	1336230 (FP)	31XXNS	CABLE WITH THREADED FITTING FOR PANTOGRAPH TO M/S.SCHUNK, WBL 23.03, DRG NO. 3B14.4338 WITH NUT FITTING AND PLANE WASHER, PART NO.	SHOP SUPDTT [ELEC] I	100 Nos.	25-Nov-19
88	85195002100959 dt.25-MAY-19 on M/s.RAILCON INTERNATIONAL- KOLKATA RITES-CALL	1305080 (FP)	42XXNS	SUPPLY OF 5 KVA INVERTER SYSTEM 110V FC INPUT AND 230V SINGLE PHASE AC OUTPUT UNDERSLUNG MOUNTING TYPE CONFIRMING TO RCF SPECIFICATION NO. EDTS- 032/(REV. A) WITH ANNEXURE	SR. SECT. ENGINEER,	7 Nos.	1-Feb-20
89	03195032200020 dt.27-MAY-19 on M/s.SRI JAI MEDIA- MUMBAI, MUMBAI RITES-CALL	849953 (FP)	43XXN01	HP Black and Colour Cartridges/Toners as per Annexure attached.	DY CE(C) CSTM	1 Set	27-Jun-19
90	42185016101870 dt.31-MAY-19 on M/s.JAGDAMBA LIQUIFIED STEELS LTD.- HARIDWAR	4588500	3501N55	Axe Box Housing [Finished Machined] for Motor Coach to Drg. No. EMU/M-0-2-002, Alt- H/2, Item No. 2 Material Specification to RDSO Specn. No. RDSO/2007/CG-08 and	CWM WHEEL SHOP MTN	100 Nos.	31-Mar-20

	RITES-CALL RITES-IC	(FP)		Amenament Slip No. 1 of July 2009.	CWM WHEEL SHOP MTN	100 Nos.	31-Mar-20
					CWM WHEEL SHOP MTN	100 Nos.	31-Mar-20
					CWM WHEEL SHOP MTN	100 Nos.	31-Mar-20
					CWM WHEEL SHOP MTN	100 Nos.	31-Mar-20
91	85187613100960 dt.25-MAY-19 on M/s.SETH TRADERS- MUMBAI RITES-CALL RITES-IC	1191120 (FP)	31XXNS	AIR BELLOW FOR SCHUNK PANTOGRAPH WBL23.03, PART NO. 909010003800, DRG NO.SPA 16011	SHOP SUPDTT [ELEC] I	50 Nos.	25-Nov-19
92	85187607100963 dt.25-MAY-19 on M/s.ELMEC COM AGENCIES-MALAD(W), MUMBAI RITES-CALL RITES-IC	2570040 (FP)	4521NS	CONDENSER FAN MOTOR 415 VOLTS, 3 PHASE, 50 HZ, 0.75 KW, 1000 RPM (SYNCHRONOUS) FOR CONVENTIONAL RMPU AC UNITS CONFORMING TO RDSO SPECIFICATION NO. RDSO/PE/SPEC/AC/0089 (REV-0) WITH AMDT. 1 & 2. NOTE-	SHOP SUPDTT.AIR CONDI	300 Nos.	23-Aug-19
93	93195031100094 dt.29-MAY-19 on M/s.CHANDRA INDUSTRIAL WORKS- HOWRAH RITES-CALL RITES-IC	1059965 (FP)	9379N01	RAIL SWITCH CLAMP AS PER DRAWING NO. GM (W) BB/P-15903/R-1 DATED 31/01/2018.	DRM [OPERATING] BSL	725 Nos.	16-Sep-19
94	48195423100523 dt.31-MAY-19 on M/s.S.INTERNATIONALS MUMBAI RITES-CALL RITES-IC	773136 (FP)	45NS	Jumper plug housing modified as per S Internationals part No. SI/LHB/JPA/01A or Maa Laxmi Induetries part No. MLI/LHB/JPA/01 for ZS coupling 400A, 750Vt to RCF specification	CWM / PR	80 Nos.	30-Jul-19
95	48195427100524 dt.31-MAY-19 on M/s.S.INTERNATIONALS MUMBAI RITES-CALL RITES-IC	594720 (FP)	4290NS	Hinged cover for blind socked assembly of ZS coupling for LHB type coaches conforming to RCF specification No> EDTS -105, REV- E with amendment No. 1, 2 & 3 and RCF drawing No.LW	CWM / PR	160 Nos.	30-Jul-19