

## CENTRAL RAILWAY

Depot : All Depots

## LIST OF PURCHASE ORDERS

Section :

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	Consignee	PO Qty	Dely.Dt
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;							
1	81195026101994 dt.11-JUN-19 on M/s.S K ENTERPRISE- MUMBAI.  RITES-CALL	619310  (FP)	8309N01	TYPE SETTING,PRINTING, BINDING & SUPPLY OF WORKING TIME TABLE OF NAGPUR DIVISION AS PER ATTACHED ANNEXURE	ASST. EXEC. MECH. EN	5150 Nos.	20-Jun-19
2	56186105100500 dt.11-JUN-19 on M/s.ARCON ENGINEERING-PUNE.  RITES-CALL	588820  (FP)	2501N01	P. O. is modified with amended in Annexure is read as : 1] Blower Capacity: Blower Capacity@5400 cubic meter per hour/ Per blower 02 Nos. instead of existing . 2] Motor Capacity: Motor Capacity: Motor c	SSE/TRS/GE NL)BSL	1 Nos.	28-Feb-20
3	93195022100104 dt.14-JUN-19 on M/s.A M JAIN AND CO- BHUSAWAL RITES-CALL RITES-IC	3184896  (FP)	4311NN	A Set for Supply of All Inverter Based Variable Refrigerant Flow System type (VRF) Out Door Units , Top Discharge , Cap 16.0 HP and Wall Mounted Indoor Units (VRF) Cap 1.57	SE/ED(AC AND R) BHUS	1 Set	31-Dec-19
4	42183546102116 dt.18-JUN-19 on M/s.PEW ENGINEERING PRIVATE LIMITED- HOWRAH  RITES-CALL	6740652.8  (FP)	3130N59	203.2 MM x 95.25 MM [8 INCH X 3.3/4 INCH] BOGIE MOUNTED AIR BRAKE CYLINDER WITH SLACK ADJUSTER TO RDSO DRG. NO..SK.81057 ALT-11..ITEM NO.2 WITH WORKING STROKE 40 MM.[THE CYLINDER BODY TO RDSO	ELECTRIC LOCO REPAIR	760 Nos.	18-Oct-19
5	85195725101131 dt.20-JUN-19 on M/s.SUPER ENGINEERING WORKS- MUMBAI RITES-CALL RITES-IC	788240  (FP)	32XXNS	Mounting Bracket of SLRD (Non Raised) coach for bio tank of guard lavatory as per Drg. No. LB13201 latest Alt. & LB13202 latest Alt. & channels for mounting of Common bio tanks as per Drg. No. CG14104	L.V.B. SHOP MTN	40 Set	23-Sep-19
6	85195409101148 dt.21-JUN-19 on M/s.PANACEA ALLOYS PRIVATE LIMITED-PUNE  RITES-CALL RITES-IC	896947  (FP)	45XXNS	Fully Charged lead acid battery 36 V, 299/300 AH at 5 hours rate of discharge with tubular positive and pasted negative plates in heat sealed container with cables, socket, top cover, as per IS No.515	MILL WRIGHT SHOP MTN	9 Nos.	20-Aug-19
7	95195025100310 dt.21-JUN-19 on M/s.ARHAM POLYCHEM PVT. LTD- KOLKATA RITES-CALL	681450  (FP)	5679N001	Tongue attachment Nylon Insulation Set consisting of 1. Insulating plate as per Drg No.RST-B-1696/1 - 01 No., 2. Ferrules with collars to suite rodding supplied as per RDSO Spec. IRS 40/84 & Drg. No.	SIGNAL INSPECTOR NGP	1500 Set	31-Oct-19



	underground Railway signaling cable size 6 core x 1.5 sq mm	Sr. Section Engineer	56 KM	27-Jun-20		
5611N2	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 6 core x 1.5 sq mm as per RDSO Specification No. IRS-S-63/2014 [Rev 4.0] with latest amendment.	SIGNAL INSPECTOR KWW	5 KM	27-Sep-19		
		SIGNAL INSPECTOR KWW	20 KM	27-Sep-19		
		SIGNAL INSPECTOR KWW	6 KM	27-Sep-19		
		SIGNAL INSPECTOR KWW	27 KM	27-Sep-19		
		SIGNAL INSPECTOR KWW	3 KM	27-Sep-19		
		SIGNAL INSPECTOR KWW	10 KM	27-Sep-19		
		SIGNAL INSPECTOR KWW	8 KM	27-Sep-19		
		5611N3	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 6 core x 1.5 sq mm	S.S.E./RRI/AJ NI.	2 KM	27-Sep-19
				S.S.E./RRI/AJ NI.	14 KM	27-Sep-19
5611N4	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 6 core x 1.5 sq mm as per RDSO Specification No. IRS-S-63/2014 [Rev 4.0] with latest amendment.	SIGNAL INSPECTOR NGP	75 KM	27-Sep-19		
		SIGNAL INSPECTOR NGP	14 KM	27-Sep-19		
		SIGNAL INSPECTOR NGP	1 KM	27-Sep-19		
		SIGNAL INSPECTOR NGP	6.5 KM	27-Sep-19		
		SIGNAL INSPECTOR NGP	3.5 KM	27-Sep-19		
		SIGNAL INSPECTOR NGP	2 KM	27-Sep-19		
		SIGNAL INSPECTOR NGP	2.36 KM	27-Sep-19		
		5611N5	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 6 core x 1.5 sq mm as per RDSO Specification No. IRS-S-63/2014 [Rev 4.0] with latest amendment.	SIGNAL INSPECTOR WR	40 KM	27-Sep-19







			5646N07	Supply, checking of installation, testing and commissioning of SMPS based Integrated Power Supply system, conforming to RDSO Specification RDSO/SPN/ 165/2012 Version 3.0 with later amendments for LC G	SIGNAL INSPECTOR KVV	7 Set	15-Mar-20
			5646N11	Supply, checking of installation, testing and commissioning of SMPS based Integrated Power Supply system, conforming to RDSO Specification RDSO/SPN/ 165/2012 Version 3.0 with later amendments for LC G	Sr. Section Engineer	2 Set	15-Mar-20
			5646N12	Supply, checking of installation, testing and commissioning of SMPS based Integrated Power Supply system, conforming to RDSO Specification RDSO/SPN/ 165/2012 Version 3.0 with later amendments for LC G	SR S.E.(CONV) S and	2 Set	15-Mar-20
22	90195004701937 dt.07-JUN-19 on M/s.STEEL AUTHORITY OF INDIA LTD.(SAIL), KOLKATA  RITES-CALL	4337680  (FP)	9013N01	M.S.Plate 16MM THICK X 2000MM WIDTH X 9000MM LENGTH, CONFIRMING TO IS:2062/11 E-250 GRADE "B0" FULLY KILLED AND NORMALIZED DULY UT. SPECIFICATION : CONFIRMING TO IS:2062/11 E-250 GRADE "B0" FULLY	SSS WELDING SHOP MMR	100 MT	30-Dec-19
23	81195024102045 dt.13-JUN-19 on M/s.S K ENTERPRISE- MUMBAI.  RITES-CALL	1032003  (FP)	8309N01	TYPE SETTING,PRINTING, BINDING & SUPPLY OF WORKING TIME TABLE OF MUMBAI DIVISION AS PER DETAILES GIVEN IN ANNEXURE	ASST. EXEC. MECH. EN	8230 Nos.	20-Jun-19
24	96195148100220 dt.14-JUN-19 on M/s.RAJASTHAN MINING AND ENGINEERING PVT.LTD.- JAIPUR RITES-CALL RITES-IC	861000  (FP)	6032Nxx	Petrol/kerosene oil driven weld trimmer machine with power pack & Trolley for removal extra metal from rail head by trimming of A.T. weld and cutter (as spear for 60 kg Rail Section) as per RDSO Spec	SE(PWAY) , [P.WAY DE	8 Nos.	20-Jan-20
25	56186326100527 dt.15-JUN-19 on M/s.VIKRANT ENGINEERING WORKS- KOLKATA RITES-CALL RITES-IC	3360000  (FP)	25XXNS	SET OF FILTER ASSEMBLY FOR WAG-9 LOCO TO SPECIFICATION NO. CLWMS/3/012, ALT-5 OR LATEST AND CLW DRG. NO. 1209-11.135-123, ALT-3 [QTY-01 NOS.] FOR OIL COOLER VENTILATION DRG. NO.	CWM/ELW/BS L	10 Set	17-Nov-19





33	38195083702107 dt.17-JUN-19 on M/s.Secretary (Stores), Railway Board, New Delhi RITES-CALL	1323936  (FP)	25XXNS	WHEEL DISC FOR WAP-7/WAG-9 LOCOS AS PER ABB DRG.NO. IB.011-00171 REV-4 OR LATEST AND CLW DRG.NO. 1209-01-111-003 ALT-4 OR LATEST.	WHEEL SETS AC LOCO W	18 Nos.	17-Feb-20
34	38195085702109 dt.17-JUN-19 on M/s.Secretary (Stores), Railway Board, New Delhi RITES-CALL	878310  (FP)	25XXNS	WHEEL DISC FOR WAP-5 LOCOS AS PER CLW DRG.NO 1210-01-111-003 ALT-4 OR LATEST	WHEEL SETS AC LOCO W	10 Nos.	17-Feb-20
35	91195140100293 dt.19-JUN-19 on M/s.J R PETROLEUMS- MUMBAI  RITES-CALL RITES-IC	1678226  (FP)	45XXN1	Lube oil CES 2007 API 15w40 Premium Blue (CI 4) Plus of Valvoline or HPCL MILCY No.1 Plus CI-4 Plus 15 W- 40 of HPCL suitable for Cummins Engine Model No. QSK 50 (Oil having minimum TBN of 10.5).	Sr. Section Engineer	13230 LTR	10-Aug-19
36	69195138100209 dt.20-JUN-19 on M/s.RAJ TRADE LINK- NAGPUR RITES-CALL RITES-IC	675998  (FP)	2901N00	MCB 3-POLE, 415 VOLT, 10 AMP, 36 KA WITH AUXILIARY I/L 2NO + 2NC AS PER CLW SPEC. NO. CLW/ES/3/0096 ALT. F OR LATEST. ITEM IS TO BE PROCURED FROM	SR.SEC.ENG. (STORES)	124 Nos.	18-Sep-19
37	88195016100094 dt.24-JUN-19 on M/s.VINRAJ STEELS PRIVATE LIMITED- KOLKATA RITES-CALL	603750  (FX)	3800	AXLE END STEEL HIGH TENSILE CAP SCREW [1 INCH DIA 8 UNC-2A, 2 1/4 INCH THREAD LENGTH TO SPEC. NO. IS:1367 PART-3, CLASS P 8.8 AND RDSO SPEC. NO. AB/RB-39-2002 REV.4 OF FEB 2018 TO BE	M/C SHOP KVV	11500 Nos.	24-Aug-19
38	88195016100095 dt.26-JUN-19 on M/s.VINRAJ STEELS PRIVATE LIMITED- KOLKATA RITES-CALL	603750  (FP)	3800	AXLE END STEEL HIGH TENSILE CAP SCREW [1 INCH DIA 8 UNC-2A, 2 1/4 INCH THREAD LENGTH TO SPEC. NO. IS:1367 PART-3, CLASS P 8.8 AND RDSO SPEC. NO. AB/RB-39-2002 REV.4 OF FEB 2018 TO BE	M/C SHOP KVV	11500 Nos.	10-Dec-19
39	95195119100326 dt.27-JUN-19 on M/s.SHREE GANESH ENTERPRISES-MUMBAI  RITES-CALL RITES-IC	908600  (FP)	5606N001	Gear Box Assembly with clutch worm having two stage combination helicle and worm wheel gear drive with hand crank insert internal locking features oil filled and sealed unit type with connecting link	SIGNAL INSPECTOR NGP	11 Nos.	27-Nov-19
40	85186985101218 dt.28-JUN-19 on M/s.SQUARE SYSTEM- INDORE RITES-CALL	3160512  (FP)	7831NS	Workmen Tool Boxes as per technical specification (Annexure A) Drg No.A-422	CWM, CARRIAGE WORKSH	240 Nos.	25-Nov-19

41	85195056100989 dt.01-JUN-19 on M/s.JERO ELECTRICALS AND ELECTRONICS- MUMBAI  RITES-CALL RITES-IC	1399244  (FP)	42XXNS	NATURAL AIR CIRCULATION SOLUTION SIZE 560MM TURBO COMBO WITH NATURAL LIGHT DAY LIGHTING SYSTEM MODEL MULTI LENS DIFFUSER 530MM APPROXIMATE TUBE LENGTH, FITTED IN NON FALSE CEILING AREAS.	SR. SECT. ENGG.,S/S,	22 Nos.	30-Oct-19
42	48195397200529 dt.03-JUN-19 on M/s.PK INTERNATIONAL, DELHI  RITES-CALL	537100  (FX)	5701N1	All-In-One Desktop based system (PC) with factory (OEM) pre-loaded Windows 10 PRO or higher with certification, with 3 years OEM on-site Warranty.Make: DELL or HP or Lenovo	DY.CME [OFFICE] PR	10 Nos.	30-Jun-19
43	91195035200267 dt.05-JUN-19 on M/s.S&S COMPUTERTECH PRIVATE LIMITED, JAMMU RITES-CALL	625440  (FP)	5701N01	HP 280G3 PC Micro tower System (i5/4GB Ram/1TB HDD	SE(PWAY) PA	12 Nos.	12-Jun-19
44	65195020100232 dt.06-JUN-19 on M/s.SINGHAM ENTERPRISES-KATNI  RITES-CALL	550694  (FP)	25NS	M12 SPARE KIT (AS 657),FOR TRIDENT MAKE AIR DRYER MODEL LD2000140 FOR .ONE SET CONSISTING OF 5 ITEMS AS PER ANNEXURE ATTACHED .	SR.DME [D] PA	35 Set	3-Dec-19
45	38185056101980 dt.10-JUN-19 on M/s.FABRICATORS INDIA-KOLKATA RITES-CALL RITES-IC	2496600  (FP)	3030N39	SET OF WATER TANK ASSEMBLY (455 LITRES) TWO PIECE DESIGN (LH & RH) AS PER ICF DRG.NO.ICF/SK-6-3-444, COL.-I, ALT.n SHEET 1 TO 3,	FITTING SHOP MTN	45 Set	31-Aug-19
46	92195366100407 dt.10-JUN-19 on M/s.PARTH ENERGY SYSTEMS PRIVATE LIMITED-JAIPUR RITES-CALL RITES-IC	729240  (FP)	N/S	PROCUREMENT OF ATLAS COPCO TROLLY MOUNTED AIR COMPRESSOR ENGINE M&M MDI 1895 B POWER 40 HP OR SIMILAR SPECIFICATION AS UNDER 1) FAD(I/S) -68.6. 2) CFM-145. 3) OPERATING PRESSURE	SE(PWAY) LNL	1 Set	19-Sep-19
47	03195025100023 dt.11-JUN-19 on M/s.MIDAS RESEARCH AND DEVELOPMENT CENTRE INDIA PVT LTD- NAVI MUMBAI  RITES-CALL	2776540  (FP)	43XXN01	Up-gradation of Existing MIDAS Civil software to the latest version (2019) alongwith Module 1 & Module 4 with additional 3 free licenses (one year subscription) for detailed description refer attached	DY CE(C) CSTM	1 Nos.	11-Jul-19

48	81195029102007 dt.11-JUN-19 on M/s.THREE STAR COMPANY-MUMBAI  RITES-CALL	1749637  (FP)	8309N01	BOOKLET OF FLYLEAVES /COMMAN PAGES AND AIR BREAK DIAGRAM DETAILS AS PER ANNEXURE	ASST. EXEC. MECH. EN	26745 Nos.	28-Jun-19
49	56186327100525 dt.15-JUN-19 on M/s.LAXVEN SYSTEMS- HYDERABAD  RITES-CALL RITES-IC	2480950  (FP)	25XXNS	MICROPROCESSOR BASED ELECTRONIC SPEED INDICATING RECORDING AND ENERGY MONITORING SYSTEM FOR WAP4 AND WAG7 LOCO TO RDSO SPECIFICATION NO.ELRS/SPEC/SPM/0002	SR.SEC.ENG. (PROGRESS)	10 Nos.	17-Nov-19
50	95186279100334 dt.28-JUN-19 on M/s.SETH TRADERS- MUMBAI RITES-CALL RITES-IC	1003000  (FP)	4602N001	25 KV Single Pole Vacuum Circuit Breaker with Spring- Spring Operating Mechanism as per RDSO specification No. TI/SPC/PSI/LVCBIN/0120 (December 2013) version '0'	Sr. Section Engineer	2 Nos.	31-Jan-20
51	96195090100204 dt.06-JUN-19 on M/s.BEMCO HYDRAULICS LIMITED- BELGAUM RITES-CALL RITES-IC	579380  (FP)	6501N07	Roller carriage with traversing jack and hydraulics hoses for SPARMV/Solapur for BEMCO make HRE as per COFMOW order G-601410 (Model No. RRC 100-140 & ordering code : F-100P). A) Detailed specification	SENIOR SECTION ENGI	1 Set	19-Oct-19
52	90195005701934 dt.07-JUN-19 on M/s.STEEL AUTHORITY OF INDIA LTD.(SAIL), KOLKATA  RITES-CALL	5508854  (FP)	9013N01	M.S.Plate 16MM THICK X 2000MM WIDTH X 12000MM LENGTH CONFIRMING OT IS:2062/11 E-250 GRADE "B0" FULLY KILLED AND NORMALIZED DULY UT. SPECIFICATION : CONFIRMING OT IS:2062/11 E-250 GRADE "B0" FULLY	SSS WELDING SHOP MMR	127 MT	31-Dec-19
53	90195007701935 dt.07-JUN-19 on M/s.STEEL AUTHORITY OF INDIA LTD.(SAIL), KOLKATA  RITES-CALL	6393098  (FP)	9013N01	M.S. PLATE 50MM THICK X 2500MM WIDTH X 10000MM LENGTH CONFIRMING TO IS:2062/11 E-250 GRADE "B0" FULLY KILLED AND NORMALIZED DULY UT. SPECIFICATION- CONFIRMING TO IS:2062/11 E-250 GRADE "B0" FULLY	SSS WELDING SHOP MMR	138 MT	31-Dec-19
54	90195006701936 dt.07-JUN-19 on M/s.STEEL AUTHORITY OF INDIA LTD.(SAIL), KOLKATA  RITES-CALL	7319634  (FP)	9013N01	M.S.Plate 50MM THICK X 1600MM WIDTH X 12000MM LENGTH CONFIRMING TO IS:2062/11 E-250 GRADE "B0" FULLY KILLED AND NORMALIZED DULY UT. SPECIFICATION CONFIRMING TO IS:2062/11 E-250 GRADE "B0" FULLY	SSS WELDING SHOP MMR	158 MT	31-Dec-19

55	96195091100210 dt.10-JUN-19 on M/s.BEMCO HYDRAULICS LIMITED- BELGAUM RITES-CALL RITES-IC	1003000  (FP)	6507N01	Control table for operating 4 jacks of HRE for SPARMV/Solapur as per COFMOW order G-601410 (Model PCD 490-4 & ordering code B2000). Specifications are- 1) Model No. PCD 490-4 2) Ordering code : B2000 3	SENIOR SECTION ENGI	1 Set	23-Oct-19
56	56195150100530 dt.15-JUN-19 on M/s.AUTOMETERS ALLIANCE LTD-NOIDA RITES-CALL RITES-IC	992319  (FP)	25XXNS	SET OF SPARE PARTS OF AAL MAKE PULSE GENERATOR.ONE SET CONSISTS OF 20 ITEMS 393 NOS. AS PER ANNEXURE ATTACHED ACCEPTED: FIRMS OFFER AS PER ANNEXURE	SR.SEC.ENG. (PROGRESS	1 Set	17-Jan-20
57	38195148702106 dt.17-JUN-19 on M/s.Secretary (Stores), Railway Board, New Delhi RITES-CALL	5696352  (FP)	17NS	WHEEL MONOBLOCK ROLLED (ROUGH MACHINED) , RDSO DRAWING NUMBER D/WL-5061 / R FOR WDP4 LOCO	Sr. Section Engineer	144 Nos.	17-Feb-20
58	50195019202174 dt.20-JUN-19 on M/s.PARAMOUNT COMMUNICATIONS LIMITED,  RITES-CALL	223313921  (FX)	5611N02	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 6 core x 1.5 sq mm as per RDSO Specification No. IRS-S-63/2014 [Rev 4.0] with latest amendment.	SIGNAL INSPECTOR KWW	8 KM	19-Sep-19
			5611N1	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 6 core x 1.5 sq mm as per RDSO Specification No. IRS-S-63/2014 [Rev 4.0] with latest amendment.	SR S.E.(CONV) S and	10 KM	19-Sep-19
			5611N10	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 6 core x 1.5 sq mm	CSI [C] Pune	40 KM	19-Mar-20
					CSI [C] Pune	40 KM	19-Mar-20
			5611N11	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 6 core x 1.5 sq mm	Sr. Section Engineer	288 KM	19-Mar-20
					Sr. Section Engineer	56 KM	19-Jun-20
			5611N2	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 6 core x 1.5 sq mm as per RDSO Specification No. IRS-S-63/2014 [Rev 4.0] with latest amendment.	SIGNAL INSPECTOR KWW	5 KM	19-Sep-19
					SIGNAL INSPECTOR KWW	20 KM	19-Sep-19
SIGNAL INSPECTOR KWW	6 KM	19-Sep-19					
SIGNAL INSPECTOR KWW	27 KM	19-Sep-19					
SIGNAL INSPECTOR KWW	3 KM	19-Sep-19					

		SIGNAL INSPECTOR KVV	10 KM	19-Sep-19
5611N3	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 6 core x 1.5 sq mm	S.S.E./RRI/AJ NI.	2 KM	19-Sep-19
		S.S.E./RRI/AJ NI.	14 KM	19-Sep-19
5611N4	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 6 core x 1.5 sq mm as per RDSO Specification No. IRS-S-63/2014 [Rev 4.0] with latest amendment.	SIGNAL INSPECTOR NGP	75 KM	19-Sep-19
		SIGNAL INSPECTOR NGP	14 KM	19-Sep-19
		SIGNAL INSPECTOR NGP	1 KM	19-Sep-19
		SIGNAL INSPECTOR NGP	6.5 KM	19-Sep-19
		SIGNAL INSPECTOR NGP	3.5 KM	19-Sep-19
		SIGNAL INSPECTOR NGP	2 KM	19-Sep-19
		SIGNAL INSPECTOR NGP	2.36 KM	19-Sep-19
5611N5	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 6 core x 1.5 sq mm as per RDSO Specification No. IRS-S-63/2014 [Rev 4.0] with latest amendment.	SIGNAL INSPECTOR WR	40 KM	19-Sep-19
5611N6	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 6 core x 1.5 sq mm as per RDSO Specification No. IRS-S-63/2014 [Rev 4.0] with latest amendment.	CHIEF SIG.INSPECTOR	10 KM	19-Sep-19
5611N7	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 6 core x 1.5 sq mm as per RDSO Specification No. IRS-S-63/2014 [Rev 4.0] with latest amendment.	Sr. Section Engineer	26 KM	19-Sep-19
		Sr. Section Engineer	30 KM	19-Sep-19
		Sr. Section Engineer	85 KM	19-Sep-19
		Sr. Section Engineer	225 KM	19-Dec-19
5611N8	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 6 core x 1.5 sq mm as per RDSO Specification No. IRS-S-63/2014 [Rev 4.0] with latest amendment.	SIGNAL INSPECTOR PA	2 KM	19-Dec-19
		SIGNAL INSPECTOR PA	10 KM	19-Dec-19
		SIGNAL INSPECTOR PA	2 KM	19-Dec-19

					SIGNAL INSPECTOR PA	2 KM	19-Dec-19
					SIGNAL INSPECTOR PA	6 KM	19-Dec-19
			5611N9	PVC insulated armoured unscreened copper conductor underground Railway signaling cable size 6 core x 1.5 sq mm as per RDSO Specification No. IRS-S-63/2014 [Rev 4.0] with latest amendment.	SI, [C] Nagpur	153 KM	19-Dec-19
					SI, [C] Nagpur	32 KM	19-Mar-20
					SI, [C] Nagpur	15 KM	19-Jun-20
					SI, [C] Nagpur	3 KM	19-Jun-20
					SI, [C] Nagpur	11 KM	19-Jun-20
					SI, [C] Nagpur	201.5 KM	19-Sep-20
					SI, [C] Nagpur	44 KM	19-Jun-20
					SI, [C] Nagpur	71 KM	19-Jun-20
					SI, [C] Nagpur	190 KM	19-Jun-20
59	42185039102180 dt.20-JUN-19 on M/s.AUTOMETERS ALLIANCE LTD-NOIDA  RITES-CALL	38666854  (FP)	31XXNS	DEVELOPMENT, SUPPLY, INSTALLATION, TESTING & COMMISSIONING OF PASSENGER EMERGENCY TALK BACK SYSTEM FOR LADIES COACHES OF EMU RAKES AS RDSO SPECIFICATION No. RDSO/PE/SPEC/EMU/0191 [REV- 0] OCTOBER 2	SR,DEE,[TRS] CLA	1 Nos.	4-Jul-19
					SR,DEE,[TRS] CLA	13 Nos.	4-Sep-19
					SR,DEE,[TRS] CLA	12 Nos.	4-Nov-19
					SR,DEE,[TRS] CLA	13 Nos.	4-Jan-20
					SR,DEE,[TRS] CLA	12 Nos.	5-Mar-20
60	56185980100554 dt.21-JUN-19 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA LIMITED-HOSUR  RITES-CALL RITES-IC	945888  (FP)	2513N05	HEX HEAD SCREW WITH DOG POINT FTRTIL PART NO. D121536-500"			
61	60195006101921 dt.06-JUN-19 on M/s.PRECISION ELECTRONICS INSTRUMENTS AND COMPONENTS- MUMBAI RITES-CALL RITES-IC	3785280  (FP)	6528N01	Procurement of High End Dental Chair Unit/ Treatment Centre for Dental (OPD) Dept. at Byculla Hospital. Material required as per Specification. MAKE/BRAND - DENTSPLY SIRONA,DURR,Precision GST.HSN CO	MD BY	1 Nos.	13-Aug-19

62	60195008101922 dt.06-JUN-19 on M/s.BTL INDIA PVT LTD- NEW DELHI RITES-CALL RITES-IC	1322272  (FP)	6540N01	Procurement of Extra Corporeal Shockwave Therapy Machine with Pneumatic Technology (Radio Shockwave) for Physiotherapy Dept. at Byculla Hospital. MAKE/BRAND - BTL	MD BY	1 Set	4-Dec-19
63	56186319100529 dt.15-JUN-19 on M/s.ARIHANT ELECTRICALS-NEW DELHI RITES-CALL RITES-IC	1115100  (FP)	25XXNS	PUSH BUTTON FOR EMERGENCY STOP POS NO.244 AS PER CLW SPECIFICATION NO.CLW/ES/3/0077 ALT-A AND AS PER ABB DOCUMENT NO. 3EHP500153 B.0002 AND	CWM(ELW) BSL	100 Nos.	20-Sep-19
64	50185201302160 dt.19-JUN-19 on M/s.TIRUPATI PLASTOMATICS PVT LTD JAIPUR RITES-CALL	258951000  (FP)	5611N1	PVC INSULATED ARMOURED UNSCREENED COPPER CONDUCTOR UNDERGROUND RAILWAY SIGNALLING CABLE SIZE 12 CORE X 1.5 SQ.MM CONFORMING TO RDSO SPECIFICATION IRS:S-	Sr. Section Engineer	250 KM	21-Oct-19
					Sr. Section Engineer	140 KM	21-Feb-20
			5611N8	PVC INSULATED ARMOURED UNSCREENED COPPER CONDUCTOR UNDERGROUND RAILWAY SIGNALLING CABLE SIZE 12 CORE X 1.5 SQ.MM CONFORMING TO RDSO SPECIFICATION IRS:S-63/2014 [REV.4.0] WITH LATEST AMENDMENTS	Sl, [C] Nagpur	110 KM	21-Feb-20
					Sl, [C] Nagpur	250 KM	21-Jun-20
					Sl, [C] Nagpur	250 KM	21-Oct-20
					Sl, [C] Nagpur	250 KM	21-Feb-21
Sl, [C] Nagpur	80 KM	21-Jun-21					
65	56195252100547 dt.19-JUN-19 on M/s.JAINEX LIMITED- MUMBAI RITES-CALL RITES-IC	791161  (FP)	25XXN01	Set of stainless steel pipe fitting for WAG-9 locomotive as per CLW specification No CLW/MS/3/053/Alt-13 or latest alteration as per Annexure A.(One set consists of 46	SSE(TRS/MAI NT)BSL	1 Set	20-Dec-19
66	96185752100226 dt.20-JUN-19 on M/s.SOFTCRUISE TECHNOLOGIES PVT LTD-AGRA RITES-CALL RITES-IC	900635  (FP)	6025NXX	GPS base tracking devices with pre-installed SIM for monitoring of track patrolling gang with mapping customisation in software installation android AAP generation and related assistance including AM	SE(PWAY) , [P.WAY DE	355 Nos.	3-Oct-19
67	38195006102205 dt.21-JUN-19 on M/s.AG FIBROTECH PVT. LTD-KOLKATA RITES-CALL RITES-IC	1058148  (FP)	3053NNS1	OUTER DOOR WINDOW ARRANGEMENT TO ICF DRG. NO. T-5-3-701, ALT. 27 AND t, OR LATEST, Col. VIII WITH FRP/SMC TO STR NO. RDSO/2007/CG-01,	ELECTRIC LOCO REPAIR	240 Nos.	31-Mar-20
68	43195005202267 dt.26-JUN-19 on M/s.TRINITRON CONTROL SYSTEMS PVT. LTD.-NOIDA RITES-CALL RITES-IC	51507000  (FP)	4501N79	Supply, Installation and Commissioning of materials to be Provided/Modified in both Switch Board Cabinets (S1 & S2) of LHB Power Car. As per Clause No. 5.1, 2 Nos. Contactors HOG A & B (same as K01 or	SR. SECT.ENG.[A C/COG	45 Set	31-Jan-20

69	93185597100120 dt.26-JUN-19 on M/s.RAILCON INTERNATIONAL- KOLKATA RITES-CALL	749300  (FP)	9379N1	Supply of 20 Pair 0.5 mm Conductor dai armored, PIJF U/G Telephone cable as per IRS specification IRS-TC-41- 97 with amendment No. 3 or later. MAKE- M/s Delton cable Ltd or M/s CMI Ltd or M/s Birla Eri	Sr. Section Engineer	5 KM	24-Oct-19
70	42185039102319 dt.28-JUN-19 on M/s.A. PAUL INSTRUMENTS CO.- NEW DELHI RITES-CALL	57621194  (FP)	31XXNS	DEVELOPMENT, SUPPLY, INSTALLATION, TESTING & COMMISSIONING OF PASSENGER EMERGENCY TALK BACK SYSTEM FOR LADIES COACHES OF EMU RAKES AS RDSO SPECIFICATION No. RDSO/ PE/SPEC/EMU/0191 [REV- 0] OCTOBER 2	SR,DEE,[TRS] CLA	1 Nos.	4-Jul-19
					SR,DEE,[TRS] CLA	19 Nos.	4-Sep-19
					SR,DEE,[TRS] CLA	19 Nos.	4-Nov-19
					SR,DEE,[TRS] CLA	19 Nos.	4-Jan-20
					SR,DEE,[TRS] CLA	18 Nos.	5-Mar-20
71	81195027101938 dt.07-JUN-19 on M/s.THREE STAR COMPANY-MUMBAI  RITES-CALL	500573  (FP)	8309N01	TYPE SETTING,PRINTING, BINDING & SUPPLY OF WORKING TIME TABLE OF SOLAPUR DIVISION AS PER ATTACHED ANNEXURE	ASST. EXEC. MECH. EN	4775 Nos.	28-Jun-19
72	81195025101995 dt.11-JUN-19 on M/s.S K ENTERPRISE- MUMBAI.  RITES-CALL	634884  (FP)	8309N01	TYPE SETTING,PRINTING, BINDING & SUPPLY OF WORKING TIME TABLE OF BHUSAWAL DIVISION AS PER DETAILS ATTACHED ANNEXURE	ASST. EXEC. MECH. EN	5150 Nos.	20-Jun-19
73	93195021100103 dt.14-JUN-19 on M/s.G P ASSOCIATES- BHUSAWAL  RITES-CALL RITES-IC	4145024  (FP)	4311NN	A Set for Supply of All Inverter Based Variable Refrigerant Flow System type (VRF) Out Door Units , Top Discharge , Cap 22.0 HP and Wall Mounted Indoor Units (VRF) Cap 2.03 TR & 1.03 TR as per Annexur	SE/ED(AC AND R) BHUS	1 Set	14-Oct-19
74	93175481100109 dt.20-JUN-19 on M/s.SOMNATH BHATTACHARJEE- KOLKATA RITES-CALL	2798259  (FP)	9352N1	Supply of low Maintenance Lead Acid Secondary Cell for Railway S&T Installation in Hard Rubber Container without Tool Kit, as per RDSO Specification No. IRS: S- 88/2004 with Latest type of capacity 2V	Sr. Section Engineer	1046 Nos.	18-Oct-19
75	54195121200047 dt.20-JUN-19 on M/s.KENDRIYA BHANDAR, JAIPUR RITES-CALL	549900  (FP)	54NS	ALL IN ONE DESKTOP COMPUTER ,INTEL CORE i- 5 (7 th generation) OR BETTER, 4 GB RAM OR HIGHER, 500 GB HARD DISK OR HIGHER, DVD WRITER,	DIRECTOR IRIEEN NKRD	10 Set	21-Jul-19



76	43195003202281 dt.26-JUN-19 on M/s.RAMYAA ELECTRO GEAR PRIVATE LIMITED- CHENNAI  RITES-CALL RITES-IC	8968000  (FP)	4501N79	Supply, Installation and Commissioning of materials to be Provided/Modified in Switch Board Cabinet of LHB AC Coaches as per clause No. 5.2 and work to be carried out as per clause No. 4.0 of RDSO mo	SR. SECT.ENG.[A C/COG	160 Set	29-Feb-20
77	92195477100457 dt.27-JUN-19 on M/s.HINDUSTAN PETROLEUM CORPORATION LIMITED- MUMBAI RITES-CALL	638333  (FP)	45XXN07	HI LUBE OIL API CI 4 PLUS GRADE (15W 40) SUITABLE FOR CPCB- II type Engine OF M/S: CUMMINS AND GREAVES COTTON DIESEL ENGINE OF POWER CAR. MAKE VALVOLINE/HPCL/BPCL/IOCL OR ANY OTHER MAKE	SR. S.E. (AC/ TL) KU	5880 LTR	26-Sep-19
78	09175001102293 dt.27-JUN-19 on M/s.KED SATI IRON AND STEEL PVT. LTD.- KOLKATA RITES-CALL RITES-IC	5597920  (FP)	9090N31	Fish Plate Bar 655 mm long in Tolerance plus 5mm minus 0mm for Manufacture of Joggled Fish Plates 60 KG Rail As per Drg.No.RDSO/T-5849 Specification IRS/T-1-2012 or latest.	GSS BLACK SMITHY SHO	1600 Nos.	31-Aug-19
79	10195005702296 dt.27-JUN-19 on M/s.Diesel Locomotive Works, Varanasi, Varanasi RITES-CALL	10114466  (FP)	1079N1	DLW Non Stock BIM indent no.35.17.0201 dt.21/08/2017 consisting of 109 items as per attached documents.	CME BB VT	1 Set	27-Jan-20
80	95195179100327 dt.27-JUN-19 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	909509  (FP)	5604N001	VESBA Card for Siemens make Multi Section Digital Axle Counter as per RDSO Specification No. RDSO/SPN/176/2013, Ver.- 3 or latest and firm's specification. Accepted Make/Brand : SIEMENS.	SIGNAL INSPECTOR NGP	7 Nos.	27-Apr-20
81	95186207100333 dt.28-JUN-19 on M/s.ASIAN CONTEC LTD- NEW DELHI RITES-CALL RITES-IC	2124000  (FP)	5698NS00	Cable Avoidance Tool as per technical specification attached as "specification- IV". Make- Stanlay, Dynatel, Bosch, C.SCOPE UK or similar. Accepted Make/Brand --	SIGNAL INSPECTOR NGP	6 Nos.	10-Aug-19