

CENTRAL RAILWAY

Depot : All Depots

LIST OF PURCHASE ORDERS

n : ALL

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	Consignee	PO Qty	Dely.Dt
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;							
1	50195021202901 dt.02-AUG-19 on M/s.GOLKONDA ENGINEERING ENTERPRISES LIMITED- SECUNDERABAD RITES-CALL	241682880	5611N1	Underground jelly filled 6 Quad 0.9 mm copper conductor cable for Railway Signal and Telecom Installations conforming to RDSO Specification IRS-TC- 30/2005 [Ver 1] amendment no. 5 or latest.	CSI [C] Pune	55 KM	16-Mar-20
		(FP)			CSI [C] Pune	145 KM	16-Apr-20
			5611N10	Underground jelly filled 6 Quad 0.9 mm copper conductor cable for Railway Signal and Telecom Installations conforming to RDSO Specification IRS-TC- 30/2005 [Ver 1] amendment no. 5 or latest.	TCI (HF) CLA	37 KM	15-Apr-20
			5611N11	Underground jelly filled 6 Quad 0.9 mm copper conductor cable for Railway Signal and Telecom Installations conforming to RDSO Specification IRS-TC- 30/2005 [Ver 1] amendment no. 5 or latest.	S.S.E./RRI/A JNI.	1 KM	16-Mar-20
			5611N12	Underground jelly filled 6 Quad 0.9 mm copper conductor cable for Railway Signal and Telecom Installations conforming to RDSO Specification IRS-TC- 30/2005 [Ver 1] amendment no. 5 or latest.	CHIEF SIG.INSPEC TOR	80 KM	16-Mar-20
			5611N13	Underground jelly filled 6 Quad 0.9 mm copper conductor cable for Railway Signal and Telecom Installations conforming to RDSO Specification IRS-TC- 30/2005 [Ver 1] amendment no. 5 or latest.	Sr. Section Engineer	5 KM	16-Apr-20
			5611N14	Underground jelly filled 6 Quad 0.9 mm copper conductor cable for Railway Signal and Telecom Installations conforming to RDSO Specification IRS-TC- 30/2005 [Ver 1] amendment no. 5 or latest.	Sr. Section Engineer	50 KM	16-Mar-20

5611N15	Underground jelly filled 6 Quad 0.9 mm copper conductor cable for Railway Signal and Telecom Installations conforming to RDSO Specification IRS-TC-30/2005 [Ver 1] amendment no. 5 or latest.	Sr. Section Engineer	5 KM	16-Apr-20
5611N2	Underground jelly filled 6 Quad 0.9 mm copper conductor cable for Railway Signal and Telecom Installations conforming to RDSO Specification IRS-TC-30/2005 [Ver 1] amendment no. 5 or latest.	CSI [C] Pune	20 KM	16-Jan-20
5611N3	Underground jelly filled 6 Quad 0.9 mm copper conductor cable for Railway Signal and Telecom Installations conforming to RDSO Specification IRS-TC-30/2005 [Ver 1] amendment no. 5 or latest.	CSI [C] Kalyan	230 KM	16-Feb-20
5611N4	Underground jelly filled 6 Quad 0.9 mm copper conductor cable for Railway Signal and Telecom Installations conforming to RDSO Specification IRS-TC-30/2005 [Ver 1] amendment no. 5 or latest.	CSI [C] Kalyan	110 KM	16-May-20
5611N5	Underground jelly filled 6 Quad 0.9 mm copper conductor cable for Railway Signal and Telecom Installations conforming to RDSO Specification IRS-TC-30/2005 [Ver 1] amendment no. 5 or latest.	Sr. Section Engineer	2 KM	16-Apr-20
5611N6	Underground jelly filled 6 Quad 0.9 mm copper conductor cable for Railway Signal and Telecom Installations conforming to RDSO Specification IRS-TC-30/2005 [Ver 1] amendment no. 5 or latest.	CSI [C] Kalyan	60 KM	16-May-20

			5611N7	Underground jelly filled 6 Quad 0.9 mm copper conductor cable for Railway Signal and Telecom Installations conforming to RDSO Specification IRS-TC-30/2005 [Ver 1] amendment no. 5 or latest.	Sr. Section Engineer	65 KM	16-Apr-20
			5611N8	Underground jelly filled 6 Quad 0.9 mm copper conductor cable for Railway Signal and Telecom Installations conforming to RDSO Specification IRS-TC-30/2005 [Ver 1] amendment no. 5 or latest.	SIGNAL INSPECTOR PA	39 KM	16-Mar-20
			5611N9	Underground jelly filled 6 Quad 0.9 mm copper conductor cable for Railway Signal and Telecom Installations conforming to RDSO Specification IRS-TC-30/2005 [Ver 1] amendment no. 5 or latest.	Sr. Section Engineer	100 KM	15-Apr-20
2	93195124100193 dt.05-AUG-19 on M/s.CONCORD CONTROL SYSTEMS PRIVATE LIMITED- LUCKNOW RITES-CALL RITES-IC	1128000 (FP)	9379N1	Supply Installation Testing and Commissioning of Tensile Load Testing for 25 KV Porcelain and Composite Insulators, with all Accessories. Conforming to RDSO Specification no. TI/SPC/OHE/INSTEST/0090 (Sr. Section Engineer	4 Nos.	29-Sep-19
3	96195141100262 dt.06-AUG-19 on M/s.SHARDA ENTERPRISES-PUNE. RITES-CALL RITES-IC	1437240 (FP)	5455N01	Supply & installation of V.21 to E1 converter for automatic media Change over between OFC and Quad cable for BPAC as per attached specification and configuration of Cygnus or Webfil or Mro-Tek make As	Sr. Section Engineer	21 Pairs	20-Oct-19
4	56195332100725 dt.07-AUG-19 on M/s.AUTOMETERS ALLIANCE LTD-NOIDA RITES-CALL	862440 (FP)	25XXN01	Set of spare for M/s Autometer make SPM type Telpro EL (M) (One set consisting of 12 items, 235 nos as per Annexure A)	SSE(TRS/M AINT)BSL	1 Set	8-Mar-20
5	56195277100726 dt.07-AUG-19 on M/s.AUTOMETERS ALLIANCE LTD-NOIDA RITES-CALL RITES-IC	745949 (FP)	25XXN01	Pulse probe comb of M/s AAL make speedometer (Old part no 5.8600.120/31 & New part no 1910007600 ACCEPTED: Firms offer IMPULSE PROBE (SENSOR), Part No. 1910007600 (Old Pt.No. 5.8600.120/31)	SSE(TRS/M AINT)BSL	24 Nos.	9-Mar-20

6	48195492100819 dt.08-AUG-19 on M/s.IMPERIAL AUTO INDUSTRIES LIMITED- FARIDABAD RITES-CALL RITES-IC	579180 (FP)	10 NS	ASSLY FUEL INJECTION TUBE 3/8 INCH 0.D X 0.107 INCH I.D. RDSO DRG.NO.SK.DP.3925 ALT 'A' OR LATEST. FOR PART DRGS. REFER DLW DRG NO. SKE-0863 ALT M (DLW PT NO. 10051703) DLW SPECN NO : D58632-ALT-"NIL"	CWM / PR	197 Nos.	7-Nov-19
7	93195160200205 dt.13-AUG-19 on M/s.VEEKAY GENERAL INDUSTRIES-EAST DELHI RITES-CALL	2596530 (FP)	4601N01	Joint less Grooved Copper Contact Wire 107 Sq. mm made out of Continuous Cast Copper Wire rods , Conforming to RDSO Specification no: ETI/OHE/76(6/97) with A and C slip no.1, 3, 4,5, 6,7, 8 & 9	Sr. Section Engineer	4410 MTR	10-Mar-20
8	92195425100579 dt.19-AUG-19 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	530392 (FP)	56XXN01	Field testing equipment (Test Jig) for Siemens make AWS track magnet with battery. MAKE : SIEMENS	Sr. Section Engineer	1 Nos.	14-Jun-20
9	92195424100581 dt.19-AUG-19 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	556106 (FP)	56XXN1	Opto Coupler card- H 1 type Siemens make. MAKE ; SIEMENS	Sr. Section Engineer	25 Nos.	14-Jun-20
10	56195246100759 dt.20-AUG-19 on M/s.AUTOMETERS ALLIANCE LTD-NOIDA RITES-CALL RITES-IC	1204308 (FP)	25XXN01	Battery charger Gate Driver card for generic version of M/s AAL make SIV,Part no HHIE 180982 ACCPETED: FIRMS OFFER GDU PCB ASSY, AAL PART NO. HHIE180982	SSE(TRS/M AINT)BSL	7 Nos.	21-Mar-20
11	85195922101442 dt.01-AUG-19 on M/s.AYUSH ENTERPRISES- RAIGARH RITES-CALL RITES-IC	661499 (FP)	42XXNS	HIGH MAST PANEL WITH TIMER AS PER SKETCH NO. SNPD/SK/Maint./69 MAKE OF SONEL/P&H NET APP SOLUTION/ASIAN CONTROL & EQUIPMENT. MATERIAL TO BE PROCURED FROM	SR. SECT. ENGG.,S/S,	6 Nos.	30-Sep-19
12	38195026102884 dt.02-AUG-19 on M/s.SANROK ENTERPRISES- FARIDABAD RITES-CALL	3612576 (FP)	7879N1	High Tensile AAR-H-Type Tight Lock Centre Buffer Coupler Head with Transition Screw Coupling and its Associated Components, as per RDSO Specification No. RDSO/2009/CG-22 Rev-1. M/s. SANROK	ELECTRIC LOCO REPAIR	16 Nos.	31-Jan-20

13	92195299100556 dt.05-AUG-19 on M/s.BOMBARDIER TRANSPORTATION INDIA PRIVATE LIMITED-Vadodara RITES-CALL	2604425 (FP)	5279N1	Microprocessor Board CTR/1-2, 5MEGA part no. ANR 002264 (Main Control Board) suitable for EBISAT 890 FIU equipment of Existing TMS system installed in CSMT - KYN section in Mumbai division of Cent	TCI (HF) CLA	2 Nos.	5-Aug-20
14	10195021203192 dt.21-AUG-19 on M/s.ABB INDIA LIMITED-Maneja RITES-CALL	13039000 (FP)	25NS	OVERHAULING OF ABB MAKE TPR 61 TURBO CHARGER TO 3100/3300 HP RATING CONFIRMING TO RDSO SPCN NO. TS/ED/96/10.3 SEPT 1996.DETAILS OF	SR.DME [D] PA	13 Nos.	21-Feb-20
15	46195298100331 dt.21-AUG-19 on M/s.MONISHA TRADING CORPORATION- MUMBAI RITES-CALL RITES-IC	731010 (FP)	31XXNNS	ABB/6.8KW/9HP/4P/B35/S 1/IE2/132MB ABB MAKE TEFC SQ CAGE FOOT CUM FLANGE MOUNTED IE2 INDUCTION MOTOR INSULATION CLASS H WITH TEMP RISE LIMITED TO CLASS B 415V, 50HZ, 6.8KW, 4 POLE/1455 RPM/S1	SR,DEE,[TR S] CLA	15 Nos.	31-Oct-19
16	48195496100851 dt.21-AUG-19 on M/s.SHIV TRADING CORPORATION- KOLKATA RITES-CALL	702440 (FP)	66NS	Pall Filter to Part No. HH8600C16KSRBM with Pall indicator Part No. RC861CZ090HYM or equivalent suitable for 140T Crane of Cowans Sheldon old design (HE21) (material to be procured from OEM/Leakless)	CRANE REPAIR SHOP PR	8 Nos.	19-Nov-19
17	56186333100776 dt.26-AUG-19 on M/s.SKf INDIA LTD- GURGAON RITES-CALL	889511 (FP)	25XXNS	TAPPER ROLLER BEARING UNIT TBU-150 SKF NO 1639457A (150X250X160) AS PER ABB DRG. NO IA016- 01494 OR LATEST FOR WAP-5 LOCOS (ITEM	WHEEL SETS AC LOCO W	10 Nos.	8-Apr-20
18	47169010103318 dt.27-AUG-19 on M/s.BOMBARDIER TRANSPORTATION INDIA PRIVATE LIMITED-NEW DELHI RITES-CALL	2850357 (FP)	2901N	Central electronics [VCU 1 and 2] for control circuit cubicles [SB 1 and 2] for WAG-9 type 3 phase locos to specification No. CLW /ES/3/003/D or latest. item Code 296109770314 H.	Sr. Section Engineer	1 Set	31-Aug-20
19	48195744100878 dt.28-AUG-19 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA LIMITED-HOSUR RITES-CALL RITES-IC	782340 (FP)	3350N003	Set of Flex ball cables of hand Brake for Faiveley make Disc Brake System fitted in LHB Coaches Set of flex ball cables with end connection, Make: FTIL, Part No 790040335 as detailed herein: 1) FLEX B	ELECTRIC LOCO REPAIR	3 Set	23-Mar-20
20	38195116103356 dt.28-AUG-19 on M/s.SRI MAHAVEER ENTERPRISES- CHENNAI	2001332 (FP)	30260115	ENTRANCE HAND RAIL TO RCF DRG. NO. CC 26115, ALT-b. MATERIAL AND SPECIFICATION AS PER DRAWING.	CARRIAGE FINISHING S	2611 Nos.	2-Feb-20

	MITES-CALL MITES-IC	(FP)					
21	83185061102980 dt.08-AUG-19 on M/s.INNOVEE- MUMBAI MITES-CALL MITES-IC	1711000 (FP)	8201N79	Automated Microbiology Instrument for Blood culture , Bacterial Identification & susceptibility testing for Pathology department of Central Railway Hospital	MD BY	1 Set	28-Feb-20
22	93185583100197 dt.09-AUG-19 on M/s.RAVI INDUSTRIAL STORE-KOLKATA MITES-CALL	509760 (FP)	9379N1	Supply of Polythene Insulated Polythene Sheathed Jelly Filled (PIJF) 10 Pair x 0.5 mm Dia Copper Conductor Under Ground Telephone Cable Armoured as per specification IRS -TC - 11/1997 with specification	Sr. Section Engineer	5000 MTR	17-Nov-19
23	90195002103092 dt.14-AUG-19 on M/s.TAWAKKAL WOOD PRODUCTS PVT LTD.-MUMBAI MITES-CALL MITES-IC	2177280 (FP)	9350NNS	SET OF PRE LAMINATED COMPREG PLYWOOD FOR WIDER WAY TYPE GSCN/ICF COACHES (ONE SET CONSISTING 45 NOS) SHAPES & SIZES AS PER DRAWING NO. SCN6-6-1-604 ALT 6. ITEM NO. 6.001	BELT SHOP PR	72 Set	16-Dec-19
24	85195929101511 dt.14-AUG-19 on M/s.ANUPAM ENTERPRISES- KOLKATA MITES-CALL MITES-IC	2146420 (FP)	77XXNS	Tie coat as per RDSO spec No. M&C/PCN/114/14 or latest (Packing in 20 L containers).	PAINT SHOP MTN	10700 LTR	28-Sep-19
25	91195082100426 dt.20-AUG-19 on M/s.AIR EQUIPMENT AND SYSTEMS INDIA PRIVATE LIMITED- MUMBAI MITES-CALL	821280 (FP)	45XXN3	Supply, installation & commissioning of electric driven screw type air compressor with air dryer as per specification attached.	SR.DME CnW	1 Nos.	31-Oct-19
26	56186387100764 dt.21-AUG-19 on M/s.STESALIT LIMITED- BADDI MITES-CALL	7065840 (FP)	25XXNS	SMOOTHNING REACTOR TYPE SL-30 TO CLW DRG. NO.0TWD.075.001 ALT-7 AND SPECN. NO.4TES.075.001 ALT-6. [ITEM RESERVED FOR CLW APPROVED	CWM(ELW) BSL	6 Nos.	23-Feb-20
27	38195100203226 dt.23-AUG-19 on M/s.CENTURY POLYMER INDUSTRIES- VADODARA MITES-CALL MITES-IC	1094767 (FP)	30550907	FRP GLASS SHUTTER ASSEMBLY FOR LAVATORY WINDOW TO RDSO DRG. NO. SK-K0046, ALT-1, DETAILS AS PER ICF DRG. NOS. 1] T-5-4-616 ALT x/8. 2] T-5-5-636 ALT m/5. 3] ICF/SK-5-4-144 ALT a/2. MTRL SPECN: AS PER	C SCHEDULE SHOP MTN	979 Nos.	26-Nov-19
28	95195384100458 dt.23-AUG-19 on M/s.INTEGRA ENGINEERING INDIA LTD-HALOL MITES-CALL	656080 (FP)	5606N01	AC LED ECR Siemens make (No A-RT-RG-A064) OR functional equivalent and should be suitable for working with 110V AC LED based signal lighting unit to Specification IRS: S-46. Accepted firm's offer as:U	SIGNAL INSPECTOR NGP	80 Nos.	23-Feb-20

29	48195909100874 dt.28-AUG-19 on M/s.IDEAL LAMINATES PRIVATE LIMITED-MEERUT RITES-CALL	2000100 (FP)	7540NNS	DECORATIVE THERMOSETTING SYNTHETIC RESIN BONDED LAMINATED SHEET, SIZE 2440 X 1220 X 3 MM, SAMPLE CODE NAC-SP 05 (BLUE) SPEC.- RDSO/C-K-514 REV-O OF DEC 2005 WITH 7 AMENDMENTS-	ELECTRIC LOCO REPAIR	1500 Nos.	12-Sep-19
30	90175008103379 dt.29-AUG-19 on M/s.HICO MULTIFIN PRODUCTS PVT LTD- KOLKATA RITES-CALL RITES-IC	2139104 (FP)	9090N11	M S Flats size 65mm x 8 mm in length of 5.5 Mtr. & above length confirming to IS 2062/11 E-250 Gr. B0/BR Semi killed or killed	SSS CUTTING SHOP MMR	41.2 MT	30-Nov-19
31	56195064100694 dt.01-AUG-19 on M/s.KAY PEE EQUIPMENTS PVT LTD- HOWRAH RITES-CALL	1068480 (FP)	25XXNS	SPLIT COVER ASSEMBLY (IN TWO HALVES) FOR WAP-5 LOCOMOTIVE AXLE BOX AS PER ABB ID NO. IA011- 00372 (ITEM TO BE PROCURED FROM CLW APPROVED SOURCE ONLY)	WHEEL SETS AC LOCO W	32 Nos.	31-Jan-20
32	41195092102872 dt.01-AUG-19 on M/s.QUADRANT CABLES PVT LTD- MOHALI RITES-CALL RITES-IC	640315 (FP)	40125890	1.5 SQ. MM, ELECTRON BEAM IRRADIATED CURING PROCESS THIN WALLED, FLEXIBLE ELASTOMERIC CABLE WITH COPPER CONDUCTOR SUITABLE FOR ROLLING STOCK APPLICATION	CWM / PR	26600 MTR	31-Mar-20
33	48195535100810 dt.06-AUG-19 on M/s.KNORR-BREMSE INDIA PVT. LTD.- PALWAL RITES-CALL	574560 (FP)	11 NS	LATERAL HYDRAULIC DAMPER {SECONDARY} WITH EQUALISING AND COMPENSATING MECHANISM FOR WDM3D LOCOMOTIVES TO DLW PART NO. 11666857, DRG. NO. TPL- 2744 OR RDSO DRG NO	CWM / PR	48 Nos.	1-Feb-20
34	42195002102970 dt.08-AUG-19 on M/s.AAKANKSHA STEEL AND ENGINEERING CO.- MUMBAI RITES-CALL	1318380 (FP)	31617803	FIXING ARRANGEMENT OF DRIVERS SEATS FOR MRVC COACHES TO DRG. NO. ICF/MRVC/D2-6- 1-201, ALT-d/NIL. REFER DRG. NO. ICF/SR/DMU/DPC/E-6-1- 008 ALT NIL/2, NOTE-5 FOR UPHOLSTRY MATERIAL.	EMU POH MTN	146 Nos.	31-Mar-20
35	50175063102982 dt.08-AUG-19 on M/s.STATCON ELECTRONICS INDIA LIMITED-NOIDA	2930555 (FP)	5646N08	Supply, checking of installation, testing and commissioning of SMPS based Integrated Power Supply system, conforming to RDSO Specification RDSO/SPN/ 165/2012 Version 3.0 with later amendments for pane	Sr. Section Engineer	1 Set	31-Dec-19

	MITES-CALL	(FP)	5646N10	Supply, checking of installation, testing and commissioning of SMPS based integrated power supply conforming to RDSO Specifications RDSO/SPN/165/2012 Version 3.0 with later amendments for panel inter	Sr. Section Engineer	1 Set	31-Dec-19
36	93186189100196 dt.09-AUG-19 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI MITES-CALL	1901240 (FP)	5650N	Supply of Relay Shunt Signal Group Siemens Make, working with LED Based Lighting unit, Type-A-RT-RG-A065 without Base Plate. OFFER ACCEPTED :- MAKE/BRAND -- SIEMENS.	Sr. Section Engineer	26 Nos.	6-Apr-20
37	48187231100822 dt.09-AUG-19 on M/s.SHASWAT STEEL WORKS PRIVATE LIMITED-MUMBAI MITES-CALL MITES-IC	1486485 (FP)	30617844	PRESSED BODY SIDE PANNEL TYPE VI SIZE: 1800 x 500 x 2 mm, CRW/SK/548 ALT-1, ITEM NO. 6. NOTE:-1) ITEM TO BE SUPPLIED WITH ONE COAT OF RED OXIDE ZINC CHROMATE TO IS: 2074. 2) MANUFACTURER'S	STRUCTURAL SHOP PR	1210 Nos.	29-Aug-19
38	56195008100738 dt.14-AUG-19 on M/s.PEEAAR ENGINEERING ENTERPRISES- NAGPUR MITES-CALL	569100 (FP)	25XXN01	Special Tool kit for overhauling of TBU/PBU of three phase locomotive.	SSE(TRS/G ENL)BSL	1 Set	15-Mar-20
39	69195151100264 dt.21-AUG-19 on M/s.BOMBARDIER TRANSPORTATION INDIA PRIVATE LIMITED-Vadodara MITES-CALL MITES-IC	643190 (FP)	2903N00	SET OF ASSEMBLED VACUUM SWITCH TUBE (VST) AAL PART NO. 4300004000 OR BT PART NO.540.20 FOR AAL/BT MAKE 25 KV AC VACUUM CIRCUIT BREAKER TYPE VCBA25 10TR. ASSEMBLY CONSISTING OF 06 ITEMS IN 11 NOS.	SR.SEC.EN G. (STORES)	4 Set	21-May-20
40	85195102101609 dt.29-AUG-19 on M/s.IC ELECTRICALS COMPANY PRIVATE LIMITED-NEW DELHI MITES-CALL	5734800 (FP)	45XXNS	4.5 KW underslung type constant voltage regulated battery charger for LHB coaches as per RDSO specification No. RDSO/PE/SPEC/ AC/0183-2015 (Rev.0). Note :- purchase from	SR. SECT. ENGINEER,	30 Nos.	3-Mar-20
41	95195076100403 dt.01-AUG-19 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI MITES-CALL	997100 (FP)	5604N001	External band pass module S52552-B2-2 compatible to be used with Siemens make MSDAC as per RDSO Specification No. RDSO/SPN/176/2013 Ver. 3 or latest. Accepted Make/Brand : SIEMENS.	SIGNAL INSPECTOR NGP	10 Nos.	1-Jun-20

42	56186291100696 dt.01-AUG-19 on M/s.ELASTIMOLD INDIA PVT. LTD.- VILLAGE DADRA RITES-CALL RITES-IC	1598900 (FP)	25XXNS	HIGH VOLTAGE BUSHING (MICAFIL) FOR 3-PHASE LOCO AS PER CLW SPECN.NO. CLW/ES/3/0052 ALT-D OR LATEST. (TO BE PROCURED FROM CLW APPROVED SOURCES ONLY - ACCEPTED:	CWM(ELW) BSL	5 Nos.	2-Dec-19
43	83185001102917 dt.05-AUG-19 on M/s.JOHNSON LIFTS PRIVATE LIMITED- CHENNAI RITES-CALL	554410455 (FP)	6547N01	Procurement of Passenger Escalator [Design , manufacturing , supply , installation , testing , commissioning and maintenance during warranty period] as per RDSO Specification No. RDSO/PE/SPEC/	Sr. Section Engineer	115 Nos.	11-May-20
44	95195020100407 dt.06-AUG-19 on M/s.ARHAM POLYCHEM PVT. LTD- KOLKATA RITES-CALL	767000 (FP)	56XXN001	"P" Bracket insulation IRS type as per specification No IRS40-84. One set consisting of materials of 1) Insulating plate (RH) to Drg. No. S-3265 - 1 No., 2) Insulating plate (LH) to Drg. No. S-3266 -1	SIGNAL INSPECTOR NGP	2000 Nos.	4-Nov-19
45	43192230103201 dt.21-AUG-19 on M/s.AMARA RAJA BATTERIES LTD- TIRUPATI RITES-CALL RITES-IC	868890 (FP)	45178677	Set of VRLA Battery 110 V, 70 AH consisting of 9 modules of 12 volts each, suitable LHB coaches as per RDSO Specn. No. RDSO/PE/SPEC/AC/ 0009 2014 (Rev.2). FIRM'S OFFER: MAKE/BRAND - AMARA RAJA	CWM / PR	10 Set	25-Nov-19
46	38194176103220 dt.22-AUG-19 on M/s.SRI MAHAVEER ENTERPRISES- CHENNAI RITES-CALL	1456350 (FP)	30260115	ENTRANCE HAND RAIL TO RCF DRG. NO. CC 26115, ALT-b. MATERIAL AND SPECIFICATION AS PER DRAWING.	ELECTRIC LOCO REPAIR	1900 Nos.	25-Feb-20
47	56195434100774 dt.23-AUG-19 on M/s.NATIONAL ENGINEERING INDUSTRIES LTD.- JAIPUR RITES-CALL RITES-IC	1245300 (FP)	25XXNS	SET OF STANDARD SIZE AXLE BOX SPARES FOR WAG-7 LOCO. ONE SET CONSISTS OF 5 ITEMS 26 NOS. AS PER ANNEXURE. ACCEPTED: FIRMS OFFER "THROWER TO NEI DRG. NO. X-105 PART NO. 3 OUTER THRUST COLLAR	WHEEL SETS AC LOCO W	20 Set	23-Feb-20
48	95195077100464 dt.28-AUG-19 on M/s.POWER BUILD BATTERIES PVT LTD- BANGALORE RITES-CALL	3020544 (FP)	5679N001	LOW MAINTENANCE LEAD ACID SECONDARY CELLS CAPACITY 2 V 80 AH FOR RAILWAY SIGNAL & TELECOM INSTALLATIONS WITHOUT MAINTENANCE KIT, IN HARD RUBBER CONTAINER AS PER RDSO SPECIFICATION	S.S.E./RRI/A JNI. SIGNAL INSPECTOR NGP	850 Nos. 300 Nos.	26-Nov-19 26-Nov-19
49	60195013103381 dt.29-AUG-19 on M/s.VISHAL SURGICAL EQUIPMENT CO. PVT. LTD.-MUMBAI	1486250 (FP)	6528N01	Procurement of Tele Pack(Portable Video Rhino Laryngoscope) for ENT (OPD) Dept. at Byculla Hospital. Material Required as per Specification. MAKE/BRAND - KARLSTORZ GERMANY MAKE GST HSN CODE -	MD BY	1 Set	31-Dec-19

	MITES-CALL MITES-IC	(FP)		MARK DESCRIPTION CODE -			
50	88195075100130 dt.30-AUG-19 on M/s.ARUN ENGINEERING WORKS- MUMBAI MITES-CALL	515844 (FP)	36	BEARING BRASS FOR 155 X 85 AXLE AS PER DRAWING NO. W/ AB- 3156	IRON SHOP WM KVV	184 Nos.	30-Nov-19
51	92186288100554 dt.02-AUG-19 on M/s.STACKERS AND MOVERS I MFG CO- AHMEDABAD MITES-CALL	501500 (FP)	92NS	Electric Operated Platform Truck for movement of Linen items. (as per specification attached.) MAKE ; EASY MOVE	JR.ENGINE ER COACHING	1 Nos.	26-Sep-19
52	96195146100264 dt.08-AUG-19 on M/s.SAI INDUSTRIAL ALLIANCES PRIVATE LIMITED-MUMBAI MITES-CALL MITES-IC	1036250 (FP)	43XXNx	Energy efficient 5 star rated and above inverter based wall mounting type split air conditioner of 1.5 ton capacity suitable for operation on 230 V 50 Hz single phase ac supply. with eco friendly comp	SR.SEC ENGG(ELE/ MAIN	25 Nos.	22-Oct-19
53	38195045102993 dt.09-AUG-19 on M/s.ELASTOMER LINING WORKS- AMBERNATH MITES-CALL MITES-IC	2755346 (FP)	30568158	UIC TYPE RUBBER VESTIBULE LATERAL SIDE ELASTOMER FLANGE TO RDSO SK- 99056 ALT-3 ITEM NO. 3. MATERIAL AND SPECIFICATION RDSO SPEC NO. RDSO/2007/CG OF WITH CORROSION	ELECTRIC LOCO REPAIR	161 Pairs	31-Dec-19
54	92195589100568 dt.09-AUG-19 on M/s.AADINATH PERIPHERALS AND CONSUMABLES- MUMBAI MITES-CALL	607936 (FP)	92NSN1	MECHANICAL KEY BOARDS, PS2 BASED WITH 107 KEYS FOR THIN CLIENT/DUMB TERMINALS OF UTS COUNTERS. MAKE : RITCOMP, TVS OR SIMILAR. MAKE : RITCOMP	SR DIVL COMMERCIAL M	280 Nos.	8-Sep-19
55	38195113103099 dt.16-AUG-19 on M/s.JOLLY STEELS- MUMBAI. MITES-CALL MITES-IC	1802002 (FP)	30437647	ALUMINIUM CHANNEL MOULDING SIZE- 2.5x53x2440 mm TO ICF DRG. NO. ICF/STD-4-3- 008, ALT-S/NIL . ITEM No. 9. MTRL AND SPECN AS PER DRG.	CARRIAGE REPAIR SHOP	4320 Nos.	19-Nov-19
			30437659	ALUMINIUM BASE MOULDING 'J' TYPE SIZE 2.5 x 67 x 2440 MM. TO ICF SK. ICF/STD-4-3-008, ALT-S/NIL, ITEM No. 10. MATERIAL AND SPECIFICATION AS PER DRAWING.	CARRIAGE REPAIR SHOP	4608 Nos.	19-Nov-19

56	85195335101518 dt.17-AUG-19 on M/s.MODSONIC INSTRUMENTS MANUFACTURING COMPANY PRIVATE LIMITED- AHMEDABAD RITES-CALL RITES-IC	1412460 (FP)	43XXNS	Digital Ultrasonic Flaw Detector with Standard Accessories confirming to RDSO specification No. M&C/NDT/125/2004, Rev-II, January 2017.	CWM, CARRIAGE WORKSH	6 Nos.	21-Dec-19
57	82195230100369 dt.19-AUG-19 on M/s.CHETAAN INC.- THANE RITES-CALL	619854 (FP)	56XXN01	Steel wire rope 6mm dia with steel core (WSC), 6/19 (12/6/1) construction as per Workshop Drg. No. S&T/BY/F-287, Galvanized wire type A , Grade I, freedom from defects,	CWM(S&T) WS BYCULLA	17000 MTR	19-Oct-19
58	95185737100450 dt.21-AUG-19 on M/s.GEMUS ENGINEERING LTD- KOLKATA RITES-CALL	1249500 (FP)	3814NS00	Adapter AAR Standard Wide Jaw Class 'E' to RDSO Drg. No. SK-78527, Alt-4. Accepted Make/Brand :- GEM.	SR.SEC.EN GR/ C&W/ AJ	500 Nos.	10-Oct-19
59	48195607100859 dt.24-AUG-19 on M/s.LIBA ENGINEERS- MIRA ROAD RITES-CALL	543144 (FP)	65NS	Mounting & Dismounting Unit for CTRB Bearing UIC-130 of LHB coaches as per specification annexure 'A'	Sr. Section Engineer	1 Nos.	20-Dec-19
60	92195648100613 dt.29-AUG-19 on M/s.BHARTI ENTERPRISES- MUMBAI RITES-CALL	930334 (FP)	8303N1	Printing of multi colour signal layout diagram with gradient chart hand book contains 230 pages on 80 GSM art paper in 5 inch x 7 inch size with multi colour glossy hard bound cover and hard bound gal	TE, [RS] BB VT	3476 Nos.	28-Sep-19
61	95195078100405 dt.01-AUG-19 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	1003944 (FP)	5679N001	Modem for Siemens make Multi Section Digital Axle counter as per RDSO Specification No. RDSO/SPN/176/2013 Ver.3 or latest and firms specification. Accepted Make/Brand :- "SIEMENS"	SIGNAL INSPECTOR NGP	12 Nos.	1-Jun-20
62	92195472100555 dt.02-AUG-19 on M/s.NAPASAR POLYMER PRIVATE LIMITED-KOLKATA RITES-CALL RITES-IC	2865125 (FP)	7919N304	Two piece Rain Coat [Jacket with zip fastener like YKK with flap along with Pant/ Trouser having waist full round elastic type (2 inch) and adjustable bottom using welcro of 3 inch length] with non d	DRM [W] BB VT	3530 Set	20-Feb-20

63	41195059202934 dt.07-AUG-19 on M/s.JETAGE COMPUTER TRADERS, CHANDIGARH RITES-CALL	926440 (FP)	4301N001	procurement of 19 Pcs All in one desktop computer Intel Core i3,7th gen or higher version RAM 4GB Hard disk 1 TB OS-Windows 10 Pro, with wired key board and mouse, DVD writer,Monitor Make HP,Dell,Len	SECRETARY TO CPO CST	19 Nos.	23-Sep-19
64	80195011202959 dt.07-AUG-19 on M/s.INDIAN OIL CORPORATION LTD- MUMBAI RITES-CALL	26374151 (FP)	92XXN01	HIGH SPEED DIESEL OIL BS -IV (AUTOMOTIVE DIESEL FUEL) CONFIRMING TO IS 1460-2005(5TH REVISION OR LATEST) AMENDEMENT NO.1 SEPT 2007-BHARAT STAGE -III, AMENDEMENT NO.2	SR.SECTIO N ENGG (TL/	444 KLTR	31-Mar-20
65	92195586100574 dt.19-AUG-19 on M/s.SAMARTH SECURITY SYSTEMS INDIA PVT. LTD.-NAVI MUMBAI RITES-CALL RITES-IC	691362 (FP)	7201N1	Biometric Token Machine as per specification attached 1) SUPPLY AND INSTALLATION WITH TRAINING 2) WARRANTY MINIMUM 3 YEARS 3) SERVICE SHOULD BE AT THE STATION OF INSTALLATION.	SECURITY OFFICER [I]	4 Nos.	3-Oct-19
66	90195012103194 dt.21-AUG-19 on M/s.SAMAY STEEL- MUMBAI RITES-CALL RITES-IC	2689494 (FP)	91012570	ALUMINIUM CHEQUERED SHEET, SIZE-2770 x 813 x 2.03mm WITH SINGLE BAR OR FIVE BAR PATTERN TO RDSO SPECN.NO. C-8217 [REV.2] FOR MAIN LINE	CARRIAGE REPAIR SHOP	8640 Kgs.	6-Dec-19
67	86195159100312 dt.27-AUG-19 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA LIMITED-HOSUR RITES-CALL	638824 (FP)	6238N01	Kit for Manifold Mounting cock as per FTRTIL Part No.790006151, kit consists of 6 items in 08 Nos. as per Annexure-A	Sr. Section Engineer	88 Set	11-Feb-20
68	38195071103341 dt.27-AUG-19 on M/s.SHASWAT STEEL WORKS PRIVATE LIMITED-MUMBAI RITES-CALL RITES-IC	3560995 (FP)	3011N001	Sole Bar [for ICF Coach] to Drg. No. CRW/SK-565,, With both end edges of sole bar should chamfered as per RDSO drg. no CG-10101, Alt. nil.	STRUCTUR AL SHOP PR	1216 Nos.	31-Dec-19
69	93185796100236 dt.28-AUG-19 on M/s.SNT ENGINEERS- GAUTAM BUDHH NAGAR RITES-CALL	1008900 (FP)	9379N1	modem card No. 6 suitable for CEL Make single section digital Axle counter system (Phase reversal type) as per RDSO specn No. RDSO/SPN/177/2012) ver. 3 or latest. Offer Accepted :- OEM Make.	Sr. Section Engineer	30 Nos.	17-Oct-19

70	96195087100280 dt.30-AUG-19 on M/s.MARUTI MEC TEC- VADODARA RITES-CALL	987660 (FP)	6032Nxxx	portable AC Generator as per following specification 1) AC Voltage 250 Volt 50 Hz, Single Phase 2) Rated current 32 AMPS 3)Starting system Recoil start and Self start 4) Fuel-	SE(PWAY) , [P.WAY DE	10 Nos.	29-Feb-20
71	38195075102961 dt.08-AUG-19 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA LIMITED-HOSUR RITES-CALL RITES-IC	1886867 (FP)	3350N001	SWKP Speed Sensor with Cable for Faiveley make WSP system of LHB Coaches. M/s Faiveley Part No. 1/604501/2000 comprising the following 03 items. : (S.No.1) Single speed sensor 2000 mm length, Part No.	ELECTRIC LOCO REPAIR	32 Set	20-Jan-20
72	96195177100263 dt.08-AUG-19 on M/s.TRINITY MAHALASA DURGA SALES AND SERVICES- AURANGABAD RITES-CALL	946378 (FP)	30XXN04	Coolant for Cummins Engine model QSK50L having specification COMPLEAT EG 50:50 PREMIX (Inhibitor Corrosion) equivalent to CIL part no. 3816981. Procurement through OEM or authorized dealer only. Make:	SENIOR SECTION ENGI	4305 LTR	22-Oct-19
73	50175063102981 dt.08-AUG-19 on M/s.STATCON ELECTRONICS INDIA LIMITED-NOIDA RITES-CALL	14835939 (FP)	5646N04	Supply, checking of installation, testing and commissioning of SMPS based integrated power supply conforming to RDSO Specifications RDSO/SPN/165/2012 Version 3.0 with later amendments for Panel Inter	SIGNAL INSPECTOR KWV	4 Set	31-Dec-19
			5646N06	Supply, checking of installation, testing and commissioning of SMPS based integrated power supply conforming to RDSO Specifications RDSO/SPN/165/2012 Version 3.0 with later amendments for LC Gate as	S.S.E./RRI/A JNI.	10 Set	31-Dec-19
74	83185020103057 dt.13-AUG-19 on M/s.BIOTECH INDIA- MUMBAI RITES-CALL RITES-IC	705600 (FP)	8201N79	4 CHANNEL ELECTROTHERAPY UNIT WITH INBUILT VACUUM FOR PHYSIOTHERAPY. MATERIAL REQUIRED AS PER SPECN. MAKE/BRAND - 0	MD BY	1 Nos.	16-Dec-19
75	91195080100414 dt.13-AUG-19 on M/s.SHIVAY ENTERPRISES-KANPUR RITES-CALL	826000 (FP)	45XXN2	Supply, installation & commissioning of Automatic Computerized Single Car Test Rig as per specification attached. MAKE/BRAND: "SHIVAY". NOTE: (1) Price not to exceed MRP. (2) LD as applicable. (3) Year	SR.DME CnW	1 Nos.	18-Jan-20

76	56195130100746 dt.16-AUG-19 on M/s.TROLEX INDIA PVT LTD-BANGALORE RITES-CALL RITES-IC	507400 (FP)	25XXN01	Supply,installation and commissioning of pressure calibrator set up as per specification attached. ACCEPTED FIRMS OFFER MAKE FLUKE, Trolex Part No. ITX5000.03	SSE(TRS/M AINT)BSL	1 Nos.	15-Dec-19
77	15168007103190 dt.21-AUG-19 on M/s.SUYOG ELECTRICALS LTD.- VADODARA RITES-CALL	22116150 (FP)	5611N1	PVC INSULATED ARMOURED UNSCREENED COPPER CONDUCTOR UNDERGROUND RAILWAY SIGNALLING CABLE SIZE 12 CORE X 1.5 SQ MM CONFORMING TO RDSO SPECIFICATION IRS:S- 63/2014 [REV 4.0] WITH LATEST AMENDMENT.	SIGNAL INSPECTOR NGP	2.5 KM	30-Apr-20
					SIGNAL INSPECTOR NGP	2.5 KM	30-Apr-20
					SIGNAL INSPECTOR NGP	2.5 KM	30-Apr-20
					SIGNAL INSPECTOR NGP	1.5 KM	30-Apr-20
					SIGNAL INSPECTOR NGP	100 KM	30-Apr-20
			5611N2	PVC INSULATED ARMOURED UNSCREENED COPPER CONDUCTOR UNDERGROUND RAILWAY SIGNALLING CABLE SIZE 12 CORE X 1.5 SQ MM CONFORMING TO RDSO SPECIFICATION IRS:S- 63/2014 [REV 4.0] WITH LATEST AMENDMENT.	S.S.E./RRI/A JNI.	10 KM	30-Apr-20
78	56195338100765 dt.21-AUG-19 on M/s.LIGHT EQUIPMENTS MFG CO- KOLKATA RITES-CALL RITES-IC	1803040 (FP)	25XXNS	BRAKING EXCITATION TRANSFORMER 60 KVA (ATFEX) AS PER CLW SPECIFICATION CLW/ES/T-20/H (RESERVED FOR CLW APPROVED SOURCES ONLY) ACCEPTED: FIRMS OFFER ACCEPTED	CWM(ELW) BSL	10 Nos.	23-Feb-20
79	56186209100766 dt.21-AUG-19 on M/s.SAMAL HARAND OF INDIA PRIVATE LIMITED-KOLKATA RITES-CALL	1392400 (FP)	25XXNS	MOTOR FOR SCAVANGE BLOWER TM AS PER CLW SPEC NO- CLW/ES/3/0021 OR LATEST [ITEM RESERVED FOR CLW APPROVED SOURCES ONLY ACCEPTED: FIRMS OFFER "MOTOR FOR SCAVANGE BLOWER TM	AUXILIARIE S OVERHAUL	50 Nos.	23-Nov-19
80	91195357100433 dt.27-AUG-19 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	922259 (FP)	56XXN01	Auto Signal block proving relay without base plate Siemens make No A-RT- RG-056 working with LED based signal lighting unit as per IRS:S-46 and Firm's specifications. Make/Brand: Siemens. OFFER FOR:-	SIGNAL INSPECTOR PA	15 Nos.	14-May-20

81	60195039102859 dt.01-AUG-19 on M/s.PRECISION ELECTRONICS INSTRUMENTS AND COMPONENTS- MUMBAI RITES-CALL RITES-IC	972000 (FP)	8279N01	Procurement of Dental Unit with Portable X-Ray - Programmable Dental Chair Unit with Accessories for Dental Dept. of Byculla Hospital. Material required as per Specn. attached. BRAND/MAKE - GUANGZHOU	MD BY	1 Nos.	22-Oct-19
82	56195133100695 dt.01-AUG-19 on M/s.RESITECH ELECTRICALS PVT.LTD.- KOLKATA RITES-CALL	3059150 (FP)	25XXNS	RESISTANCE UNIT RS (3 STEP ASSLY) PUNCHED GRID AS PER CLW SPEC NO CLW/ES/R-39 ALT-D (DRG NO CLW/ES/SK- 14/R-39.) (MATERIAL TO BE PROCURED FROM CLW APPROVED SOURCES ONLY)	CWM(ELW) BSL	17 Set	2-Apr-20
83	80195010202916 dt.05-AUG-19 on M/s.INDIAN OIL CORPORATION LTD- MUMBAI RITES-CALL	15681927 (FP)	9201N	HIGH SPEED DIESEL OIL , BS -IV, (AUTOMOTIVE DIESEL FUEL) CONFORMING TO IS : 1460-2005 (5TH REVISION OR LATEST) AMENDMENT NO.1 SEPT 2007. BHARAT STAGE -III (AMENDMENT NO.02)	ELECTRICAL FOREMAN, [264 KLTR	31-Mar-20
84	43185005102942 dt.07-AUG-19 on M/s.SIEMENS LTD- NAVI MUMBAI RITES-CALL	12224800 (FP)	4501N16	25KV/ 2 x 855V, 1250 KVA, Oil Cooled Transformer for Siemens EMU Rakes Type LOT 1250, Nominal Line Voltage 25 KV at Frequency 50 HZ make	SR,DEE,[TR S] CLA	4 Nos.	10-Feb-20
85	56195367100737 dt.14-AUG-19 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA LIMITED-HOSUR RITES-CALL	772810 (FP)	25XXN01	Set of Module Assembly for M/s Faiveley (FTRTIL) make E-70 brake system for WAG-9 Locomotive.(One set consists of 07 items,07 nos) ACCEPTED: Firms offer as per Scope of supply attached in Annexure	SSE(TRS/M AINT)BSL	1 Set	26-Mar-20
86	80185012103134 dt.19-AUG-19 on M/s.RIDDHI SIDDHI ENTERPRISE-HOWRAH RITES-CALL	2579850 (FP)	9201N05	HARD COKE (FC) Gr. I, 150MM and above confirming to IS:439/1989.	GSS B.N.R. SHOP MMR	130 MT	31-Mar-20
87	38195108103163 dt.20-AUG-19 on M/s.SUPER ENGINEERING WORKS- MUMBAI RITES-CALL RITES-IC	1454418 (FP)	30420441	STAINLESS STEEL FLAT MOULDING SIZE 2440 x 25 x 1 MM, DRG. NO. MISC. SK. 3545 ALT-4.	CARRIAGE FINISHING S	20400 Nos.	24-Jan-20
88	93186191100215 dt.20-AUG-19 on M/s.GLOBE SCOTT MOTORS PVT. LTD.- VALSAD	1727520 (FP)	5650N	Supply of 110Volt DC Motor 400Volt AC Immunized with Gear Box for Railway Point Machine, as per Specification No. IRS.S.37/82 or latest amendment. OFFER	Sr. Section Engineer	96 Nos.	29-Sep-19

	89	38195100203227 dt.23-AUG-19 on M/s.HINDUSTAN FIBRE GLASS WORKS- KOLKATA RITES-CALL RITES-IC	(FP) 730217	30550907	ACCEPTED :- MAKE/BRAND - GLOBE FRP GLASS SHUTTER ASSEMBLY FOR LAVATORY WINDOW TO RDSO DRG. NO. SK- K0046, ALT-1, DETAILS AS PER ICF DRG. NOS. 1] T-5-4-616 ALT x/8. 2] T-5-5- 636 ALT m/5. 3] ICF/SK-5- 444 ALT x/8 MTR	C SCHEDULE SHOP MTN	653 Nos.	26-Nov-19
	90	92195488100618 dt.30-AUG-19 on M/s.TEJAS ENTERPRISES-THANE RITES-CALL	821437	5604N01	PDCU Card for MSDAC as per RDSO/SPN/176/2005, make- Elydyne Electro systems pvt ltd. MAKE : ELDYNE ELECTRO SYSTEMS PVT LTD.	Sr. Section Engineer	11 Nos.	26-Feb-20
			(FP)	5604N02	SERIAL I/O CARD FOR ELYDYNE MAKE MULTI DIGITAL AXLE COUNTER (THALES MAKE) AS PER RDSO /SPN/176/2013 VER 3 & MANUFACTURER SPECIFICATION (PART NO. 3CR 01881RAAA) 2. MAKE ELDYNE ELECTROSYSTEMS PVT L	Sr. Section Engineer	3 Nos.	26-Feb-20
				5604N03	RESET BOX FOR ELYDYNE MAKE MULTI DIGITAL AXLE COUNTER (THALES MAKE)AS PER RDSO /SPN/176/2013 VER 3 & MANUFACTURER SPECFN (PART NO. ERBM 02) 2. MAKE ELDYNE ELECTROSYSTEMS PVT LTD.	Sr. Section Engineer	17 Nos.	26-Feb-20
	91	95195075100404 dt.01-AUG-19 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	854173	5679N001	Wheel Detection sensor with 10 meters cable suitable for Seimens Make Multi Section Digital Axle Counter as per RDSO Specification No. RDSO/SPN/176/2013 Ver- 3 or latest. Accepted Make/Brand :- " SIEM	SIGNAL INSPECTOR NGP	5 Nos.	1-Jun-20
	92	41195092102858 dt.01-AUG-19 on M/s.RADIANT - RSCC SPECIALTY CABLE PRIVATE LIMITED- HYDERABAD RITES-CALL RITES-IC	3515456	40125890	1.5 SQ. MM, ELECTRON BEAM IRRADIATED CURING PROCESS THIN WALLED, FLEXIBLE ELASTOMERIC CABLE WITH COPPER CONDUCTOR SUITABLE FOR ROLLING STOCK APPLICATION CONFORMING TO RDSO SOECIFICATION No.	CWM / PR	106400 MTR	31-Mar-20
	93	56195279100727 dt.07-AUG-19 on M/s.KNORR-BREMSE INDIA PVT. LTD.- PALWAL	714726	25XXN01	KBIL make set of Gasket and set of air pipe for Knorr - Bremse make oil free compressor model no V V 270 - T. One set consists of 15 item, 338 nos as per Annexure A. ACCEPTED:	SSE(TRS/T M)BSL	1 Set	8-Jun-20

	BITES-CALL	(FP)		FIRMS OFFER "Set of			
94	27195017103023 dt.09-AUG-19 on M/s.B G INDUSTRIES- HOWRAH BITES-CALL BITES-IC	771329 (FP)	2379N01	ACCESSORIES OF 3 PHASE STATOR CHAMBER OF TM TYPE 6FRA-6068 AS PER DRG. NO. 3TWD.096.167.ALT.3. Firms Accepted Offer: BRAND "BG".	SHOP SUPD TT. COMMUTA	100 Set	15-Dec-19
95	48195298100827 dt.13-AUG-19 on M/s.PROSERV- BANGALORE BITES-CALL BITES-IC	1958262 (FP)	65NS	Hose Crimping Machine,220T non greased tool with micrometer control, Capacity 1/4"- 2"(4SP/SH) and industrial up to 4", along with suitable die sets, Quick die change	CRANE REPAIR SHOP PR	1 Nos.	25-Oct-19
96	36195003103291 dt.26-AUG-19 on M/s.RAILCON INTERNATIONAL- KOLKATA BITES-CALL	1256984 (FP)	46120129	"PORCELAIN STAY-ARM INSULATOR R.I.6000-2 [MINIMUM C.D. 1050 MM] AS PER RDSO SPECN.NO.TI/SPC/OHE/I NS/0070[4/07] OR LATEST. Make/Brand : Insulators and Electricals Company, Mandideep.	Sr. Section Engineer	198 Nos.	30-Apr-20
			46120191	"PORCELAIN BRACKET INSULATOR [MINIMUM C.D. 1050 MM] R.I. NO. 6030-1 AS PER RDSO SPECN.NO.TI/SPC/OHE/I NS/0070[4/07] OR LATEST." Make/Brand : Insulators and Electricals Company, Mandideep.	Sr. Section Engineer	198 Nos.	30-Apr-20
97	48195606100875 dt.28-AUG-19 on M/s.SHASWAT STEEL WORKS PRIVATE LIMITED-MUMBAI BITES-CALL BITES-IC	1718892 (FP)	30417636	MODIFIED FLOOR MOULDING [CONTOUR] FOR ICF CN AND GS COACHES WITHOUT HOLES WITH ONE COAT OF ZINC CHROMIUM RED OXIDE TO DRG. NO. FIC AND WJ 1540, ALT-a, ITEM NO.1	STRUCTUR AL SHOP PR	4560 Nos.	15-Jan-20
98	60185006103378 dt.29-AUG-19 on M/s.JIO STEEL INDIA- MUMBAI BITES-CALL BITES-IC	4573800 (FP)	6201N15	25 MM NB STAINLESS PIPE MAKE/BRAND - JIO STEEL GST.HSN.CODE - 7304	BELT SHOP PR	7200 MTR	30-Mar-20
99	41195066203382 dt.29-AUG-19 on M/s.J K CABLES LIMITED-NOIDA BITES-CALL BITES-IC	26866240 (FP)	4601N33	65 mm2 Uninsulated Copper Catenary Wire [19/2.10 mm.], as per RDSO Specn. No. ETI/OHE/50[6/97] with A& C Slip Nos. 1, 2 & 3 or latest. (J.K. Brand).	Sr. Section Engineer	.5 KM	31-Jan-20
			4601N34	65 mm2 Uninsulated Copper Catenary Wire [19/2.10 mm.], as per RDSO Specn. No. ETI/OHE/50[6/97] with A& C Slip Nos. 1, 2 & 3 or latest. (J.K. Brand).	Sr. Section Engineer	.15 KM	31-Jan-20

			4601N35	65 mm2 Uninsulated Copper Catenary Wire [19/2.10 mm.], as per RDSO Specn. No. ETI/OHE/50[6/97] with A& C Slip Nos. 1, 2 & 3 or latest. (J.K. Brand).	Sr. Section Engineer	3 KM	31-Jan-20
			4601N36	65 mm2 Uninsulated Copper Catenary Wire [19/2.10 mm.], as per RDSO Specn. No. ETI/OHE/50[6/97] with A& C Slip Nos. 1, 2 & 3 or latest. (J.K. Brand).	Sr. Section Engineer	.5 KM	31-Jan-20
			4601N37	65 mm2 Uninsulated Copper Catenary Wire [19/2.10 mm.], as per RDSO Specn. No. ETI/OHE/50[6/97] with A& C Slip Nos. 1, 2 & 3 or latest. (J.K. Brand).	SR. SECT. ENGG.(CONS)	64 KM	31-Jan-20
			4601N38	65 mm2 Uninsulated Copper Catenary Wire [19/2.10 mm.], as per RDSO Specn. No. ETI/OHE/50[6/97] with A& C Slip Nos. 1, 2 & 3 or latest. (J.K. Brand).	SSE(TRD) Ahmednagar	3 KM	31-Jan-20
100	38195008103395 dt.29-AUG-19 on M/s.SHASWAT STEEL WORKS PRIVATE LIMITED-MUMBAI RITES-CALL	594720 (FP)	3041N1	CHANNEL SUPPORT FOR WAIST PANEL TO DRG. NO. CRW/SK-447, ITEM NO.2, ALT.1 OR LATEST ALTERATION, WITH ONE COAT OF ZINC CHROMIUM RED OXIDE.MATERIAL AND SPECIFICATION AS PER DRAWING WITH LATEST	STRUCTURAL SHOP PR	1920 Nos.	31-Jan-20
101	38195098103060 dt.13-AUG-19 on M/s.S.R.ELECTRONICS- MUMBAI RITES-CALL RITES-IC	1799885 (FP)	30437672	SET OF ALUMINIUM UNEQUAL ANGLE MOULDINGS, WITHOUT HOLES 2440 MM LONG TO ICF DRG. NO. ICF/STD-4-3-008. ALTS/NIL, [1] ITEM NO. 5, QTY.	CARRIAGE REPAIR SHOP	3456 Set	16-Nov-19
102	92195423100580 dt.19-AUG-19 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	671633 (FP)	56XXN1	Track Magnet Complete with Track magnet clamp Bolts, rubber bushes and Nuts type S25-432 M1 A1 (India) fitted with F1,F2, F3,F4, F5 Track Oscillators for AWS working make Siemens for AWS.	Sr. Section Engineer	5 Nos.	14-Jun-20
103	38195115103149 dt.19-AUG-19 on M/s.SUPER ENGINEERING WORKS- MUMBAI RITES-CALL RITES-IC	3228422 (FP)	30420453	STAINLESS STEEL EQUAL ANGLE MOULDING SIZE: 2440 x 25 x 25 x 1 MM, DRG. NO. MISC. SK. 3542 ALT-5.	CARRIAGE FINISHING S	19584 Nos.	31-Jan-20

104	56195244100760 dt.20-AUG-19 on M/s.AUTOMETERS ALLIANCE LTD-NOIDA RITES-CALL RITES-IC	1442833 (FP)	25XXN01	Inverter Gate Driver Card for generic version of M/s AAL make SIV, part no HHIE 180912 ACCEPTED: FIRMS OFFER " INVERTER CONTROL CARD ASSLY AAL PART NO. HHIE180912	SSE(TRS/M AINT)BSL	6 Nos.	21-Mar-20
105	90195009103176 dt.20-AUG-19 on M/s.SHRI RAM PANELS-MANDI GOBINDGARH RITES-CALL RITES-IC	1616339 (FP)	93500208	Densified resins impregnated compreg plywood size:2850x850x12mm thick to ICF Specn no:C-9407 (REV-3) TYPE II. Nos. This item is reserved for ICF approved sources only.	CARRIAGE FINISHING S	1000 Nos.	31-Dec-19
106	85195088101569 dt.24-AUG-19 on M/s.MAA LAXMI INDUSTRY-HOWRAH RITES-CALL	899997 (FP)	45XXNS	9 KVA, 750V/415 V/190 V AC, 3 phase star-star-star, Dry type, air cooled power distribution transformer for LHB type coaches confirming to RDSO specification No. RDSO/PE/SPEC/TL/0158-2012 Rev. 0.4	SR. SECT. ENGINEER,	10 Nos.	30-Jan-20
107	38193231103252 dt.26-AUG-19 on M/s.B. K. INDUSTRIAL CORPORATION- KOLKATA RITES-CALL	598238 (FP)	30640234	STAINLESS STEEL FOLDABLE BOTTLE HOLDER TO ICF DRG. NO. ICF/STD-6-4-018, ALT. h/3. OR LATEST. MATERIAL AND SPECN. AS PER DRG.	PUNE	500 Nos.	31-Mar-20
					WB	7500 Nos.	30-Nov-19
			3064NNS	STAINLESS STEEL FOLDABLE BOTTLE HOLDER TO ICF DRG. NO. ICF/STD-6-4-018, ALT. h/3. OR LATEST. MATERIAL AND SPECN. AS PER DRG.	ELECTRIC LOCO REPAIR	2750 Nos.	31-Mar-20
108	88195078100128 dt.28-AUG-19 on M/s.PRAG INDUSTRIES (INDIA) PVT. LTD.-LUCKNOW RITES-CALL	824250 (FP)	38	PU Lining (Top & Bottom) for constant contact PU side bearer pads confirming to RDSO Specification No. WD - 38-MISC - 2004, REV 1 and amend.1 of March 2008 & Amend No. 2 of September 2016 to RDSO Drg	N.P.OH SHOP KVV	1000 Set	31-Oct-19
109	75181094103392 dt.29-AUG-19 on M/s.PREMIER POLYFILM LTD.- BULAND SHAHAR RITES-CALL RITES-IC	947191 (FP)	75613815	FLEXIBLE POLYVINYLE CHLORIDE [PVC] FLOORING SHEET TO RDSO SPECN. No. RDSO/2006/CG-12, REV.1 WITH CORRIGENDUM-1 OF JUNE-2015 AND AMENDMENT NO.3 OF AUGUST 2016. SHADE	CARRIAGE FINISHING S	112 Nos.	26-Oct-19
110	48195761100889 dt.30-AUG-19 on M/s.EKOHA GAUGES AND TOOLS PVT. LTD.- KOLKATA RITES-CALL	680400 (FP)	18NS	FINSIED MACHINED AXLE FOR NARROW GAUGE NDM/5 LOCO WHEEL SET AS PER CLW DRAWING NO. 1D/28.05.102 (MATERIAL SPECIFICATION IRS R-43, CHEMICAL COMPOSITION AS PER DIN 17200, 25 Cr Mo 04)	Sr. Section Engineer	6 Nos.	30-Jan-20

111	10195013203418 dt.30-AUG-19 on M/s.BHEL-BHOPAL RITES-CALL	1734064 (FP)	1015N01	GEAR UNIT COMPLETE(BG) TO DRG NO.04361018001V03 & CS NO. ACS 3115	SR.DME [D] PA	2 Nos.	31-Mar-20
			1015N02	HORIZONTAL SHAFT, DRG NO 24364518001V00 AND CS NO-ACS 3115	SR.DME [D] PA	3 Nos.	31-Mar-20
			1015N03	HORIZONTAL DRIVE SHAFT KEY TO DRG NO.44364518004P1 & CS NO. ACS3115.	SR.DME [D] PA	30 Nos.	31-Mar-20
			1015N04	SHAFT KEY (VERTICAL DRIVE)TO DRG NO. 44364518004P2 & CS NO. ACS3115.	SR.DME [D] PA	30 Nos.	31-Mar-20
			1015N05	FLINGER TO DRG NO. 34364518001V00 & CS NO. ACS3115.	SR.DME [D] PA	30 Nos.	31-Mar-20
			1015N06	FLINGER TO DRG NO. 34364518003V00 & CS NO. ACS3115.	SR.DME [D] PA	30 Nos.	31-Mar-20
			1015N07	SHAFT NUT TO DRG NO. 44364518001P1 & CS NO. ACS3115.	SR.DME [D] PA	50 Nos.	31-Mar-20
			1015N08	POWER TAKE OFF UNIT WITH PINION FOR TA10106CY (FOR PT 70AY), DRG NO 14341021001V01 AND CS NO-ACS 3127.	SR.DME [D] PA	4 Nos.	31-Mar-20
			1015N09	SHAFT, DRG NO 24344521001P1 AND CS NO - ACS 3127.	SR.DME [D] PA	6 Nos.	31-Mar-20
			1015N10	BALL BEARING, DRG NO C450067P18 AND CS NO - ACS 3127.	SR.DME [D] PA	40 Nos.	31-Mar-20
			1015N11	PLATE LOCKING WASHER TO DRG NO. C450059P5 & CS NO. ACS3127.	SR.DME [D] PA	40 Nos.	31-Mar-20
			1015N12	ROTOR NUT FOR PTU TO DRG. NO. 44344521006 & CS NO. ACS 3127.	SR.DME [D] PA	40 Nos.	31-Mar-20
			1015N13	BAFFLE (MODIFIED) TO DRG NO. 44344521004P1 & CS NO. ACS3127.	SR.DME [D] PA	6 Nos.	31-Mar-20
			1015N14	BEARING HOUSING TO DRG NO. 14364018001V00 & CS NO. ACS3115.	SR.DME [D] PA	3 Nos.	31-Mar-20

