

## CENTRAL RAILWAY

Depot : All Depots

## LIST OF PURCHASE ORDERS

ALL

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	Consignee	PO Qty	Dely.Dt
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;							
1	54195047100016 dt.04-FEB-20 on M/s.PACIFIC TECHNOPRODUCTS INDIA PVT LTD- GURGAON RITES-CALL	766470.18  (FP)	54NS	Portable air compressor- working pressure:-100 PSI(7bar) Actual free air delivery:-300CFM Air outlet connection-04 Nos. Rated speed:2200 RPM Engine output-86HP Weight-1373 kg.(approx.) Quantity - 01	ABE [STR] BY BY	1 Nos.	10-Oct-20
2	95195242100065 dt.04-FEB-20 on M/s.KNORR-BREMSE INDIA PVT. LTD.- PALWAL RITES-CALL	1148140  (FC)	3816N201	Distributor Valve For BOBRN Wagons-Type KE2C SLA-14G Or C3W2 with Pressure Transformer and Adopter With Isolating Cock, but without Common pipe bracket and Control reservoir. Other technical requireme	SR.SEC.EN GR/ C&W/ AJ	28 Nos.	04-Aug-20
3	91195417100105 dt.07-FEB-20 on M/s.PREMIER INDIA AGENCIES- VISAKHAPATNAM RITES-CALL	771281.04  (FC)	30XXN01	Set of Poly Jack hoses for Lukas HRE consisting of- i) Poly Jack Hose (Red/Blue) 10 Mtrs. long with Lukas quick connect couplings (Male/Female) fitted on both ends of the hoses (Part No.840721765	Sr. Section Engineer	1 Set	31-Jul-20
4	27183971100781 dt.07-FEB-20 on M/s.ELMEC COM AGENCIES- MALAD(W), MUMBAI RITES-CALL	1826467.72  (FC)	2994NS	SET OF ROTOR STAMPING FOR ZIRCONIUM TYPE SHAFT MOUNTED DESIGN ROTOR (SCHEME-I). 1) MAIN STAMPING AS PER CLW DRAWING NO. 1TWD.096.010ALT-9REF-1 & RDSO DRAWING NO. SKEL- 4693REV.'0'ALT-1 & SPECIFICATION	SHOP SUPD TT. COMMUTA	23 Set	31-Jul-20
5	27185036100838 dt.10-FEB-20 on M/s.ELMEC COM AGENCIES- MALAD(W), MUMBAI RITES-CALL	6421765.32  (PX)	2923N26C	NS- peri card, ID No. 3EHL40928690002, Card Type XVA 986 B22.	SR.SEC.EN G. (STORES)	1 Nos.	10-Aug-20
			2923N26E	SR power supply, ID No. HIEE455170R0001, Card Type KUA 915 B01.	SR.SEC.EN G. (STORES)	2 Nos.	10-Aug-20
			2923N26F	Gate unit power supply (GUSP), ID No. HUCD420183R1001, Card Type KYA924D01.	SR.SEC.EN G. (STORES)	4 Nos.	10-Aug-20
			2923N26I	Bur Rack power Supply, ID No. 3EHE300629R0001, Card Type KUC 153 A02.	SR.SEC.EN G. (STORES)	14 Nos.	10-Aug-20

6	27193876100878 dt.12-FEB-20 on M/s.RADHIKA INDUSTRIES-KANPUR  RITES-CALL	6696500  (FP)	2917NS	ZIRCONIUM COPPER ROTOR BARS FOR ZIRCONIUM TYPE SHAFT MOUNTED DESIGN ROTOR [SCHEME-1] FOR 3 PHASE TM TYPE 6FRA-6068 AS PER RDSO DRG. NO. SKEL- 4740ALT.3 OR LATEST AND	SHOP SUPDTT. COMMUTA	5000 Nos.	27-Nov-20
7	56205018100221 dt.21-FEB-20 on M/s.KNORR-BREMSE INDIA PVT. LTD.- PALWAL RITES-CALL	2382420  (PC)	25XXNS	KIT FOR CONVERION OF UNDERSLUNG TO ONBOARD APPLICATION FOR KNORR BREMSE MAKE OIL FREE COMPRESSOR MODEL VV270-T FOR WAP-4 ELECTRIC LOCOMOTIVES	AUXILIARIE S OVERHAUL	15 Set	19-Oct-20
8	56195779100231 dt.24-FEB-20 on M/s.CONSUMER PACKAGING SERVICES PRIVATE LIMITED-NAGPUR RITES-CALL	1231255.66  (FP)	25XXNS	SET OF PNEUMATIC FITTINGS (SS) AS PER CLW SPEC NO. CLW/MS/3/053,ALT-13 OR LATEST FOR 3 PHASE LOCO.ONE SET CONSISTS OF 08 ITEMS,16 NOS. AS PER ANNEXURE. (ITEM IS RESERVED FOR CLW APPROVED SOURCES	ERECTION NO.3	37 Set	23-Aug-20
9	81193172101095 dt.24-FEB-20 on M/s.HINDUSTAN FIBRE GLASS WORKS- VADODARA  RITES-CALL RITES-IC	2119040  (PC)	84114010	Natural & artificial fibre Thermostat composite (NAFTC)sheets for roof peneling.size:3050mm x 1525 mm x1.5 mm to RDSO specification No.RDSO/2016/CG-02,	CARRIAGE FINISHING S	440 Nos.	31-Jul-20
10	48196547100240 dt.28-FEB-20 on M/s.SYNERGY CORPORATION- MUMBAI RITES-CALL	1470323.4  (FP)	11NS	"Transmission to Counter Drive Cardan Shaft to SPICER GELENKWELLENBAU GMBH Part No. GWB No.0.587.50.02.29.008.1680 Compressed Length = 1680mm. maximum Length = 1790 mm. Working Length =	DIESEL HYDROULIC SHO	4 Nos.	28-Jun-20
11	95195417100064 dt.04-FEB-20 on M/s.SCHILLER HEALTHCARE INDIA PRIVATE LIMITED- MUMBAI RITES-CALL RITES-IC	501984  (FC)	8279N011	HOLTER Monitoring System with Analyser and recorder with PC, Printer and standard accessories as per attached Specification. Make: Schiller or similar. Accepted Make/Brand: Schiller Model Medilog FD12	MS NGP	1 Nos.	20-Mar-20
12	48195689100161 dt.05-FEB-20 on M/s.FLEXO FOAM PVT LTD-GURGAON RITES-CALL	532224  (FC)	3061NNN	SET OF DENSIFIED THERMAL BONDED POLYESTER BLOCKS FOR USE IN RAILWAY COACHES FOR SEAT AND BERTHS TO RDSO SPECN. C-K 607 (Rev. 2 OF DECEMBER - 2015	BELT SHOP PR	12 Set	05-Apr-20

13	85196122100215 dt.05-FEB-20 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	714785  (FP)	31XXNS	ROTARY SHAFT LIP TYPE SEAL DIN 3760-193A X 223 X 15 –FKM OF SIEMENS PART NO. 23.24	CWM WHEEL SHOP MTN	50 Nos.	05-Aug-20
14	95195787100067 dt.06-FEB-20 on M/s.RISHI ENGINEERS- GHAZIABAD RITES-CALL	644634  (FP)	5606N01	GI pipe, inner dia. 100mm dia. B-class as per spec. No. IS 1239 PT. 1/2004 with sockets and fittings. FIRMS OFFERED MAKE SWASTIC TC OF OEM AND GURANTEE CERTIFICATE TO BE ISSUED ALONG WITH	SIGNAL INSPECTOR NGP	900 MTR	18-Mar-20
15	91195614100099 dt.07-FEB-20 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	1021113  (FC)	56XXN01	Block Input Output card (BLEA Card) for Siemens make MSDAC as per RDSO specification no. RDSO/SPN/176/2013 Ver. 3 with latest amendment.	SIGNAL INSPECTOR PA	6 Nos.	14-Dec-20
16	95195549100073 dt.07-FEB-20 on M/s.ESCORTS LIMITED-FARIDABAD  RITES-CALL	1097600  (FP)	3801N00	Non-asbestos L-Type Composition Brake Block for BLC Wagon to Drg. No. CONTR-9404-S/11, Alt.7. Accepted Make/Brand: ESCORTS.	SR.SEC.EN GR/ C&W/ AJ	2800 Nos.	07-Jul-20
17	92195969100110 dt.12-FEB-20 on M/s.ESCORTS LIMITED-FARIDABAD  RITES-CALL	784000  (FP)	10NS	'L' Type Composite Brake Block for BLC Wagon to Drg. no. CONTR-9404-S/11, Alt-6. MAKE / BRAND - ESCORTS	HTXR KYN	2000 Nos.	12-May-20
18	27195037100963 dt.17-FEB-20 on M/s.PPS INTERNATIONAL- GAUTAM BUDH NAGAR RITES-CALL RITES-IC	1285020  (FC)	2901N00	9 PIN D-SUB WITH TWO STRAIGHT CABLE ENTRIES, CONSISTING OF PARTS (1) TRAC D-SUB COVER SIZE 1, (GIMOTA Part No. TRAC2ST1-8) - 01 No., (2) CABLE CLAMP FOR D-SUB, (GIMOTA Part No.SUKABC06S-21) - 02 Nos	SR.SEC.EN G. (STORES)	600 Nos.	31-Jul-20
19	54205010100035 dt.18-FEB-20 on M/s.PRO-ARC WELDING AND CUTTING SYSTEMS PVT.LTD-PUNE RITES-CALL RITES-IC	996639.8  (FC)	NS54	Consumables for Kjellberg Torch for Pro-Arc make Plasma & Gas Cutting Machine. Smart focus, Flow control - 300, Per cut 4000 for cutting mild steel. (as per Annexure - 'B')	SR.S.E.[MIL L WRIGHT]	1 Set	05-Jul-20

20	92195549100122 dt.20-FEB-20 on M/s.KED SATI IRON AND STEEL PVT. LTD.- KOLKATA RITES-CALL RITES-IC	1180000  (FP)	6012N1	SINGLE COIL SPRING WASHER RDSO DRAWING NO. T- 10773 ( LATEST ALTERNATION IRS SPECIFICATION FOR SINGLE COIL SPRING WASHER FOR TRACK S.NO. T- 42 - 1988 WITH	SE(PWAY) , [STORES]	200000 Nos.	20-Sep-20
21	27195016100628 dt.03-FEB-20 on M/s.INDIAN METALS AND ALLOYS MFG.CO.PVT.LTD.- KOLKATA RITES-CALL RITES-IC	1492700  (FC)	25XXNS	RESISTANCE RING FOR BRAZED ROTOR 3 PHASE TM TYPE 6FXA7059 FOR WAP-5 LOCO, AS PER CLW DRG. NO. 4TWD.097.073ALT AND MATERIAL CLW SPECIFICATION NO. 4TMS.096.064ALT.5 OR LATEST VERSION OF CLW/ RDSO/ DRG./	SHOP SUPDDT. COMMUTA	46 Nos.	30-Sep-20
22	81193172100638 dt.03-FEB-20 on M/s.A B COMPOSITES PRIVATE LIMITED- KOLKATA RITES-CALL RITES-IC	7301324.8  (FC)	84114010	Natural & artificial fibre Thermostat composite (NAFTC)sheets for roof peneling.size:3050mm x 1525 mm x1.5 mm to RDSO specification No.RDSO/2016/CG-02,	CARRIAGE FINISHING S	1408 Nos.	31-Mar-20
23	95186279100060 dt.04-FEB-20 on M/s.STANCHION DESIGNS PRIVATE LIMITED-MUMBAI RITES-CALL RITES-IC	501500  (FC)	4602N001	25 kV Single Pole Vacuum Circuit Breaker as per RDSO specification No. TI/SPC/PSI/LVCBIN/0120 (December 2013) version '0' with A&C slip No. 1 (Oct. 2016) or latest with support structure and terminal	Sr. Section Engineer	1 Nos.	03-Aug-20
24	91195616100101 dt.07-FEB-20 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	898398.9  (FC)	56XXN01	Processing and monitoring board (VAU CARD) for Siemens make Multi Section Digital Axle Counter as per RDSO specification No.RDSO/SPN/176/2013 ver.3.	SIGNAL INSPECTOR PA	7 Nos.	14-Dec-20
25	56195149100232 dt.24-FEB-20 on M/s.STESALIT TELEMA ELECTRICALS PRIVATE LIMITED- BADDI RITES-CALL	1150500  (FP)	25XXNS	AC BLOWER (MVRF) FOR DBR AS PER RDSO SPECN.NO. ELRS/SPEC/DBR/0028 REV- 0 WITH AMENDMENT NO. 1 & 2 OF 2006.(TO BE PROCURED FROM CLW APPROVED SOURCES ONLY)	AUXILIARIE S OVERHAUL	5 Nos.	22-Oct-20
26	93195175100079 dt.26-FEB-20 on M/s.STANCHION DESIGNS PRIVATE LIMITED-MUMBAI	1975025	4601N01	25 KV, 50Hz, Single Pole Vacuum Interrupter, with Spring- Spring Operating mechanism, with Terminal connector suitable for 36 Sq. mm Aluminium Tubular Bus bar, Out door type for Railway	Sr. Section Engineer	5 Nos.	24-Aug-20

	RITES-CALL RITES-IC	(FC)		AC Traction Su			
27	56205057100250 dt.27-FEB-20 on M/s.RANSAL INDIA PVT. LTD.-KOLKATA RITES-CALL	530754.56  (FP)	25XXNS	SET OF NON-METALLIC PIPE (SMOKE DETECTION PIPE) FOR 3 PHASE LOCO FDU CIRCUIT AS PER CLW SPEC. NO. CLW/ES/0254,ALT-B.(ITEM IS RESERVED FOR CLW	ERECTION NO.3	32 Set	28-May-20
28	27195028101300 dt.28-FEB-20 on M/s.AUTOMETERS ALLIANCE LTD-NOIDA  RITES-CALL	1682912.04  (FP)	2901N00	VIGILANCE CONTROL DEVICE AS PER RDSO SPECIFICATION NO. RDSO/2008/EL/SPEC/0025/R EV-6 (JUNE 2019) FOR WAG- 7 LOCO.	SR.SEC.EN G. (STORES)	11 Nos.	31-May-21
29	56195854100262 dt.28-FEB-20 on M/s.AUTOMETERS ALLIANCE LTD-NOIDA  RITES-CALL	1369980  (FC)	25XXN01	Upgradation kit of AAL make Telpro-EL ( with Non-Metallic Recorder & Metallic Indicator ) Rev 2 type to Telpro EL Metallic additional new feature as per Rev-4 of RDSO spec. ( Each set consisting of th	SSE(TRS/M AINT)BSL	9 Set	28-Jul-20
30	91195658100148 dt.28-FEB-20 on M/s.HITACHI HI-REL POWER ELECTRONICS PVT. LTD.- GANDHINAGAR  RITES-CALL RITES-IC	900635  (FP)	45XXNXXX	Regulated Battery Charger for LHB type AC coaches confirming to RDSO Specification No. RDSO/PE/SPEC/AC/0129- 2009 (REV-1). Demand restricted to RCF/ICF/Venders only	SSE(TL- AC)PA	5 Nos.	10-Aug-20
31	91205015100104 dt.07-FEB-20 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	1034506  (FP)	56XXN01	Plug in type mini group neutral relay 5F/3B, Consisting of 02 nos. miniature K 50 relays (Non AC immunized) 60 VDC RSSK - 30/0011 (With base plate) conforming to IRS-S-46 with latest amendments and Fi	SIGNAL INSPECTOR PA	110 Nos.	31-Mar-21
32	38195156100776 dt.07-FEB-20 on M/s.SUDARSHAN STEEL MFG CO- MUMBAI RITES-CALL RITES-IC	1364139  (PC)	3057NS	STAINLESS STEEL LADDER as per DRG NO C/SK(MISC)- 031 ALT-1. SAMPLE TO BE APPROVED BEFORE BULK SUPPLY.	C SCHEDULE SHOP MTN	2202 Nos.	25-Jul-20
33	88205012800025 dt.07-FEB-20 on M/s.PRINCIPAL CHIEF MATERIALS MANAGER, CHURCHGATE RITES-CALL	844164  (PX)	38	POH KIT FOR C3W TYPE DISTRIBUTOR VALVE CONFORMING TO AIR BRAKE MAINTENANCE MANUAL G-97,READ WITH ALL AMDTS.LATEST AMDT.NO.3 OF JAN- 2010,TOTAL 41 ITEMS AS PER ANNEX.XIII/3	N.P.OH SHOP KWV	300 Set	31-Mar-20

34	56195360100185 dt.07-FEB-20 on M/s.VIJAY ENGINEERING WORKS- AHMEDABAD RITES-CALL	849600  (FC)	25XXN01	High voltage bushing ( Micafill) for three phase locos as per CLW/SPEC No CLW/ES/3/0052 Alt-D. ACCEPTED: 1] FIRMS OFFER MAKE ABB. 2] FIRM TO NOTE: Proof required material procured from ABB. Materia	SSE(TRS/M AINT)BSL	2 Nos.	05-Oct-20
35	60195097100797 dt.10-FEB-20 on M/s.SAR INTECH PRIVATE LIMITED- NAVI MUMBAI RITES-CALL RITES-IC	1049689.06  (FC)	6579N01	Battery operated torque Wrench with Accessories for 3-Phase Traction Motor as per specification enclosed. 1. Battery operated torque wrench inclusive of Lithium ion battery and charger, qty=01no. 2. O	SR.DEE, [TRS] KYN	1 Nos.	31-Jul-20
36	85196610200239 dt.13-FEB-20 on M/s.QUALTEL SOLUTIONS-RAIGAD RITES-CALL RITES-IC	2779000  (FC)	43XXNS	Supply and Installation of Biometric device with Smart card support,Enclosure and 100 user licenses/Machine with one year warranty as per Technical Specification attached.	CWM, CARRIAGE WORKSH	70 Nos.	28-Feb-20
37	27195032100923 dt.14-FEB-20 on M/s.ELMEC COM AGENCIES- MALAD(W), MUMBAI RITES-CALL	21346200  (PC)	2901N001	Printed Circuit Board type KUB 921 A01 as per ABB document No. 3EHL409054R0001 or latest. Accepted offer: Printed Circuit Board type KUB 921 A01 as per ABB document No. 3EHL409054R0001, CGPISL Make.	SR.SEC.EN G. (STORES)	300 Nos.	14-Feb-21
38	56195728100215 dt.14-FEB-20 on M/s.CULTURE INSTRUMENTS INDIA LLP-BANGALORE RITES-CALL	756380.01  (FP)	25XXN01	Surface and Interfacial Tensiometer with accessories as per IS:6104-1971 ACCEPTED: FIRMS OFFER MAKE CI	SSE(TRS/PP IO)BSL	1 Set	30-Aug-20
39	48205025100205 dt.18-FEB-20 on M/s.G. K. ENGINEERING CORPORATION- THANE RITES-CALL	603754.2  (FP)	65NS	SET OF JIB MAIN HOIST SHEAVES ASSEMBLY FOR 140T COWANS SHELDON NEW DESIGN DHBD CRANE AS PER ANNEXURE A (Ref :DRW No.4610006 & 4610004)	CRANE REPAIR SHOP PR	2 Set	20-Nov-20
40	95205011100094 dt.18-FEB-20 on M/s.SRIRAM CABLES PRIVATE LIMITED- ALWAR RITES-CALL	1755840  (FC)	5611N01	Armoured Unscreened PVC Insulated Signalling Cable 6 Core 1.5 sq mm as per RDSO specification IRS: S-63/2014 (Rev. 4.0) or latest amendment. MAKE OWN - SRIRAM	SIGNAL INSPECTOR NGP	16 KM	19-Apr-20

41	85186811100254 dt.18-FEB-20 on M/s.HIMNISH LIMITED-GHAZIABAD.  RITES-CALL RITES-IC	751117.2  (FC)	4706NS	TEST BENCH FOR TESTING AND MAINTENANCE OF 3 PHASE TRACTION MOTORS as per specification attached.	S.S.I. [EMU] MTN	1 Nos.	28-Aug-20
42	92195803100124 dt.20-FEB-20 on M/s.GLOBE SCOTT MOTORS PVT. LTD.- VALSAD RITES-CALL	708000  (FP)	5630N01	110v DC motor with 400 V AC immunity as per specification No IRS:S: 37/82 amd 3. MAKE / BRAND - ACCEPTED MAKE/BRAND - GLOBE SCOTT	Sr. Section Engineer	40 Nos.	16-Sep-20
43	27205006101078 dt.20-FEB-20 on M/s.POWER-PACK COMMUTATORS (I) PVT. LTD.- UMBERGAON RITES-CALL	1553543.16  (FP)	2594N973	COMMUTATOR ASSEMBLY WITH STEEL PARTS FOR TAO-659 ARMATURE [17MM RISER WIDTH] AS PER DRG. NO. 3TMW/DRG- CA/553 ALT-3 AND SPECN. NO. 4TMW/SPEC/168 ALT.3	SHOP SUPD TT. COMMUTA	6 Nos.	20-May-20
44	84195092200017 dt.21-FEB-20 on M/s.HP INFOSYS, RAJKOT RITES-CALL	845500  (FP)	5701N01	All in one or Desktop PC Processor: Intel core i3-8th gen RAM 4GB, Hard disk: 1TB OS pre-installed Window ,10 Monitor 19.5 with wires keyboard & Mouse, DVD Writer Make: HP, Dell, Lenovo,	DY CMM-D [G] CURREY	19 Nos.	13-Mar-20
45	46205013100025 dt.24-FEB-20 on M/s.B. KHANDELWAL METAL CORPORATION- MUMBAI  RITES-CALL RITES-IC	927480  (FC)	31XXNS	CABLE RESISTANCE THERMOMETER SENSOR - 2 X PT 100 HAVING MAX MEASURING CURRENT 5 MA AND MEASURING RANGE 30 + 250 C AS PER RUSTER TYPE NO. 21 F 6 X 77.3.2. PT2. 0.3 58 DC-03 FOR BT RAKE TRACTION MOTOR P	SR,DEE,[TR S] CLA	10 Nos.	30-Sep-20
46	92195859100125 dt.24-FEB-20 on M/s.SUDARSHAN STEEL MFG CO- MUMBAI RITES-CALL RITES-IC	1132230.06  (FC)	92NSN1	Steel Locker with 8 pigeons made of 22 swg sheet, Height - 1980 mm X Width - 910 mm X Depth - 480mm system high process with spray painting.( as per specification attached & delivery schedule station	SR DIVL COMMERCIAL M	139 Nos.	10-Sep-20
47	56195699100227 dt.24-FEB-20 on M/s.INNOVATE INDIA ASSOCIATES- KOLKATA RITES-CALL	1203600  (FP)	25XXNS	CROSS BAR 47 X 40 X 126 COUPLING GRILON AS PER SACHERON PART NO HBTA311464P0001 FOR CONTACTOR TYPE BPS: 30.06S ACCEPTED: FIRMS OFFER MAKE Secheron	PNEUMATIC AC LOCO W/	102 Nos.	30-Sep-20

48	56195425100228 dt.24-FEB-20 on M/s.AUTOMETERS ALLIANCE LTD-NOIDA  RITES-CALL RITES-IC	974851.1  (FC)	25XXNS	VST ( VACUUM SWITCH TUBE) FOR VCB AAL PART 4300007100/31 OR BTIL PART NO HSBA-331624-R1 ACCEPTED: FIRMS OFFER AS PER ATTACHED ANNEXURE	SR.SEC.EN G.(PROGRE SS	5 Nos.	22-Sep-20
49	86205054100081 dt.24-FEB-20 on M/s.KNORR-BREMSE INDIA PVT. LTD.- PALWAL RITES-CALL	767000  (FX)	7279N01	Special Tool and Fixture for Overhauling of M/s KBIL make TBU and PBU. One set consisting of 20 items in 20 Nos. as per Annexure-A.	Sr. Section Engineer	1 Set	29-Aug-20
50	75191086101182 dt.26-FEB-20 on M/s.PUNJAB LAMINATES PVT. LTD. JALANDHAR RITES-CALL RITES-IC	4384955.52  (FC)	7540NS01	DECORATIVE THERMOSETTING SYNTHETIC RESIN BONDED LAMINATED SHEET FOR USE IN COACHING STOCK TO RDSO SPECIFICATION NO. STR C-K 514 WITH 7	ELECTRIC LOCO REPAIR	3312 Nos.	30-Jun-20
51	92195927100075 dt.03-FEB-20 on M/s.FRAUSCHER SENSOR TECHNOLOGY INDIA PRIVATE LIMITED- BANGALORE  RITES-CALL	767749.92  (FC)	5601NS01	Sensor Fixing Assembly for 60 KG rail size, set consisting of 1) Rail claw 01 No., 2) Hexagon Nut M12 self-Locking- 02 pairs, 3)Rail Claw Plate- SK140 -01 No., 4)BBIK-M10 bolt set assembly -01 No, 5)	Sr. Section Engineer	17 Set	04-Mar-20
52	75191086100644 dt.03-FEB-20 on M/s.SHRI DHANIRAM LAMINATES PRIVATE LIMITED-RAIPUR  RITES-CALL RITES-IC	13423630.4  (PC)	75403717	DECORATIVE THERMOSETTING SYNTHETIC RESIN BONDED LAMINATED SHEET FOR USE IN COACHING STOCK TO RDSO SPECIFICATION NO. STR C-K 514 WITH 7 AMENDMENTS. AMENDMENT NO. 1 to 7 OF AUG. 2016. SIZE: 2440 x 1220	MTN	5882 Nos.	31-Dec-20
			7540NS01	DECORATIVE THERMOSETTING SYNTHETIC RESIN BONDED LAMINATED SHEET FOR USE IN COACHING STOCK TO RDSO SPECIFICATION NO. STR C-K 514 WITH 7 AMENDMENTS. AMENDMENT NO.1 -7 OF AUG. 2016. SIZE: 2440 x 1220 x	ELECTRIC LOCO REPAIR	2208 Nos.	15-Aug-20



			75904214	DECORATIVE THERMOSETTING SYNTHETIC RESIN BONDED LAMINATED SHEET STAR DUST GREY FOR USE IN COACHING STOCK TO RDSO SPECIFICATION NO. STR C-K 514, WITH 7 AMENDMENTS. AMENDMENT NO.1 -7 OF AUG. 2016. SIZE	MTN	823 Nos.	30-Jun-20
			75904287	DECORATIVE THERMOSETTING SYNTHETIC RESIN BONDED LAMINATED SHEETS FOR USE IN COACHING STOCK TO RDSO SPECIFICATION NO. STR C-K 514 WITH 7 AMENDMENTS. AMENDMENT NO.1 -7 OF AUG.2016 SIZE 2440 x 1220 x 3 m	MTN	1226 Nos.	30-Jun-20
53	80195014100714 dt.05-FEB-20 on M/s.SHREE GANESH ENTERPRISES-NASHIK  RITES-CALL	1770000  (PC)	8020N	Dissolved Acetylene Gas for industrial use as per IS:308/1988 (III rd revision) or latest	SR.S.E.[MILL WRIGHT]	6000 CUM	31-Mar-21
54	42185040100771 dt.07-FEB-20 on M/s.BIRKAN ENGINEERING INDUSTRIES Pvt. LTD-GHAZIABAD RITES-CALL RITES-IC	1714776  (FC)	31547540	LOOK OUT GLASS MADE OF SILICON HARD COATED POLYCARBONATE SHEET AS PER ICF STR No. ICF/MD/SPEC.159 REV. No. 01, DATED 05-08-2004 WITH AMENDMENT SLIP No. 02 DATED 09-11-2011 OR LATEST AND SIZE OF SHEET	EMU POH MTN	118 Nos.	21-Sep-20
55	38195120100994 dt.17-FEB-20 on M/s.FLEXO FOAM PVT LTD-GURGAON	1864273.32	30612380	DENSIFIED THERMAL BONDED POLYESTER BLOCKS FOR TRANSVERSE SEAT TO C.RLY DRG. MISC SK. 3745, ALT-2 ITEM NO. 1. [SIZE 1823 X 553 X 38 MM]. MATERIAL AND SPECIFICATION TO RDSO SPECIFICATION C-K607 [REV-1]O	TRIMMING SHOP MTN	3492 Nos.	30-Jun-20

	<p> <b>MITES-CALL</b> </p>	<p>           (FP)         </p>	<p>           30617984         </p>	<p>           DENSIFIED THERMAL BONDED POLYSTER BLOCKS FOR GS-SLR COACHES SINGLE SEAT TO RDSO SPECIFICATION NO. STR C-K607 [REV. 2 OF DEC. 2015], SIZE 500 X 475/410 X 30 MM. DRG. NO. MISC. SK. 3866-A, ALT-2.         </p>	<p>           TRIMMING SHOP MTN         </p>	<p>           192 Nos.         </p>	<p>           30-Jun-20         </p>
			<p>           30617996         </p>	<p>           DENSIFIED THERMAL BONDED POLYSTER BLOCKES FOR GS-SLR COACHES SINGLE SEAT TO SIZE 480 X 445 X 550 X 30 MM TO DRG. NO. MISC. SK. NO. 3871, ALT-2, ITEM NO. 7. MATERIAL AS PER RDSO STR NO. C-K 607 [REV-2         </p>	<p>           TRIMMING SHOP MTN         </p>	<p>           1152 Nos.         </p>	<p>           30-Jun-20         </p>
<p>           56         </p>	<p>           92196001100123            dt.20-FEB-20 on            M/s.FRAUSCHER            SENSOR            TECHNOLOGY INDIA            PRIVATE LIMITED-            BANGALORE             MITES-CALL         </p>	<p>           1462305.6                     (FC)         </p>	<p>           5604N01         </p>	<p>           Wheel Sensors RSR 180 with 15Mtr cable and Protection tube 14.8 Mtr length for Frauscher make MSDAC Make - Self (Frauscher), Inspection by RDSO         </p>	<p>           Sr. Section Engineer         </p>	<p>           15 Nos.         </p>	<p>           15-Jul-20         </p>
<p>           57         </p>	<p>           56205083100239            dt.25-FEB-20 on            M/s.HEXA TECH            SOLUTIONS-            AURANGABAD            MITES-CALL         </p>	<p>           531534.54                     (FP)         </p>	<p>           25XXNS         </p>	<p>           Supply, erection and commissioning of set of conference system for workshop meeting hall as per annexure. Make Phillips, Bosch, Mipro or Shure Only. 1 Set consists of 9 items 42 Nos. Firm to Note: 1]         </p>	<p>           CWM/ELW/BSL         </p>	<p>           1 Set         </p>	<p>           27-Mar-20         </p>
<p>           58         </p>	<p>           50195021201293            dt.28-FEB-20 on            M/s.GOLKONDA            ENGINEERING            ENTERPRISES            LIMITED-            SECUNDERABAD             MITES-CALL         </p>	<p>           72504864                     (FP)         </p>	<p>           5601N0001         </p>	<p>           UNDERGROUND JELLY FILLED 6 QUAD 0.9 MM DIA COPPER CONDUCTOR CABLE FOR RAILWAY SIGNAL AND TELECOM INSTALLATIONS CONFIRMING TO RDSO SPECIFICATION IRS-TC-30/2005[VER-1] AMENDMENT NO.5 OR LATEST.NOTE:-THI         </p>	<p>           SI, [C]            Nagpur         </p>	<p>           8 Nos.         </p>	<p>           30-Aug-21         </p>
			<p>           5601N0002         </p>	<p>           UNDERGROUND JELLY FILLED 6 QUAD 0.9 MM DIA COPPER CONDUCTOR CABLE FOR RAILWAY SIGNAL AND TELECOM INSTALLATIONS CONFIRMING TO RDSO SPECIFICATION IRS-TC-30/2005[VER-1] AMENDMENT NO.5 OR LATEST.NOTE:-THI         </p>	<p>           SI, [C]            Nagpur         </p>	<p>           100 KM         </p>	<p>           30-Sep-21         </p>

5601N0003	UNDERGROUND JELLY FILLED 6 QUAD 0.9 MM DIA COPPER CONDUCTOR CABLE FOR RAILWAY SIGNAL AND TELECOM INSTALLATIONS CONFIRMING TO RDSO SPECIFICATION IRS-TC-30/2005[VER-1] AMENDMENT NO.5 OR LATEST.NOTE:-THI	SI, [C] Nagpur	70 KM	30-Aug-21
5601N0004	UNDERGROUND JELLY FILLED 6 QUAD 0.9 MM DIA COPPER CONDUCTOR CABLE FOR RAILWAY SIGNAL AND TELECOM INSTALLATIONS CONFIRMING TO RDSO SPECIFICATION IRS-TC-30/2005[VER-1] AMENDMENT NO.5 OR LATEST.NOTE:-THI	SI, [C] Nagpur	15 KM	30-Aug-21
5601N0005	UNDERGROUND JELLY FILLED 6 QUAD 0.9 MM DIA COPPER CONDUCTOR CABLE FOR RAILWAY SIGNAL AND TELECOM INSTALLATIONS CONFIRMING TO RDSO SPECIFICATION IRS-TC-30/2005[VER-1] AMENDMENT NO.5 OR LATEST.NOTE:-THI	CSI [C] Pune	100.2 KM	30-Sep-20
5601N0006	UNDERGROUND JELLY FILLED 6 QUAD 0.9 MM DIA COPPER CONDUCTOR CABLE FOR RAILWAY SIGNAL AND TELECOM INSTALLATIONS CONFIRMING TO RDSO SPECIFICATION IRS-TC-30/2005[VER-1] AMENDMENT NO.5 OR LATEST.NOTE:-THI	S.S.E./RRI/A JNI.	5 KM	30-Sep-20
5601N0007	UNDERGROUND JELLY FILLED 6 QUAD 0.9 MM DIA COPPER CONDUCTOR CABLE FOR RAILWAY SIGNAL AND TELECOM INSTALLATIONS CONFIRMING TO RDSO SPECIFICATION IRS-TC-30/2005[VER-1] AMENDMENT NO.5 OR LATEST.NOTE:-THI	SIGNAL INSPECTOR NGP	1 KM	30-Sep-20

			5601N0008	UNDERGROUND JELLY FILLED 6 QUAD 0.9 MM DIA COPPER CONDUCTOR CABLE FOR RAILWAY SIGNAL AND TELECOM INSTALLATIONS CONFIRMING TO RDSO SPECIFICATION IRS-TC-30/2005[VER-1] AMENDMENT NO.5 OR LATEST.NOTE:-THI	SIGNAL INSPECTOR NGP	.5 KM	30-Sep-20
			5601N0009	UNDERGROUND JELLY FILLED 6 QUAD 0.9 MM DIA COPPER CONDUCTOR CABLE FOR RAILWAY SIGNAL AND TELECOM INSTALLATIONS CONFIRMING TO RDSO SPECIFICATION IRS-TC-30/2005[VER-1] AMENDMENT NO.5 OR LATEST.NOTE:-THI	SIGNAL INSPECTOR NGP	1 KM	30-Sep-20
			5601N0010	UNDERGROUND JELLY FILLED 6 QUAD 0.9 MM DIA COPPER CONDUCTOR CABLE FOR RAILWAY SIGNAL AND TELECOM INSTALLATIONS CONFIRMING TO RDSO SPECIFICATION IRS-TC-30/2005[VER-1] AMENDMENT NO.5 OR LATEST.NOTE:-THI	SIGNAL INSPECTOR NGP	.5 KM	30-Sep-20
59	56185845100261 dt.28-FEB-20 on M/s.HERAMB ENTERPRISES-PUNE RITES-CALL	975270  (FX)	0125NS	SUPPLY ERECTION TESTING AND COMMISSIONING OF BALE PRESSING MACHINE [ SPECIFICATION AS PER ANNEXURE-I ] ACCEPTED: FIRMS OFFER MAKE	SSE(TRS/M AINT)BSL	1 Nos.	14-Apr-20
60	50195066101310 dt.28-FEB-20 on M/s.SANTOSH ENGINEERING WORKS-KOLKATTA RITES-CALL	887600  (FP)	5679N01	Lock Rod Near End for CGL/IRS 52 Kgs. one piece Rodding with solid Jaw Drg. No. S&T/BY/F-341/A ATTACHED. Material should be as per Drg. With M.S Square head Pin As per Drg No- S&T/BY/F-353	CWM(S&T) WS BYCULLA	1000 Nos.	28-Aug-20
61	92195928100076 dt.03-FEB-20 on M/s.FRAUSCHER SENSOR TECHNOLOGY INDIA PRIVATE LIMITED- BANGALORE  RITES-CALL	769692  (FC)	5601N01	Sensor Fixing Assembly for 52 KG rail size, set consisting of 1) Rail claw – 01 No., 2) Hexagon Nut M12 self-Locking-02 pairs, 3)Rail Claw Plate-SK140 -01 No., 4)BBIK-M10 bolt set assembly -01 N	Sr. Section Engineer	15 Set	04-Mar-20

62	03195043100006 dt.04-FEB-20 on M/s.STELLAR CABLES AND INFRASTRUCTURE PRIVATE LIMITED- CHENNAI RITES-CALL RITES-IC	1182844.98 (FC)	40XXN001	Large span wire 130 sq.mm. (37/2.10mm) Cadmium Copper Conductor. As per RDSO Spesification No. ETI/OHE/50 (6/97) with A and C Slip no.1,2 and 3 or latest. Note :- i) unloading of the material should	SR. SECT. ENGG.(CON S	1.754 MT	30-Apr-20
63	92186660100086 dt.06-FEB-20 on M/s.ALUMINIUM INDUSTRIES LIMITED- TRIVANDRUM RITES-CALL RITES-IC	683550 (FP)	46	Control & Distribution panel for CLS supply in 25KV AC Traction system, 240Volt AC, 50Hz, Capacity 150 Amp, 3 supply for 25KVA AT, as per latest RDSO Spec. No. TI/SPC/PSI/CLS/0020 with A & C slip 1 to	Sr. Section Engineer	7 Nos.	31-Aug-20
64	88205013800026 dt.07-FEB-20 on M/s.PRINCIPAL CHIEF MATERIALS MANAGER, CHURCHGATE RITES-CALL	547760 (FX)	38	SIDE FRAME FRICTION LINER FOR CASNUB 22W(M BOGIES TO RDSO DRG NO.SK 69594 Alt.36,ITEM 7 & CONFORMING TO STR NO. WD-21-CASNUB-22NLB BOGIES-93,REV.2 OF JULY- 2002, READ WITH ALL AMDTS,LATEST AMEND No 4 O	N.P.OH SHOP KVV	2000 Nos.	31-Mar-20
65	69195078100044 dt.08-FEB-20 on M/s.GODREJ AND BOYCE MFG CO LTD- MUMBAI RITES-CALL RITES-IC	864940 (FC)	SPXXN01	FORK LIFT TRUCK AS PER SPECIFICATION ATTACHED IN ANNEXURE-C.	SR.SEC.EN G. (STORES)	1 Nos.	07-Mar-20
66	27175015100837 dt.10-FEB-20 on M/s.APOLLO INDUSTRIAL CORPORATION- VASAI (E)-THANE- VASAI (E)-THANE RITES-CALL	16727200 (FC)	2523N79	Oil Cooling Radiator for converter/transformer of 3 phase loco as per CLW Specification No. CLW/ES/3/0102, Alt-E or latest.	SR.SEC.EN G. (STORES)	15 Nos.	10-May-20
			2910N21	Oil Cooling Radiator for converter/transformer of 3 phase loco as per CLW Specification No. CLW/ES/3/0102, Alt-E or latest.	SR.SEC.EN G. (STORES)	14 Nos.	10-May-20
67	86195427100059 dt.11-FEB-20 on M/s.MEDHA SERVO DRIVES PRIVATE LIMITED-HYDERABAD RITES-CALL RITES-IC	696130.38 (FC)	2343N1	Set of items for Vigilance Control Device as per RDSO Specification No.RDSO/2008/EL/Spec/0025 /Rev.5 Mar 2010 with Amendment 1, each set comprises of 1] Main Unit VCD MVC682 V4 -Part No SP682000003 -	Sr. Section Engineer	11 Set	11-Sep-20

68	75191086101181 dt.26-FEB-20 on M/s.HINDUSTAN FIBRE GLASS WORKS- VADODARA  RITES-CALL RITES-IC	3495254.4	75403717	DECORATIVE THERMOSETTING SYNTHETIC RESIN BONDED LAMINATED SHEET FOR USE IN COACHING STOCK TO RDSO SPECIFICATION NO. STR C-K 514 WITH 7 AMENDMENTS. AMENDMENT NO. 1 to 7 OF AUG. 2016. SIZE: 2440 x 1220	MTN	1838 Nos.	26-May-20	
			(PC)	7540NS01	DECORATIVE THERMOSETTING SYNTHETIC RESIN BONDED LAMINATED SHEET FOR USE IN COACHING STOCK TO RDSO SPECIFICATION NO. STR C-K 514 WITH 7 AMENDMENTS. AMENDMENT NO.1 -7 OF AUG. 2016. SIZE: 2440 x 1220 x	ELECTRIC LOCO REPAIR	690 Nos.	26-May-20
				75904214	DECORATIVE THERMOSETTING SYNTHETIC RESIN BONDED LAMINATED SHEET STAR DUST GREY FOR USE IN COACHING STOCK TO RDSO SPECIFICATION NO. STR C- K 514, WITH 7 AMENDMENTS. AMENDMENT NO.1 -7 OF AUG. 2016. SIZE	MTN	257 Nos.	26-May-20
				75904287	DECORATIVE THERMOSETTING SYNTHETIC RESIN BONDED LAMINATED SHEETS FOR USE IN COACHING STOCK TO RDSO SPECIFICATION NO. STR C-K 514 WITH 7 AMENDMENTS. AMENDMENT NO.1 -7 OF AUG.2016 SIZE 2440 x 1220 x 3 m	MTN	383 Nos.	26-May-20
69	48205026100229 dt.27-FEB-20 on M/s.G. K. ENGINEERING CORPORATION- THANE RITES-CALL	671422.5	65NS	SET OF A-FRAME STRUT SHEAVESASSEMBLY FOR 140T COWANS SHELDON NEW DESIGN DHBD CRANE AS PER ANNEXURE A (Ref :DRWNo.4608005)	CRANE REPAIR SHOP PR	2 Set	20-Nov-20	
		(FP)						

70	91205013100144 dt.27-FEB-20 on M/s.SHIV SHAKTI ENTERPRISES-NEW DELHI . RITES-CALL	817740  (FC)	5604N1	WEB detector ( Each set consist of 02 no. of TX and 02 nos. of RX coils ) for CEL make single section digital axle counter as per RDSO specification NO.RDSO/SPN/177/2012 Ver.3 or Latest (phase revers	SIGNAL INSPECTOR PA	18 Set	07-Aug-20
71	56195610100167 dt.01-FEB-20 on M/s.KAY PEE EQUIPMENTS PVT LTD-HOWRAH RITES-CALL	3808492.8  (FC)	25XXNS	SUPPORTING RING FOR MSU OF WAG-9 LOCO AS PER CLW DRG. NO. 1209-01-211-036 ALT.1	WHEEL SETS AC LOCO W	344 Nos.	30-Aug-20
72	75191086100645 dt.03-FEB-20 on M/s.B P PLY BOARD PRIVATE LIMITED- KOLKATA  RITES-CALL	3495254.4  (FP)	75403717	DECORATIVE THERMOSETTING SYNTHETIC RESIN BONDED LAMINATED SHEET FOR USE IN COACHING STOCK TO RDSO SPECIFICATION NO. STR C-K 514 WITH 7 AMENDMENTS. AMENDMENT NO. 1 to 7 OF AUG. 2016. SIZE: 2440 x 1220	MTN	1838 Nos.	30-Jun-21
			7540NS01	DECORATIVE THERMOSETTING SYNTHETIC RESIN BONDED LAMINATED SHEET FOR USE IN COACHING STOCK TO RDSO SPECIFICATION NO. STR C-K 514 WITH 7 AMENDMENTS. AMENDMENT NO.1 -7 OF AUG. 2016. SIZE: 2440 x 1220 x	ELECTRIC LOCO REPAIR	690 Nos.	03-May-20
			75904214	DECORATIVE THERMOSETTING SYNTHETIC RESIN BONDED LAMINATED SHEET STAR DUST GREY FOR USE IN COACHING STOCK TO RDSO SPECIFICATION NO. STR C-K 514, WITH 7 AMENDMENTS. AMENDMENT NO.1 -7 OF AUG. 2016. SIZE	MTN	257 Nos.	03-May-20

			75904287	DECORATIVE THERMOSETTING SYNTHETIC RESIN BONDED LAMINATED SHEETS FOR USE IN COACHING STOCK TO RDSO SPECIFICATION NO. STR C-K 514 WITH 7 AMENDMENTS. AMENDMENT NO.1 -7 OF AUG.2016 SIZE 2440 x 1220 x 3 m	MTN	383 Nos.	03-May-20
73	85205062100214 dt.05-FEB-20 on M/s.KUDOS ENTERPRISES-NAVI MUMBAI RITES-CALL RITES-IC	1240524.56     (FC)	67XXNS	SUPPLY AND INSTALLATION OF ADJUSTABLE TYPE COMPACT STORAGE SYSTEM AS PER DRAWING NO. JT/SK- 3211.	CWM WHEEL SHOP MTN	22 Nos.	21-Mar-20
74	27205012100959 dt.17-FEB-20 on M/s.VISHNU FORGE INDUSTRIES LIMITED- BANGALORE  RITES-CALL RITES-IC	2620800     (FC)	2594Ns	FULLY FINISHED SHAFT FOR HS 15250 ARMATURE TO DRG. NO. 1TMW/DRG-CA-552. ALT.5 OR LATEST. & CONFIRMING TO CLW SPECIFICATION NO.4.TMS/095/005REV-0 ALT.2.	SHOP SUPD TT. COMMUTA	52 Nos.	17-Jun-20
75	95195443200089 dt.18-FEB-20 on M/s.SRI SUDERSHAN TEXMART-DELHI  RITES-CALL	524700     (FP)	0000NS00	LUMINESCENT Safety Jacket as per IS : 15809/2008 , Type - 2 and Class-3 (Figure-2of the code ) FLUORESCENT ORANGE - RED Colour . Accepted description as per GEM Contract No. : GEMC-511687737691032 dt	SR DOS [M] NGP	1100 Nos.	19-Mar-20
76	95195456100095 dt.18-FEB-20 on M/s.ORIENT STEEL AND INDUSTRIES LTD- KOLKATA RITES-CALL	1400000     (FC)	3801N00	Side Bearer Seat for BLC wagon to RDSO Drg. No. CONTR - 9404-S-15 Alt. 12, item 2 & other technical requirement conforming to specification No. CONTR LCCF 20 (C) -96 Rev 2 with amendment 1 of Feb- 20	SR.SEC.EN GR/ C&W/ AJ	250 Nos.	20-Aug-20
77	27205007101048 dt.18-FEB-20 on M/s.VERSATILE- HOWRAH RITES-CALL RITES-IC	864556     (FC)	2994NS	END RING FOR ZIRCONIUM TYPE SHAFT MOUNTED DESIGN ROTOR [SCHEME-1] FOR 3 PHASE TM TYPE 6FRA 6068 AS PER SPECIFICATION NO. 4TMS.096.068.REV-1 ALT-4	SHOP SUPD TT. COMMUTA	77 Nos.	30-Aug-20
78	27205001101049 dt.18-FEB-20 on M/s.SHANKER COILS PRIVATE LTD- KOLKATA RITES-CALL RITES-IC	3345300     (FC)	25XXNS	SET OF SINGLE SECTION COMMUTATING POLE FIELD COIL POTTED WITH POLE SHOES FOR TAO 659 TM AS PER SPECIFICATION NO. 4TMW.SPEC.162.ALT.5, WHERE RELEASED SERVICEABLE POLE	SHOP SUPD TT. COMMUTA	27 Set	30-Sep-20



79	48195767100213 dt.20-FEB-20 on M/s.ENGINEERS COMBINE-MUMBAI RITES-CALL RITES-IC	3398400  (PC)	65NS	Air Plasma Cutting machine (Portable Inverter type) suitable for cutting of plates up to 16 mm thick of AL, SS and Carbon Steel, along with Cutting Torch 6 meter long and Earth (Return) cable & consum	DY.CME [OFFICE] PR	4 Set	18-Aug-20
80	38203431101235 dt.27-FEB-20 on M/s.RAJESH STEEL CONCERN-HOWRAH RITES-CALL RITES-IC	631646.37  (FP)	30051022	PIN FOR BOLSTER SPRING SUSPENSION TO ICF DRG. NO. T-0-5-637, ALT-p/12.attached with central Railway Alt-A (for MPT during manufacturing & Testing) Material and specification as per Drg.	TROLLEY REPAIR SHOP	3651 Nos.	06-Oct-20
81	27195039100717 dt.05-FEB-20 on M/s.NEW KESSLER ENGINEERING PRIVATE LIMITED- MUMBAI RITES-CALL	1388800  (FC)	2901N00	CONVERTER PART OF OIL COOLING RADIATOR AS PER TESIO DRG. NO. 5003032 MAKE/ BRAND - TESIO/ITALY. (FIRM TO SUPPLY THE OEM TC/WTC/IC WITH A WARRANTY PERIOD OF 5 YEARS).	SR.SEC.EN G. (STORES)	4 Nos.	30-Jun-20
82	03195045200007 dt.06-FEB-20 on M/s.CARRIER MIDEA INDIA PRIVATE LIMITED, Gurugram RITES-CALL	1299000  (FP)	4315N1	Supply, Erection, Testing and commissioning of SPLIT AIR CONDITIONER fitted with rotary compressor, cooling capacity (Nominal in KCAL/HR): 6000 COOLING CAPACITY (Minimum Guaranteed in KCAL/HR): 5700,	SECTION ENG.(CONS T)E	30 Nos.	08-Mar-20
83	91195619100103 dt.07-FEB-20 on M/s.R.P. ENGINEERING COMPANY-BATALA RITES-CALL RITES-IC	721570  (FP)	25NS	HIGH SPEED PRECISION MANUAL OPERATED CENTRE LATHE MACHINE , AS PER TECHNICAL SPECIFICATION ATTACHED.	SR.DME [D] PA	1 Nos.	20-Sep-20
84	56195629100190 dt.10-FEB-20 on M/s.INDUSTRIAL MOULDERS AND FABRICATORS- KOLKATA RITES-CALL	621499.2  (FX)	25XXNS	SET OF CABLE CLEAT WITH DIN RAIL FOR TM POWER CABLE OF 3 PH LOCO AS PER CLW SPEC NO CLW/ES/3/0045 ALT E AND CLW DRG NO CLW/ES/3/SK.1/0045 [SET CONSISTS OF 9 ITEMS 30 NOS AS PER ANNEXURE] [ITEM RESERVE	CWM/ELW/ BSL	318 Set	10-Jun-20
85	60195098100796 dt.10-FEB-20 on M/s.TRITORC EQUIPMENTS PRIVATE LIMITED- THANE RITES-CALL	1007669.26  (FP)	6579N01	3/4 inch square drive Hydraulic Torque Wrench, Maximum Torque 1284 ft. Lbs with accessories and Hydraulic Power Pack with Accessories as per specification enclosed. MAKE/BRAND - TRITORC GST.HSN.CODE	SR.DEE, [TRS] KYN	1 Nos.	23-Oct-20

86	27185036100811 dt.10-FEB-20 on M/s.BOMBARDIER TRANSPORTATION INDIA PRIVATE LIMITED-NEW DELHI  RITES-CALL	6463490.12	2923N26	LWL, Multi chana Fiber optic Board, ID No. 3EHL409186R0001, Card Type AFB 635 B08	SR.SEC.EN G. (STORES)	1 Nos.	10-Feb-21
			(FP) 2923N26A	SAP A Signal conditioning card, ID No. 3EHL409288R0002, Card Type UAB 630 A36.	SR.SEC.EN G. (STORES)	3 Nos.	10-Feb-21
			2923N26G	3EHL400099R0002 Card type PPB 471 A02	SR.SEC.EN G. (STORES)	4 Nos.	10-Feb-21
			2923N26H	Peripheral inverter control, ID No. 3EHE300404R0002, Card Type UAB 476 A01.	SR.SEC.EN G. (STORES)	2 Nos.	10-Feb-21
			2923N26K	CEL Power Supply, ID No. 3EHL409054R0001, Card Type KUB 921 A01.	SR.SEC.EN G. (STORES)	2 Nos.	10-Feb-21
			2923N26L	EKR2 Processor (FLG, SLG, STB, HBB), ID No. 3EHL409055R0001, Card Type PPB 622 B01.	SR.SEC.EN G. (STORES)	10 Nos.	10-Feb-21
			2923N26M	Display Data Control (DDA), ID No. HIET404731R0001, Card Type PPB 908 A01.	SR.SEC.EN G. (STORES)	6 Nos.	10-Feb-21
			2923N26N	Bus Administrator (FBV), ID No. 3EHL409300R0001, Card Type PPB 626 B01.	SR.SEC.EN G. (STORES)	6 Nos.	10-Feb-21
			2923N26O	HIET 404828 R 0001 Card type PPB 624 A01	SR.SEC.EN G. (STORES)	7 Nos.	10-Feb-21
			2923N26P	Train Bus Administrator (ZBV), ID No. 3EHE300694R0001, Card Type PPA 425 B01.	SR.SEC.EN G. (STORES)	4 Nos.	10-Feb-21
			2923N26Q	Multiple Bus Coupler, ID No. HIET404239R0001, Card Type UFB 660 A01.	SR.SEC.EN G. (STORES)	4 Nos.	10-Feb-21
87	18205001800860 dt.11-FEB-20 on M/s.Diesel Locomotive Works, Varanasi, Varanasi RITES-CALL	11469678	1702NS01	MOTORIZED TRUCK ASSEMBLY FOR WDG4 LOCOS CONSISTING OF TRUCK ASSEMBLY COMPLETE WITH WHEELS, BEARINGS, SPRINGS, TRACTION MOTORS ETC TO DLW PT NO 40076078.	Sr. Section Engineer	1 Nos.	31-Mar-20
		(FP)					
88	56195792100230 dt.24-FEB-20 on M/s.SUSTAIN TECHNOLOGY- RAIGARH RITES-CALL	1131856	25XXNS	Power lugging tool for electrical cabling application of locomotive as per specification attached. Make M/s Klauke GMBH/ Weidmuller GMBH/ Tyco GMBH. (Note: To be procured from OEM or Its authorized di	CWM/ELW/BSL	4 Nos.	25-May-20
		(FC)					

89	91195654100138 dt.25-FEB-20 on M/s.GLOBE SCOTT MOTORS PVT. LTD.- VALSAD RITES-CALL	973500  (FP)	56XXN01	Supply of 110 Volt DC motor 400 Volt AC Immunized with Gear box for Railway Point machine, as per Specification no. IRS:S 37/82 or latest amendment.	SIGNAL INSPECTOR PA	55 Nos.	25-Sep-20
90	93195279100087 dt.27-FEB-20 on M/s.SWASTIKA INDUSTRIES- KOLKATA RITES-CALL	614250  (FP)	65XXN1	Supply Installation and testing and commissioning of Hydraulic Extractor for CTRB as per specification attached as Annexure A, drawing attached as Annexure B	Sr. Section Engineer	2 Nos.	25-Oct-20
91	85196040100194 dt.01-FEB-20 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA LIMITED- HOSUR RITES-CALL	3583188  (FP)	33XXNS	A Set consist of i) Brake caliper (Leverage Ratio 2.17) part No. D-127550-600 Qty. 02 Nos. ii) Brake cylinder PBEC part No. 4F 130200, Qty. 1 No. and part No. 4F 130199 Qty. 1 Nos. of FTRTIL make on	L.V.B. SHOP MTN	8 Set	18-Jul-20
92	27195021100627 dt.03-FEB-20 on M/s.INDIAN METALS AND ALLOYS MFG.CO.PVT.LTD.- KOLKATA RITES-CALL RITES-IC	2355091.2  (FC)	2379N01	ROTOR BAR FOR BRAZED ROTOR FOR 3 PHASE TM TYPE 6FXA7059 FOR WAP 5 LOCO AS PER CLW DRG. NO. 4TWD.097.074 ALT AND MATERIAL AS PER CLW SPEC. NO. 4TMS.096.060 ALT.8 OR LATEST OF CLW / RDSO SPECIFICATION	SHOP SUPDTT. COMMUTA	2376 Nos.	03-Oct-20
93	85205060100213 dt.05-FEB-20 on M/s.D.B. ENGINEERING COMPANY-MUMBAI RITES-CALL	855178.56  (FC)	81XXNS	SUPPLY AND APPLY OF EPOXY COATING AS PER TECHNICAL SPECIFICATION ATTACHED IN CTRB SECTION OF NEW WHEEL SHOP.	CWM WHEEL SHOP MTN	432 SQM	30-May-20
94	27195019100724 dt.05-FEB-20 on M/s.CHANDRA UDYOG-HOWRAH RITES-CALL	907072.99  (FC)	2379N01	SHRINK RING [MACHINED] FOR 3 PHASE TM TYPE 6 FXA 7059 FOR WAP 5 LOCO AS PER CLW DRG. NO. 4TWD.097.023ALT.1 AND MATERIAL CLW SPECIFICATION NO.	SHOP SUPDTT. COMMUTA	54 Nos.	05-Aug-20
95	56195774100176 dt.06-FEB-20 on M/s.RIVER ENGINEERING PVT LTD-NOIDA RITES-CALL	605340  (FC)	25XXN01	Set of two way solenoid valve and spline shaft.( Set consists of 02 items,02 nos ). Material to be procured from CLW approved sources only.	SSE(TRS/M AINT)BSL	19 Set	04-Oct-20

96	03195046100008 dt.10-FEB-20 on M/s.HIMALAYA COMMUNICATIONS LIMITED-NEW DELHI  RITES-CALL	4095072  (FP)	2960N001	24 Fibre Armoured Optic Fibre Cable as per RDSO Specification No. IRS/TC/55/2006 rev.1 with Amendment No. 2 or Latest Amd.	Sr. Section Engineer	47.2 KM	21-Oct-20
					Sr. Section Engineer	1 KM	21-Oct-20
97	48196545100239 dt.28-FEB-20 on M/s.SYNERGY CORPORATION- MUMBAI RITES-CALL	694526.7  (FP)	11NS	Universal Cardan Shaft for Counter Drive Gear Box to Final Drive Gear Box of Front Bogie and Rear Bogie to SPICER GELENKWELLENBAU GMBH Part No. GWB No. 9.587.50.03.02.488.0710	DIESEL HYDROULIC SHO	2 Nos.	28-Jun-20
98	56195638100260 dt.28-FEB-20 on M/s.KAMAL AUTOMATION SYSTEMS PVT. LTD- MUMBAI RITES-CALL RITES-IC	1261050  (FC)	25XXN01	Design.fabrication,supply,testing and commissioning of light load test facilities V V V F traction motor of Three Phase Locos sanctioned in M & P programme 2018-19, CME item no 1819/0406	SSE(TRS/T M)BSL	1 Nos.	30-Sep-20
99	75195160101312 dt.28-FEB-20 on M/s.PUNJAB LAMINATES PVT. LTD. JALANDHAR RITES-CALL RITES-IC	3660749.4  (FC)	75904287	DECORATIVE THERMOSETTING SYNTHETIC RESIN BONDED LAMINATED SHEETS FOR USE IN COACHING STOCK TO RDSO SPECIFICATION NO. STR C-K 514 WITH	CARRIAGE REPAIR SHOP	2765 Nos.	28-Jun-20
100	48205020100241 dt.28-FEB-20 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.- MUMBAI RITES-CALL RITES-IC	819593.83  (FC)	10 NS	1) AS PER ANNEXURE AT SR.NO.11 PART NO.070405030 GASKET BIG DV60 RR14100 QTY.02.NOS. 2) AS PER ANNEXURE AT SR.NO.16 PART NO.B005704270001 FILTER KIT, QTY.01.NO. 2) AS PER	CWM / PR	8 Set	15-Sep-20
101	79195008200795 dt.10-FEB-20 on M/s.RAJKUMAR DYEING AND PRINTING WORKS.[P] LTD., KOLKATA  RITES-CALL	1405850  (FP)	7951N1	BOOT ANKLE TEXTILE JUNGLE BOOT DIRECT MOULDED PU SOLE IN PAIRS. MODEL:RKD. AS PER GEM CONTRACT ATTACHED.	CSC/RPF/C STM	4535 Pairs	30-Sep-21
102	48196125100200 dt.17-FEB-20 on M/s.S.R.ELECTRONIC S-MUMBAI RITES-CALL	975450  (FP)	30XXNNS	SET OF STAINLESS STEEL PLAIN MOULDINGS. [SET CONSISTING OF (1) SIZE: 25 X 1 X 1900mm LONG WITH 4.5mm DIA HOLE. [10 HOLES ON EQUAL DISTANCE] QTY. 10400 NOS. (2) SIZE: 25 X 1	ELECTRIC LOCO REPAIR	1 Set	16-Jul-20

103	48187467800208 dt.20-FEB-20 on M/s.Principal Chief Materials Manager, Jabalpur RITES-CALL	1009082.4  (FX)	3010N01	Step sheet at door pillar [ICF Falka] to Drg.No. CRWS/SK-501, Alt. NIL. Material IRS M-41.	STRUCTURAL SHOP PR	2280 Nos.	21-Mar-20
104	56195636100229 dt.24-FEB-20 on M/s.KAY PEE EQUIPMENTS PVT LTD-HOWRAH RITES-CALL	4703328  (FC)	25XXNS	SET OF LABYRINTH RING FOR NOSE SUSPEND DRIVE (MSU TUBE) OF WAP 7 /WAG 9 (ONE SET CONSISTING OF 03 ITEMS 03 NOS AS PER ANNEXURE)(THIS ITEM IS RESERVED FOR CLW	WHEEL SETS AC LOCO W	120 Set	22-Sep-20
105	85196503100298 dt.25-FEB-20 on M/s.SHRI SATGURU ELECTRIC AND TRADING CO- MUMBAI RITES-CALL	3337335  (FP)	35XXNS	COMPLETE FILTER FOR OIL COOLER ASSEMBLY OF ABB MAKE TRANSFORMER AS PER ABB PART NO. XCH204300 - AUC CONSIST OF MAIN FILTER , FINE FILTER , PROTECTION GRILL AND PROTECTION OF MAKE ABB OR HYDINS TECH	Sr. Section Engineer	25 Nos.	25-Oct-20
106	95195580100101 dt.26-FEB-20 on M/s.TIRUPATI MARKETING AND SERVICES-KOLKATA   RITES-CALL	1346351.68   (FC)	5000NS01	2W Exchange Loop interface card (4 Circuits/card) for Compatible with WEBFIL Make PDMUX . as per specification No. IRS -TC-68/12 with latest amendment . FIRMS OFFERED MAKE WEBFIL TC GC OF OEM TO BE	Sr. Section Engineer	5 Nos.	26-Jun-20
			5000NS02	NET WORK INTERFACE MODULE FOR WEBFIL MAKE PDMUX, Compatible with WEBFIL make PD MUX as per Specification No. IRS-TC-68/12 with latest amendment . FIRMS OFFERED MAKE WEBFIL TC GC OF OEM TO BE GIVEN	Sr. Section Engineer	8 Nos.	26-Jun-20
			5000NS03	2W Subscriber Loop Interface card (4 circuits/card) compatible with WEBFIL make PDMUX as per Specification No. IRS-TC-68 /12 with latest amendment. FIRMS OFFERED MAKE WEBFIL TC GC OF OEM TO BE GIVE	Sr. Section Engineer	6 Nos.	26-Jun-20

			5000NS04	Supply of 2W 4W E&M VF interface card (4 Circuit /cards) for compatible with WEBFIL Make PDMUX as per specification No. IRS-TC-68/12 with latest Amendment. FIRMS OFFERED MAKE WEBFIL TC GC OF OEM TO	Sr. Section Engineer	8 Nos.	26-Jun-20
			5000NS05	Supply of power supply unit for WEBFIL Make PD MUX compatible with WEBFIL Make, PDMUX as per specification No. IRS -TC-68/12 with latest Amendment. FIRMS OFFERED MAKE WEBFIL TC GC OF OEM TO BE GIVE	Sr. Section Engineer	9 Nos.	26-Jun-20
			5000NS06	Supply of 2 MB Tributary module compatible with WEBFIL Make PDMUX , as per specification No. IRS-TC-68/12 with latest amendment . FIRMS OFFERED MAKE WEBFIL TC GC OF OEM TO BE GIVEN ALONGWITH MATER	Sr. Section Engineer	5 Nos.	26-Jun-20
107	93195270100085 dt.27-FEB-20 on M/s.PACKING HOUSE- MUMBAI RITES-CALL	617140  (FP)	65XXN1	Supply installation and commising of Air Compressor 100 CFM With concomitant Accessories Asper attached Annexor OFFER ACCEPTED : MAKE/BRAND -- KIRLOSKAR.	Sr. Section Engineer	1 Nos.	25-Aug-20
108	56195775100249 dt.27-FEB-20 on M/s.LAXVEN SYSTEMS- HYDERABAD RITES-CALL RITES-IC	731600  (FC)	25XXN01	Upgradation kit of Speedometer type LAX-2000E-1 to LAX- 2000E-2 confirming to RDSO specification No ELRS/SPEC/SPM/0002 (Rev-2_ June 2004 & amendment No 01 to 06 ( Set consisting item as per Annexure A	SSE(TRS/M AINT)BSL	4 Set	30-Sep-20
109	38191075101299 dt.28-FEB-20 on M/s.COSMOS CORPORATION- MUMBAI RITES-CALL RITES-IC	2278828.72  (FC)	30010901	PROTECTIVE TUBE COMPLETE FOR AXLE BOX GUIDE ARRANGEMENT TO ICF DRG. NO. T-0-1-610. ALT-13/x, COL-II OR ALTERNATIVELY INJECTION MOULDED POLYACETAL PROTECTIVE TUBE TO ICF DRG. NO. T-0-1-648, ALT-f/Nil,	PR	2980 Nos.	15-Aug-20
					MTN	2309 Nos.	15-Aug-20
					WB	821 Nos.	15-Aug-20
					PUNE	169 Nos.	15-Aug-20
					ELECTRIC LOCO REPAIR	1176 Nos.	15-Aug-20

110	27195029101302 dt.28-FEB-20 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA LIMITED- HOSUR RITES-CALL	1273833.6  (FP)	2901N00	ADJUSTING EQUIPMENT FOR WAG9/ WAP7 LOCO AS PER CLW DRG.NO. 1209- 01.416-062.	SR.SEC.EN G. (STORES)	480 Nos.	31-May-21
111	64195273100017 dt.03-FEB-20 on M/s.BENSON MARINE SERVICES PVT LTD-MUMBAI RITES-CALL	521472  (FC)	72XXN01	Wind screen wiper for EMU rakes make M/s EXALTO or M/s HEPWORTH make only each set has three items I) Electrical wiper motor M/s Hepworth make 80 NM 110V, part no. S612237 and M/s EXALTO make 80NM 1	DEE TRS KALWA	8 Set	04-Apr-20
112	85205127800209 dt.04-FEB-20 on M/s.PCMM, Rail Coach Factory, Kapurthala, HUSSAINPUR RITES-CALL	14414000  (FP)	33XXNS	FULLY ASSEMBLED WHEEL SET FOR LHB COACHES WITH CARTRIDGE BEARING AND BRAKE DISCS.	CWM WHEEL SHOP MTN	40 Nos.	04-May-20
113	92195339100077 dt.04-FEB-20 on M/s.ONYX TECHNO SYSTEM PRIVATE LIMITED-MUMBAI. RITES-CALL	1231481.04  (FC)	5604N01	ISDN Card for Eldyne Multi Section Digital Axle Counter (MSDAC) as per RDSO/SPN/176/2005 or latest make Thales C/o Eldyne. Make Eldyne Electro System Pvt. Ltd.	Sr. Section Engineer	6 Nos.	30-Jan-21
114	60195070100688 dt.04-FEB-20 on M/s.LOTUS WIRELESS TECHNOLOGIES INDIA PRIVATE LIMITED- VISAKHAPATNAM  RITES-CALL	179036661  (FP)	6579N03	SUPPLY, FITMENT AND COMMISSIONING OF LOCOTROL SYSTEM WIRELESS MU COUPLER SYSTEM FOR AC TAP CHANGER ELECTRIC LOCOMOTIVES AS PER RDSO SPEC NO. RDSO/2008/EL/SPEC/0074 REV-1 DTD 14.12.11. MATERIAL TO BE	LIFTING BAY AC LOCO	26 Set	31-Dec-20
					LIFTING BAY AC LOCO	6 Set	31-Dec-20
115	91195613100098 dt.07-FEB-20 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	901018.5  (FC)	56XXN01	Power supply Module of Siemens make Multi Section Digital Axle Counter as per RDSO specification no. RDSO/SPN/176/2013 Ver.3	SIGNAL INSPECTOR PA	5 Nos.	14-Dec-20

116	91195615100100 dt.07-FEB-20 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	959127.6  (FC)	56XXN01	Control and Diagnostic Board (STEU CARD) for Siemens make Multi Section Digital Axle Counter as per RDSO specification no RDSO/SPN/176/2013 version - 3.	SIGNAL INSPECTOR PA	12 Nos.	14-Dec-20
117	91195617100102 dt.07-FEB-20 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	998209.2  (FP)	56XXN01	SIRIUS CARD for Multi Section Digital Axle Counter Siemens make as per RDSO specification No.RDSO/SPN/176/2013VER .3 or latest.	SIGNAL INSPECTOR PA	6 Nos.	14-Dec-20
118	27185036100813 dt.10-FEB-20 on M/s.TRAINTECH ELECTRONICS PVT LTD-BANGALORE RITES-CALL	564040  (FP)	2923N26D	AS/NS Controller (NSC, ASC), ID No. 3EHL409229R0001, Card Type PPA 988 B02.	SR.SEC.EN G. (STORES)	3 Nos.	10-Aug-20
			2923N26J	WRE Gate Drive Card, ID No. 3EHL400012R0001, Card Type XVB175B32.	SR.SEC.EN G. (STORES)	2 Nos.	10-Aug-20
119	42195017200845 dt.11-FEB-20 on M/s.BHEL-BHOPAL  RITES-CALL	10168038.8  (FC)	35XXN001	Traction Motor Complete 4303 BY to BHEL Catalogue No. 480100001 as per BHEL Drawing. No. 04391080001 V00.	DEE TRS KALWA	2 Nos.	15-Feb-21
			35XXN002	Armature Assembly Less Bearing (wound) for BHEL TM 4303 BY to BHEL Catalogue No. 480400005 as per BHEL Drawing No. 04394080002 V00.	DEE TRS KALWA	2 Nos.	15-Feb-21
			35XXN003	Fielded Magnet Frame for BHEL TM 4303 BY to BHEL Catalogue No. 480320002 as per BHEL Drawing No. 14393280001.	DEE TRS KALWA	2 Nos.	15-Feb-21
120	27191977100864 dt.12-FEB-20 on M/s.MECHWEL- HOWRAH RITES-CALL	724172.4  (FP)	2500N01	MODIFIED HAND BRAKE (GEAR TYPE) ARRANGEMENT FOR ELECTRIC LOCOMOTIVES AS PER DRAWING IN RDSO MODIFICATION SHEET No. RDSO/2014/EL/MS/0440	SR.SEC.EN G. (STORES)	72 Nos.	31-May-21
121	10205003201050 dt.18-FEB-20 on M/s.ABB INDIA LIMITED-Maneja RITES-CALL	6442800  (PC)	1111N79	OVERHAULING OF ABB MAKE VTC-214 TURBOCHARGER TO 1350 HP RATING LOCOMOTIVES CONFORMING TO DLW SPECIFICATION NO. MISC.214 DATED 31.01.2011	Sr. Section Engineer	7 Nos.	07-Dec-20



122	85195763100255 dt.18-FEB-20 on M/s.VARSHA ENTERPRISES-THANE  RITES-CALL	725760  (FP)	3052NS	STAINLESS STEEL DUSTBIN FOR TOILETS PROVIDED WITH BIO-TANK AS PER DRG. NO. ICF-SK-3- 6-3-137 Alt-"A". (Commercial quality steel of grade confirming to AISI 202)	C SCHEDULE SHOP MTN	2400 Nos.	18-Apr-20
123	27205010101090 dt.24-FEB-20 on M/s.VISHNU FORGE INDUSTRIES LIMITED- BANGALORE  RITES-CALL RITES-IC	2822400  (FC)	2594NS	FULLY MACHINED SHAFT BIG DIA FOR TAO 659 ARMATURE AS PER DRG. NO. 1TMW.DRG-CA/547 ALT-1 AND SPECN NO. 4TMW/SPEC/165/ALT-1.	SHOP SUPD TT. COMMUTA	72 Nos.	30-Jul-20
124	46195337100026 dt.24-FEB-20 on M/s.BLUE BIRD TECHNICKS PVT LTD- KOLKATA RITES-CALL	691174.4  (FC)	31XXNS	AWS / DMH PANEL WITH VALVE AND BASE FOR BT RAKES PHASE3 AS PER M/S. WSF PT.NO. IB 70835 .	SR,DEE,[TR S] CLA	2 Nos.	09-Jul-20
125	56185904100226 dt.24-FEB-20 on M/s.ARIHANT ELECTRICALS-NEW DELHI RITES-CALL	6363000  (FP)	2512N03	GEAR BOX CASE MACHINED COMPLETE FOR WAP 5 LOCO AS PER CLW DRG NO.1210-01-113-004 ALT-1 [ITEM IS RESERVED FOR CLW APPROVED SOURCES ONLY] ACCEPTED: FIRMS OFFER	BOGIE AC LOCO W/SHOP	6 Nos.	24-Feb-21
126	91195449100146 dt.27-FEB-20 on M/s.SIEMENS LTD- NAVI MUMBAI RITES-CALL	2690400  (FP)	25NS	FIELD CONTROL UNIT MAIN GENERATOR ECC1-S3, SIEMENS ORDERING No.102327808.	SR.DME [D] PA	1 Nos.	10-Jun-20
127	48196508100238 dt.28-FEB-20 on M/s.G. K. ENGINEERING CORPORATION- THANE RITES-CALL RITES-IC	613473  (FC)	65NS	SET OF MAIN HOIST SNATCH BLOCK SHEAVES ASSEMBLY FOR 140T COWANS SHELDON NEW DESIGN DHBD CRANE AS PER ANNEXURE A (Ref :DRW No. E 7305 A)	CRANE REPAIR SHOP PR	2 Set	30-Sep-20
128	91195650100147 dt.28-FEB-20 on M/s.KONTACT CONSORTIUM INDIA PVT LTD-CHENNAI  RITES-CALL RITES-IC	1369980  (FC)	45XXNxxx	Supply and installation of converter contactor HOG A & HOG B , single phase 100VA, 750/415V control transformer with fuses in LHB EOG POWER CAR coaches as per RDSO modification sheet No. RDSO/PE/MS/AC	SSE(TL- AC)PA	3 Set	07-Oct-20

129	75195160101311 dt.28-FEB-20 on M/s.MILTON INDUSTRIES LIMITED- AHMEDABAD  RITES-CALL RITES-IC	5490462.12          (PC)	75904287	DECORATIVE THERMOSETTING SYNTHETIC RESIN BONDED LAMINATED SHEETS FOR USE IN COACHING STOCK TO RDSO SPECIFICATION NO. STR C-K 514 WITH AMENDMENT SLIP NO. 7 OF OCT. 2016I. SIZE 2440 x 1220	CARRIAGE REPAIR SHOP	4147 Nos.	15-Aug-20
130	85205088100330 dt.29-FEB-20 on M/s.BAJARANGBALI INDUSTRIES- MUMBAI RITES-CALL RITES-IC	636020          (FC)	42XXNS	HEAVY DUTY VERTICAL STACKING MS RACK SYSTEM OF LENGTH-2120 MM, HEIGHT - 2400 MM, WIDTH - 900MM WITH 4 NOS. LOADING SHELF, EACH SHELF HAVING CAPACITY OF 1000 KGS.	SR. SECT. ENGINEER,	7 Nos.	26-Jun-20