

CENTRAL RAILWAY

Depot : All Depots

LIST OF PURCHASE ORDERS

ALL

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	Consignee	PO Qty	Dely.Dt
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;							
1	50195025103294 dt.03 SEP-20 on M/s.VOSSLOH COGIFER SIGNALLING INDIA PRIVATE LIMITED-BHILAI RITES-CALL	2156448 (FP)	5679N0001	ELECTRIC POINT MACHINE NON- TRAILABLE TYPE CONFORMING TO RDSO SPECIFICATION NO.IRS- S.24/2002 AMENDMENT NO.1 OR LATER. WITH FOLLOWING FURTHER INFORMATION. A] 220MM THROW WITH INTERLOCKING FOR	SIGNAL INSPECTOR NGP	15 Nos.	03-May-21
2	81205007103298 dt.04 SEP-20 on M/s.INDO GASES-MUMBAI RITES-CALL	12640320 (FP)	8279N01	Refilling and supply of Oxygen Gas (O2) for medical use in Hospital. Cylinders Capacity 1320 Liters. Approx 200 Per day or as and when required by MD/BY at Dr. B.A. M Hospital Byculla.	MD BY	18000 Nos.	31-Mar-21
			8279N02	Refilling and supply of Oxygen Gas (O2) for medical use in Hospital. Cylinders Capacity 7000 Liters. Approx 200 Per day or as and when required by MD/BY at Dr. B.A. M Hospital Byculla.	MD BY	9000 Nos.	31-Mar-21
3	93186089100373 dt.04 SEP-20 on M/s.DECCAN AUTOMOBILE CO.- MUMBAI RITES-CALL	2237280 (FP)	9379N01	UNDER WATER CUTTING EQUIPEMENT. RDSO SPECIFICATION NO. MP-0.08.00.63 [REV- 01] OCTOBER 2005. Offer Accepted :- Make/ Brand :- SELF. [Note To Firm :- The RDSO Specification MP	SE(PWAY) , [STORES]	2 Nos.	02-Jan-21
4	41195285103314 dt.04 SEP-20 on M/s.RADIANT - RSCC SPECIALTY CABLE PRIVATE LIMITED- HYDERABAD RITES-CALL	1246080 (FP)	2901N00	EB IRRADIATED SCREENED CABLE SIZE 2 x 1.0 SQ.MM. AS PER CLW SPEC. NO. CLW/ES/3/0459 ALT A OR LATEST. ITEM TO BE PROCURED FROM RDSO APPROVED SOURCES ONLY. (ITEM TO BE DELIVERED DIRECTLY	SR.SEC.EN G. (STORES)	6400 MTR	31-Dec-20
5	95205358200397 dt.10 SEP-20 on M/s.LAHANEX OVERSEAS PRIVATE LIMITED, NOIDA RITES-CALL	601920 (FP)	00xxN01	Alcohol based hand sanitiser 5000 ml bottles of required specifications.Accepted as per GeM Contract : Incleano 5000 ml Alcohol Based Hand Sanitizer.	MS NGP	1800 Nos.	05-Oct-20

6	95205288100413 dt.15 SEP-20 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	740066.5	5604N001	Extension card for Siemens make Multi Section Digital Axle Counter as per RDSO specification No. RDSO/SPN/176/2013 ver.3..	SIGNAL INSPECTOR NGP	30 Nos.	08-Jan-22	
			(FP)	5606N002	Reduction plate for 60 KG rails suitable for SIEMENS make MSDAC.	SIGNAL INSPECTOR NGP	25 Nos.	08-Jan-22
			5606N003	Outdoor Lightening Protection module for counting head for Seimens make MSDAC as per RDSO specification RDSO/SPN/176/2013 Ver 3 or latest.	SIGNAL INSPECTOR NGP	25 Nos.	08-Jan-22	
7	56205322100705 dt.17 SEP-20 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.-MUMBAI RITES-CALL	600620.47	25XXNS	ELGI MAKE COUPLING TYPE F100 TYPE B RR20100 PART NO. 070303170 FOR COMPRESSOR MODEL NO. RR20100 CG(M) OF THREE PHASE LOCOMOTIVES.	AUXILIARIE S OVERHAUL	20 Nos.	16-Jan-21	
		(FP)						
8	26205001103465 dt.19 SEP-20 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA LIMITED-HOSUR RITES-CALL	1397760	27XXN1	Triplate Panel mounted IRAB-9 brake system for Electric locos as per RDSO's specification No.EL/RS /SPEC/PBS/0034 Rev.01 of April 2005 or latest. Accepted offer: Triplate Pneumatic Panel Mounted Brake	SR.DEE, [TRS] KYN	2 Nos.	19-Jan-21	
		(FP)						
9	50205002103471 dt.20 SEP-20 on M/s.CG POWER AND INDUSTRIAL SOLUTIONS LIMITED- CHENNAI. RITES-CALL	2854656	5679N0001	Supply of electric point machine (Rotary Locking type) 143mm throw (AC immunity 160 Volt AC) non triable to operate on 110 V DC complete with lock and detector slides and cable termination box confirm	SIGNAL INSPECTOR KWV	36 Nos.	17-Jul-21	
		(FP)						
10	92205137200602 dt.25 SEP-20 on M/s.ACTION CONSTRUCTION EQUIPMENT LIMITED, PALWAL RITES-CALL	850999	10XXN01	FORK LIFT- DIESEL ENGINE OPERATED- 3TON(DETECH FORKLIFT E20)CONFORMING TO INDIAN STANDARD IS : 6765-2003 LATESTFORK ARM FORK LIFT TRUCK IS: 6876 LATESTMOUNTING	Sr. Section Engineer	1 Nos.	16-Oct-20	
		(FP)						

11	38205016103288 dt.03 SEP-20 on M/s.SABO HEMA AUTOMOTIVE PRIVATE LIMITED- GURGAON RITES-CALL RITES-IC	2198884.07 (FP)	33XXNS	Primary Vertical Damper to RCF Drg. No. LW- 05102 ALT -a confirming to RDSO Specn. No. RDSO / CG - 18005, Rev. Nil. This item is restricted for procurement from RDSO approved source only.	MACHINE SHOP MTN	509 Nos.	10-Dec-20
12	27205025103331 dt.07 SEP-20 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA LIMITED-HOSUR RITES-CALL	2298419.2 (FP)	25XXNS	BRAKE PAD FOR BRAKE CALIPER AS PER FTRTIL PART NO. 121363F23 FOR WAP-5 LOCO. Accepted offer: BRAKEPAD BF400 CM2 X 24 to FTRTIL Part No. 121363-302.	BOGIE AC LOCO W/SHOP	352 Nos.	07-Mar-21
13	95195723100387 dt.08 SEP-20 on M/s.HOWRAH FORGINGS LIMITED- KOLKATA RITES-CALL	3696000 (FP)	38106322	Modified Elastomeric Pad for BLC Bogies to RDSO Drg. No. WD-95005/S-1, Alt-7 and other technical requirements conforming to Spec. No. 20- Misc-95 Rev.3 of March 2003 with 5 amendments, latest	SR.SEC.EN GR/ C&W/ AJ	3000 Nos.	08-Nov-20
14	95205295100389 dt.08 SEP-20 on M/s.ONYS TECHNO SYSTEM PRIVATE LIMITED- MUMBAI. RITES-CALL	695079 (FP)	5606N001	SK 30H Double Rail Contact with 5.5 meter Tx coil (TX1 & TX2) part No- 5823111209 & 5823111211 for Eldyne Make Single section Digital Axle Counter as per RDSO specification RDSO/SPN/177/2001 Version1	SIGNAL INSPECTOR NGP	6 Nos.	17-Dec-21
			5606N002	Reset Box with Display for SSDAC Eldyne (ERBS-03) as per RDSO Specification no RDSO/SPN/177/2003 (Version-1 or latest) Make: Eldyne Electr-systems Pvt Limited. TC GC OF OEM TO BE GIVEN ALONGWITH MAT	SIGNAL INSPECTOR NGP	6 Nos.	17-Dec-21
15	91205240100415 dt.16 SEP-20 on M/s.SHREE GAJANAN ENTERPRISES-PUNE RITES-CALL	1431778.43 (FP)	45XXN01	Set of valves of WSF make EP unit of 1400 HP DEMU consisting of- 1. Triple valve complete type D.I.C to WSF Pt.No. C75107/1- 01 No. 2. I-Valve application magnet complete to WSF Pt.No.IC70222/1- 01 No	Sr. Section Engineer	10 Set	27-Nov-20

16	56205012100710 dt.18 SEP-20 on M/s.ELMEC COM AGENCIES- MALAD(W), MUMBAI RITES-CALL	663750 (FP)	25XXNS	GAPLESS LIGHTNING ARRESTOR FOR 25 KV ELECTRIC LOCOMOTIVE AS PER SPEC.NO.ELRS/SPEC/LA/ 005 OR LATEST AND CLW/ES/A-12 ALT -D OR LATEST. [MATERIAL TO BE PROCURED FROM CLW APPROVED	SWITCH GEAER	15 Nos.	03-Nov-20
17	50205007103470 dt.20 SEP-20 on M/s.MITTAL INDUSTRIES-MUMBAI RITES-CALL	2527560 (FP)	5679N01	Set of Materials Required for 80AH/10 AMP TFBC generally conforming to RDSO Spec. - IRS:S:89/2013 Ver 1.0. as per Annexure- III and Spec. I enclosed herewith. M.S. Chasis should be as per	CWM(S&T) WS BYCULLA	1400 Set	18-Jan-21
18	96205227100374 dt.25 SEP-20 on M/s.PACIFIC MARKETING-NASIK RITES-CALL	680140.8 (FP)	5615Nxx	Sealed maintenance free VRLA battery set of 60 cells(stackable) in combination of 55+5 cells for SMPS based Integrated Power Supply system, each cell of 2 V 200AH capacity,	SIGNAL INSPECTOR KWV	3 Set	24-Dec-20
19	50195030103553 dt.30 SEP-20 on M/s.STATCON ELECTRONICS INDIA LIMITED-NOIDA RITES-CALL	5357179.94 (FP)	5679N01	i]SMPS based Integrated Power Supply System without MFVRLA Battery set conforming to RDSO Specifications RDSO/SPN/165/2012 Version 3.0 with later amendment for PI station as per Central Rly. Drg.No.SK	Sr. Section Engineer	1 Set	29-Dec-20
			5679N07	i] SMPS based Integrated Power Supply System without MFVRLA Battery set conforming to RDSO Specifications RDSO/SPN/165/2012 Version 3.0 with later amendment for PI station as per Central Rly.Drg.No.SK	Sr. Section Engineer	1 Set	29-Dec-20
			5679N09	i]SMPS based Integrated Power Supply System without MFVRLA Battery set conforming to RDSO Specifications RDSO/SPN/165/2012 Version 3.0 with later amendment for PI station as per Central Rly. Drg.No.SK	Sr. Section Engineer	1 Set	29-Dec-20

			5679N11	ij SMPS based Integrated Power Supply System without MFVRLA Battery set conforming to RDSO Specifications RDSO/SPN/165/2012 Version 3.0 with later amendment for PI station as per Central Rly. Drg.No.S	Sr. Section Engineer	2 Set	29-Dec-20
20	50205029103558 dt.30 SEP-20 on M/s.MAXCON INDUSTRIES-PUNE RITES-CALL	2889432 (FP)	5630N0001	Clamp point lock 60 Kg. (with ZYUL-60) Thick web switch for B.G. As per RDSO drg no.3395A	CWM(S&T) WS BYCULLA	130 Nos.	27-Feb-21
21	95205356100381 dt.02 SEP-20 on M/s.CARESTREAM HEALTH INDIA PVT LTD- MUMBAI RITES-CALL	650104 (FC)	00XXN001	1.Cassettes of CR size 14"x17". Make : CARESTREAM HEALTH INDIA PVT LTD, MUMBAI.	MS NGP	7 Nos.	18-Sep-20
			00XXN002	1.Flex phosphor screen GP2 14"x17". Make : CARESTREAM HEALTH INDIA PVT LTD, MUMBAI.	MS NGP	7 Nos.	18-Sep-20
			00XXN003	Cassettes of CR size 10"x12". Make : CARESTREAM HEALTH INDIA PVT LTD, MUMBAI.	MS NGP	2 Nos.	18-Sep-20
			00XXN004	Flex phosphor screen GP2 10"x12". Make : CARESTREAM HEALTH INDIA PVT LTD, MUMBAI.	MS NGP	2 Nos.	18-Sep-20
22	48205343100650 dt.04 SEP-20 on M/s.SPECTRUM SCIENTIFIC PVT LTD- MUMBAI RITES-CALL RITES-IC	598914.9 (FC)	45NS	Bottle cooler of 90 liters capacity for hot buffet type LHB coaches conforming to RCF specification No. EDTS -118, Rev-E with amendment No. 1 & 2 and RCF drawing No. LH 72204. Note: This item is	CWM / PR	5 Nos.	04-Oct-20
23	85196545100863 dt.08 SEP-20 on M/s.SHREE SHAKTI WELDTech PRIVATE LIMITED- THANE RITES-CALL	600089.28 (FP)	31XXNNS	BOGIE FRAME ARRGT. FOR AIR SPRING TYPE MEMU/DMC BOGIE (FUJI TYPE TRACTION MOTOR) WITHOUT BUSHES TO DRG. NO. EMU/M-3-2-060 WITH RDSO SPEC. NO. C-9202	TROLLEY REPAIR SHOP	2 Nos.	08-Jan-21
24	93186087100390 dt.23 SEP-20 on M/s.KIRAN FURNITURE- BHUSAWAL	1569570	9379N01	ELECTRIC CEILING FANS SWEEP SIZE 1200 MM COLOUR - WHITE, SHALL BE CAPACITOR TYPE, WITH DOUBLE BALL BEARING COMPLETE WITH CAPACITOR, 300	SR.SECTIO N ENG. ELEC	1130 Nos.	12-Nov-20

	MITES-CALL	(FP)		MM DOWN ROD,			
25	42203601103506 dt.23 SEP-20 on M/s.POWER- PACK COMMUTATORS (I) PVT. LTD.- UMBERGAON	7262900	2397NS	COMMUTATOR FOR 4601 AZ TM ARMATURE WITH STEEL PARTS COMPLETE ASSEMBLY AS PER DRG. No. ER/KPA/EL/TM.2HE.688, ALT.C MAKE - PPCL	SHOP SUPD TT. COMMUTA	3 Nos.	21-Jan-21
	MITES-CALL	(FP)	31914263	COMMUTATOR FOR 4601 AZ TM ARMATURE WITH STEEL PARTS	TMW	12 Nos.	21-Jan-21
					TMW	25 Nos.	31-May-21
26	03205007100018 dt.28 SEP-20 on M/s.APAR INDUSTRIES LTD. UNIT UNIFLEX CABLES- MUMBAI	4615275	40XXN001	ISI MARKED HT XLPE 3 CORE CABLE 11 KV (E) VOLTAGE GRADE ALUMINIUM CONDUCTOR SIZE 3 X 300 SQ.MM. CONDUCTOR SHOULD BE STRANDED, COMPACT, CIRCULAR AND SCREENED WITH	SR. SECT. ENGG.(CON S	3750 MTR	28-Jan-21
	MITES-CALL	(FP)					
27	85205398100903 dt.28 SEP-20 on M/s.PANACEA ALLOYS PRIVATE LIMITED- PUNE	887155.2	45XXNX	Fully charged lead acid battery 36 V, 299/300 AH at 5 hours rate of discharge with tubular positive and pasted negative plates in heat sealed container with cables, socket, top cover, as per IS no. 51	MILL WRIGHT SHOP MTN	9 Nos.	27-Nov-20
	MITES-CALL	(FP)					
28	80205005203550 dt.30 SEP-20 on M/s.INDIAN OIL CORPORATION LTD-MUMBAI	1527085	9211N001	HIGH SPEED DIESEL OIL [HSD] CONFIRMING TO IS:1460 [LATEST REVISION]. NOTE: The supply of products will be subject to deviations/relaxations as may be authorised by	Sr. Section Engineer	23000 LTR	31-Mar-21
	MITES-CALL	(FP)					
29	50195030103552 dt.30 SEP-20 on M/s.AMARA RAJA POWER SYSTEMS LTD.-TIRUPATHI	7041638.2	5679N03	i] SMPS based integrated power supply system without MF VRLA battery set conforming to RDSO specifications RDSO/SPN/165/2012 Version 3.0 with later amendments for LC Gate as per Central Railway Drawin	SIGNAL INSPECTOR PA	4 Set	27-Jul-21
	MITES-CALL	(FP)	5679N05	i] SMPS based Integrated Power Supply System without MFVRLA Battery set conforming to RDSO Specifications RDSO/SPN/165/2012 Version 3.0 with later amendment for LC Gates as per Central Rly. Drg.No.SK-	SIGNAL INSPECTOR PA	2 Set	27-Jul-21

			5679N13	ijSMPS based Integrated Power Supply System without MFVRLA Battery set conforming to RDSO Specifications RDSO/SPN/165/2012 Version 3.0 with later amendment for LC Gates as per Central Rly. Drg.No.SK-7	Sr. Section Engineer	4 Set	27-Jul-21
30	36205010D03554 dt.30-SEP-20 on M/s.GSJ ALLOYS-BIKANER RITES-CALL	3398400 (FP)	46XXN01	Jointless Grooved Hard drawn grooved contact wire, 193 Sq. mm., made out of Continuous Cast Copper (CCC) Wire Rod, as per RDSO Specn. No. ETI/OHE/76 6/97) with A &	SSE(OHE)P A	3 KM	15-Mar-21
31	50195030103309 dt.04 SEP-20 on M/s.HBL POWER SYSTEMS LTD-HYDERABAD RITES-CALL	41305360.5 (FP)	5679N01	ijSMPS based Integrated Power Supply System without MFVRLA Battery set conforming to RDSO Specifications RDSO/SPN/165/2012 Version 3.0 with later amendment for PI station as per Central Rly. Drg.No.SK	Sr. Section Engineer	4 Set	30-Jun-21
			5679N02	ijSealed Maintenance free VRLA battery set of 60 Cells(stackable),in combination of 55+5 Cells for SMPS based integrated power supply system, each cell of 2 Volt/300 AH Capacity, fully charged confor	Sr. Section Engineer	5 Set	30-Jun-21
			5679N03	ij SMPS based integrated power supply system without MF VRLA battery set conforming to RDSO specifications RDSO/SPN/165/2012 Version 3.0 with later amendments for LC Gate as per Central Railway Drawin	SIGNAL INSPECTOR PA	9 Set	30-Apr-21
			5679N05	ij SMPS based Integrated Power Supply System without MFVRLA Battery set conforming to RDSO Specifications RDSO/SPN/165/2012 Version 3.0 with later amendment for LC Gates as per Central Rly. Drg.No.SK-	SIGNAL INSPECTOR PA	4 Set	30-Apr-21

			5679N07	ij SMPS based Integrated Power Supply System without MFVRLA Battery set conforming to RDSO Specifications RDSO/SPN/165/2012 Version 3.0 with later amendment for PI station as per Central Rly.Drg.No.SK	Sr. Section Engineer	1 Set	30-Jun-21
			5679N09	ijSMPS based Integrated Power Supply System without MFVRLA Battery set conforming to RDSO Specifications RDSO/SPN/165/2012 Version 3.0 with later amendment for PI station as per Central Rly. Drg.No.SK	Sr. Section Engineer	1 Set	30-Jun-21
			5679N11	ij SMPS based Integrated Power Supply System without MFVRLA Battery set conforming to RDSO Specifications RDSO/SPN/165/2012 Version 3.0 with later amendment for PI station as per Central Rly. Drg.No.S	Sr. Section Engineer	1 Set	30-Jun-21
			5679N13	ijSMPS based Integrated Power Supply System without MFVRLA Battery set conforming to RDSO Specifications RDSO/SPN/165/2012 Version 3.0 with later amendment for LC Gates as per Central Rly. Drg.No.SK-7	Sr. Section Engineer	9 Set	30-Apr-21
32	54205096100097 dt.08 SEP-20 on M/s.DYNAMIC TRANS SYSTEM PRIVATE LIMITED-PUNE RITES-CALL	683422.48 (FP)	54NS	M.S. PLATE SIZE 40MM THICK X 1800MM WIDTH X 12000MM LENGTH CONFORMING TO IS:2061/11 E 250 GRADE 'BR' FULLY KILLED FULLY NORMALIZED DULY UT.	SSS TAMPLATE SHOP MM	13.56 MT	09-Oct-20
33	92205449100580 dt.09 SEP-20 on M/s.PARK AND COMPANY-MUMBAI RITES-CALL	733110.4 (FP)	92XXN17	Calcium Hypochlorite Tablet with chlorine content 65% in tablet of 20 gm. Specification :- Calcium Hypochlorite (Available chlorine): 65% Minimum; Form: Tablet; Moisture: 5-	SE(WORKS) , [M] BY	1760 Kgs.	09-Oct-20

34	56205122100693 dt.11 SEP-20 on M/s.KAY PEE EQUIPMENTS PVT LTD-HOWRAH RITES-CALL	3640000 (FP)	25XXNS	SET OF MAIN GEAR DRIVE ASSEMBLY COMPONENTS FOR WAP 5 LOCO.SET OF WHEEL SET. ONE SET CONSISTS OF 5 ITEMS 10 NOS.AS FOLLOWS- [1] CAP PIECE OF BEARING	WHEEL SETS AC LOCO W	10 Set	11-Mar-21
35	38205019103410 dt.14 SEP-20 on M/s.KNORR- BREMSE INDIA PVT. LTD.-PALWAL RITES-CALL	4508436.8 (FP)	33XXNN	STANDARDIZED BRAKE DISC FOR LHB COACHES, TO RDSO SPECIFICATION NO. RDSO/2017/CG-02, similar to Knorr-Bremse Drg. no C169514/1 part no.1185351/1990.	CWM WHEEL SHOP MTN	61 Nos.	28-Dec-20
36	85196546100882 dt.15 SEP-20 on M/s.SIDWAL REFRIGERATION INDUSTRIES PRIVATE LIMITED-FARIDABAD RITES-CALL	814200 (FP)	4008NS	CONTROL CABLE WITH 37 PIN CABLE MOUNTED PLUG & SOCKET 2.5 METERS LENGTH AS PER FEDDERS LLOYD PART NO. FLC-RLY-040 OR SIDWAL PART NO. RCAC-122, RCAC-088 & RCAC-089 FOR ROOF MOUNTED AC PACKAGE UNITS OF	SHOP SUPDT.AIR CONDI	60 Nos.	14-Nov-20
37	42203601103507 dt.23 SEP-20 on M/s.SAHNEY COMMUTATORS PRIVATE LIMITED- BANGALORE RITES-CALL	10712777.5 (FP)	2397NS	COMMUTATOR FOR 4601 AZ TM ARMATURE WITH STEEL PARTS COMPLETE ASSEMBLY AS PER DRG. No. ER/KPA/EL/TM.2HE.688, ALT.C Make - SAHNEY	SHOP SUPDTT. COMMUTA	4 Nos.	21-Jan-21
			31914263	COMMUTATOR FOR 4601 AZ TM ARMATURE WITH STEEL PARTS	TMW	10 Nos.	21-Jan-21
					TMW	45 Nos.	31-May-21
38	91205170200427 dt.28 SEP-20 on M/s.DECOR MODULAR SYSTEMS PRIVATE LIMITED, DELHI RITES-CALL	531200 (FP)	7831NN1	METAL BEDS (WITHOUT MATTRESS) WITH FRAME OF SS 202 HOLLOW RECTANGULAR / SQUARE SECTION (NA)(DELCO),PRODUCT ID :5116877-70617526149, SPECIFICATION ENCLOSED SAMPLE	INSPECTOR R.P.F	166 Nos.	08-Nov-20
39	92205617200611 dt.29 SEP-20 on M/s.SOLUTIONS COMPUTERS SYSTEM- THANE RITES-CALL	698700 (FP)	57XXN1	DESKTOP COMPUTER (FOR DETAIL SPECIFICATION Gem PRODUCT COPY IS ATTACHED) (GEM OFFER MAKE MODEL HP 400 G3 AIO I3 7100T WIN 10P 813 AS PER GEM	SECURITY OFFICER [I]	17 Nos.	10-Oct-20
40	80205004203547 dt.30 SEP-20 on M/s.INDIAN OIL CORPORATION LTD-MUMBAI RITES-CALL	1325908.15 (FP)	92111002	HIGH SPEED DIESEL OIL [HSD] CONFIRMING TO IS:1460 [LATEST REVISION]. NOTE: The supply of products will be subject to deviations/relaxations as may be authorised by	Sr. Section Engineer	19970 LTR	31-Mar-21

41	79205006103323 dt.06 SEP-20 on M/s.LINKWISE TIE UP PVT LTD-KOLKATA RITES-CALL	7481250	82XXN02	PPE Kits consisting of following 6 items as per Specifications of PPE Kit attached as Annexure- B. [1] Gloves - 2 pair (size 6.5 and 7.5). [2] Coverall (Spun bounded polypropylene breathable material)	MD BY	5000 Nos.	12-Oct-20	
			(FP)	82XXN01	PPE Kits consisting of following 6 items as per Specifications of PPE Kit attached as Annexure- B. [1] Gloves - 2 pair (size 6.5 and 7.5). [2] Coverall (Spun bounded polypropylene breathable material)	MD BY	10000 Nos.	12-Oct-20
42	85196182100824 dt.07 SEP-20 on M/s.BOMBARDIER TRANSPORTATION INDIA PRIVATE LIMITED-NEW DELHI RITES-CALL	8966735.04	72XXNS	FIXTURE AND TOOLS (SPECIAL FIXTURE) FOR ASSEMBLY OF BOMBARDIER TRACTION EMU MOTOR COACH WHEELS AS PER ANNEXURE ATTACHED.	CWM WHEEL SHOP MTN	2 Set	06-Jun-21	
43	95205363100390 dt.08 SEP-20 on M/s.INTERSALES- LUCKNOW RITES-CALL	779587.2	00XXN01	Integrated heated humidified high flow nasal oxygen system with disinfection set.	MS NGP	3 Nos.	27-Sep-20	
			(FP)	00XXN02	High flow nasal cannula of the parent company	MS NGP	6 Nos.	27-Sep-20
			00XXN03	Breathing tube of the parent company	MS NGP	6 Nos.	27-Sep-20	
			00XXN04	Air filter of the parent company	MS NGP	6 Nos.	27-Sep-20	
44	93205348200379 dt.11 SEP-20 on M/s.G R MARKETING-PUNE RITES-CALL	668700	9379N1	PRINTRONIX, STANDARD LIFE EC CARTRIDGE RIBBON MODEL- PRINTRONIX PART NO. 256109-104	DRM [C] BSL	300 Nos.	09-Oct-20	
45	56205251100694 dt.11 SEP-20 on M/s.NEW VISHCO ENGINEERING WORKS-MUMBAI RITES-CALL	837222.4	25XXNS	SET OF MODIFIED TOP OPERATING HANDLE FOR CBC FOR AC LOCO COMPRISING OF 07 ITEMS 34 NOS AS PER SK NO BSL/ELW/SK.NO.9090.SUI	MACHINE SHOP ELECT.L	128 Set	09-Feb-21	
			(FP)		TABLE AS PER RDSO			
46	50205004203407 dt.14 SEP-20 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI	2230790	5646N001	LED Signal Lighting unit with built in current regulator, retrofittable in existing CLS units as per RDSO Specn. RDSO / SPN/199/2010/Rev.1.0 with latest amendment for Main LED Signal Lighting Unit : Y	SIGNAL INSPECTOR PA	60 Nos.	28-Feb-21	

	RITES-CALL	(FP)	5646N002	LED SIGNAL LIGHTING UNIT RETROFITTABLE IN EXISTING CLS UNITS AS PER RDSO SPECIFICATION RDSO/SPN/153/2011. REV. 4.1 WITH LATEST AMENDMENT FOR ROUTE SIGNAL.QTY.130 Nos.	Sr. Section Engineer	100 Nos.	28-Feb-21
			5646N003	LED SIGNAL LIGHTING UNIT RETROFITTABLE IN EXISTING CLS UNITS AS PER RDSO SPECIFICATION RDSO/SPN/153/2011. REV.4.1WITH LATEST AMENDMENT FOR SHUNT SIGNAL.QTY.181 Nos.	Sr. Section Engineer	160 Nos.	28-Feb-21
			5646N004	LED Signal Lighting unit with built in current regulator, retrofittable in existing CLS units as per RDSO Specn. RDSO / SPN/199/2010/Rev.1.0 with latest amendment for Main LED Signal Lighting Unit : G	SIGNAL INSPECTOR PA	30 Nos.	28-Feb-21
47	48195952100659 dt.14 SEP-20 on M/s.SCHAEFFLER INDIA LIMITED-VADODARA RITES-CALL	967010 (FP)	12 NS	Cylindrical roller Bearing NU 328 for BHEL Traction Motor Type 5002 AZ (PE-side) make SKF (Imported) / FAG (Germany/Italy) or Schaeffler India Ltd, as per RDSO Specn No.MP.0.2402.03.(Rev.03)	CWM / PR	22 Nos.	12-Jan-21
48	54195197100111 dt.16 SEP-20 on M/s.PACKING HOUSE-MUMBAI RITES-CALL	845470 (FP)	NS54	Description in Full:- ATLS COPCO Air Compressor XA 157,330 CFM, 100 Psi (7Bar) Ashok Leyland WO4D 86HP, 2200/1500 RMP, Weight 1373 KG. Make:- 1) CPT. 2) Atlas. 3)	BRIDGE INSPECTOR NGP	1 Nos.	26-Oct-20
49	27175005103441 dt.17 SEP-20 on M/s.FORCE MOTION TECHNOLOGY LLP-NAVI MUMBAI RITES-CALL	566407.08 (FP)	2523N79	Blower for Oil Cooling Unit with Aluminium Impeller and Casing including 30KW Motor for Oil Cooling Unit as per CLWs Specn. No. CLW/ES/3/0647 Alt-E and RDSOs Specn. No. E/10/3/09 (Motor) with	Sr. Section Engineer	3 Nos.	31-Mar-21
50	91205335100420 dt.25 SEP-20 on M/s.SAKURA SIGNS PVT. LTD.-NAVI MUMBAI RITES-CALL	915851.1 (FP)	46XXN01	RETRO REFLECTIVE TYPE STRUCTURE NUMBER PLATE AS PER RDSO SPECIFICATION NO. ETI/OHE/33A(12/97), REV 8(11/2012) (DETAILS LOCATION KM NO. GIVEN IN ANNEXURE	SSE(OHE)P A	2631 Nos.	21-Dec-20

51	38205005103263 dt.01 SEP-20 on M/s.ESCORTS LIMITED- FARIDABAD RITES-CALL	878080 (FP)	38145900	Non-Asbestos 'L' type composite Brake Block For Freight stock to R.D.S.O'S Drg. No. WD-99062-S-01, Alt. No. 3 [THREE] or Latest, TO R.D.S.O'S Specn. No. WD-13-ABR-	HTXR KYN	2800 Nos.	01-Jan-21
52	50205006103293 dt.03 SEP-20 on M/s.AUTOLITE ENTERPRISE-RAJKOT RITES-CALL	2286144 (FP)	5679N01	Set of Materials Required for 80AH/10 AMP TFBC generally conforming to RDSO Spec. - IRS:S:89/2013 Ver 1.0. as per Annexure- I and Spec. I & III enclosed herewith.	CWM(S&T) WS BYCULLA	1400 Set	02-Mar-21
53	85205427100865 dt.08 SEP-20 on M/s.HINDUSTAN WAGON-HOWRAH RITES-CALL	575840 (FP)	30XXNS	Revolving trestle as per Central Railway drawing no. J&T Dev - 148 with load testing certificate SWL-20 Ton (buffer plunger Item no.10 shall be provided by Railway) issued by Agency /	MILL WRIGHT SHOP MTN	8 Nos.	08-Mar-21
54	50195092203406 dt.14 SEP-20 on M/s.POWER TECHNOLOGIES CORPORATION-NEW DELHI RITES-CALL	2185950 (FP)	5646N001	LED SIGNAL LIGHTING UNIT RETROFITTABLE IN EXISTING CLS UNITS AS PER RDSO SPECIFICATION RDSO/SPN/153/2011. REV. 4.1 WITH LATEST AMENDMENT FOR ROUTE SIGNAL.QTY.120 Nos.	Sr. Section Engineer	150 Nos.	28-Feb-21
			5646N002	LED SIGNAL LIGHTING UNIT RETROFITTABLE IN EXISTING CLS UNITS AS PER RDSO SPECIFICATION RDSO/SPN/153/2011. REV.4.1WITH LATEST AMENDMENT FOR SHUNT SIGNAL.QTY. 219 Nos.	Sr. Section Engineer	240 Nos.	28-Feb-21
55	75205083803425 dt.16 SEP-20 on M/s.Principal Chief Materials Manager, CLW, Chittaranjan RITES-CALL	3236250 (FP)	77XXNS	SILICON IMPREGNATING RESIN SILRES H62C OR EQUIVALENT.	SHOP SUPDPTT. COMMUTA	750 Kgs.	31-Mar-21
56	93175492100383 dt.16 SEP-20 on M/s.KALPAKA POWER CONTROL-MUMBAI RITES-CALL	1418433.75 (FP)	9379N1	Greaves / GPWI Diesel Generating Set with AMF Control Pannel, Three Phase Engine Water Colling, 415 Voltage, Capacity 15 KVA, Required for Satellite Track Machine Depot @ SSE(TMD)SUR,	SSE [TMD] BSL	5 Nos.	10-Nov-20
57	50205002103446 dt.17 SEP-20 on M/s.STAR ELECTRIC COMPANY- LUDHIANA	713664	5679N0001	Supply of electric point machine (Rotary Locking type) 143mm throw (AC immunity 160 Volt AC) non triable to operate on 110 V DC complete with lock and detector slides and cable	SIGNAL INSPECTOR KVV	9 Nos.	14-Feb-21

	BITES-CALL	(FP)		termination box confirm			
58	92196029100597 dt.18 SEP-20 on M/s.SWITCHING AVO ELECTRO POWER LIMITED-AURANGABAD BITES-CALL	650000 (FP)	4290N01	Fault Tolerant Uninterrupted Power Supply (UPS) System of 2 x 20 KVA configuration hot standby mode 3 ph. input 3 ph. output with isolation transformer & suitable batteries i.e. 12V 100AH 30 Nos or e	SR.SEC.EN G. (EL.MAIN	1 Set	17-Dec-20
59	92205333200603 dt.25 SEP-20 on M/s.LATEST DEVICES PVT LTD-BHOPAL BITES-CALL	641172 (FP)	4301N15	All in one Desktop Computer, Processor i3 8100, RAM 4GB, 1TB HDD, OS Window 10 PRO original / genuine version, with wifi KBD & wifi Mouse, Speaker, Monitor 21.5", 3	DRM MB	14 Nos.	15-Oct-20
60	92205651200613 dt.30 SEP-20 on M/s.BAJAJ AUTO LIMITED., PUNE BITES-CALL	609343 (FP)	6705NS01	TWO WHEELER BAJAJ PULSAR 150SD BS-VI OR SIMILAR (GEM OFFER MAKE MODEL BAJAJ PULSAR 150 SD AS PER CONTRACT ATTACHED)	Sr.Commanding Office	7 Nos.	24-Dec-20
61	56205420800683 dt.05 SEP-20 on M/s.Principal Chief Materials Manager, CLW, Chittaranjan BITES-CALL	11266078 (FP)	25XXNS	DISC BRAKE ARRANGEMENT COMPLETE, WHEEL MOUNTED BRAKE DISCS FOR WAP-5, DRG.NO.IA011-00154 SHEET NO.1 & 2 ALT-4, IA011-00203 ALT-1	WHEEL SETS AC LOCO W	2 Set	05-Nov-20
62	41205106103388 dt.11 SEP-20 on M/s.RATAN DIELECTRICS-GIRIDIH BITES-CALL	2085980.4 (FP)	41XXNS	SILICON RUBBER COMPOUNDS (I) DOW CORNING MAKE XIAMETER-4250-S KIT GREEN IN PACKING OF 22.0 KG. (BASE 20 KG. & CURING AGENT 2.0 KG.) OR (II) WACKER	SHOP SUPD TT. COMMUTA	854 Kgs.	09-Jan-21
63	93205101100381 dt.14 SEP-20 on M/s.PPS INTERNATIONAL-GAUTAM BUDH NAGAR BITES-CALL	1642144.64 (FP)	9379N01	Complete tool kit for installation & maintenance of Arthur Flury type Neutral section assembly consists items as per Annexure A. Offer Accepted :- Make/Brand -- Arthur Flury.	Sr. Section Engineer	2 Nos.	02-Jan-21
64	60205055203447 dt.18 SEP-20 on M/s.AMX MEDICAL SYSTEMS-GHAZIABAD BITES-CALL	569900 (FP)	8225N01	PROCUREMENT OF HIGH FREQUENCY PORTABLE X-RAY MACHINE for Radiology dept of Byculla Hospital	MD BY	2 Nos.	30-Sep-20

65	56205362100715 dt.19 SEP-20 on M/s.AUTOMETERS ALLIANCE LTD-NOIDA RITES-CALL	584910.66 (FP)	25XXN01	VST (Vaccum switch tube) for VCB AAL part 430000710031 OR BTIL part no HSBA-331624-R1	SSE(TRS/M AINT)BSL	3 Nos.	19-Dec-20
66	93205166100387 dt.21 SEP-20 on M/s.FRONTIER ALLOY STEELS LTD-KANPUR RITES-CALL	929880 (FP)	3812NXX6	FRICTION WEDGE (BLC) TO RDSO DRG. NO. WX 10046 RDSO Approved Sources 1) Frontier Alloy Steel Kanpur, 2) Sanrok Enterprises Faridabad, 3) Webtech Texmaco Rail Pvt. Ltd., Kolkata 4) Stucki	Sr. Section Engineer	450 Nos.	30-Nov-20
67	85205505100894 dt.24 SEP-20 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.-MUMBAI RITES-CALL	753002.25 (FP)	35XXNS	I.O.H KIT FOR ELGI MAKE COMPRESSOR TYPE RR15070 . ELGI PART NO. 072420209 . AS PER ANNEXURE ENCLOSED . EACH KIT CONSIST OF 34 ITEMS , 85 NOS.	SHOP SUPDTT [ELEC] I	7 Set	24-Feb-21
68	80205004203548 dt.30 SEP-20 on M/s.INDIAN OIL CORPORATION LTD-MUMBAI RITES-CALL	1544546.89 (FP)	92111002	HIGH SPEED DIESEL OIL [HSD] CONFIRMING TO IS:1460 [LATEST REVISION]. NOTE: The supply of products will be subject to deviations/relaxations as may be authorised by	Sr. Section Engineer	23263 LTR	31-Mar-21
69	80205005203549 dt.30 SEP-20 on M/s.INDIAN OIL CORPORATION LTD-MUMBAI RITES-CALL	763542.5 (FP)	9211N001	HIGH SPEED DIESEL OIL [HSD] CONFIRMING TO IS:1460 [LATEST REVISION]. NOTE: The supply of products will be subject to deviations/relaxations as may be authorised by	Sr. Section Engineer	11500 LTR	31-Mar-21
70	80205005203551 dt.30 SEP-20 on M/s.INDIAN OIL CORPORATION LTD-MUMBAI RITES-CALL	2250849 (FP)	9211N001	HIGH SPEED DIESEL OIL [HSD] CONFIRMING TO IS:1460 [LATEST REVISION]. NOTE: The supply of products will be subject to deviations/relaxations as may be authorised by	Sr. Section Engineer	34500 LTR	31-Mar-21
71	27205021103557 dt.30 SEP-20 on M/s.MEDHA SERVO DRIVES PRIVATE LIMITED- HYDERABAD RITES-CALL	3858600 (FP)	2501N00	MICROPROCESSOR BASED ENERGY CUM SPEED MONITORING UNIT AS PER RDSO SPECIFICATION NO. ELRS/SPEC/SPM/0002 (REV-02) JUNE 2004 AMD NO. 01 TO 06 OR LATEST ALONGWITH COMMISSION IN	SR.SEC.EN G. (STORES)	15 Set	31-Mar-21