

## CENTRAL RAILWAY

Depot : All Depots

## LIST OF PURCHASE ORDERS

ALL

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	Consignee	PO Qty	Dely.Dt
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;							
1	41201088103572 dt.02-OCT-20 on M/s.OMSAI UDYOG INDIA PRIVATE LIMITED-SONEPAT RITES-CALL	3437962.5  (FP)	40117315	Hard drawn Copper Conductor Stranded 37/2.25 mm for Feeder Wire, Cross Sectional Area 150 Sq. mm. Conforming to RDSO Spec. no: TI/SPC/OHE/HDCSCF/003 0 (06/2003) or latest.	WAGON/BS L	1700 MTR	31-May-21
					WAGON/BS L	1660 MTR	30-Sep-21
					Sr. Section Engineer	1603.42 MTR	10-Jan-21
2	79205006103600 dt.05-OCT-20 on M/s.LINKWISE TIE UP PVT LTD-KOLKATA RITES-CALL	1745625  (FP)	82XXN0	PPE Kits consisting of following 6 items as per Specifications of PPE Kit attached as Annexure- B. [1] Gloves - 2 pair (size 6.5 and 7.5). [2] Coverall (Spun bounded polypropylene breathable material)	MD BY	3500 Nos.	30-Oct-20
3	60205059203649 dt.12-OCT-20 on M/s.ELITE TRADING CO, DELHI RITES-CALL	1720000  (FP)	8225N01	PROCUREMENT OF HIGH FLOW NASAL OXYGEN MACHINE FOR COVID 19 AT DR.B.A.M. HOSPITAL, BYCULLA, CENTRAL RAILWAY	MD BY	5 Nos.	21-Oct-20
4	48205354200683 dt.17-OCT-20 on M/s.JETAGE COMPUTER TRADERS, CHANDIGARH RITES-CALL	685300  (FC)	5701N1	Personal Computers (Desktop) based system with Windows 10 PRO (pre- loaded ) or higher with certification, with 3 years OEM on-site Warranty. Make: DELL or Acer orLenovo	DY.CME [OFFICE] PR	22 Nos.	22-Oct-20
5	48205308100686 dt.17-OCT-20 on M/s.ABB INDIA LIMITED-Maneja RITES-CALL RITES-IC	3422000  (FC)	10 NS	Turbo with adaptation kit (for 6 cyl. ALCO 251-D FE Engine) As per purchase specification No. Misc : 214 As per Drg. No. 10083704 alt - a.	CWM / PR	1 Nos.	16-Jan-21
6	56205099100798 dt.20-OCT-20 on M/s.KARTHIK ELECTRONICS AND CONTROLS- BANGALORE RITES-CALL	720434.4  (FP)	25XXN01	Loop Boxes sets for Three Phase Electric Locomotives as per attached CLW specification No CLW/ES/3CLW/ES/3/0538 Alt.A (Material to be supplied as per Annexure-D, Set consists of 15 items)	SSE(TRS/M AINT)BSL	1 Set	18-Feb-21
7	48205329100704 dt.22-OCT-20 on M/s.SYNERGY CORPORATION- MUMBAI	892528	11NS	Counter Drive to Final Drive Cardan Shaft to SPICER GELENKWELLENBAU GMBH Part No. GWB No.9.587.50.03.02.488.0696 . Compressed Length = 696 mm, Maximum Length = 806	DIESEL HYDROULIC SHO	2 Nos.	21-Mar-21



16	85205407100956 dt.19-OCT-20 on M/s.SHREE SHAKTI WELDTech PRIVATE LIMITED-THANE  RITES-CALL	571170.88  (FP)	31XXNNS	EMU BOGIE FRAME ARRANGEMENT FOR MOTOR COACHES PHASE-II, AS PER DRG. NO. ICF/MRVC/M/BT-0-3- 001, SHEET 1 & 2, (SUPPLY SHALL BE FROM ICF APPROVED SOURCES ONLY).	TROLLEY REPAIR SHOP	2 Nos.	19-Mar-21
17	93175476100437 dt.23-OCT-20 on M/s.ELECTRONICS INDUSTRIAL CORPORATION- KOLKATA RITES-CALL	871406.4  (FP)	9352N1	Supply of Track Feed Battery Charger for Charging 01 or 02 or 03 or 04 Lead Acid cell of 2V/80 AH. Rating of Charger 10Amp, Input 110 Volt AC, Single phase, As per RDSO Specification No.- IRS;S89/2013	Sr. Section Engineer	255 Nos.	21-Feb-21
18	36205002103727 dt.23-OCT-20 on M/s.J K CABLES LIMITED-NOIDA  RITES-CALL RITES-IC	11396258.4  (PC)	46XXN002	65 mm2 Uninsulated Copper Catenary Wire [19/2.10 mm.], as per RDSO Specn. No. ETI/OHE/50[6/97] with A& C Slip Nos. 1, 2 & 3 or latest.	SSE(OHE)P A	14.06 KM	23-Feb-21
			46XXN01	65 mm2 Uninsulated Copper Catenary Wire [19/2.10 mm.], as per RDSO Specn. No. ETI/OHE/50[6/97] with A& C Slip Nos. 1, 2 & 3 or latest.	SSE(OHE)P A	.3 KM	23-Feb-21
			9379N01	65 mm2 Uninsulated Copper Catenary Wire [19/2.10 mm.], as per RDSO Specn. No. ETI/OHE/50[6/97] with A& C Slip Nos. 1, 2 & 3 or latest.	Sr. Section Engineer	14.53 KM	23-Feb-21
19	92205256100624 dt.26-OCT-20 on M/s.PACKING HOUSE- MUMBAI RITES-CALL	949015  (FP)	1113N128	Supply, Installation and Commissioning of Electric Motor Driven Screw Type Air Compressor Cap-250 CFM along with Air Receiver and Air Dryer as per detailed Technical Specification	Sr.CDO LTT	1 Nos.	27-Apr-21
20	56205252100816 dt.27-OCT-20 on M/s.MULTIVISTA GLOBAL PRIVATE LIMITED-CHENNAI RITES-CALL	8643049.71  (FP)	25XXNS	TIMKEN MAKE TAPERED ROLLER BEARING L- 558548/ L-558510 FOR MAIN GEAR FOR WAP-5 WHEEL SET (ITEM RESERVED FOR RDSO APPROVED SOURCES ONLY) ACCEPTED: FIRMS	WHEEL SETS AC LOCO W	20 Nos.	24-Aug-21
21	90195021D03624 dt.07-OCT-20 on M/s.STEEL AUTHORITY OF INDIA LIMITED, MUMBAI	2336400	9013N01	M. S. Plate Size 56mm thick x 1800mm width x 10000mm length Conforming to IS 2062/11 E250 Gr. 'B0' Fully Killed Fully Normalised Duly UT	SSS WELDING SHOP MMR	40 MT	31-Dec-20

	RITES-CALL	(FP)					
22	85205504100930 dt.08-OCT-20 on M/s.SETH TRADERS- MUMBAI RITES-CALL RITES-IC	771187.2  (FC)	31XXNS	HORN 1800 (200069000794) OF SCHUNK PANTOGRAPH TYPE WBL 22.03 PART NO-909010004400, DRG NO. SB 029093, ALT.0	SHOP SUPDTT [ELEC] I	60 Nos.	07-Mar-21
23	91205262100442 dt.13-OCT-20 on M/s.SHREE GAJANAN ENTERPRISES-PUNE  RITES-CALL	839379.3  (FP)	45XXN03	EP brake valve complete for WSF make EP brake equipment of 1400 HP DEMU to WSF Part No. D74910/1.	Sr. Section Engineer	10 Set	30-Apr-21
24	48196550100684 dt.17-OCT-20 on M/s.SYNERGY CORPORATION- MUMBAI RITES-CALL	2770546.8  (FP)	11NS	"Counter Drive to Final Drive Cardan Shaft to SPICER GELENKWELLENBAU GMBH Part No. GWB No.9.587.50.03.02.488.0696 . Compressed Length = 696 mm, Maximum Length = 806 mm. Working Length = 730	DIESEL HYDROULIC SHO	8 Nos.	17-Mar-21
25	48205344100690 dt.19-OCT-20 on M/s.WELDTECH ENGINEERS- KANSBAHAL RITES-CALL	1919993.6  (FP)	11NS	Set of Driver Cabin as per C.Rly drawing No. JT/SK- 3092 and JT/SK-3093 for ZDM3 Loco of KSR in Parel Workshop (Excluding item No. 1,6,7,8 and 9 given in note of both drawings.) Note: (One Set consist	DIESEL HYDROULIC SHO	4 Set	18-Nov-20
26	79205019103703 dt.20-OCT-20 on M/s.UDYOGI PLASTICS PVT LTD- KOLKATA RITES-CALL	797680  (FP)	82XXN003	NITRILE GLOVES - LARGE SIZE SPECIFICATIONS - 1] Non- sterile 2] Powder free 3] Outer gloves preferably reach mid-forearm (minimum 280 mm total length) 4] Quality compliant	MD BY	104000 Nos.	21-Nov-20
27	48205309100702 dt.22-OCT-20 on M/s.ELMEC COM AGENCIES- MALAD(W), MUMBAI  RITES-CALL	1085600  (FP)	40NS	120 sq mm electron beam irradiated cable 1.8/3.0 KV conforming to RDSO specification No. ELRS/SPEC/ELC/0019 (Rev-4) of February 2018. Total Quantity of 1000 meters should be in approximately equal qu	CWM / PR	1000 MTR	22-Feb-21
28	48205380100709 dt.23-OCT-20 on M/s.KIRLOSKAR PNEUMATIC CO LTD,- PUNE RITES-CALL	1419936  (FP)	11NS	Bevel Gear Set to KPCL Part No 500.09.901.50 for Axle Drive Gear box of NDM5/ZDM5 Loco.(One Set Bevel Gear Set consist of Bevel Gear Part No 727.03.001.50, Qty. 01 No and Pinion Shaft Assembly	DIESEL HYDROULIC SHO	4 Set	23-Apr-21

29	81205018103741 dt.27-OCT-20 on M/s.INDO GASES- MUMBAI  RITES-CALL	4152960  (FP)	8230N01	Supply/Refilling of Liquid Oxygen for medical use in Dura Cylinders of either Capacity 200L (Qty 3+2=5) or Capacity 250L (Qty 2+2=4) total 1000L per day for a period of 90 Days for COVID ICU Ward at D	MD BY	90 Set	31-Mar-21
			8230N02	Installation and Rental charges of Vaporizer with Accessories (Equipment details :- Ambient atmospheric vaporizer -01 No. , SS inlet Manifold 04 Nos. with SS Valves 04 Nos. , Low pressure high Flow R	MD BY	90 Set	31-Mar-21
			82XXN03	Transportation Charges (per trip for all 4/5 cylinders)	MD BY	90 Set	31-Mar-21
			82XXN04	Rental Charges for Dura Cylinders (for 4/5 cylinders per day)	MD BY	90 Set	31-Mar-21
30	48205165100720 dt.29-OCT-20 on M/s.SYNERGY CORPORATION- MUMBAI RITES-CALL	1638823.2  (FP)	11NS	"Transmission to Counter Drive Cardan Shaft to SPICER GELENKWELLENBAU GMBH Part No. GWB No.0.587.50.02.29.008.1910 . Compressed Length = 1910 mm. Maximum Length	DIESEL HYDROULIC SHO	4 Nos.	29-Apr-21
31	50195030103623 dt.07-OCT-20 on M/s.SDV EENGINEERING- VARANASI  RITES-CALL	7586474.29  (FP)	5679N03	PL No.5679N03 Sub PL No.5679N04 iij Sealed Maintenance free VRLA battery set of 60 Cells(stackable),in combination of 55+5 Cells for SMPS based integrated power supply system, each cell of 2 Volt/200	SIGNAL INSPECTOR PA	13 Set	30-Jun-21
			5679N05	PL No.5679N05 Sub PL No.5679N06 iij Sealed Maintenance free VRLA battery set of 60 Cells(stackable),in combination of 55+5 Cells for SMPS based integrated power supply system, each cell of 2 Volt/200	SIGNAL INSPECTOR PA	6 Set	30-Jun-21
			5679N11	PL No.5679N11 Sub PL No.5679N12 iij Sealed Maintenance free VRLA battery set of 60 Cells(stackable),in combination of 55+5 Cells for SMPS based integrated power supply system, each cell of 2 Volt/300	Sr. Section Engineer	1 Set	30-Jun-21

			5679N13	PL No.5679N13 Sub PL.No.5679N14 ii]Sealed Maintenance free VRLA battery set of 60 Cells(stackable) in combination of 55+5 Cells for SMPS based integrated power supply system, each cell of 2 Volt/200 A	Sr. Section Engineer	13 Set	30-Jun-21
32	56205133100782 dt.13-OCT-20 on M/s.MEDHA SERVO DRIVES PRIVATE LIMITED-HYDERABAD  RITES-CALL	1394406  (FP)	25XXN01	Upgradation Kit for Medha make ESMON,Rev 02 to ESMON with additional new features as per Rv-4 of RDSO Specification.Each set consisting of the following: A) Speed Recorder Type MRT-922R specification	SSE(TRS/M AINT)BSL	6 Set	11-Jul-21
33	48205337100682 dt.15-OCT-20 on M/s.WELDTECH ENGINEERS- KANSBAHAL RITES-CALL	1104001.92  (FP)	11NS	Engine Hood as per C.Rly Parel Drawing No. JT/SK- 3094 for ZDM3 Loco of KSR in Parel Workshop. FIRM'S OFFER - MAKE - WTE.	DIESEL HYDROULIC SHO	4 Nos.	14-Nov-20
34	85196604100948 dt.15-OCT-20 on M/s.PREMIER CONTROL SYSTEMS- NAVI MUMBAI RITES-CALL	1645080.24  (FP)	65XXNNS	Press in and press out of Bush and Control Arm Silent block and backlash arrangement as per scope of work & technical specification enclosed as Annexure A.	CWM, CARRIAGE WORKSH	1 Nos.	13-Jan-21
35	48195759100687 dt.17-OCT-20 on M/s.ESCORTS LIMITED-FARIDABAD  RITES-CALL	2624384  (FP)	31	"ONE SET OF SCHAKU SEMI PERMANENT COUPLER CONSISTING OF : 1)SCHAKU SEMI - PERMANENT COUPLER END -'A' WITH CENTERING DEVICE TO RDSO SPECTIFICATION	ELECTRIC LOCO REPAIR	8 Set	15-May-21
36	56205009100797 dt.20-OCT-20 on M/s.HIND ENTERPRISES- MUMBAI RITES-CALL	845824  (FP)	25XXNS	BUZZER FOR OVER SPEED/FIRE DETECTION/VIGILANCE WARNING FOR CAB EQUIPMENT OF WAG-9 LOCO TO CLW SPEC NO.CLW/ES/3/0078 ALT B[ MATERIAL TO BE	SWITCH GEAER	128 Nos.	18-Feb-21
37	60205004203708 dt.21-OCT-20 on M/s.KSHIPRA MEDICAL EQUIPMENTS, LAMDAPUR RITES-CALL	652650  (FP)	8279N001	Procurement of HYDRAULIC TROLLEY under Umbrella Works use in Hospitals.	MD BY	11 Nos.	22-Oct-20
					DMO BSL	3 Nos.	22-Oct-20
					SR. DMO PUNE PA	1 Nos.	22-Oct-20



45	48196551100691 dt.19-OCT-20 on M/s.SYNERGY CORPORATION- MUMBAI RITES-CALL	2031166.2  (FP)	11NS	Engine to Transmission Cardan Shaft to SPICER GELENKWELLENBAU GMBH Part No. GWB No.9.587.50.06.00.000.415 Compressed Length = 415mm. Maximum Length = 455mm. Working Length =	DIESEL HYDROULIC SHO	4 Nos.	19-Feb-21
46	38201011103707 dt.20-OCT-20 on M/s.PRAG INDUSTRIES (INDIA) PVT. LTD.-LUCKNOW  RITES-CALL	32906910.4  (PC)	3001N57	FIRM'S OFFER: MODIFIED ELASTOMERIC PAD TO RDSO APPROVED DRG.NO.PI/MEP/001 AND CONFORMING TO RDSO SPECN.NO. WD-20-MISC- 95 REV.3 OF MARCH-2003 WITH AMENDMENT NO.6 OF SEPT.2016.	HTXR KYN	900 Nos.	20-Feb-21
			38106322	FIRM'S OFFER: MODIFIED ELASTOMERIC PAD TO RDSO APPROVED DRG.NO.PI/MEP/001 AND CONFORMING TO RDSO SPECN.NO. WD-20-MISC-	WAGON/BS L	3000 Nos.	20-Jan-21
					WAGON/BS L	13000 Nos.	31-May-21
WAGON/BS L	10330 Nos.	30-Sep-21					
47	93205383200434 dt.21-OCT-20 on M/s.AIROX TECHNOLOGIES PRIVATE LIMITED, AURANGABAD RITES-CALL	4000000  (FC)	9379N01	PSA Oxygen Generation Plant - 93 LPM MODEL NO- AS-E As per Annexure "S" Attached.	DMO BSL	1 Nos.	27-Oct-20
48	48205328100703 dt.22-OCT-20 on M/s.SYNERGY CORPORATION- MUMBAI RITES-CALL	943546.24  (FP)	11NS	Universal Cardan Shaft for Engine to Transmission and Transmission to Counter Drive (Rear Bogie) to SPICER GELENKWELLENBAU GMBH Part No. GWB No. 0.587.50.02.29.008.1285	DIESEL HYDROULIC SHO	2 Nos.	21-Mar-21
49	48195610100721 dt.29-OCT-20 on M/s.SARASPANNA ENGINEERING AND TRADING CO- MUMBAI RITES-CALL	2125416  (FP)	12 NS	Single row cylindrical roller bearing FAG part No. C558830 or equivalent make of SKF only. Specification attached as annexure. Firm's Offer - Make - SKF or FAG only.	CWM / PR	30 Nos.	26-Feb-21
50	91205299100459 dt.30-OCT-20 on M/s.VOTIVE MARKETING PVT LTD- LUCKNOW RITES-CALL	552358  (FP)	60XXN048	Continuous Rail Thermometer. Specification CRT No. TM/TL/119 (Rev. 01 of 2015) Item Reserved for RDSO Approved Sources only.	Sr. Section Engineer	10 Nos.	31-Mar-21



51	93205293100423 dt.12-OCT-20 on M/s.LAKSHMI INDUSTRIAL CORPORATION- MEERUT CITY RITES-CALL	1745220  (FC)	9379N01	Continuous Rail Thermometer (CRT) as per RDSO Specification no. TM/TL/119 (Rev. 01 of 2015) w.e.f. 18.05.2016 approved by RDSO with one year warranty and 4 year AMC Offer Accepted :- LAKSHMI BRAND.	SE(PWAY) , [STORES]	29 Nos.	11-Dec-20
52	56195808100783 dt.13-OCT-20 on M/s.KONTACT CONSORTIUM INDIA PVT LTD-CHENNAI  RITES-CALL RITES-IC	1876200  (FC)	25XXN01	Set of connector for WAG 9 three phase locomotive as per CLW specification No CLW/ES/3/0124 Alt-0 [ One set consists of 78 items as per Annexure attached ] ( Note: Material to be procured from CLW app	SSE(TRS/M AINT)BSL	1 Set	11-Feb-21
53	56186105100786 dt.15-OCT-20 on M/s.NESCO LIMITED- DIST. ANAND  RITES-CALL	684400  (FP)	2501N01	Supply,installation,testing & commissioning of side drought water wash 2.3 meter wide spray painting booth with non-flame proof lighting & non proof motor,starter,blower & accessories (specification a	SSE(TRS/G ENL)BSL	1 Nos.	30-Jan-21
54	95205302100429 dt.16-OCT-20 on M/s.SNT ENGINEERS- GAUTAM BUDHH NAGAR  RITES-CALL	852432  (FP)	5606N001	DC-DC Converter card No.- 8 suitable for CEL make Single Section Digital Axle counter (SSDAC) as per RDSO specification No SPN/177/2012 Ver 3 or latest(Phase Reversal Type) CEL make. MAKE CEL	SIGNAL INSPECTOR NGP	8 Nos.	08-Feb-22
			5606N002	Microcontroller Logic Card No. 4 suitable for CEL make Single Section Digital Axle Counter (SSDAC) as per RDSO specification No. SPN/177/2012 Ver 3 or latest. MAKE CEL	SIGNAL INSPECTOR NGP	5 Nos.	08-Feb-22
			5606N003	Signal Conditioner Card-1 suitable for CEL make single Section Digital Axle counter (SSDAC) as per RDSO specification No SPN/177/2012 Ver 3 or latest. make CEL MAKE CEL	SIGNAL INSPECTOR NGP	7 Nos.	08-Feb-22

			5606N004	Event logger card No 5 suitable for CEL make Single Section Digital Axle counter (SSDAC) as per RDSO specification No SPN/177/2012 Ver 3 or latest (Phase Reversal Type) CEL make. MAKE CEL	SIGNAL INSPECTOR NGP	6 Nos.	08-Feb-22
55	48205382100689 dt.17-OCT-20 on M/s.TRIDENT SERVICES PVT LTD-PUNE RITES-CALL	508251.72  (FP)	10NS	Set of items(Valve Solenoid, Pick up Magnetic, harness Wiring, NOZZLE,PISTON COOLING; GUIDE,VALVE CROSSHEAD; CLAMP,INJECTOR; GEAR,CRANKSHAFT; HUB,TIMING; BUSHING,	DIESEL HYDROULIC SHO	6 Set	15-Jan-21
56	96205266100388 dt.19-OCT-20 on M/s.ONE STOP SOLUTIONS-CHALISGAON RITES-CALL	541649.5  (FP)	5611N01	Supply of 24 Fibre armoured Optic Fibre Cable as per RDSO Specification No. IRS: TC: 55-2006 Rev. 1 with amendment No. 1.1 or latest if any.	Sr. Section Engineer	14.05 KM	18-Dec-20
			5611N21	Supply of 24 Fibre armoured Optic Fibre Cable as per RDSO Specification No. IRS: TC: 55-2006 Rev. 1 with amendment No. 1.1 or latest if any.	Sr. Section Engineer	1 KM	18-Dec-20
57	48205378100711 dt.23-OCT-20 on M/s.BHARAT WIRE ROPES LTD-MUMBAI RITES-CALL	913239.76  (FP)	74NS	"Steel Wire rope 32 mm Dia. (for Derricking) Length 317 M Reeled, both ends tapered and shouldered, Construction 6x36 WS compacted strands, Nominal Tensile Strength 1960 N/mm2, Lubrication	CRANE REPAIR SHOP PR	4 Nos.	20-Feb-21
58	48205379100712 dt.23-OCT-20 on M/s.BHARAT WIRE ROPES LTD-MUMBAI RITES-CALL	823932.64  (FP)	74NS	"Steel Wire rope 32 mm Dia. (for Main Hoist) Length 286 M Reeled, with both ends tapered and shouldered, Construction 6x36 WS compacted strands, Nominal Tensile Strength 1960 N/mm2, Lubrication Petrol	CRANE REPAIR SHOP PR	4 Nos.	20-Feb-21
59	91205336100460 dt.30-OCT-20 on M/s.KELVIN ENTERPRISES INDIA - New Delhi RITES-CALL	679491.2  (FP)	6025N056	Rail profile weld grinder (RDSO approved firm only). RDSO Specification No. TM/SM/10 dt.16/08/1991. Material to be of branded/reputed make.	Sr. Section Engineer	16 Nos.	08-Feb-21

60	79205018103757 dt.31-OCT-20 on M/s.SYS MEDTECH INTERNATIONAL PRIVATE LIMITED- MUMBAI.  RITES-CALL	2268000   (FX)	82XXN001   82XXN002	N95 MASKS SPECIFICATIONS - 1. It should be NIOSH certified and certificate to be attached at the time of submission of offer. 2. It should be Durable quality with adjustable headbands and metallic n  N95 MASKS SPECIFICATIONS - 1. It should be NIOSH certified and certificate to be attached at the time of submission of offer. 2. It should be Durable quality with adjustable headbands and metallic n	MD BY   MD BY	29000 Nos.   25000 Nos.	20-Dec-20   20-Dec-20
----	--	-------------------------	------------------------------	--	------------------------	----------------------------------	--------------------------------