

Depot : All Depots

LIST OF PURCHASE ORDERS

ALL

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	Consignee	PO Qty	Dely.Dt
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;							
1	85215052100151 dt.03-MAR-21 on M/s.LAXMI ELECTRICAL WORKS- THANE. RITES-CALL RITES-IC	806176 (FC)	43XXNS	Supply, Installation and Integration of FR processor compatible with Matrix make Bio matric attendance machine (Model no. COSEC VEGA FAXQ) as per technical specification in annexure attached.	CWM, CARRIAGE WORKSH	64 Nos.	02-Apr-21
2	93205542100074 dt.04-MAR-21 on M/s.BALAJI SALES AGENCY-MUMBAI RITES-CALL	2022048 (FC)	9379N01	Abrasive Rail Cutter Machine as per RDSO specification no. TM/SM/1 Rev. 01 of 2012 with one year warranty.	SE(PWAY) , [STORES]	34 Nos.	23-Apr-21
3	92205692100117 dt.05-MAR-21 on M/s.JYOTECH ENGINEERING AND MARKETING CONSULTANTS-NEW DELHI RITES-CALL RITES-IC	867300 (FP)	10NS	High Pressure Compressor for Re-filling Cylinders of Breathing Apparatus and Water Mist at ART & ARME IGP. (as per specification attached). ACCEPTED OFFER FOR MAKE COLTRI	HTXR KYN	1 Nos.	04-Apr-21
4	56205429100330 dt.09-MAR-21 on M/s.DAULAT RAM ENGINEERING SERVICES PVT. LTD.- BHOPAL RITES-CALL	2303784 (FP)	25XXNS	DBR(VERTICAL) FITTED WITH ACMVRF FOR ELETRIC LOCOS AS PER RDSO SPECIFICATION NO ELRS/SPEC/DBR/0028(R EV.0) OF SEPT, 2003 WITH AMENDMENT NO 3. (MATERIAL TO BE PROCURED THROUGH	RECTIFIER	3 Nos.	24-Apr-21
5	56205413800382 dt.11-MAR-21 on M/s.ICF Headquartes, Chennai RITES-CALL	1069752.32 (FP)	25XXNS	LEAD ACID STARTER BATTERY 450AH, (LM), 24V CAPACITY SUITABLE FOR STARTING DIESEL ENGINE CONFORMING TO RDSO SPECN.NO.MP.0.24.00.65 (REV.00)DEC.2009. THE	SL SJ / BATTERY	13 Set	10-Jul-21
6	85215046200235 dt.17-MAR-21 on M/s.DWARKESH AGENCIES, MUMBAI RITES-CALL RITES-IC	649620 (FC)	67XXNS	Supply & Installation of Heavy Duty Long Span Storage System Single Tier (2m X 0.8 m X 1.9 m) as per specification enclosed as Annexure - A.	CWM, CARRIAGE WORKSH	18 Nos.	31-May-21

7	50205069100659 dt.17-MAR-21 on M/s.SNT ENGINEERS- GAUTAM BUDHH NAGAR RITES-CALL	944000 (FP)	5679N001	Microcontroller Logic Card No. 4 suitable for CEL make Single Section Digital Axle Counter (SSDAC) as per RDSO specification No. SPN/177/2012 Ver 3. Make : CEL	CWM(S&T) WS BYCULLA	20 Nos.	15-Jul-21
8	56205408800418 dt.19-MAR-21 on M/s.ICF Headquartes, Chennai RITES-CALL	1881297.6 (FP)	25XXNS	HELICAL SPRING FOR HIGH POWER DMU/DPC AXLE GUIDE ARRGT. DRAWING NO.DMU/DPC 5-0-1-501/1, ALT-LAND RDSO SPECIFICATION NO.WD-01-HLS-94, REV- 03, AMENDMENT-01,	BOGIE AC LOCO W/SHOP	208 Nos.	18-Jul-21
9	60215022100723 dt.22-MAR-21 on M/s.AKSHAR MARKETING-VASAI (WEST) RITES-CALL	2230200 (FP)	8230N001	Electro hydraulic OT Table for Covid related for Byculla Hospital, item required as per technical and general specification attached with tender MAKE/BRAND - Model Dr. Max 7000SB Manufactured by Ben	MD BY	1 Nos.	22-May-21
10	95215043100086 dt.23-MAR-21 on M/s.SANROK ENTERPRISES- FARIDABAD RITES-CALL	745920 (FC)	3813N0XX	Twist Head For Automatic Twist Lock Of BLC Wagon., Drawing No: M/S Holland Company Part No. 70160. Accepted Description - Twist Head for Automatic Twist Lock of BLC Wagon., Drawing No:	SR.SEC.EN GR/ C&W/ AJ	400 Nos.	28-May-21
11	93205539100073 dt.02-MAR-21 on M/s.PARTH ENERGY SYSTEMS PRIVATE LIMITED-JAIPUR RITES-CALL	988840 (FP)	6610NXX5	Supply Installation and commissioning of Air Compressor suitable for refilling of Air Cylinder FIRMS OFFER MAKE / BRAND- AS PER SPECIFICATION	HTXR MMR	1 Nos.	31-May-21
12	88215030100035 dt.06-MAR-21 on M/s.NATIONAL ENGINEERING INDUSTRIES LTD.- JAIPUR RITES-CALL	671184 (FC)	85	SEAL WEAR RING SUITABLE FOR CLASS E TO TIMKEN MAKE PART NO. K153392 & DRG NO.PASWR - 11014 (REV 1) OR TO NEI MAKE MATERIAL C -1050 & NEI PT DRG NO. BP 201313 , CONFORMING TO RDSO SPECN NO. AB/BB -39	M/C & SMITHY KWV	900 Nos.	07-May-21
13	56205708100317 dt.08-MAR-21 on M/s.MAHAVEER ELECTRICALS AND MECHANICALS- BHOPAL RITES-CALL	1037361.6 (FP)	25XXNS	Set of armoured cables 3.5 core, cross linked polyethylene XLPE insulated, PVC outer sheathed cable with aluminum stranded conductor suitable for voltage 1100 volt grade and confirming to IS:7098 (par	SR. SECTION ENG. [PR	1 Set	23-Apr-21

14	50205055100733 dt.23-MAR-21 on M/s.TEJAS ENTERPRISES-THANE RITES-CALL	707292 (FP)	5679N001	Evaluation Board- IMC Card of ABP002 Frauscher MSDAC system. Make : FRAUSCHER	CWM(S&T) WS BYCULLA	6 Nos.	19-Sep-21
15	93215030100096 dt.23-MAR-21 on M/s.HITESH UDYOG- GWALIOR RITES-CALL	745878 (FP)	7279NXX6	SUPPLY,INSTALLATION AND COMMISSIONING OF HUCK BOLT MACHINE AT ROH DEPOT BHUSAWAL (TECHNICAL SPECIFICATION AS PER	Sr. Section Engineer	1 Nos.	19-Jun-21
16	42185033100748 dt.24-MAR-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL RITES-IC	5128157.28 (FC)	31XXNS	Traction Motor Type 1TB 2022-OTA 03 with Roller Bearing Suspension Complete with Pinion for AC/DC Siemens Traction Motor Coaches. Make/Brand- SIEMENS.	S.S.I. [EMU] MTN	2 Nos.	30-Apr-21
17	60215009100754 dt.24-MAR-21 on M/s.SHREE PHARMA- MUMBAI RITES-CALL	999448.2 (FP)	8230N01	Fully Automatic Coagulation Analyser for Covid Diagnosis & Treatment for Pathology Dept at Byculla Hospital. Item required as per spec attached with tender Make stago - sta	MD BY	1 Nos.	24-May-21
18	95215044100106 dt.26-MAR-21 on M/s.SANROK ENTERPRISES- FARIDABAD. RITES-CALL	1951488 (FC)	3814NXXA	Automatic Twist Lock (ATL) to RDSO document No. CONTR-01-MSG-ATL- 2011 of Nov.,2011 and envelop drawing No. CONTR-9405-S/21 (Fitment of Automatic Twist Lock-Type Holland).	SR.SEC.EN GR/ C&W/ AJ	320 Nos.	31-May-21
19	95205234100108 dt.30-MAR-21 on M/s.SWAMI ENTERPRISES- NAGPUR RITES-CALL RITES-IC	1552320 (FP)	00xxN01	PHACOEMULSIFICATION MACHINE WITH ALL ACCESORIES COMPLETE WITH INSTALLATION AND TESTING AT DRH/ NGP MAKE - MEDISONIC MODEL CHAXU ALL THE SPECIFICATION	MS NGP	1 Nos.	16-Jun-21
20	50215002100804 dt.31-MAR-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	766380.5 (FP)	5606N001	Plug in type relay interlocked working ON 60 V DC Siemens make type RSSK 30/0012. Contact configuration 4F/4B (Without base plate) conforming to IRS-S-46 with latest amendments and Firm's specificatio	CWM(S&T) WS BYCULLA	83 Nos.	01-Dec-21

21	46215021100031 dt.13-MAR-21 on M/s.DARSHAN SALES CORPORATION- MUMBAI RITES-CALL RITES-IC	840750 (FC)	31XXNNS	CLASS - D AMPLIFIER CARD FOR COACH CONTROLLER OF PIS SYSTEM IN SIEMENS EMU RAKE AS PER PT COMMUNICATION PART. NO.33.92.6631.	SR,DEE,[TR S] CLA	25 Nos.	14-Jun-21
22	56205557100396 dt.13-MAR-21 on M/s.STEPHEN BALARAM ENGINEERING PVT LTD-AHMEDABAD RITES-CALL	632952 (FP)	25XXNS	HIGH PRESSURE OIL INJECTION POWER PACK OF 4000 BAR (AIR DRIVEN) AS PER M/S MAXIMATOR'S TYPE G 250-2LVE OR M/S SBE'S MODEL NO SBE-HPU200- DXHF-602. TECHNICAL SPECIFICATION AS PER ANNEXURE ATTACHED	WHEEL SETS AC LOCO W	1 Set	28-Apr-21
23	50205080100623 dt.15-MAR-21 on M/s.BOMBARDIER TRANSPORTATION INDIA PRIVATE LIMITED-Vadodara RITES-CALL	1010782.1 (FP)	5679N001	Tuning Unit (TU) of frequency D for AFTC style T1-21 type of Bombardier make confirming to RDSO/SPN/146/2001.	CWM(S&T) WS BYCULLA	5 Nos.	13-Jul-21
24	50205072100630 dt.15-MAR-21 on M/s.RES SWITCH GEARS-DELHI RITES-CALL	1026600 (FP)	5679N001	Supply of TIME ELEMENT RELAY (Clock Work Type) AG Timer Siemens Make (No.RSSK 30/0052) or L&T Make Synchronous Timer Series EM 1000 CAT No.BQ31B1 or Similar.	CWM(S&T) WS BYCULLA	400 Nos.	12-Aug-21
25	95205402100083 dt.17-MAR-21 on M/s.ADDSOFT TECHNOLOGIES PRIVATE LIMITED- CUTTACK RITES-CALL	3318750 (FP)	01XXN01	Supply, installation, Testing & Commissioning of Smart Card based Automatic Ticket Vending Machines (ATVMs) KIOSK consisting of Touch screen, embedded Client, 4K RFID Reader/ Writer, Thermal Printer,	DCS NGP	25 Nos.	31-Jul-21
26	92215064200127 dt.19-MAR-21 on M/s.SHREE BHAGWATI CABLES- NEW DELHI RITES-CALL	2475000 (FP)	4229N1	4 Core Multistrand 185 sq.mm LT XLPE insulated outer sheathed cable with AL conductor suitable for rated voltage at 1100 volts grade galavanised steel strip armoured and confirming to IS: 7098 Part-	Sr Section Engineer	5500 MTR	30-Jun-21
27	56205317100417 dt.19-MAR-21 on M/s.ORIONE HYDRAULICS PVT. LTD.-BELGAUM RITES-CALL RITES-IC	11805664 (FP)	25XXNS	SUPPLY, INSTALLATION, TESTING & COMMISSIONING HYDRAULICALLY OPERATED LIFTING & SWIVELING PLATFORM FOR OVER HEAD EQUIPMENT	ERECTION NO.2	13 Set	30-Oct-21

28	56205409800419 dt.19-MAR-21 on M/s.ICF Headquartes, Chennai RITES-CALL	1457365.78 (FP)	25XXNS	VALVE REGULATED LEAD ACID BATTERIES 120AH CAPACITY SUITABLE FOR 110V SYSTEM CONSISTING OF 18 NOS OF 3 CELL MONOBLOCK WITH INTER MODULE	SL SJ / BATTERY	13 Set	18-Jul-21
29	48215070100184 dt.20-MAR-21 on M/s.ARVEE ENTERPRISES- BHOPAL RITES-CALL RITES-IC	806395.52 (FC)	NS	GENERAL ARRGT. AXLE SUSPENSION UNIT BHEL DRAWING NO 0446 1599 015, REV 00 / LATEST (ITEM NO 1 TO 13), OR GENERAL ARRANGEMENT OF SUSPENSION TUBE, CGL	Sr. Section Engineer	4 Set	20-Jul-21
30	92215065200145 dt.22-MAR-21 on M/s.Hitech Power Enterprises, DELHI RITES-CALL RITES-IC	3219125 (FC)	4229N1	4 Core multistrand 300 sq.mm AL Conductor XLPE insulated PVC outer sheathed cable Galavinsed steel strip armoured suitable for rated voltage 1100 volts graded	Sr Section Engineer	3500 MTR	31-May-21
31	92215050100116 dt.05-MAR-21 on M/s.MYSORE THERMO ELECTRIC PVT LIMITED- BANGALORE RITES-CALL RITES-IC	724272.64 (FC)	46XXN01	Lead Acid Battery Set, 400 AH capacity at 10Hrs, 110V DC (per set consisting of 56 cells, 2V per cell with Electrolyte supplied separately in non-returnable plastic containers with all accessories con	Sr. Section Engineer	1 Set	04-Apr-21
32	60205060200597 dt.10-MAR-21 on M/s.Sign infosis, NEW DELHI RITES-CALL	931396 (FP)	8225N01	PROCUREMENT OF ECG MACHINES (12 CHANNEL) FOR THE USE IN DIFFERENT WARDS OF BYCULLA HOSPITAL FOR COVID-19	MD BY	17 Nos.	10-May-21
33	92215042100119 dt.16-MAR-21 on M/s.SANROK ENTERPRISES- FARIDABAD. RITES-CALL	1524600 (FC)	3801n1	Automatic Twist lock (ATL) to RDSO document no. CONTR-01-MSGT-ATL of Nov. 2011 and envelop drawing no. CONTR 9405- S/21 (Fitment of Automatic Twist lock - Type Holland). AUTOMATIC TWIST	HTXR KYN	250 Nos.	15-May-21
34	50205068100657 dt.17-MAR-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	743234.8 (FP)	5679N01	Generator Module for Siemens make MSDAC. As per RDSO Specification No. RDSO/SPN/176/2013. Ver.3 Make : SIEMENS	CWM(S&T) WS BYCULLA	11 Nos.	17-Nov-21
35	93205543100093 dt.23-MAR-21 on M/s.TECH ENTERPRISES-PUNE	4997300 (FP)	9379N01	Battery Operated Rail Bolt Tightening Device A) Article Number- EPRT-V18 one year warranty with 3 Year AMC B) Standard Scope of Supply -1 Number M18ONEFHIWF34-0,	SE(PWAY) , [STORES]	70 Nos.	12-May-21

	RITES-CALL	(FC)					
36	60205073100755 dt.24-MAR-21 on M/s.NIYATI SURGICAL-MUMBAI RITES-CALL RITES-IC	2798880 (FP)	8225N01	PROCUREMENT OF DVT FOOT PUMPS FOR THE USE IN DIFFERENT WARDS AT DR.B.A.M. HOSPITAL BYCULLA, C.RLY.SPECN. ATTACHED WITH NIT. Make - CARDINAL	MD BY	20 Nos.	22-Jun-21
37	60215021100771 dt.25-MAR-21 on M/s.DISPLAYOR TRADING CORPORATION- Mumbai RITES-CALL	2422519.68 (FP)	8230N001	CR & DR System for Covid related Radiology imaging on additional account for Byculla Hospital. item required as technical and general spec attached with tender Make- AGFA health care	MD BY	1 Nos.	24-May-21
38	50205057100772 dt.25-MAR-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	941309.6 (FP)	5604N001	Control and Diagnostic Board (STEU CARD) for Siemens make Multi Section Digital Axle Counter as per RDSO specification No RDSO/SPN/176/2013 version-3. Make : SIEMENS	CWM(S&T) WS BYCULLA	11 Nos.	25-Nov-21
39	50205044100773 dt.25-MAR-21 on M/s.SHREE KHODIYAR STEEL INDUSTRIES- PALGHAR RITES-CALL	1151136 (FP)	5679N001	Sides for medium size weldless detachable S.S.Location Box as per Drg No. DMLB-11B or latest (1Set =02 Nos.) (1LH, 1 RH) Grade SS 301 only.	CWM(S&T) WS BYCULLA	200 Set	25-Sep-21
40	50205067100794 dt.27-MAR-21 on M/s.SNT ENGINEERS- GAUTAM BUDHH NAGAR RITES-CALL	1015980 (FP)	5679N001	Signal Conditioning Card (SCC1) card no. 1 suitable for CEL make SSDAC. Make- Central electronics Limited (CEL)	CWM(S&T) WS BYCULLA	30 Nos.	25-Jul-21
41	85205618100136 dt.02-MAR-21 on M/s.BHEL-BHOPAL RITES-CALL	4923196 (FC)	31XXNS	TRACTION MOTOR COMPLETE (FULL ASSEMBLY) WITH PINION (WITHOUT MSU , GEAR CASE AND GEAR WHEEL) FOR BHEL	S.S.I. [EMU] MTN	2 Nos.	02-Sep-21
42	80215001100504 dt.03-MAR-21 on M/s.SHREE GANESH ENTERPRISES- NASHIK RITES-CALL	2463840 (FP)	NS54	Dissolved Acetylene Gas for Industrial use as per IS :308/1988 (III rd Revision)	SR.S.E.[MIL L WRIGHT]	6000 CUM	31-Mar-22

43	56215048100297 dt.03-MAR-21 on M/s.B. KHANDELWAL METAL CORPORATION- MUMBAI RITES-CALL RITES-IC	619500 (FC)	25XXNS	CLARIANT MAKE COOLANT(TYPE ANTIFROGEN -N WATER MIXTURE 30%) PACKED IN 50KG. HDPE DRUM FOR IGBT BASED TRACTION CONVERTER OF 3 PHASE LOCOS. Make/Brand- CLARIANT - B P REFCOOL.	RECTIFIER	1500 Kgs.	03-May-21
44	50205023100571 dt.08-MAR-21 on M/s.ULTRACAB INDIA LTD-RAJKOT RITES-CALL	16472074.4 (FP)	56114382	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of Size of 12 Core x 1.5 sq.mm conforming to RDSO Specification No. IRS: S- 63/2014(4.0) Or	PUNE	5000 MTR	04-Sep-21
					CRD	27597 MTR	04-Sep-21
					BSL	12000 MTR	04-Sep-21
			5611N001	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of Size of 12 Core x 1.5 sq.mm conforming to RDSO Specification No. IRS: S- 63/2014(4.0) Or Latest amendment.	SIGNAL INSPECTOR NGP	19 KM	04-Sep-21
			5611N002	PVC Insulated Armoured unscreened copper conductor underground Railway Signalling Cable size 12Core x 1.5 Sq. mm Conforming to RDSO specification IRS:S-63/2014 (Rev 4.0) with latest amendment. NOTE- Q	SIGNAL INSPECTOR PA	24 KM	04-Sep-21
5611N003	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of Size of 12 Core x 1.5 sq.mm conforming to RDSO Specification No. IRS: S- 63/2014(4.0) Or Latest amendment. NOT	SIGNAL INSPECTOR KWV	28 KM	04-Sep-21			
45	56205789100315 dt.08-MAR-21 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA LIMITED- HOSUR RITES-CALL	3682056 (FP)	25XXNS	BRAKE CONTROL SYSTEM (E-70 BRAKE CONTROL) INCLUDING DRIVER'S VIGILANCE CONTROL DEVICE FOR WAG-9HC/WAP-7 CLASS OF LOCOMOTIVES, SPECN. NO. CLW/MS/3/001 ALT.16 (ITEM TO BE PROCURED THROUGH RDSO	PNEUMATIC AC LOCO W/	1 Set	07-Sep-21

46	50205071100619 dt.12-MAR-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	607110 (FP)	5679N001	Track oscillator F3/F4 Siemens type S-25432-A1- A3 for AWS. Make / Brand : Siemens	CWM(S&T) WS BYCULLA	60 Nos.	12-Nov-21
47	50205043100621 dt.12-MAR-21 on M/s.SHREE KHODIYAR STEEL INDUSTRIES- PALGHAR RITES-CALL	1151136 (FP)	5679N001	Door for medium size weldless detachable S.S.Location Box as per Drg No. DMLB-10B or latest. (1Set =02 Nos). Grade SS-301 Only.	CWM(S&T) WS BYCULLA	200 Set	15-Sep-21
48	95215024200085 dt.19-MAR-21 on M/s.DATAVANE SYSTEM-NAGPUR RITES-CALL RITES-IC	2350950 (FC)	01XXN001	Supply, installation, testing & Commissioning of UTS DoT Matrix Ticket Printers with three (3) years warranty with onsite support as per specifications of HQrs in PDF are attached	DCS NGP	105 Nos.	04-Apr-21
49	95205403200087 dt.24-MAR-21 on M/s.NIYURA LIFESTYLE PRIVATE LIMITED-MUMBAI RITES-CALL	3781809 (FC)	83XXN001	Desk Top Computers Intel i5, windows 10 Professional, 8 GB RAM, 1000GB HDD with preloaded legal operating system.(Detailed specification enclosed)Accepted as per	DPO NGP	79 Nos.	15-May-21
50	60215013100800 dt.31-MAR-21 on M/s.OM SAI SURGICALS-MUMBAI RITES-CALL	1190784 (FP)	8230N001	Set 0 Degree, 30 Degree, 45 Degree, 70 Degree & 90 degree Nasal telescope on additional account for ENT COVID management at Byculla Hospital , item required as per specification attached with	MD BY	1 Nos.	30-May-21
51	50205079100622 dt.15-MAR-21 on M/s.BOMBARDIER TRANSPORTATION INDIA PRIVATE LIMITED-Vadodara RITES-CALL	1010782.1 (FP)	5679N01	Tuning Unit (TU) of frequency C for AFTC style T1-21 type of Bombardier make confirming to RDSO/SPN/146/2001.	CWM(S&T) WS BYCULLA	5 Nos.	13-Jul-21
52	93195256100090 dt.18-MAR-21 on M/s.M.J.TRADERS- KOLKATA RITES-CALL	703044 (FX)	76XXN1	Welding Transformer sets 300 Amps, Double operated oil cooled Cooper wound as per specification attached as Annexure FIRMS OFFER MAKE / BRAND- WELDSTAR, BRAND-	Sr. Section Engineer	6 Nos.	27-Apr-21

53	56205815800422 dt.20-MAR-21 on M/s.Principal Chief Materials Manager, CLW, Chittaranjan RITES-CALL	16899118 (FP)	25XXNS	DISC BRAKE ARRANGEMENT COMPLETE., WHEEL MOUNTED BRAKE DISCS FOR WAP-5, DRG.NO.IA011-00154 SHEET NO.1 & 2 ALT-4, IA011-00203 ALT-1	WHEEL SETS AC LOCO W	3 Set	19-Jul-21
54	56205432100425 dt.22-MAR-21 on M/s.LIGHT EQUIPMENTS MFG CO-KOLKATA RITES-CALL	4291896 (FP)	25XXNS	BRAKING EXCITATION TRANSFORMER 60 KVA (ATFEX),NATURAL COOLING, 50 HZ AS PER CLW SPECIFICATION CLW/ES/T-20/H (RESERVED FOR CLW APPROVED SOURCES	SL SJ / BATTERY	21 Nos.	21-Jun-21
55	56215042800427 dt.22-MAR-21 on M/s.ICF Headquartes, Chennai RITES-CALL	946155.6 (FP)	25XXNS	AXLE BOX HOUSING (FINISH MACHINED) TO DRG. NO. EMU/M/0-2-002 ALT-J/2 GUARANTEE SHALL BE AS PER CLAUSE 13 OF RDSO SPECIFICATION NO. RDSO/2007/CG-08 WITH	WHEEL SETS AC LOCO W	104 Nos.	21-Jul-21
56	60215012100719 dt.22-MAR-21 on M/s.KARL STORZ ENDOSCOPY INDIA PVT. LTD.-NEW DELHI RITES-CALL	3249999.58 (FP)	8230N001	High End Operation Theatre Light with HD Camera (ORTHO) for management of Covid Orthopaedic emergencies for Byculla Hospital item required as per technical specification and general specification att	MD BY	1 Nos.	21-Apr-21
57	60215015100721 dt.22-MAR-21 on M/s.PRECISION ELECTRONICS INSTRUMENTS AND COMPONENTS- MUMBAI RITES-CALL	1737432 (FP)	8230N001	Instrument Washer Disinfector for Covid. item required as per spec attached with tender Make- Melag medizintechnik	MD BY	1 Nos.	21-May-21
58	60215016100738 dt.23-MAR-21 on M/s.OM SAI SURGICALS-MUMBAI RITES-CALL	1693306 (FP)	8230N001	Resectoscope with Accessories for TCRE Set, item required as per spec attached with tender Make- KARL STORZ	MD BY	1 Nos.	22-May-21
59	95215023200088 dt.24-MAR-21 on M/s.M INTERGRAPH SYSTEMS PVT LTD- NEW DELHI	1635480	01XXN001	Supply, installation, Testing & Commissioning of UTS Thin Clients with Three (3) years warranty with onsite support as per specifications of HQrs in PDF are attached herewith separately. UTS Thin Clie	DCS NGP	60 Nos.	09-Apr-21

	RITES-CALL	(FC)					
60	60215020100795 dt.28-MAR-21 on M/s.VITEK MEDISYSTEMS- MUMBAI	5550720	8225N001	Advanced Electro Surgical Unit (Cautery) for Covid related Surgical, Orthopaedic & gynaecological emergencies at Byculla Hospital. item required as per spec attached. MAKE - COVIDIEN VALLEYLAB MEDTRON	MD BY	2 Nos.	28-May-21
	RITES-CALL	(FP)	8230N003	Advanced Electro Surgical Unit (Cautery) for Covid related Surgical, Orthopaedic & gynaecological emergencies at Byculla Hospital. item required as per spec attached.MAKE - COVIDIEN VALLEYLAB MEDTRON	MD BY	1 Nos.	28-May-21
61	92215157800118 dt.08-MAR-21 on M/s.ICF Headquartes, Chennai RITES-CALL	1331770.2	45XXN01	Set of VRLA battery 110V, 70AH consisting of 9 modules of 12 Volts each, suitable for LHB coaches as per RDSO spec no. RDSO/PE/SPEC/AC/0009-2008 (Rev.1) with amendment no. 1 or latest.	SR. SECT.ENG.[AC/COG	15 Set	29-Mar-21
62	56205429100331 dt.09-MAR-21 on M/s.STESALIT TELEMA ELECTRICALS PRIVATE LIMITED- BADDI RITES-CALL	12436020	25XXNS	DBR(VERTICAL) FITTED WITH ACMVRF FOR ELETRIC LOCOS AS PER RDSO SPECIFICATION NO ELRS/SPEC/DBR/0028(R EV.0) OF SEPT, 2003 WITH AMENDMENT NO 3. (MATERIAL TO BE PROCURED THROUGH CLW APPROVED	RECTIFIER	15 Nos.	05-Dec-21
63	50205052100658 dt.17-MAR-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	571120	5679N001	Universal Point Group Relay Type RSSK-31/0015 without base plate as per RDSO Spec. No- IRS-S.46 and Latest Make:- Siemens.	CWM(S&T) WS BYCULLA	5 Nos.	17-Nov-21
64	80215007200664 dt.17-MAR-21 on M/s.INDIAN OIL CORPORATION LTD- MUMBAI RITES-CALL	16731766.8	9011N1	HIGH SPEED DIESEL OIL [HSD] CONFIRMING TO IS:1460 [LATEST REVISION]. NOTE: The supply of products will be subject to deviations/relaxations as may be authorised by	Sr.SE /TLAC/Ajni	252 KLTR	31-Mar-22

65	27205038100684 dt.18-MAR-21 on M/s.IC ELECTRICALS COMPANY PRIVATE LIMITED-NEW DELHI RITES-CALL	34768913.2 (FP)	27XXN1	Vigilance Control Device (VCD) complete for Conventional locomotives as per RDSOs Specification No. RDSO/2008/EL/SPEC/002 5 Rev-6 (June 2019).	Sr. Section Engineer	214 Nos.	18-Sep-21
66	27205038100685 dt.18-MAR-21 on M/s.AUTOMETERS ALLIANCE LTD- NOIDA RITES-CALL	23070961.1 (FP)	27XXN1	Vigilance Control Device (VCD) complete for Conventional locomotives as per RDSOs Specification No. RDSO/2008/EL/SPEC/002 5 Rev-6 (June 2019).	Sr. Section Engineer	142 Nos.	18-Sep-21
67	93205343100091 dt.19-MAR-21 on M/s.VERTEL INFOTEL PVT LTD-NEW DELHI RITES-CALL	2991500 (FP)	5656N	Trans-receiver Hand Held 5 Watt Digital VHF Set along with two sets of OEM approved rechargeable battery including one as spare, quick Battery Charger. Helical Antenna and Belt clip conforming to RDSO	Sr. Section Engineer	165 Set	28-Apr-21
			9379N	Trans-receiver Hand Held 5 Watt Digital VHF Set along with two sets of OEM approved rechargeable battery including one as spare, quick Battery Charger. Helical Antenna and Belt clip conforming to RDSO	Sr. Section Engineer	145 Set	28-Apr-21
68	92215066200128 dt.19-MAR-21 on M/s.SHREE BHAGWATI CABLES- NEW DELHI RITES-CALL	2162500 (FP)	4229N1	4 core 400 sq.mm cross linked polyethylene XLPE insulated PVC outer sheathed cable with AL conductor galvanized steel sheet armoured cable suitable for rated voltage at 1100 volts grade &	Sr Section Engineer	2500 MTR	30-Jun-21
69	56205739100423 dt.22-MAR-21 on M/s.TIRUPATI PLASTOMATICS PVT LTD-JAIPUR RITES-CALL	834000.05 (FP)	25XXNS	SET OF STRAIGHT CONNECTOR AS PER ANNEXURE ATTACHED ,(ONE SET CONSIST OF 3 ITEMS- 199 NOS) (ITEM RESERVED FOR RDSO APPROVED SOURCES ONLY) Make Brand - 0	ERECTION NO.2	10 Set	07-May-21
70	50215013100797 dt.30-MAR-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	2122035.3 (FP)	5679N001	Supply of Power supply Module for Siemens Make MSDAC. As per RDSO specification no:- RDSO/SPN/176/2013 ver-3. Make- SEIMENS	CWM(S&T) WS BYCULLA	11 Nos.	26-Sep-21

71	60215003100484 dt.01-MAR-21 on M/s.MODSONIC INSTRUMENTS MANUFACTURING COMPANY PRIVATE LIMITED- AHMEDABAD RITES-CALL	1001820 (FC)	83XXN1	Digital Ultrasonic Signal Rail Tester, coloured signal & real A- scan pulse echo with continuous recording of B- scan storage with data set ups. RDSO's specification NO. RDSO/M&C/NDT/128 /2007,(B-sca	DIRECTOR/I RICEN/PUN E	1 Nos.	01-Jun-21
72	56205607100424 dt.22-MAR-21 on M/s.GAURAV ASSOCIATES-NEW DELHI RITES-CALL	955136 (FP)	25XXNS	FUEL TANK FOR DETC COACHES TO DRG NO. DMU/DPC 3-9-0-303,ALT- M/2,COL-X. Make - Gaurav	ERECTION NO.2	13 Nos.	06-Jun-21
73	60215014100720 dt.22-MAR-21 on M/s.OM SAI SURGICALS-MUMBAI RITES-CALL	3456778.59 (FP)	8225N001	Endoscopic Sinus Surgery Instrument Set for ENT at Byculla Hospital Item required as per technical specification and general specification attached with tender Make- Karl Storz	MD BY	1 Nos.	21-May-21
74	60215011100724 dt.22-MAR-21 on M/s.WIPRO GE HEALTHCARE PVT.LTD- BANGALORE RITES-CALL	1630000 (FP)	8230N001	Computer assisted stress Exercise Electrocardiograph System (TMT) for Coivd and Post Covid Cardiac Management in Medicine (COVID ICU) at Byculla Hospital . Item required as per spec attached with tend	MD BY	1 Nos.	21-May-21
75	85215231800273 dt.23-MAR-21 on M/s.PRINCIPAL CHIEF MATERIALS MANAGER, CHURCHGATE RITES-CALL	1149750 (FP)	30XXNS	Rubber buffer Spring for 1225 Kgm capacity Buffers as per RDSO Drg No.SK-K- 2048, Alt.Nil.confirning to RDSO specn No. C-K-210, Rev.3 of FEB-2006.A set consisting of 4 nos.	L.V.B. SHOP MTN	250 Set	21-Jun-21
76	50205054100732 dt.23-MAR-21 on M/s.TEJAS ENTERPRISES-THANE RITES-CALL	731600 (FP)	5679N001	Axle counting Board ACB 120 type for Frauscher MSDAC system. Make :Frauscher	CWM(S&T) WS BYCULLA	5 Nos.	19-Sep-21
77	46205026100052 dt.25-MAR-21 on M/s.POOJAN INDUSTRIES-THANE RITES-CALL	979400 (FP)	31XXNS	SUPPLY INSTALLATION OF CLOSED CIRCUIT TELEVISION [CCTV] SURVEILLANCE SYSTEM IN EMU COACHES AS PER ICF SPECIFICATION NO. ICF/MD/SPEC-269 ISSUE STATUS :01	SR,DEE,[TR S] CLA	10 Nos.	17-May-21

78	36215001100796 dt.30-MAR-21 on M/s.GUPTA POWER INFRASTRUCTURE LIMITED- BHUBANESWAR RITES-CALL	3324277.12 (FP)	4601N98	Jointless grooved copper contact wire 193 sq mm made out of continuous cast copper (CCC) wire rods as per RDSO Specn No. ET1/OHE/76 (06/97) With A & C Slip No. 1, 3,4, 5, 6 7, 8, 9 & 10.	Sr. Section Engineer	2 KM	30-Jul-21
79	50205074100802 dt.31-MAR-21 on M/s.SNT ENGINEERS- GAUTAM BUDHH NAGAR RITES-CALL	969960 (FP)	5679N001	TX and RX coil assembly WEB mounting and phase reversal type suitable for CEL make single Section Digital Axle counter (SSDAC) as per RDSO specification No SPN/177/2012 Ver 3.	CWM(S&T) WS BYCULLA	20 Set	30-Nov-21
80	50215001100803 dt.31-MAR-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	833316 (FP)	5606N01	Plug in type mini group neutral relay 5F/3B, Consisting of 02 nos. miniature K 50 relays (Non AC immunized) 60 VDC, Siemens Make Type RSSK 30/0011 (With base plate) conforming to IRS-S-46 with lates	CWM(S&T) WS BYCULLA	88 Nos.	01-Dec-21
81	60215001100486 dt.01-MAR-21 on M/s.PARAS ELECTRONICS- HYDERABAD RITES-CALL	1027780 (FC)	83XXN1	Digital ultrasonic single Rail tester (SRT) with coloured signals & real A-scan pulse echo with continuous recording of B- scan storage with data set UPS ,RDSO's specification No. RDSO/M&C/ NDT/128/2	DIRECTOR/I RICEN/PUN E	1 Nos.	01-Jun-21
82	92215078100115 dt.05-MAR-21 on M/s.GLOW RAIL POWER-KOLKATA RITES-CALL	737500 (FC)	5630N01	110VDC Motors with gear box IP 67 type (Complete motor should be water proofed) 160 V AC Immunity for electric Point Machines (IRS type) as per IRS S-37/82. . ACCEPTED	Sr. Section Engineer	25 Nos.	04-Apr-21
83	60205053100585 dt.10-MAR-21 on M/s.PRECISION ELECTRONICS INSTRUMENTS AND COMPONENTS- MUMBAI RITES-CALL	4094208 (FP)	8225N01	Procurement of HD Flexible Video Bronchoscope Unit for Medicine (Pulmonology) Dept. of Byculla Hospital. MAKE/BRAND - PENTAX GST.HSN.CODE - Attached (Scope of Supply)	MD BY	1 Nos.	09-Jun-21

84	56205707100363 dt.10-MAR-21 on M/s.BOMBARDIER TRANSPORTATION INDIA PRIVATE LIMITED-NEW DELHI RITES-CALL	589764 (FP)	2501NXX	Coil protection unit (M/s BT Part No. 3EYC-300078-R1) for M/s BTIL make VCB type BVAC 25.10.M07. Firm Offer - 3EYC-300078-R1,Coil Protection Unit	SSE(TestRoom)ELS BSL	20 Nos.	25-Apr-21
85	38205023700612 dt.12-MAR-21 on M/s.ICF Headquartes, Chennai RITES-CALL	19290050 (FX)	33XXNN	UIC TAPER ROLLER BEARING FOR DIA 130 mm AXLE JOURNAL FOR FIAT BOGIE AS PER SKF DRG. NO. 1639433 BC OR TIMKEN DRG. NO. E48999 [H127746H - 90010] OR EQUIVALENT	CWM WHEEL SHOP MTN	503 Nos.	12-Jul-21
86	85215047200202 dt.13-MAR-21 on M/s.DWARKESH AGENCIES, MUMBAI RITES-CALL RITES-IC	703500 (FC)	67XXNS	Supply & Installation of Heavy Duty Long Span Storage System Single Tier (2m X 0.8 m X 2.7 m) as per specification enclosed as Annexure - A.	CWM, CARRIAGE WORKSH	15 Nos.	31-May-21
87	80215008200665 dt.17-MAR-21 on M/s.INDIAN OIL CORPORATION LTD- MUMBAI RITES-CALL	25496025.6 (FP)	92XXN1	HIGH SPEED DIESEL OIL [HSD] CONFIRMING TO IS:1460 [LATEST REVISION]. NOTE: The supply of products will be subject to deviations/relaxations as may be authorised by	SR.SECTIO N ENGG (TL/	384 KLTR	31-Mar-22
88	60215018100722 dt.22-MAR-21 on M/s.PRECISION ELECTRONICS INSTRUMENTS AND COMPONENTS- MUMBAI RITES-CALL	3686976 (FP)	8230N001	Optical Colposcope for Examination for Covid related Gynaec & Obstetric emergencies (including Caesarean Sections) for Byculla Hospital, item required as per technical specification and general spec	MD BY	1 Nos.	21-Jun-21
89	50205077100734 dt.23-MAR-21 on M/s.GLOW RAIL POWER-KOLKATA RITES-CALL	973500 (FP)	5630N001	110VDC Motors with gear box IP 67 type (Complete motor should be water proofed) 160 V AC Immunity for electric Point Machines (IRS type) as per IRS S-37/82.	CWM(S&T) WS BYCULLA	33 Nos.	22-May-21
90	41215024100740 dt.23-MAR-21 on M/s.VENUS ELECTRONICS AND CONTROLS PVT LTD- MUMBAI RITES-CALL	1376352 (FC)	31XXNS	2/3 OVERLAP POLYIMIDE KAPTON FILM COVERED COPPER CONDUCTOR, BARE SIZE 8.1 X 2.0 MM, COVERED SIZE 8.33 X 2.23 MM (+/-) 0.03 MM FOR BOMBARDIER MAKE TM STATOR TYPE MITRAC TM 1800S (MJC 280-1) AS PER SPEC	SHOP SUPDPTT. COMMUTA	800 Kgs.	21-Jun-21

91	60215002100485 dt.01-MAR-21 on M/s.ELECTRONIC AND ENGINEERING COMPANY INDIA PVT LTD-DADRA AND NAGAR HAVELI RITES-CALL	1003000 (FC)	83XXN2	Digital Ultrasonic SRT, coloured signal & real A- scan pulse echo with continuous recording of B- scan storage with data set UPS. RDSO's specification No. RDSO/M&C/ NDT/128/2007.(B scan) Rev III, Jul	DIRECTOR/I RICEN/PUN E	1 Nos.	01-Jun-21
92	85205667100137 dt.02-MAR-21 on M/s.BHEL-BHOPAL RITES-CALL	915891.2 (FC)	31XXNS	GEAR WHEEL (91 TEETH) AS PER BHEL DRG.NO.14391680001 FOR TRACTION MOTOR TYPE TM4303BY OF MEMILCOACH WHEEL	CWM WHEEL SHOP MTN	4 Nos.	02-Sep-21
93	91205017100081 dt.02-MAR-21 on M/s.PACKING HOUSE-MUMBAI RITES-CALL	1759380 (FP)	45XXN01	Supply, installation & commissioning of electric driven screw type air compressor with air dryer as per specification attached.	Sr. Section Engineer	2 Nos.	29-Aug-21
94	92215043200113 dt.03-MAR-21 on M/s.MACHINERY MARKETING ASSOCIATES PVT LTD- NEW DELHI RITES-CALL	533328 (FP)	10NS	Procurement of Abrasive Cutter(GEM OFFER Rotary Rescue Saw (MAKITA)Model MAKITA - EK6101 AS PER GEM CONTRACT ATTACHED)	HTXR KYN	6 Nos.	12-Mar-21
95	56205747100316 dt.08-MAR-21 on M/s.SECHERON HASLER INDIA PRIVATE LIMITED- GURGAON RITES-CALL	2527145.47 (FP)	25XXNS	SET OF HARDWARE FOR 3-PHASE CONTACTOR TYPE BPS 15.15C/2 AND BPS 30.06S SECHERON MAKE REQUIRED AS PER ANNEXURE ATTACHED make brand Secheron . Firm offer - Description -SET OF HARDWARE	EPC/ELW BSL	1 Set	05-Sep-21
96	92195856100126 dt.18-MAR-21 on M/s.AKSHAR MARKETING-VASAI (WEST) RITES-CALL	1602000 (PC)	8279N001	Electrotherapy Combo Unit as per specification attached.	Chief Medical Superi	1 Nos.	15-Oct-21
			8279N002	AMC(P1) for the First Year after Two Years Warranty.	Chief Medical Superi	1 Nos.	18-Oct-25
			8279N003	AMC(P2) for the Second Year after Two Years Warranty.	Chief Medical Superi	1 Nos.	18-Oct-27
			8279N004	AMC(P3) for the Third Year after Two Years Warranty.	Chief Medical Superi	1 Nos.	18-Oct-29
			8279N005	AMC(P4) for the Fourth Year after Two Years Warranty.	Chief Medical Superi	1 Nos.	18-Oct-31

			8279N006	AMC(P5) for the Fifth Year after Two Years Warranty.	Chief Medical Superi	1 Nos.	18-Oct-33
97	56205817100426 dt.22-MAR-21 on M/s.KAYSONS ELECTRICALS PVT. LTD.-varanasi RITES-CALL	4597097.01 (FP)	25XXNS	SET OF COMPLETE CUBICLE INCLUDING WIRING AND PROVISION OF EQUIPMENTS FOR 3 PHASE LOCO CONSISTING OF 05 [FIVE] CUBICLES. [1] COMPLETE AUXILIARY	CWM(ELW) BSL	1 Set	21-Jul-21
98	60215010100770 dt.25-MAR-21 on M/s.SCHILLER HEALTHCARE INDIA PRIVATE LIMITED- MUMBAI RITES-CALL	4440800 (FP)	8230N001	Supply & Installation of a Central Nursing Station with 12 peripheral Multipara Monitors with Central Wi-Fi System (12 Monitors - 6 monitors with eTCO2 & 6 Monitors with Invasive BP Monitoring Device)	MD BY	1 Nos.	31-Mar-21
99	92205682200183 dt.30-MAR-21 on M/s.SUPERHOUSE LIMITED-UNNAO RITES-CALL	2709527.75 (FP)	7931N01	Industrial Safety (GEM OFFER Shoes. Size No. 5=21, Size No. 6= 384, Size No.7=978, Size No. 8= 1362, Size No. 9= 733 , Size no. 10= 216, Size No. 11= 29, Size No. 12= 2	SE(PWAY) , [STORES]	3725 Pairs	20-Jun-21
100	56215175100452 dt.31-MAR-21 on M/s.SSHHIVAM VENTURES-PUNE RITES-CALL	559910 (FP)	25XXNS	Supply, Fabrication and installation of various types of informative display, photo gallery at workshop and Admin building of ELW/BSL as per Annexure	MILL WRIGHT II	1 Set	16-May-21
101	93205415100076 dt.08-MAR-21 on M/s.ICON INFOTECH PRIVATE LIMITED- MUMBAI RITES-CALL RITES-IC	3142930 (FC)	9379N1	Procurement of UTS Dot Matrix Ticket Printers. Offer accepted : TVSE HD 250 GOLD IR	DRM [C] BSL	140 Nos.	07-May-21
102	93215033100079 dt.09-MAR-21 on M/s.HYDROCRAFT ENGINEERS- KOLKATA RITES-CALL RITES-IC	708000 (FP)	6503NXX6	Supply,Installation, testing and commissioning of Hydraulic Extractor for mounting and dismounting of CTB as per attached specifications and drawing FIRMS OFFER MAKE BRAND- SELF	Sr. Section Engineer	2 Nos.	18-May-21
103	93215025100080 dt.09-MAR-21 on M/s.ESCORTS LIMITED-FARIDABAD RITES-CALL RITES-IC	566400 (FP)	7280Nxx6	Supply , Fabrication, Assembly and commissioning of automatic computerised Rake Test Rig as per Specification attached Annexure-A, Inspection by RITES / RDSO Firms offer- As per	Sr. Section Engineer	2 Nos.	06-Sep-21

104	50215003100620 dt.12-MAR-21 on M/s.TEJAS ENTERPRISES-THANE RITES-CALL	908600 (FP)	5679N001	Wheel Sensors with protection tube of Frauscher make MSDAC type RSR 180(with BBIK- M 12 GS02 fixing) along with cable length of 5 Mtr as per RDSO/SPN/176/2013, Ver.3	CWM(S&T) WS BYCULLA	10 Nos.	08-Sep-21
105	91205434200094 dt.15-MAR-21 on M/s.ORNO COMPUTERS PRIVATE LIMITED- MUMBAI RITES-CALL RITES-IC	2162704 (FC)	01XXN01	UTS Thin Client as per attached Technical Specification Make: Breeze Model Breeze ECC Warranty 3 years, CAMC for 2 years Rs. 708 per Thin client	SR. DCM PUNE PA	79 Nos.	20-May-21
106	69205203100113 dt.17-MAR-21 on M/s.ELASTIMOLD INDIA PVT. LTD.- VILLAGE DADRA RITES-CALL	572300 (FP)	2901N00	BASIC ELBOW CONNECTOR FOR THE CABLE HEAD TERMINATION SYSTEM OF WAG-7/WAP-7/WAG-9 LOCO AS PER CLW SPEC. NO. CLW/ES/0251 REV. 1 DEC 2006 ITEM TO BE PROVIDED	SR.SEC.EN G. (STORES)	10 Nos.	04-Jun-21
107	60205043100679 dt.18-MAR-21 on M/s.PRECISION ELECTRONICS INSTRUMENTS AND COMPONENTS- MUMBAI RITES-CALL	3932160 (FP)	8279N01	Procurement of Advanced Dental Chair Unit for Dental Dept.at Byculla Hospital. Specn. attached with NIT. MAKE/BRAND - Dentsply GST.HSN.CODE - Attached (Scope of Supply)	MD BY	1 Set	17-Jul-21
108	92195857100125 dt.18-MAR-21 on M/s.AKSHAR MARKETING-VASAI (WEST) RITES-CALL	1997408.09 (FP)	8279N001	Operating Microscope (ENT) ACCEPTED OFFER FOR MAKE KARL KAPS (GERMANY) MODEL SOM 62 ZOOM AS PER CATALOGUE AND TECHNICAL COMPLIANCE ATTACHED	Chief Medical Superi	1 Nos.	06-Jan-22
109	60215017100737 dt.23-MAR-21 on M/s.PRECISION ELECTRONICS INSTRUMENTS AND COMPONENTS- MUMBAI RITES-CALL	1102752 (FP)	8230N001	Vacuum Suction Pump for Covid relate Gynaec & Obstetric emergencies (including Caeserean Sections) item required as per spec attached with tender Make- ATMOS	MD BY	1 Nos.	22-Jun-21

110	60215019200768 dt.25-MAR-21 on M/s.MEDILINKS ENTERPRISES, BARDEZ RITES-CALL	3620000 (FP)	8230N001	USG Machine with 2-D Echo Probe & enabled for Fibro-scan for ICU COvid for Byculla hospital . Item required as per tech and general specification attached with tender	MD BY	1 Nos.	22-Apr-21
111	81215002100789 dt.26-MAR-21 on M/s.MAHAIVIR SALES AGENCIES- KOPARGAON RITES-CALL	1189015.2 (FP)	NS54	Compressed Oxygen Gas for industrial use as per IS:309/2005 (IV Rev.)	SR.S.E.[MIL L WRIGHT]	36000 CUM	31-Mar-22
112	93186087200104 dt.26-MAR-21 on M/s.INDUSTRIAL SOLUTIONS-NOIDA RITES-CALL	1862493.12 (FC)	9379N01	CELLING FAN- BLDC BRAND- WAIG SOLAR MODEL NO- WAIS SOLAR EMERSSION SOFT	SR.SECTIO N ENG. ELEC	904 Nos.	30-Apr-21