

## CENTRAL RAILWAY

Depot : All Depots

## LIST OF PURCHASE ORDERS

ALL

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	Consignee	PO Qty	Dely.Dt
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;							
1	50215006101111 dt.04-MAY-21 on M/s.HBL POWER SYSTEMS LTD- HYDERABAD RITES-CALL	664064  (FP)	5679N001	Supply of sealed maintenance free Battery 12V/42AH conforming to IS:15549 , Make-EXIDE Power Safe ,HBL, AMRON, MICROTEX or Similar. Make: HBL, Model : OPT142	CWM(S&T) WS BYCULLA	200 Nos.	03-Jul-21
2	50215016101112 dt.04-MAY-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	967464.3  (FP)	5604N001	Modem for Siemens make MSDAC as per RDSO specification No. RDSO/SPN/176/2013 Ver3 or Latest. Accepted Make/Brand: SIEMENS.	CWM(S&T) WS BYCULLA	11 Nos.	04-Nov-21
3	56205836100541 dt.07-MAY-21 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA LIMITED-HOSUR RITES-CALL	1244732.33  (FP)	25XXNS	Set of brake electronics as per FTRTIL Part No.79055400. Set consists of 05 items as follows. (i)Power supply module assembly as per part no.780350100-----01 no./set. (ii)Control card module assembly	ELECTRONI C LAB	1 Set	04-Dec-21
4	56205824100551 dt.12-MAY-21 on M/s.KAY PEE EQUIPMENTS PVT LTD-HOWRAH RITES-CALL	664540.8  (FP)	25XXNS	SET OF LABYRINTH RING FOR NOSE SUSPEND DRIVE(MSU TUBE) OF WAP7/WAG-9 AS PER ELW/BSL/ SKETCH NO- ELW/BSL/3- PH/SK. NO.502 (SET CONSISTS OF 10 ITEMS.	WHEEL SETS AC LOCO W	6 Set	09-Nov-21
5	92205309200263 dt.12-MAY-21 on M/s.HPLC Solutions, Vadodara RITES-CALL	1900000  (FP)	8279N001	Anesthesia workstation with multipara monitor with all accessories .(Anaesthesia Workstation (ANALYTICAL) Model   AM-3800 AS PER GEM CONTRACT ATTACHED)	Chief Medical Superi	1 Nos.	30-Jun-21
6	80215009101189 dt.13-MAY-21 on M/s.PACKING HOUSE- MUMBAI RITES-CALL	2457000  (FP)	NS 54	Hard Coke (FC) Gr. I, 150 MM and above confirming to IS:439/1989.	GSS (PATTERN MAKING	30 MT	10-Jul-21
					GSS (PATTERN MAKING	20 MT	10-Sep-21
					GSS (PATTERN MAKING	20 MT	10-Nov-21

					GSS (PATTERN MAKING)	20 MT	10-Jan-22
					GSS (PATTERN MAKING)	20 MT	10-Mar-22
					GSS (PATTERN MAKING)	20 MT	10-May-22
7	50215014101201 dt.14-MAY-21 on M/s.RELIANCE ELECTRICALS-THANE  RITES-CALL	2246130  (FP)	5679N01	SUPPLY OF SUB-ASSEMBLIES FOR MANUFACTURING OF ULTRA ISOLATION TRANSFORMER 15KVA,230V/230V,SUITABLE FOR PROVISION IN SIGNALING POWER	CWM(S&T) WS BYCULLA	45 Set	10-Nov-21
8	60205058201331 dt.24-MAY-21 on M/s.VITEK MEDISYSTEM, MUMBAI RITES-CALL	1850240  (FP)	8225N01	PROCUREMENT OF VESSEL SEALING SYSTEM WITH INBUILT ELECTRO SURGICAL UNIT WITH ACCESSORIES FOR GYNECOLOGY DEPT OF BYCULLA HOSPITAL	MD BY	1 Nos.	20-Jul-21
9	81215013101361 dt.25-MAY-21 on M/s.INDO GASES- MUMBAI RITES-CALL	3024000  (FP)	8230N02	Rental of Oxygen Cylinders of Capacity 1320 L at Dr. B. A. M Hospital, Byculla, C.R.	MD BY	108000 Nos.	31-May-22
10	46215034100076 dt.29-MAY-21 on M/s.SETH TRADERS- MUMBAI RITES-CALL	900154.08  (FP)	31XXNNS	WEAR STRIP - FOR 1800 PAN - DWG NO. Sb-029094 PART NO. 909010038100, WITH IRTES INSPECTION REPORT. (MAKE - SCHUNK CARBON	SR,DEE,[TR S] CLA	450 Nos.	08-Nov-21
11	56215049100523 dt.03-MAY-21 on M/s.SMACO ENGINEERING PRIVATE LIMITED- NAVI MUMBAI RITES-CALL	970101.6  (FP)	25XXNS	Set of ungalvanized steel wire rope, construction 6 x 36, strand construction (14-7+7-7-1) Right hand ordinary lay, core -FMC, Tensile Grade-1960 N/mm2, IS standard applied-IS:2266/2002. The loa	SR. SECTION ENG. [PR	1 Set	18-Jun-21
12	81215009101125 dt.05-MAY-21 on M/s.INDO GASES- MUMBAI RITES-CALL	2920500  (FP)	8230N02	ISI Marked Medical Oxygen Gas Cylinders Steel (Quenched & Tempered) as per IS 7285 (Part-2) 2004 Latest. Cylinder Size D, Water capacity of cylinder 48 Ltrs. Detail specification	MD BY	150 Nos.	20-May-21
13	91215135100212 dt.07-MAY-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI	594720	56XXN01	LED Signal Lighting Unit with built in current regulator, retrofittable in existing CLS units as RDSO Specification RDSO/SPN/153/2011 Rev.4.1 with latest amendment for Subsidiary	SIGNAL INSPECTOR PA	105 Nos.	06-Jul-21

	MITES-CALL	(FP)		LED Signal Lighting U			
14	95215090100139 dt.13-MAY-21 on M/s.VINAY AIR PRODUCTS- AHMEDABAD MITES-CALL	676022  (FP)	0000N01	Empty medical oxygen cylinder(bull nose) jumbo WC 46. 7 litre Gas capacity : 7 cum, for the use in DRH/NGP/CR	MS NGP	34 Nos.	13-Jun-21
15	60205067101202 dt.14-MAY-21 on M/s.OM SAI SURGICALS-MUMBAI MITES-CALL	4430689.76  (FP)	8225N01	TURP SET WITH HD 3 CHIP CAMERA FOR SURGERY/OT DEPARTMENT OF BYCULLA HOSPITAL, CENTRAL RAILWAY material required as per specification attached with	MD BY	1 Nos.	13-Aug-21
16	92186792100281 dt.19-MAY-21 on M/s.VIMAL TRANSFORMER CORPORATION- MORADABAD MITES-CALL	778800  (FP)	4590N01	Dry type power distribution transformer 60 KVA, capacity 750/415V, 3-Ph for LHB type AC coaches as per RDSO Spec No. RDSO/PE/SPEC/AC/0080- 2007 (Rev-2), Material shall be procured from RDSO/RCF/ICF app	Sr. SECT.ENG.[ AC/COG	4 Nos.	18-Jun-21
17	85205571100456 dt.20-MAY-21 on M/s.EVEREST INDUSTRIAL AGENCY- KOLKATA MITES-CALL	3057380  (FP)	31XXNS	25 KV AC MEMU TRANSFORMER 1050 KVA WITH HV TURRET AND ACCESSORIES COMPLETE CONFORMING TO RDSO SPEC. NO RDSO/PE/SPEC/EMU/013	Sr. Section Engineer	1 Nos.	20-Nov-21
18	38201505101287 dt.20-MAY-21 on M/s.JAGDAMBA LIQUIFIED STEELS LTD.-HARIDWAR  MITES-CALL MITES-IC	6905236.8  (FP)	30020487	AXLE BOX HOUSING [FINISHED MACHINED] TO ICF DRG. NO. T-0-2- 602, Alt-v/14, ITEM NO. 2 SHEET NO. 1 AND 2. MATERIAL AND SPECIFICATION TO RDSO SPECIFICATION NO. RDSO/2007/CG-08 WITH AMMENDMENT SLIP NO. 1	MTN	499 Nos.	21-Sep-21
			30XXNS	AXLE BOX HOUSING [FINISHED MACHINED] TO ICF DRG. NO. T-0-2- 602, Alt-u/14, ITEM NO. 2 SHEET NO. 1 AND 2. MATERIAL AND SPECIFICATION TO RDSO SPECIFICATION NO. RDSO/2007/CG-08 WITH AMMENDMENT SLIP NO. 1	CWM WHEEL SHOP MTN	62 Nos.	21-Sep-21

19	91215239100240 dt.24-MAY-21 on M/s.M. M. HYDRO PNEUMATICS PVT. LTD.-MUMBAI RITES-CALL	4327760.64  (FP)	01XXN001	Oxygen plant for DRH/PA as per specifications attached	SR. DMO PUNE PA	1 Nos.	23-Jul-21
20	92215230200316 dt.31-MAY-21 on M/s.SAI INDUSTRIAL ALLIANCES PRIVATE LIMITED-MUMBAI RITES-CALL	659685  (FP)	4290N01	supply and installation of 2 tr SPLIT AC unit as per specification 1) TYPE OF AIR CONDITIONER = HIGH WALL SPLIT AC 2) TECHNOLOGY OF AC = INVERTER ( variable speed) 3) nominal co	SEE(A C) CSTM	15 Nos.	12-Jun-21
21	56205785100521 dt.03-MAY-21 on M/s.SKF INDIA LTD- GURGAON RITES-CALL	1968240  (FP)	25XXNS	TAPPER ROLLER BEARING UNIT TBU-150 SKF NO 1639457A (150X250X160)AS PER ABB DRG.NO.1A 016- 01494 OR LATEST FOR WAP5 LOCO.	WHEEL SETS AC LOCO W	24 Nos.	31-Oct-21
22	91215027100202 dt.07-MAY-21 on M/s.ELIXIR ENGINEERING- BANGALORE RITES-CALL	1483024  (FP)	25NS	FUEL PUMP AND MOTOR ASSEMBLY TO EMD PART NO.40122943, DLW PART NO.17454633. 0.75HP FPM ONLY	SR.DME [D] PA	10 Nos.	30-Jul-21
23	85205599100426 dt.08-MAY-21 on M/s.SIGNOTRON (INDIA) PVT.LTD.- KOLKATA RITES-CALL	5192000  (FP)	45218638	25 KVA underslung inverter to RDSO Specification No. RDSO/PE/SPEC/AC/0024 [REV-0]-2001 with AMDT No.2. [Only RDSO approved sources will be considered for placement of purchase order].	SHOP SUPDT.AIR CONDI	10 Nos.	07-Aug-21
24	92215253100260 dt.11-MAY-21 on M/s.PARK AND COMPANY-MUMBAI RITES-CALL	778800  (FC)	4290N01	ILR ( ICE lined Refrigerator ) for vaccine storage capacity 225 ltrs. temp range from 2 degree to 8 degree C with temp display. Godrej model no GVR 225 spec, Blue star model no YC 275 EW or	SEE(A C) CSTM	6 Nos.	15-May-21
25	42215006101220 dt.18-MAY-21 on M/s.DARSHAN SALES CORPORATION- MUMBAI RITES-CALL	840750  (FP)	35XXN01	Class-D Amplifier Card for Coach Controller of PIS in Siemens EMU Rake as per PT Communication Part No. 33.92.6631 make PTCS only	DEE TRS KALWA	25 Nos.	20-Jul-21

26	38201505101288 dt.20-MAY-21 on M/s.JAI MULTI ENGINEERING CO.- DERA BASSI  RITES-CALL	14849548  (FP)	3001N55	AXLE BOX HOUSING [FINISHED MACHINED] TO ICF DRG. NO. T-0-2- 602, Alt-v/14, ITEM NO. 2 SHEET NO. 1 AND 2. MATERIAL AND SPECIFICATION TO RDSO SPECIFICATION NO. RDSO/2007/CG-08 WITH AMMENDMENT SLIP NO. 1	CWM WHEEL SHOP MTN	7 Nos.	21-Sep-21
			30XXNS	AXLE BOX HOUSING [FINISHED MACHINED] TO ICF DRG. NO. T-0-2- 602, Alt-u/14, ITEM NO. 2 SHEET NO. 1 AND 2. MATERIAL AND SPECIFICATION TO RDSO SPECIFICATION NO. RDSO/2007/CG-08 WITH AMMENDMENT SLIP NO. 1	CWM WHEEL SHOP MTN	1188 Nos.	21-Sep-21
27	80215010201313 dt.23-MAY-21 on M/s.INDIAN OIL CORPORATION LTD- MUMBAI RITES-CALL	34260284.4  (FP)	92XXN1	HIGH SPEED DIESEL OIL.BS IV( AUTO MOTIVE DIESEL FUEL) CONFIRMING TO IS: 1460- 2005(5TH REVISION OR LATEST ) AMENDMENT NO.1 SEPT. 2007. BHARAT STAGE -III,	SR.SECTIO N ENGG (TL/	516 KLTR	31-Mar-22
28	96205317200132 dt.24-MAY-21 on M/s.SHREE SHYAM ENTERPRISES, UDAIPUR RITES-CALL	1816150  (FP)	8321Nxx	Item Description - Product Name : acer 1000 @7200 rpm GB HDD 64 2 Processor with Standard Display All in one pc Brand : acer Brand Type : Registered Brand Catalogue Status : OEM verified	DPO SUR	35 Nos.	03-Jul-21
29	46215055100071 dt.25-MAY-21 on M/s.SANROK ENTERPRISES- FARIDABAD RITES-CALL	789600  (FP)	31XXNNS	SET OF SCHAKU COUPLER ASSEMBLY (1) SEMI PERMANENT COUPLER END A WITHOUT BEARING BRACKET TO ESCORTS DRAWING NO. 40.586 (0)(II) SEMI-PERMANENT	SR,DEE,[TR S] CLA	3 Set	22-Jul-21
30	81215012101364 dt.25-MAY-21 on M/s.INDO GASES- MUMBAI RITES-CALL	1512000  (FP)	8230N04	Rental of Oxygen Cylinders of Capacity 7000 L at Dr.B.A.M Hospital, Byculla, C.R.	MD BY	54000 Nos.	31-May-22
31	50205073101109 dt.04-MAY-21 on M/s.SNT ENGINEERS- GAUTAM BUDHH NAGAR  RITES-CALL	867300  (FP)	5679N001	Modem card No. 6 suitable for CEL make Signal Section Digital Axel counter (SSDAC) as per RDSO spec no. SPN/177/2012 Ver 3. Make : CEL	CWM(S&T) WS BYCULLA	25 Nos.	04-Nov-21

32	50215018101113 dt.04-MAY-21 on M/s.TEJAS ENTERPRISES-THANE  RITES-CALL	867300  (FP)	5604N001	Analog Card for SSDAC, Eldyne make part no 3CR310011ABAB Make: Eldyne Electrosystems Pvt Limited. Accepted Make - "ELDYNE ELECTRO SYSTEM PVT LTD". Make : Thales C/o Eldyne Electro	CWM(S&T) WS BYCULLA	10 Nos.	31-Oct-21
33	50215019101114 dt.04-MAY-21 on M/s.TEJAS ENTERPRISES-THANE  RITES-CALL	903301.8  (FP)	5604N001	Serial I/O card for Eldyne Make Multi Section Digital Axle Counter MSDAC as per RDSO/SPN/176/2013 Ver.3 or latest. Make Thales C/o Eldyne. Make Eldyne Electro System Pvt. Ltd. MAKE : ELDYNE	CWM(S&T) WS BYCULLA	10 Nos.	31-Oct-21
34	91215141100201 dt.07-MAY-21 on M/s.HBL POWER SYSTEMS LTD- HYDERABAD RITES-CALL	649704.96  (FP)	56XXN01	Sealed Maintenance free VRLA battery set of 60 Cells (stackable), in combination of 55+5 Cells for SMPS based integrated power supply system, each cell of 2 Volt/300 AH Capacity, fully charged	SIGNAL INSPECTOR PA	2 Set	05-Aug-21
35	91215160100210 dt.07-MAY-21 on M/s.HBL POWER SYSTEMS LTD- HYDERABAD RITES-CALL	649704.96  (FP)	56XXN01	Sealed Maintenance free VRLA battery set of 60 Cells (stackable), in combination of 55+5 Cells for SMPS based integrated power supply system, each cell of 2 Volt/300 AH Capacity, fully charged	SIGNAL INSPECTOR PA	2 Set	05-Aug-21
36	91215153100214 dt.11-MAY-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	962880  (PC)	56XXN01	LED Signal Lighting Unit with built in current regulator, retrofittable in existing CLS units as RDSO Specification RDSO/SPN/153/2011 Rev.4.1 with latest amendment for Subsidiary LED Signal Lighting U	SIGNAL INSPECTOR PA	170 Nos.	11-Aug-21
37	95205086100137 dt.12-MAY-21 on M/s.EDDY CURRENT CONTROLS INDIA LIMITED-THRISSUR RITES-CALL	932200  (FP)	3801NX0X	Low Platform Material Handling Equipment platform truck is attached as per Annexure - I FIRMS OFFER EEPT OWN MAKE	SR.SEC.EN GR/ C&W/ AJ	2 Nos.	22-Jul-21
38	81215005101181 dt.13-MAY-21 on M/s.S M TRADE LINK- NEW DELHI RITES-CALL RITES-IC	606030.3  (FP)	5606N01	Z-201 Pufseal (1k-S) Polyurethane foam for filling gap and cavities in 500 ML can. Make Stanvac Chemicals, Superon, Corium or similar.	CWM(S&T) WS BYCULLA	1017 Nos.	11-Aug-21

39	03215001200028 dt.31-MAY-21 on M/s.GREENLEAF IT CONSULTING PRIVATE LIMITED- NEW DELHI RITES-CALL	2235864  (FP)	43XXN01	AutoCAD Software (Autodesk AutoCAD Civil 3D) single user ELD with 3 year subscription	DY CE(C) CSTM	12 Nos.	12-Jul-21
40	85215157100476 dt.31-MAY-21 on M/s.GLOBAL ENTERPRISES-DELHI RITES-CALL	548800  (FP)	65XXNS	Supply, installation & commissioning of Battery Operated Motorized Bay Material Transfer Trolley as per enclosed specification.	CWM, CARRIAGE WORKSH	1 Nos.	29-Aug-21
41	50205078101110 dt.04-MAY-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	830661  (FP)	5679N001	SIRIUS CARD for Multi Section Digital Axle Counter of Siemens make RDSO specification No.RDSO/SPN/176/2013 Ver.3. Make : Siemens	CWM(S&T) WS BYCULLA	5 Nos.	04-Nov-21
42	03205046200025 dt.06-MAY-21 on M/s.SHREE BHAGWATI CABLES- NEW DELHI RITES-CALL	950000  (FP)	40XXN01	LT Cable Size 4 Core X 400 Sq.mm Aluminium Conductor cross line polyethelene (XLPE) insulated PVC outer sheathed armoured with galvanised steel strip ,suitable for rated voltage at	SR.SE ELE.(C) MTP(RI)	1000 MTR	20-Jun-21
43	85215345800432 dt.10-MAY-21 on M/s.PRINCIPAL CHIEF MATERIALS MANAGER, CHURCHGATE RITES-CALL	1149750  (FC)	30XXNS	Rubber buffer Spring for 1225 Kgm capacity Buffers as per RDSO Drg No.SK-K- 2048, Alt.Nil.confirming to RDSO specn No. C-K-210, Rev.3 of FEB-2006.A set consisting of 4 nos.	L.V.B. SHOP MTN	250 Set	08-Aug-21
44	56205787100550 dt.11-MAY-21 on M/s.KAY PEE EQUIPMENTS PVT LTD-HOWRAH RITES-CALL	4447322.88  (FP)	25XXNS	SET OF MAIN GEAR DRIVE ASSEMBLY COMPONENTS FOR WAP 5 LOCO.SET OF WHEEL SET. ONE SET CONSISTS OF 5 ITEMS 10 NOS.AS FOLLOWS- [1] CAP PIECE OF BEARING	WHEEL SETS AC LOCO W	12 Set	09-Oct-21
45	95215091200138 dt.12-MAY-21 on M/s.MANGLAM PRINTERS, SURAT RITES-CALL	536400  (FC)	0000N01	Alcohol based hand sanitizer 1800 bottles ( 5 litres each)Accepted as per GeM Contract : HANDRUB 5000 ml Alcohol Based Hand Sanitizer.	MS NGP	1800 Nos.	15-May-21

46	90215002701183 dt.13-MAY-21 on M/s.Secretary (Stores), Railway Board, New Delhi RITES-CALL	3270960  (FP)	54NS	M.S. PLATE 56 MM THICK X 2000 MM WIDTH X 12500 MM LENGTH TO IS: 2062/11 E250 B0 FULLY KILLED NORMALIZED ROLLED WITH UST	SSS TAMPLATE SHOP MM	56 MT	13-Dec-21
47	81215004101206 dt.15-MAY-21 on M/s.INDO GASES- MUMBAI  RITES-CALL	1536192  (FP)	8279N01	Supply of Nitrous Oxide Gas in Capacity of 17233 L Cylinders (6 Cyl./Month) for medical use for a period of 2 years at Dr. B.A. M Hospital, Byculla CR.	MD BY	144 Nos.	31-May-23
			8279N02	Rental Charges per cylinder per day after the mandatory free period.	MD BY	2160 Nos.	31-May-23
48	50205053101271 dt.20-MAY-21 on M/s.SNT ENGINEERS- GAUTAM BUDHH NAGAR  RITES-CALL	953440  (FP)	5679N001	Single section Digital axle counter with two detection points with reset arrangement and vital relaysQNA1K as per RDSO specification No. RDSO/SPN/177/2012 Ver 03 or latest. Accessories as follows: (1)	CWM(S&T) WS BYCULLA	2 Nos.	20-Sep-21
49	95215115200164 dt.28-MAY-21 on M/s.NORTHEAST CONSTRUCTION- NAGPUR RITES-CALL	1599984  (FP)	0000N001	Oxygen concentrator with single outlet with flow rate 8- 10LPM or better.Accepted as per Gem Contract : Dedakj Single Outlet OxygenConcentrator, 10 Ltrs. Model : "ZY-2R".	MS NGP	16 Nos.	08-Jun-21
50	91215241100255 dt.31-MAY-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	1066141.8  (FP)	5604N1	Wheel detection sensor with 10 meter cable for Siemens MSDAC as per RDSO/SPN/176/2005 ver. 2 (Az S350 U Ver. 4) Siemens make.	SIGNAL INSPECTOR PA	5 Nos.	30-Nov-21
			5604N2	Wheel detection sensor with 10 meter cable for Siemens MSDAC as per RDSO/SPN/176/2005 ver. 2 (Az S350 U Ver. 4) Siemens make.	SIGNAL INSPECTOR PA	1 Nos.	30-Nov-21
51	81215007101130 dt.06-MAY-21 on M/s.INDO GASES- MUMBAI	17764588.8	8230N01	Supply/refilling of Liquid Oxygen in Dura Cylinders of Capacity 250 L each (8 Cylinders i.e. total 2000L per day) for a period of 180 days for COVID ICU ward at Dr. Baba Saheb Ambedkar Memorial Hospi	MD BY	720 Nos.	04-Aug-21



	RITES-CALL	(FP)	8230N02	Installation and Rental charges of Vaporizer with Accessories (Equipment details :- Ambient atmospheric vaporizer -01 No. , SS inlet Manifold 04 Nos. with SS Valves 04 Nos. , Low pressure high Flow R	MD BY	90 Set	04-Aug-21
			8230N03	Transportation charges of Dura Cylinder per cylinder for 180 days.	MD BY	720 Nos.	04-Aug-21
			8230N04	Rental charges of Dura Cylinder per cylinder for 180 days.	MD BY	2160 Nos.	04-Aug-21
52	60215025101137 dt.07-MAY-21 on M/s.SHREE PHARMA- MUMBAI RITES-CALL	1345200  (FP)	8230N001	Semi Automatic Urine Chemistry & Microscopy Analyzer for monitoring progress of Covid Cases. item required as per tech and gen spec attached with NIT. Make/Brand -	MD BY	1 Nos.	07-Jul-21
53	90215001701184 dt.13-MAY-21 on M/s.Secretary (Stores), Railway Board, New Delhi RITES-CALL	2976986.6  (FP)	54NS	M.S. PLATE 45 MM THICK X 2000 MM WIDTH X 12500 MM LENGTH TO IS: 2062/11 E250 B0 FULLY KILLED NORMALIZED ROLLED WITH UST.	SSS TAMPLATE SHOP MM	46 MT	13-Dec-21
54	36205019101188 dt.13-MAY-21 on M/s.TRANSFORMERS AND RECTIFIERS INDIA LTD- AHMEDABAD RITES-CALL	47023000  (FP)	9379N01	132 KV/27 KV 30 /42 MVA, 50Hz Single Phase, ONAN/ONAF, Traction Power Transformer complete with all accessories and first fill of Transformer oil conforming to RDSO Specification no. TI/SPC/PSI/30/TR	Sr. Section Engineer	2 Nos.	13-Nov-21
55	88215072100065 dt.19-MAY-21 on M/s.AVADH RAIL INFRA LIMITED- HARIDWAR RITES-CALL	700672  (FP)	38	TOP HOUSING FOR SIDE BEARER PAD ASSEMBLY AS PER DRAWING NO. AAL-021101, ALT NO.8 ITEM NO. 1 (THIS ITEM IS PROCURED FROM RDSO SOURCES ONLY)	WAGON SHOP KWV	400 Nos.	03-Jul-21
56	38201505101286 dt.20-MAY-21 on M/s.SOMESHWAR CASTINGS PVT LTD- ALLAHABAD RITES-CALL	22280535.2  (FP)	3001N55	AXLE BOX HOUSING [FINISHED MACHINED] TO ICF DRG. NO. T-0-2-602, Alt-v/14, ITEM NO. 2 SHEET NO. 1 AND 2. MATERIAL AND SPECIFICATION TO RDSO SPECIFICATION	CWM WHEEL SHOP MTN	1793 Nos.	21-Sep-21

57	91215169100233 dt.24-MAY-21 on M/s.CG POWER AND INDUSTRIAL SOLUTIONS LIMITED- MUMBAI. RITES-CALL	795200  (FP)	56XXN01	Supply of electric point machine (Rotary Locking type) 143mm throw (AC immunity 160 Volt AC) non triable to operate on 110 V DC complete with lock and detector slides and cable termination box confirm	SIGNAL INSPECTOR PA	10 Nos.	24-Jan-22
58	91215064100241 dt.24-MAY-21 on M/s.PRANAV INDUSTRIAL CORPORATION- THANE RITES-CALL	1263190  (FP)	25NS	Electromagnetic Crack Detector system for examination of cracks in camshaft, connecting rods and other components of Diesel Locomotives having length upto 1000mm and diameter upto 250mm, as per annex	SR.DME [D] PA	1 Set	21-Sep-21
59	75215029101323 dt.24-MAY-21 on M/s.PARAMOUNT ENTERPRISE-MUMBAI  RITES-CALL	2398704  (FP)	8230N01	Procurement of ICU Beds with Mattress as per specifications attached for COVID ICU & COVID Wards on additional account at Byculla Hospital. (Preferred Make ArjoHuntleigh/Stryker/Midm	MD BY	12 Nos.	15-Jul-21
60	48215273100450 dt.29-MAY-21 on M/s.M.K.PRECISION METAL PARTS PVT.LTD-NAVI MUMBAI RITES-CALL	755440  (FP)	3041N001	Material for Modification in flooring arrangement for Automobile Carrier to Drg.no. RDSO/CG/DRG/20005 Alt. 1. Item no.7, 8 & 10. One Set Consist of Channel Item No. 7- Qty. 8 Nos./Set, Channel Item No	STRUCTUR AL SHOP PR	95 Set	28-Jun-21
61	56205316100522 dt.03-MAY-21 on M/s.ASHTAMURTI ENTERPRISES- VARANASI RITES-CALL	1847136.6  (FP)	25XXNS	SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF HIGH CURRENT INJECTION SET to model/type QDPIK-1A of Quadrant make or equivalent of Megger/Sonel	SR. SECTION ENG. [PR	1 Nos.	18-Jun-21
62	91215151100211 dt.07-MAY-21 on M/s.SNT ENGINEERS- GAUTAM BUDHH NAGAR  RITES-CALL	665756  (FP)	56XXN01	Web detectors for Single Section Digital type Axle Counter as per RDSO/SPN/177/2012 Ver.3 (or latest version & amendment up to date if any) (Suitable for Central Electronics Ltd. make SSDAC) specifica	SIGNAL INSPECTOR PA	14 Set	07-Oct-21
63	93215146200157 dt.13-MAY-21 on M/s.GEETAI DISTRIBUTORS- Bhusawal RITES-CALL	4295000  (FP)	9379N01	AIR-N-GAS-AIR-N-GAS PROCESS TECHNOLOGIES AUTOMATIC SS304 PSA OXYGEN GENERATOR, WARRANTY 1 YEAR. MODEL NO= ANGOP- 30	DMO BSL	1 Nos.	16-May-21

64	85205686100451 dt.18-MAY-21 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA LIMITED-BADDI RITES-CALL	3952014.08          (FP)	33XXNns	A set consist of 01) Brake caliper ( Leverage ratio 2:17) part no.D-127550-600 Qty. 02 Nos.2) Brake Cylinder PBEC part No.4F 130200 Qty 01 No. and part no.4F 130199 Qty 01 No. of FTRTIL make only	L.V.B. SHOP MTN	8 Set	02-Nov-21
65	48215260100443 dt.21-MAY-21 on M/s.EVIEW GLOBAL PRIVATE LIMITED- DHARWARD RITES-CALL	501500          (FP)	4216N001	Supply & Fixing of Natural Light Pipe arrangement on roof for automobile carrier to Drg No. RDSO/CG/DRG/20012. Note: Supply and Fixing of 60 Sets shall be done at Parel Workshop and 40	STRUCTUR AL SHOP PR	100 Set	20-Jun-21
66	82215116100336 dt.31-MAY-21 on M/s.ARHAM POLYCHEM PVT. LTD- KOLKATA RITES-CALL	646640          (FP)	5679N01	Terminal Block (small) Insulating Base (M6 Terminal),RDSO Drg. No.- S-23742A, Alt-5 or latest and IRS- S-23 & S-75 (Rev-2). Material should be supplied from RDSO approved source only.	CWM(S&T) WS BYCULLA	25000 Nos.	29-Aug-21