

CENTRAL RAILWAY

Depot : All Depots

LIST OF PURCHASE ORDERS

ALL

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr	Consignee	PO Qty	Dely.Dt
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;								
1	91215263100337 dt.07-JUL-21 on M/s.BHAVITRON POWERTEC PRIVATE LIMITED-CHENNAI RITES-CALL	724638 (FP)	45XXNXXX	Battery charger cum precooling Transformer with enclosure of stainless steel input 415V AC, 3 Phase, 50Hz, out put 200 Amps, 130V DC for SGAC coaches as per RCF spec. No. EDTS- 041 (Rev-B) ICF approved	1	SSE(TL- AC)PA	3 Nos.	04-Nov-21
2	46215071100087 dt.10-JUL-21 on M/s.MEDHA SERVO DRIVES PRIVATE LIMITED-HYDERABAD RITES-CALL	583982 (FP)	31XXNNS	TRX Cards for AWS Control Unit as per Medha Part No. SP140101004	1	SR,DEE,[TR S] CLA	5 Nos.	09-Apr-22
3	85215334100669 dt.12-JUL-21 on M/s.BOMBARDIER TRANSPORTATION INDIA PRIVATE LIMITED-Vadodara RITES-CALL	1382440.8 (FP)	35XXNS	ASSEMBLED VACCUM SWITCH TUBE AS PER AAL PART NO.4300004000 FOR M/S AAL MAKE VCB OF TYPE VCBA 25.10 Tr. OR AS PER BTIL PART NO.540.20 DRG NO.HSBA 331624-R1 FOR M/S BTIL MAKE VCB OF TYPE BVAC 25.10 Tr.	1	Sr. Section Engineer	8 Nos.	12-Apr-22
4	48215390100579 dt.14-JUL-21 on M/s.ESCORTS LIMITED-FARIDABAD RITES-CALL	694400 (FP)	33XXNS	Knuckle for CBC coupler Body Assembly for AAR H type,as per ESCORTS SK- 611(PAC Item) ,Specification No. RDSO/2011/CG-03(Rev.-1) or Latest.	1	ELECTRIC LOCO REPAIR	20 Nos.	12-Sep-21
5	50205012102005 dt.20-JUL-21 on M/s.GOLKONDA ENGINEERING ENTERPRISES LIMITED- SECUNDERABAD RITES-CALL	2573411.4 (FP)	5611N0005	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	1	SIGNAL INSPECTOR KWV	6 KM	20-Oct-22
			5611N0019	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	2	Sr. Section Engineer	3.52 KM	20-Oct-22

6	93215242100273 dt.22-JUL-21 on M/s.KASERA ELECTRICALS PRIVATE LIMITED- KOLKATA RITES-CALL	564984 (FP)	9379N01	BATTERY CHARGER FOR 110V, 40AH LEAD ACID BATTERY AS PER RDSO SPEC NO ETI/PSI/1 (6/81) (CHARGING CHARACTERISTICS AS PER RDSO SPECIFICATION, I.E, TRICKLE CHARGING ADJUSTABLE BETWEEN	1	Sr. Section Engineer	6 Nos.	20-Oct-21
7	85205183100732 dt.24-JUL-21 on M/s.DHRUV PRINT O GRAPH-LUDHIANA RITES-CALL	1067703 (FP)	91XXNS	SUPPLY OF INTEGRATED BRAILLE SIGNAGE IN WGACCN TYPE OF COACHES. AS PER SPECIFICATION NO:ICF/MD/SPEC/253,REV .00 AMD - 01. (The drawings attached for	1	CARRIAGE REPAIR SHOP	130 Set	22-Sep-21
8	56186396100833 dt.26-JUL-21 on M/s.IC ELECTRICALS COMPANY PRIVATE LIMITED-NEW DELHI RITES-CALL	5557800 (FP)	25XXNS	STATIC INVERTER (2 X 130 KVA) AS PER RDSO SPECIFICATION NO RDSO/2018/EL/SPEC/0140 REV '1' make-ICECPL .	1	CWM(ELW) BSL	2 Nos.	25-Oct-21
9	92215237100487 dt.29-JUL-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	1129676.8 (FP)	56XXNS01	AWS track magnet B1 complete with plug & Oscillators F1-F5 (Siemens Drg. No-S35432-M1-A1-B1. ACCEPTED FOR MAKE SIEMENS AWS track magnet B1 complete with plug & Oscillators F4/F6 (SIEMENS DRG .NO. S	1	Sr. Section Engineer	2 Nos.	29-Mar-22
			56XXNS02	AWS track magnet B5 complete with plug & Oscillators F1-F5 (Siemens Drg. No-S35432-M1-A1-B5. ACCEPTED FOR MAKE SIEMENS AWS track magnet B5 complete with plug & Oscillators (Siemens Drg. No-S35432-M1-	2	Sr. Section Engineer	2 Nos.	29-Mar-22
			56XXNS03	AWS track magnet B10 complete with plug & Oscillators F1-F5 (Siemens Drg. No-S35432-M1-A1- B10. ACCEPTED FOR MAKE SIEMENS AWS track magnet B10 complete with plug & Oscillators F3/F5 SIEMENS Drg. No-	3	Sr. Section Engineer	2 Nos.	29-Mar-22

			56XXNS04	AWS track magnet B2 complete with plug & Oscillators F1-F5 (Siemens Drg. No-S35432-M1-A1-B2. ACCEPTED FOR MAKE SIEMENS AWS track magnet B2 complete with plug & Oscillators F5/F6 (Siemens Drg. No-S354	4	Sr. Section Engineer	2 Nos.	29-Mar-22
10	69215127100233 dt.30-JUL-21 on M/s.KARTHIK ELECTRONICS AND CONTROLS- BANGALORE RITES-CALL	582400 (FP)	7201N00	FAULT DIAGNOSTIC TOOL FOR 3 PHASE LOCOS AS PER CLW SPECIFICATION NO. CLW/ES/3/0527.	1	SR.SEC.EN G. (STORES)	1 Nos.	29-Nov-21
11	96215094100178 dt.05-JUL-21 on M/s.PRANAV INDUSTRIAL CORPORATION- THANE RITES-CALL	624503.2 (FP)	6079NXXX	Supply of spare parts for USFD B-scan DRT (Double rail tester) Machine, as per RDSO specification M&C/NDT/130/2007 Rev-III, July 2017, of M/s EECI Make (OEM), RDSO approved, for Model no DR 16 ,for	1	SE(PWAY) , [P.WAY DE	1 Set	03-Nov-21
12	91215251100336 dt.07-JUL-21 on M/s.ELECTROGREEN SOLUTION-NEW DELHI RITES-CALL	1293056 (FP)	5615N1	Sealed Maintenance free VRLA battery set of 60 Cells (stackable), in combination of 55+5 Cells for SMPS based integrated power supply system, each cell of 2 Volt/300 AH Capacity, fully charged conform	1	SIGNAL INSPECTOR PA	3 Set	03-Jan-22
			5615N2	Sealed Maintenance free VRLA battery set of 60 Cells (stackable), in combination of 55+5 Cells for SMPS based integrated power supply system, each cell of 2 Volt/300 AH Capacity, fully charged conform	2	SIGNAL INSPECTOR PA	1 Set	03-Jan-22
13	93215273200258 dt.13-JUL-21 on M/s.ASSORTED PREDICTED STRATEGY PRIVATE LIMITED-BHOPAL RITES-CALL	847104 (FX)	3801NXX6	acer intel core i5 10500 8 GB / 1000 GB HDD/Window 10 professional. Brand- acer. Model - Veriton S2670G. as per GeM contract	1	Sr. Section Engineer	16 Nos.	04-Aug-21
14	48215391100606 dt.23-JUL-21 on M/s.SANROK ENTERPRISES- FARIDABAD.	559552	33XXNS	Knuckle for CBC coupler Body Assembly for AAR H type as per SANROK Drawing No. 1ED-1067(PAC Item) ,Specification No. RDSO/2011/CG-03(Rev.-1) or Latest.	1	ELECTRIC LOCO REPAIR	20 Nos.	22-Sep-21

	MITES-CALL	(FP)						
15	95215059100251 dt.24-JUL-21 on M/s.RAJ TRADE LINK- NAGPUR MITES-CALL	559320 (FP)	4329N001	Supply of Inverter 3 KVA, confirming to IS: 13314, Energy efficient 3 or more star rated , Battery back up of 180 Minute . Input voltage Single phase Sine wave (120- to 260 V) and out put	1	SR. S.E.(ELECT MAINT	6 Nos.	24-Aug-21
16	93215194100290 dt.26-JUL-21 on M/s.SUSHIL ENTERPRISES- JALGAON MITES-CALL	3115043 (FP)	9379Nn1	food items as per annexure 1	1	DMO BSL	1 Set	26-Jul-22
17	96215138200200 dt.26-JUL-21 on M/s.ARYA COMMUNICATIONS AND ELECTRONICS SERVICES PRIVATE LIMITED, MUMBAI MITES-CALL	790900 (FP)	5618NXX	Item Description - Product Name - idea Forge Geographic map and UAV location and UAV trajectory and camera view polygon and way points and flight plans Surveillance type unmanned aerial vehicle (Drone	1	DSC/RPF/S OLAPUR	1 Nos.	14-Sep-21
18	56215307100843 dt.29-JUL-21 on M/s.LDP ASSOCIATES- DELHI MITES-CALL	5849496 (FP)	25XXNS	STATOR WITH TOP AND BOTTOM COVER FOR JYOTI MAKE ARNO CONVERTER AS PER CLW SPEC. NO. CLW/ES/A-1/G. (ITEM TO BE PROCURED FROM	1	AUXILIARY BLOWER	6 Nos.	26-Jan-22
19	50215059102175 dt.30-JUL-21 on M/s.ROTOMAG MOTORS AND CONTROLS PRIVATE LIMITED-ANAND MITES-CALL	1235460 (FP)	5630N001	110VDC Motors with gear box IP 67 type (Complete motor should be water proofed) 160 V AC Immunity for electric Point Machines (IRS type) as per IRS S- 37/82.	1	CWM(S&T) WS BYCULLA	50 Nos.	28-Sep-21
20	54215037100082 dt.31-JUL-21 on M/s.BHARADWAJ INDUSTRIES- AURANGABAD MITES-CALL	665280 (FP)	NS54	M.S.Plate size 56mm thick x 1800mm width x 5000mm length, Confirming to IS:2062/11 E 250 Gr.'BO' Fully Killed Fully Normalised Duly UT.	1	GSS (PATTERN MAKING	12 MT	31-Aug-21
21	56205457100755 dt.05-JUL-21 on M/s.ALAN ELECTRONIC SYSTEMS PRIVATE LIMITED-MUMBAI MITES-CALL	560000 (FP)	25XXNS	Twin Beam LED Head Light for Electric Locomotives to RDSO Spec. No. RDSO/2017/EL/SPEC./013 4 (Rev. 1) dt. 23.04.2019 (To be procured from RDSO Approved sources only) Make - ALAN.	1	DRIVER DESK	20 Nos.	20-Aug-21

22	48215334100546 dt.07-JUL-21 on M/s.ARVEE ENTERPRISES- BHOPAL RITES-CALL	743653.12 (FP)	31NS	MSU (11 ITEMS) MOTOR SUSPENSION UNIT COMPLETE FOR 1400 HP DEMU/DPC IN UNIT ONLY AS PER ANNEXURE -1.	1	Sr. Section Engineer	8 Set	04-Nov-21
23	93215217200245 dt.07-JUL-21 on M/s.Tata Motors Limited, Mumbai RITES-CALL	635711 (FP)	6534NXX6	TATA MOTORS BS-VI Turbocharged Intercooled Built Up Trucks. Brand- TATA MOTORS. Model- Tata Intra V30 BS-6 with power Steering, radial Tyre, 25% Gradeability, 17.46	1	Sr. Section Engineer	1 Nos.	22-Jul-21
24	56215219100805 dt.15-JUL-21 on M/s.ELASTIMOLD INDIA PVT. LTD.- VILLAGE DADRA RITES-CALL	1652000 (FP)	25XXNS	HIGH VOLTAGE BUSHING (MICAFIL) FOR THREE PHASE ELECTRIC LOCOS AS PER CLW SPECIFICATION NO. CLW/ES/3/0052 ALT D OR LATEST.[TO BE PROCURED FROM CLW	1	TRANSFOR MER	5 Nos.	13-Nov-21
25	54215057200078 dt.16-JUL-21 on M/s.ASIAN SALES CORPORATION- NASHIK RITES-CALL	787210 (FP)	NS54	Pneumatic Vertical Angle grinder CP 3330 Salavele of M/s Chicago,[As per Gem Contract No. 511687780676152 dt 07/07/2021.]	1	SR.S.E.[MIL L WRIGHT]	10 Nos.	30-Sep-21
26	36215002102009 dt.20-JUL-21 on M/s.STELLAR CABLES AND INFRASTRUCTURE PRIVATE LIMITED- LUCKNOW RITES-CALL RITES-IC	8113680 (FP)	4020N01	Catenary wire of stranded hard drawn copper conductor of size 242 sq.mm (0.375 sq. inch) 37/2.92 MM (37/0.115") confirming to Central Railway Specn No. D- 89 / IRS-E-20/54. Note : "PVC as define	1	Sr. Section Engineer	4 KM	20-Oct-21
27	93215299200268 dt.22-JUL-21 on M/s.EDDY CURRENT CONTROLS INDIA LTD, THRISSUR RITES-CALL	2330500 (FP)	6717NXX6	EEPT FIXED 2000 (kg Rated Load Capacity) PLATFORM TRUCK. BRAND- EEPT. MODEL- EEPT 2T4W14	1	Sr. Section Engineer	5 Nos.	06-Aug-21
28	92215322100486 dt.29-JUL-21 on M/s.DCYGNUS AUTOMATES PRIVATE LIMITED- NASHIK. RITES-CALL	1080000 (FP)	5701N02	CPU suitable for TMS workstation as per attached specifications. ACCEPTED OFFER FOR MAKE HP MODEL HP Z440	1	TCI (HF) CLA	15 Nos.	12-Sep-21

29	92215415100488 dt.29-JUL-21 on M/s.ELECTRIC INDUSTRIES-NEW DELHI	1101530	(FP)	5650NS4	SUPPLY OF BATTERY CHARGER SELF REGULATING FLOOR MOUNTING TYPE WITH 230V AC INPUT AND OUTPUT 110 V DC 20A AS PER ESPEN IRS.S86/2000 (AMEND) WITH LATEST AMENDMENTS (SUITABLE FOR AXLE COUNTER APPLICATION	1	Sr. Section Engineer	3 Nos.	25-Jan-22
				5650NS5	SUPPLY OF BATTERY CHARGER SELF REGULATING FLOOR MOUNTING TYPE WITH 230V AC INPUT AND OUTPUT 24V DC 20A AS PER SPECN (AMEND 4) WITH LATEST AMENDMENTS (SUITABLE FOR AXLE COUNTER APPLICATIONS)	2	Sr. Section Engineer	8 Nos.	25-Jan-22
				5690NS1	Supply of battery charger self regulating floor mounting type with 230V AC single phase input and output 60V DC 10A as per specn IRS,S.86/2000 (amm 40 with latest amendments. (suitable for Axle counte	3	Sr. Section Engineer	4 Set	25-Jan-22
				5690NS2	SUPPLY OF BATTERY CHARGER SELF REGULATING FLOOR MOUNTING TYPE WITH 230V AC INPUT AND 60V DC 20 A AS PER SPECN IRS.S.86/2000 (AMEND 4) WITH LATEST AMENDMENTS(SUITABLE FOR AXLE COUNTER APPLICATION).	4	Sr. Section Engineer	4 Nos.	25-Jan-22
				5690NS3	SUPPLY OF BATTERY CHARGER SELF REGULATING FLOOR MOUNTING TYPE WITH 230 V AC INPUT AND 110V DC 40A AS PER SPECN IRS.S.86/2000(MM 4) WITH LATEST AMENDMENTS (SUITABLE FO AXLE COUNTER APPLICATIONS)	5	Sr. Section Engineer	4 Nos.	25-Jan-22
				RITES-CALL					

30	93215015100293 dt.30-JUL-21 on M/s.KIRAN FURNITURE- BHUSAWAL RITES-CALL	2683000 (FP)	7205NXX6	Set of Hand Tool Kit for ROH of BLC wagons in BSL ROH depot as per attached Annexure.	1	Sr. Section Engineer	1 Set	18-Sep-21
31	50215024101838 dt.01-JUL-21 on M/s.TEJAS ENTERPRISES-THANE RITES-CALL	981996 (FP)	5604N01	Analog Card for Eldyne Multi Section Digital Axle Counter (MSDAC) as per RDSO/SPN/176/2005 or latest make Thales C/o Eldyne. Make Eldyne Electro System Pvt. Ltd. MAKE : ELDYNE ELECTRO	1	CWM(S&T) WS BYCULLA	6 Nos.	30-Aug-21
32	85215191100615 dt.01-JUL-21 on M/s.KAMAL AUTOMATION SYSTEMS PVT. LTD- MUMBAI RITES-CALL RITES-IC	3436160 (FP)	42XXNS	SUPPLY AND INSTALLATION OF CONVERTER CONTACTORS HOG A AND HOG B, SINGLE PHASE 100 VA CONTROL TRANSFORMER WITH FUSES IN LHB EOG POWER CAR COACHES AS PER RDSO	1	Sr. Section Engineer	13 Set	29-Oct-21
33	56215244100745 dt.01-JUL-21 on M/s.HIND ENTERPRISES- MUMBAI RITES-CALL	821988 (FP)	25XXNS	PROTECT SNUBBER CIRCUIT 110 V DC AS PER PT NO HSBA433438R0006 FOR EP CONTACTOR OF WAG-9, WAP-7 AND WAP-5 LOCO.(TO BE PROCURED FROM CLW APPROVED	1	EPC/ELW BSL	54 Nos.	30-Oct-21
34	56215170100747 dt.02-JUL-21 on M/s.AUTOMETERS ALLIANCE LTD-NOIDA RITES-CALL RITES-IC	825174 (FP)	25XXNS	CURRENT SENSOR LEM MODEL LT-1000-SI/SP59 AS PER TECHNICAL DATA 1:5000, 1000 A, 40 OHMS AS PER CLW SPECIFICATION NO. CLW/ES/3/0084 (ITEM TO BE PROCURED FROM	1	CWM(ELW) BSL	7 Nos.	29-Jan-22
35	56205247100766 dt.06-JUL-21 on M/s.AUTOMETERS ALLIANCE LTD-NOIDA RITES-CALL	819108.8 (FP)	25XXN01	Kit of pressure switch with specification as per Annexure A attached.This is a PAC item of M/s Autometers Alliance Limited. ACCEPTED: FIRMS OFFER AS PER AAL ANNEXURE.	1	SSE(TRS/M AINT)BSL	40 Set	03-Jan-22
36	56205630100768 dt.06-JUL-21 on M/s.ELMEC COM AGENCIES- MALAD(W), MUMBAI RITES-CALL	852223.14 (FP)	2501NXX	Set of spares for M/s CGL make 3X130 KVA IGBT based Auxiliary Converter. Set consists of 1) PERI CARD COMPLETE (ref. no.110202010-NEW)- 1 no. 2) INVERTER CARD COMPLETE (ref. no. 110202031- NEW)- 1 no.	1	SSE(Electron ics)ELS	1 Set	07-Jul-22

37	91215257100334 dt.07-JUL-21 on M/s.RT VISION TECHNOLOGIES PVT. LTD.-GAUTAM BUDDHA NAGAR RITES-CALL	582330	5646N1	LED signal lighting unit with built in current regulator, retrofittable in existing CLS units as per RDSO spec. No. RDSO/SPN/199/2010 Rev.1.1 with latest amendment for main LED signal lighting unit: R	1	SIGNAL INSPECTOR PA	21 Nos.	05-Sep-21	
			(FP)	5646N2	LED signal lighting unit with built in current regulator, retrofittable in existing CLS units as per RDSO spec. No. RDSO/SPN/199/2010 Rev.1.1 with latest amendment for main LED signal lighting unit: Y	2	SIGNAL INSPECTOR PA	21 Nos.	05-Sep-21
				5646N3	LED signal lighting unit with built in current regulator, retrofittable in existing CLS units as per RDSO spec. No. RDSO/SPN/199/2010 Rev.1.1 with latest amendment for main LED signal lighting unit: G	3	SIGNAL INSPECTOR PA	16 Nos.	05-Sep-21
				5646N4	LED signal lighting unit with built in current regulator, retrofittable in existing CLS units as per RDSO spec. No. RDSO/SPN/199/2010 Rev.1.1 with latest amendment for main LED signal lighting unit: G	4	SIGNAL INSPECTOR PA	5 Nos.	05-Sep-21
38	91215250100340 dt.08-JUL-21 on M/s.GLOBE EARTH COMMUNICATION- KANPUR RITES-CALL	513300	56XXN1	Supply of HDPE Telecom Duct, Solid permanently lubricated as per RDSO specification no. RDSO/SPN/TC/45/2013 in the roll of 1000 mtr.	1	SR.SECTIO N ENGINEER(6000 MTR	06-Sep-21	
			(FP)	56XXN2	Supply of HDPE Telecom Duct, solid permanently lubricated as per RDSO specification RDSO/SPN/TC/45/2013 in the roll of 1000 mtrs.	2	SR.SECTIO N ENGINEER(4000 MTR	06-Sep-21
39	92205157100490 dt.30-JUL-21 on M/s.STATCON ELECTRONICS INDIA LIMITED-NOIDA RITES-CALL	1764100	5679N01	SMPS based Battery charger 130V/40A , Input AC range :160-270V AC 1 Phase 50 Hz, Output Voltage :110-160VDC, 20A per Module as per RDSO specification RDSO/SPN/165/2012 (ver.3.0) MAKE STATCON ELECTRO	1	Sr. Section Engineer	13 Nos.	30-Sep-21	

40	56215384100851 dt.31-JUL-21 on M/s.HIND ENTERPRISES- MUMBAI RITES-CALL RITES-IC	748356 (FP)	25XXNS	WOAMA MAKE PCB FOR WOAMA MAKE QTD 105/ QTD 106 RELAY. Make- WOAMA ELECTRONICS . Firm's offer - PRINTED CIRCUIT BOARD [TIMER] FOR WOAMA MAKE QTD 105/106 RELAY AS PER	1	SR.SEC.EN G.(PROGRE SS	151 Nos.	29-Dec-21
41	50205012101858 dt.02-JUL-21 on M/s.KEC INTERNATIONAL LIMITED- GURUGRAM. RITES-CALL	54614161.8 (FP)	5611N0001	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	2	Sr. Section Engineer	.5 KM	15-Aug-22
			5611N0002	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	3	Sr. Section Engineer	8 KM	15-Aug-22
			5611N0007	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	4	SIGNAL INSPECTOR KWV	25.14 KM	15-Aug-22
			5611N0010	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	1	CHIEF TELECOM INSPEC	175 KM	15-Aug-22
			5611N0012	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	5	S.S.E./RRI/A JNI.	4 KM	15-Aug-22
			5611N0014	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	6	SIGNAL INSPECTOR NGP	2 KM	15-Aug-22

			5611N0015	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	7	SIGNAL INSPECTOR NGP	2 KM	15-Aug-22
42	92215243100440 dt.09-JUL-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	1203462.4	56XXNS01	Track Magnet Complete with Track magnet clamp Bolts, rubber bushes and Nuts type S25-432 M1 A1 (India) fitted with F1- F5 Track Oscillators for AWS working make Siemens for AWS.. ACCEPTED MAKE FOR SIEM	1	Sr. Section Engineer	4 Nos.	09-Mar-22
		(FP)	56XXNS02	AWS track magnet A3 complete with plug & Oscillators F1-F5 (Siemens Drg. No-S35432-M1-A1-A3. DESCRIPTION :- AWS track magnet A3 complete with plug & Oscillators F1-F4 (Siemens Drg. No S35432-M1-A1-A3.	2	Sr. Section Engineer	4 Nos.	09-Mar-22
43	48215298100556 dt.09-JUL-21 on M/s.TRADITIONAL ENGINEERING WORKS-HOWRAH RITES-CALL	1075200	3052N001	Material for Modification in Sidewall for Automobile Carrier to Drg.no. RDSO/CG/DRG/20004 Alt. 2, Item no.1, 2 & 5. One Set Consist of i) Body hook Item No. 1, Qty. 18 Nos./Set, ii) Rod dia. 12 x 140	1	STRUCTURAL SHOP PR	80 Set	08-Oct-21
		(FP)						
44	56215199100806 dt.15-JUL-21 on M/s.ELMEC COM AGENCIES- MALAD(W), MUMBAI RITES-CALL	1162343.66	2501NXX	Set of spares for M/s CGL make 3X130 KVA IGBT based Auxiliary Converter. Set consists of 1) Rectifier module (ref. no. ACIGBT-RECTIFIER)- 1 no. 2) Impulse Transmitter Complete (XU A752) (ref. no. 4	1	SSE(Electronics)ELS	1 Set	12-Jan-22
		(FP)						
45	56205383100807 dt.15-JUL-21 on M/s.SIDWAL REFRIGERATION INDUSTRIES PRIVATE LIMITED-FARIDABAD RITES-CALL	1873920	25XXNS	AIR CONDITIONER UNIT FOR ELECTRIC LOCOMOTIVES AS PER RDSO SPECN.NO. RDSO/2007/EL/SPEC/0055 REV-1 OR LATEST.(TO BE PROCURED FROM CLW APPROVED SOURCES ONLY) Make - SIDWAL.	1	ERECTION NO.3	8 Nos.	14-Oct-21
		(FP)						

46	56215204100822 dt.19-JUL-21 on M/s.PLASTO METAL INDUSTRIES- KOLKATA RITES-CALL	625408 (FP)	25XXNS	SMALLER MASTER CONTROLLER COMPLETE ASSEMBLY,TYPE-241.02 AS PER CLW DRG.NO.1TWD.241.202 & 4TWD.241.201 & SPECIFICATION NO.	1	DRIVER DESK	8 Nos.	03-Sep-21
47	85215457100729 dt.22-JUL-21 on M/s.ESCORTS LIMITED-FARIDABAD RITES-CALL	1388800 (FP)	30XXNS	Knuckle for CBC Coupler body for assembly for AAR H type as per ESCORTS SK 611. Specification no RDSO/2011/CG-03 (Rev -1) or latest.	1	L.V.B. SHOP MTN	40 Nos.	20-Sep-21
48	60205066102084 dt.26-JUL-21 on M/s.SUN MEDICAL SYSTEMS-MUMBAI RITES-CALL	4720000 (FP)	8225N01	PROCUREMENT OF INTEGRATED AUTOMATED BIOCHEMISTRY & IMMUNOASSAY ANALYZER FOR PATHOLOGY DEPT OF	1	MD BY	1 Nos.	26-Jan-22
49	92186446100485 dt.29-JUL-21 on M/s.CHINDALIA INDUSTRIAL PRODUCTS LTD.- MUMBAI RITES-CALL	1298000 (FP)	42NS	Scissor lift having platform height of working Ht. 7.77 m, Platform Ht 5.77 m, Lift capacity : 230 Kgs, Platform length : Out side : 1.73 m, Platform size (extended) : 2.59 x 0.74 m, Electric operated	1	SR.SECTIO N ENG. [EL	1 Nos.	27-Sep-21
50	42210022102170 dt.30-JUL-21 on M/s.BENSON MARINE SERVICES PVT LTD-MUMBAI RITES-CALL	4884096 (FP)	31902662	Set of Wind Screen Wiper for EMU Rakes M/s. Exalto or M/s. Hepworth or M/s. FBO make only. Each set has three items :- [1] Electrical Wiper Motor M/s. Hepworth make 80 NM 110V Part No. S612237 OR M/s.	1	MTN	6 Set	25-Oct-21
					2	VVH	24 Set	25-Oct-21
					3	VVH	16 Set	30-Apr-22
			4	Sr.DEE (TRS) SANPADA	33 Set	24-Oct-21		
51	95215115100229 dt.02-JUL-21 on M/s.S P MAHAJAN AND SONS-NEW DELHI RITES-CALL	1040004 (FP)	0000N001	Oxygen concentrator with single outlet with flow rate 8- 10LPM or better. MAKE Yasee YS800	1	MS NGP	16 Nos.	23-Jul-21

52	50215021101865 dt.03-JUL-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	1065540	5646N001	Supply of LED Signal Lighting Unit with built in current regulator Aspect for Main Signal, retrofittable in existing CLS units as per RDSO specifications: RDSO/SPN/199/2010, Rev.1.0 with latest amendm	1	Sr. Section Engineer	1 Set	31-Oct-21	
			(FP)	5646N002	Supply of LED Signal Lighting Unit with built in current regulator Aspect for Main Signal, retrofittable in existing CLS units as per RDSO specifications: RDSO/SPN/199/2010, Rev.1.0 with latest amendm	2	Sr. Section Engineer	1 Set	31-Oct-21
				5646N003	Supply of LED Signal lighting unit with built in current regulator, retrofittable in existing CLS unit as per RDSO specification no. RDSO/SPN/199/2010/Rev 1.0 with latest amendment for Main LED signal	3	SIGNAL INSPECTOR PA	32 Nos.	31-Oct-21
53	56205802100767 dt.06-JUL-21 on M/s.ELMEC COM AGENCIES- MALAD(W), MUMBAI RITES-CALL	858214	2501NXX	Inverter module for M/s CGL make 3X130 KVA IGBT based Auxiliary Converter M/s CGL refrence no. ACIGBT-INVETER Firm Offer : Inverter module for CGL make 3x130 KVA IGBT AUX. CONVERTER. CGL REFERENCE AC	1	SSE(Electronics)ELS	1 Nos.	04-Nov-21	
		(FP)							
54	85215474800646 dt.08-JUL-21 on M/s.PRINCIPAL CHIEF MATERIALS MANAGER, CHURCHGATE RITES-CALL	1149750	30XXNS	Rubber buffer Spring for 1225 Kgm capacity Buffers as per RDSO Drg No.SK-K-2048, Alt.Nil.confirming to RDSO specn No. C-K-210, Rev.3 of FEB-2006. A set consisting of 4 nos.	1	L.V.B. SHOP MTN	250 Set	07-Oct-21	
		(FP)							
55	38215002101943 dt.13-JUL-21 on M/s.DEEPAK ENGINEERING WORKS-MUNGER RITES-CALL	896000	3801NS4	Supply and Fitment of Set of Materials for Retrofitment of Twin Pipe Air Brake System on Wagons . Wagon Type - BOBYN - 32 Set [1 set is as per Annexure D]. Material shall be procured from firms as	1	WAGON SHOP KVV	32 Nos.	10-Nov-21	
		(FP)							

56	95215271800237 dt.15-JUL-21 on M/s.Office of the Principal Chief Materials Manager, Hubli RITES-CALL	825456 (FP)	3897NRE	LOAD SENSING DEVICE FOR BLC WAGON RDSO DRG. NO. WD-01065-S-01 ALT NO. NIL OR ALTERNATIVE DESGN OF RDSO APPROVED FIRM & CONFIRMING TO STR NO. 02-ABR-02 APPENDIX (P) READ WITH ALL AMDTS LATEST AMDT 4 O	1	SR.SEC.EN GR/ C&W/ AJ	150 Nos.	15-Jan-22
57	95215234100246 dt.21-JUL-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	776440 (FP)	5646N001	Universal 110 V AC/DC LED based main signal as per RDSO specification RDSO/SPN/153/2002 or latest for CLS signal with in built current regulator. To be supplied in - Set. (Each set consists of Route-5	1	S.S.E./RRI/A JNI.	1 Set	20-Oct-21
58	95215233100247 dt.22-JUL-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	681450 (FP)	5646N001	Universal 110 V AC/DC LED based main signal as per RDSO specification RDSO/SPN/199/2010 or latest for CLS signal with in built current regulator. To be supplied in Set. (Each set consists of Red-25 N	1	S.S.E./RRI/A JNI.	1 Set	21-Oct-21
59	56205804100824 dt.22-JUL-21 on M/s.LAXVEN SYSTEMS- HYDERABAD RITES-CALL	969499.8 (FP)	2501NXX	Set of spares for M/s Laxven make Digital Notch Indicator. Set consists of - 1) Main Card M/s Laxven part no. 2000DNI-SA-1001-1, Qty- 14 nos. 2) Power Supply Card M/s Laxven part no. 2000DNI-SA-1001-2	1	SSE(Electron ics)ELS	1 Set	06-Sep-21
60	93215262100289 dt.23-JUL-21 on M/s.MEHRU ELECTRICAL AND MECHANICAL ENGINEERS PRIVATE LIMITED-ALWAR RITES-CALL	542800 (FP)	9379N01	Supply of 132 KV outdoor oil filled current Transformer of Ratio 400-200/5A (for protection purpose) as per RDSO specification no. ETI/PSI/117 (7/88) with A&C slip no. 1 to 9 or latest. Firms offer ma	1	SR.SE (TD) AKOLA	4 Nos.	21-Sep-21
61	50205012101855 dt.02-JUL-21 on M/s.S. PAL ENTERPRISES PVT LTD-ALWAR	90724429.6	56119550	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	3	PUNE	11.5 KM	15-Aug-22

	RITES-CALL	(FP)	5611N0007	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	6	SIGNAL INSPECTOR KWV	90 KM	15-Aug-22
			5611N0009	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	2	Sr. Section Engineer	100 KM	15-Aug-22
			5611N0020	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	4	Sr. Section Engineer	71.64 KM	15-Aug-22
			5611N0021	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	1	Sr. Section Engineer	30 KM	15-Aug-22
			5611N0022	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	5	SIGNAL INSPECTOR PA	35 KM	15-Aug-22
			62	91215240100332 dt.05-JUL-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION-MUMBAI RITES-CALL	1504328	56XXN1	Track magnet complete with Track magnet clamp bolts, Rubber Bushesh and Nuts type S-25-432-M1-A1 (India) fitted with F1, F2, F3, F4 & F5 track oscillators for Siemens make AWS.	1
		(FP)	56XXN2	Track magnet complete with Track magnet clamp bolts, Rubber Bushesh and Nuts type S-25-432-M1-A1 (India) fitted with F1, F2, F3, F4 & F5 track oscillators for Siemens make AWS.	2	SIGNAL INSPECTOR PA	2 Set	05-Jan-22

63	38215006801883 dt.06-JUL-21 on M/s.ICF Headquartes, Chennai RITES-CALL	4980000 (FP)	3031N02	Wheel set for LHB coaches (01 set consisting of 12 wheel sets) as per ICF Drg. No. 455-02-003-000-01 Alt. b	1	SENIOR SECTION ENGI	1 Set	06-Aug-21
64	85215456100667 dt.10-JUL-21 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA LIMITED- HOSUR RITES-CALL	647628.8 (FP)	30XXNS	Knuckle of CBC for LHB COACHES M/S FAIVELEY make Part no D228583-100. Specification no RDSO/2011/CG-03 (Rev -1) or latest.	1	L.V.B. SHOP MTN	20 Nos.	08-Oct-21
65	92215195100458 dt.14-JUL-21 on M/s.ANSH TECHNOLOGIES- MUMBAI RITES-CALL	912384 (FP)	45XXN01	SET OF VRLA BATTERY 110 VOLT 70 AH VRLA (SEALED MAINTENANCE FREE SMF) CONSISTING OF 9 MODULE OF 12 VOLTS EACH SUITABLE FOR LHB COACHES AS PER RDSO SPECIFICATION NO	1	SR. SECT.ENG.[AC/COG	9 Set	14-Sep-21
66	56186396100834 dt.26-JUL-21 on M/s.MEDHA SERVO DRIVES PRIVATE LIMITED-HYDERABAD RITES-CALL	13894500 (FP)	25XXNS	STATIC INVERTER (2 X 130 KVA) AS PER RDSO SPECIFICATION NO RDSO/2018/EL/SPEC/0140 REV '1' Make - Self .	1	CWM(ELW) BSL	5 Nos.	10-Sep-21
67	93215213100292 dt.26-JUL-21 on M/s.GOLKONDA ENGINEERING ENTERPRISES LIMITED- SECUNDERABAD RITES-CALL	1380600 (FP)	5611	Supply of 20 Pair cable 0.5 mm Conductor dia armoured Polythene Insulated Jelly Filled Underground Telephone cable as per RDSO Specification-IRS/TC-41-97 with amendment No.3 or latest. (Inspection by	1	Sr. Section Engineer	9 KM	24-Oct-21
68	92205584100484 dt.29-JUL-21 on M/s.LAKSHMI INDUSTRIAL CORPORATION- MEERUT CITY RITES-CALL	2336400 (FP)	6032N3	Battery operated rail core drilling machine or similar (1) Product specification ERD35 2V50 Max. core cutting 36mm, (2) Rated speed 250/240 rpm (3) Battery type Li-on, (4) Battery voltage 50V (5	1	SE(PWAY) , [STORES]	20 Nos.	12-Sep-21
69	56215348100848 dt.30-JUL-21 on M/s.SUSTAIN TECHNOLOGY- RAIGARH	640008.4	25XXNS	THERMOPLASTIC HYDRAULIC HOSE ID 4.00 MM AND LENGTH 3 METERS LONG WITH SUITABLE ADAPTOR FOR WORKING PRESSURE 3200 BAR (BURST	1	TRACTION MOTOR OVERH	2 Set	14-Sep-21

	RITES-CALL	(FP)		PRESSURE 8000 BAR) AS				
70	50215059102174 dt.30-JUL-21 on M/s.GLOW RAIL POWER-KOLKATA RITES-CALL	2655000 (FP)	5630N001	110VDC Motors with gear box IP 67 type (Complete motor should be water proofed) 160 V AC Immunity for electric Point Machines (IRS type) as per IRS S-37/82. Make -Globe Scott	1	CWM(S&T) WS BYCULLA	90 Nos.	28-Oct-21
71	48215357100529 dt.01-JUL-21 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.- MUMBAI RITES-CALL	677703.83 (FP)	31NS	ELGI MAKE REPAIR KIT (36 MONTH) FOR COMPRESSOR RR 15070 DEMU DPC 1600 HP TO ELGI PART NO. 072420209 AS PER ANNEXURE. MATERIAL TO BE PROCURED FROM OEM	1	CWM / PR	6 Set	01-Jan-22
72	50205012101859 dt.02-JUL-21 on M/s.GOLKONDA ENGINEERING ENTERPRISES LIMITED- SECUNDERABAD RITES-CALL	139726236 (FP)	56119550	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	3	CRD	32.37 KM	15-Aug-22
					4	BSL	3.84 KM	15-Aug-22
			5611N0002	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	15	Sr. Section Engineer	16 KM	15-Aug-22
			5611N0003	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	12	SIGNAL INSPECTOR KWV	4 KM	15-Aug-22
			5611N0004	Underground jelly filled 6 Quad 0.9 mm dia copper conductor cable for Railway Signal & Telecom Installations conforming to RDSO Spec No.IRS-TC-30/2005 Ver 1 with Amendment no.1 to 5.	5	SIGNAL INSPECTOR KWV	15 KM	15-Aug-22
			5611N0006	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	8	SIGNAL INSPECTOR KWV	4 KM	15-Aug-22

5611N0007	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	20	SIGNAL INSPECTOR KWV	89.86 KM	15-Aug-22
5611N0008	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	13	Sr. Section Engineer	52.5 KM	15-Aug-22
5611N0009	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	11	Sr. Section Engineer	50.5 KM	15-Aug-22
5611N0011	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	6	Sr. Section Engineer	9.5 KM	15-Aug-22
5611N0013	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	14	SIGNAL INSPECTOR WR	6 KM	15-Aug-22
5611N0016	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	1	SIGNAL INSPECTOR NGP	31.5 KM	15-Aug-22
5611N0017	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	16	SIGNAL INSPECTOR NGP	1 KM	15-Aug-22

5611N0018	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	10	Sr. Section Engineer	24 KM	15-Aug-22
5611N0019	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	7	Sr. Section Engineer	4.48 KM	15-Aug-22
5611N0020	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	19	Sr. Section Engineer	69.36 KM	15-Aug-22
5611N0021	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	18	Sr. Section Engineer	30 KM	15-Aug-22
5611N0022	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	9	SIGNAL INSPECTOR PA	34 KM	15-Aug-22
5611N0023	Underground jelly filled 6 Quad 0.9 mm dia. copper conductor cable for Railway Signal & Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment No.1 to 5.	17	SIGNAL INSPECTOR PA	42 KM	15-Aug-22
5611N0024	Underground jelly filled 6 quad 0.9 mm dia copper conductor cable for Railway Signal and Telecom installations conforming to RDSO Spec No.IRS-TC 30/2005 Ver-1 with Amendment no.1 to 5.	2	Sr. Section Engineer	1 KM	15-Aug-22

73	50215025101876 dt.05-JUL-21 on M/s.SANDHU TECHNOCRATS PVT. LTD.-JAMSHEDPUR RITES-CALL	1747200 (FP)	5630N001	Electric Point Machine [Rotary Locking Type] 143mm throw [AC immunity 160 Volt] AC Non Trailable to operate on 110V DC complete with lock and detector slides and cable termination box conforming as pe	1	SIGNAL INSPECTOR PA	24 Nos.	02-Nov-21
74	92215246100441 dt.09-JUL-21 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	1741045 (FP)	56XXNS01	Supply of 6 pole female socket with ring for AWS Track magnet (Siemens make Siemens Drg No C25334-Z4-C519). ACCEPTED MAKE FOR SIEMENS	1	Sr. Section Engineer	50 Nos.	09-Mar-22
			56XXNS02	Supply of 6 pole male plug for AWS Track Magnet (Siemens make) ACCEPTED MAKE FOR SIEMENS	2	Sr. Section Engineer	250 Nos.	09-Mar-22
75	56215073100808 dt.15-JUL-21 on M/s.TRIMURTI TRADING COMPANY- MUMBAI RITES-CALL	2315712 (FP)	25XXNS	SET OF MAGNET VALVE AS PER ANNEX. ONE SET CONSIST OF 5 ITEMS. 05 NOS. Firm's offer - SET OF MV ONE SET CONSISTS OF 05 ITEMS 05 NOS. ROTEX MAKE MAGNET VALVE MODEL NO - 3282,3038C,3403,30317,32 23C	1	CWM(ELW) BSL	30 Set	12-Jan-22
76	41215025201982 dt.19-JUL-21 on M/s.ICON INFOTECH PRIVATE LIMITED- MUMBAI RITES-CALL RITES-IC	9083994 (FP)	92NSN1	UTS DOT MATRIX PRINTER AS PER SPECIFICATION ATTACHED IN PDF, WITH 3 YRS ON SITE WARRANTY	1	SR DIVL COMMERCIAL M	150 Nos.	22-Sep-21
					2	SR DIVL COMMERCIAL M	233 Nos.	11-Nov-21
77	85215460100728 dt.22-JUL-21 on M/s.SANROK ENTERPRISES- FARIDABAD. RITES-CALL	559552 (FP)	30XXNS	Knuckle for AAR H Coupler as per Sanrok Drawing no (1ED-1067).as per RDSO Spec RDSO-2011/CG- 03/Rev1 or latest.	1	L.V.B. SHOP MTN	20 Nos.	20-Sep-21
78	56215243100844 dt.29-JUL-21 on M/s.MODERN RAILTECH EQUIPMENT MANUFACTURES PRIVATE LIMITED- KOLKATA RITES-CALL	712130 (FP)	25XXNS	EMERGENCY STOP PUSH BUTTON AS PER CLW SPECIFICATION NO. CLW/ES/3/0077 ALT-A OR LATEST.(TO BE PROCURED FROM CLW APPROVED SOURCES ONLY) Make - Schmersal Germany .One set consists of 1) EF303S.1-1 No. 2)	1	DRIVER DESK	71 Nos.	13-Sep-21

79	60215043202162 dt.30-JUL-21 on M/s.CBS TECHNOLOGIES PVT LTD, DELHI RITES-CALL	8900000 (FP)	8225N01	PROCUREMENT & INSTALLATION OF OXYGEN GENERATOR PLANT FOR THE DEDICATED COVID CARE HOSPITAL WING OF DR.B.A.M. HOSPITAL, BYCULLA, CENTRAL	1	MD BY	1 Nos.	18-Aug-21
80	56215122100852 dt.31-JUL-21 on M/s.LAXVEN SYSTEMS- HYDERABAD RITES-CALL	1725408.74 (FP)	25XXNS	SET OF SPARE PARTS OF LAXVEN MAKE SPEEDOMETER TYPE LAX2000E2 & TACHO GENERATOR. ONE SET CONSIST OF 31 ITEMS 1954 NOS. AS PER ANNEX A. MAKE- LAXVEN .HSN	1	SR.SEC.EN G.(PROGRE SS	1 Set	29-Nov-21
81	56186396100832 dt.26-JUL-21 on M/s.HIND RECTIFIERS LIMITED-MUMBAI RITES-CALL	2778900 (FP)	25XXNS	STATIC INVERTER (2 X 130 KVA) AS PER RDSO SPECIFICATION NO RDSO/2018/EL/SPEC/0140 REV '1' Make - HIRECT .	1	CWM(ELW) BSL	1 Nos.	24-Nov-21
82	93215188100291 dt.26-JUL-21 on M/s.MOTOR AND GENERAL SALES PRIVATE LIMITED- LUCKNOW RITES-CALL	1205008 (FP)	3810NXX6	Fabricated Flap Door Assembly for BOXNHL MBS Wagons to RDSO Drg. No. WD-09034-S-07,Alt-10, Item No. 3,4,5A,5B,5C, 10,11,12,13,16 & 17 Only. Material Spec. IRS:M44 Firms offer make / brand- MGS	1	Sr. Section Engineer	140 Nos.	04-Sep-21
83	56215277100835 dt.27-JUL-21 on M/s.SIMPLEX INDUSTRIES-NAGPUR RITES-CALL	573440 (FP)	25XXNS	MODIFIED COW CATCHER ASSEMBLY FOR WAP 5 LOCO AS PER CLW DRG. NO. 121002140071 AND SPEC. CLW/MS/3/107,ALT-5. (ITEM IS RESERVED FOR CLW APPROVED	1	ERECTION NO.3	16 Nos.	25-Nov-21
84	54215021100086 dt.31-JUL-21 on M/s.ADOR WELDING LIMITED-MUMBAI RITES-CALL	801243.6 (FP)	54NS	Submerged Arc Welding Machine Make - SUR ARC, ADOR, ESAB (As per Technical Specification)	1	SR.S.E.[MIL L WRIGHT]	2 Nos.	31-Aug-21