

DETAIL OF AVAILABILITY OF MINIMUM ESSENTIAL AMENITIES AT VARIOUS STATIONS AS ON 31.12.2021

Category NSG-2

Sr No.	Station	Drinking water/ Hand Pump (1)		Waiting hall (2)		Seating arrangement (3)		Platform shelters (4)		Urinals (5)		Latrines (6)		Plat form (7)	Light ing (8)	Fans (9)	Foot over bridge (10)	Time table dis play (11)	Clocks (12)	Water coolers (13)	PA system/ PC based Announ (14).	Parking /circula area with lights (15)	Electr. train indi. baord. (16)	signages (17)	Dustbin s (18)
		Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.												
	Minimum essential	20 taps on each PF		250 sq. m.		150 on each PF		500 sq. m..on each PF		12 Nos		12 Nos		High level			1 with cover			2 nos					
		Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.	Ava.											
1	Solapur PF-1	44	0	452	0	800	0	5407	0	11	0	13	0	HL	Y	Y	2	1	1	4	Y	Y	Y	Y	34
	PF 2&3	76	0	N	0	450	0	4903	0	4	0	2	0	HL	Y	Y	connected	N	1	3	Y	N	Y	Y	23
	PF 4&5	52	0	N	0	550	0	5302		4	0	2	0	HL	Y	Y	connected	N	1	2	Y	N	Y	Y	22

Remark

Category NSG-3

Sr No.	Station	Drinking water/ Hand Pump (1)		Waiting hall (2)		Seating arrangement (3)		Platform shelters (4)		Urinals (5)		Latrines (6)		Plat form (7)	Light ing (8)	Fans (9)	Foot over bridge (10)	Time table dis play (11)	Clocks (12)	Water coolers (13)	PA system/ PC based Announ (14).	Parking /circula area with lights (15)	Electr. train indi. baord. (16)	signages (17)	Dustbin s (18)
		Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.												
	Minimum essential	20 taps on each PF		125 sq. m.		125 on each PF		400 sq. m..on each PF		10 Nos		10 Nos		High level			1 with cover			2 on each PF				Yes	Yes
		Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.			Ava.	short.	Ava.											
1	Kalaburagi PF-1	25	0	250	0	363	0	3290	0	8	0	10	0	HL	180	34	2	4	4	3	Y	Y	Y	Y	Y
	PF 2&3	20	0	0	0	227	0	3200	0	2	0	3	0	HL	145	24	connected	0	3	2	Y	N	Y	Y	Y
	PF-4	20	0	0	0	155	0	400	0	2	0	2	0	HL	90	18	connected	0	1	0	Y	N	Y	Y	Y
2	Ahmednagar																								
	PF 1	26	Nil	185	Nil	460	Nil	3670	Nil	6	4	14	Nil	Ava.	200	34	Ava	Ava	Ava	Ava	Ava	Ava	Ava	Ava	Ava
	PF 2	18		Nil	Nil	310	Nil	1710	Nil	2	8	4	Nil	Ava.	22	5	Ava	Nil	Ava	Ava	Ava	Ava	Ava	Ava	Ava
3	Daund																								
	PF 1&4	14		N/A		80		200		0	10	0		High level	24	4				Available	-	No	Availabl e	Availabl e	
	PF 2&3	60	0	126		192	-	2289	-	4	6	8		High level	207	37	02(with cover)	Yes	2	4	Available	-	2	Availabl e	Availabl e
	PF 5&6	54	0	N/A		193	-	627	-	0	10	2		High level	262	17	02(with cover)	Yes	2	2	Available	-	2	Availabl e	Availabl e
4	Kopergaon PF1	31	_	136		84		1088		6		12		availabl e	normal	5	1	yes	1	1	yes	1410sq. m	yes	yes	19
	PF 2	24	_			69		624		0		0		availabl e	normal	5			1	1					7
5	Shirdi PF 1	36		123		514		4275		12		15		availabl e	normal	19	2	yes	1	3	yes	5000	yes	yes	20
	PF 2&3	48				298		3136		0		0				20			1	2					10

Remark

Category NSG-4

Sr No.	Station	Drinking water/ Hand Pump (1)		Waiting hall (2)		Seating arrangement (3)		Platform shelters (4)		Urinals (5)		Latrines (6)		Plat form (7)	Light ing (8)	Fans (9)	Foot over bridge (10)	Time table dis play (11)	Clocks (12)	Water coolers (13)	PA system/ PC based Announ (14).	Parking /circula area with lights (15)	Electr. train indi. baord. (16)	signages (17)	Dustbin s (18)
	Minimum essential	20 taps on each PF		75 sq. m.		100 on each PF		200 sq. m..on each PF		06 Nos		06 Nos													

		Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.													
1	Kurduwadi PF1/2	37		80		200		580		3		8		HL	90	13	Y	Y	2	2	Y	Y	Y	Y	Yes	26		
	PF 3&4	44			150		575		3		5		HL	46	10	Y	...	2	1	Y	...	Y	Yes	16			
2	Latur PF-1	36	0	193	0	340	0	1125	0	4		9	0	HL	Y	Y			Y	2			Y	Y	Y			
	PF 2	4		NA		50		198		0		0		HL	Y	Y	Y	Y	Y	1	Y	Y	Y	Y	Y			
3	Wadi 1&2	42	0	146	0	455	0	2100	0	3		5	0	HL	84	16	Y	Y	Y	1	2	Y	Y	Y	Y			
	PF 3&4	42	0	0	0	220	0	1520	0	1	0	2	0	HL	69	9	Y	Y	Y	1	1	Y	Y	Y	Y			
4	Pandharpur PF1	15		1540		53		13730		3		15		HL	115	7	YES	YES 2	YES 1	YES 1	YES	NO	YES 1	NO	YES 12			
	PF 2 & 3	9				24		630						HL	46				YES 1	YES 1	YES	NO			YES 8			

Remark

Category NSG-5

Sr No.	Station	Drinking water/ Hand Pump (1)		Waiting hall (2)		Seating arrangement (3)		Platform shelters (4)		Urinals (5)		Latrines (6)		Plat form (7)		Light ing (8)	Fans (9)	Foot over bridge (10)	Time table dis play (11)	Clocks (12)	Water coolers (13)	PA system/ PC based Announ (14).	Parking /circula area with lights (15)	Electr. train indi. baord. (16)	Dustbins (18)
	Minimum essential	08 taps on each PF		30 sq. m.		50 on each PF		50+ sq. m..on each PF		04 Nos		04 Nos		High level				1			1 on main PF				Yes
		Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.			Ava.	short.	Ava.	short.										
1	Shahabad PF PF 2&3	12	0	50	0	130	0	1800	0	5	0	6	0	HL	46	6	Y	Y	1	1	1	Y	Y		Y
		26	0	0	0	110	0	1520	0	1	0	1	0	HL	31	3	Y	Y	1	1	1	0	0		Y
2	Belapur PF1	20		173		33		408		5		8		availabl e	normal	3		1	1	1	2	yes	1480	yes	7
	PF 2	24				15		774		0		0				0				1	0				3
3	Gangapur Rd PF	12	0	160	0	150	0	350	0	2	2	4	0	HL	37	5	Y	Y	1	1	1	Y	N		Y
4	Dudhani PF1	12	0	63	0	70	0	350	0	4	0	4	0	HL	Y	Y	Y	Y	1	1	1	1	1		6
5	Akkalkot Rd PF1	10	0	64	0	60	0	350	0	2	2	2	2	HL	Y	Y	Y	Y	Y	Y	Y	Y	Y		6
	PF2	8	0	0	0	40	0	66	0	0	4	0	4	ML	Y	N	Y	Y	Y	N	N	Y	N		Y
6	Jeur PF1	11		60Sqm		100		50sqm		2	2	3	1	ML	16	11	N	Y	Y	1	1	Y	N	N	10
7	Osmanabad P PF 2	20	0	56.38	0	125	0	1600	0	4	0	5	0	HL	Y	Y		Y	Y	Y	Y				Y
		8	0	NA		50	0	66	0	0	4	0	4	HL	Y	N		Y	N	N	Y	Y	N		Y
8	Hotgi PF-1&2	10	0	58	0	60	0	400	0	4	0	4	0	HL	Y	Y	Y	Y	Y	Y	Y	Y	Y		8
9	Barsi town PF-2	14	0	56.38	0	125	0	927	0	4	0	4	0	HL	Y	Y		Y	Y	Y	Y				Y
		4		NA		50	0	88	0	0	4	0	4	HL	Y	N		N	Y	N	N	Y	Y	N	Y

Remark

Category NSG-6

Sr No.	Station	Drinking water/ Hand Pump (1)		Waiting hall (2)		Seating arrangement (3)		Platform shelters (4)		Urinals (5)		Latrines (6)		Plat form (7)		Light ing (8)	Fans (9)	Foot over bridge (10)	Time table dis play (11)	Clocks (12)	PA system/ PC based Announ (14).	Parking /circula area with lights (15)	Electr. train indi. baord. (16)	Dustbins (18)
	Minimum essential	02 taps on each PF		15 sq. m.		10 on each PF		50+ sq. m..on each PF		1 Nos		1 Nos		High level				1						Yes
		Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.			Ava.	short.	Ava.	short.									
1	Martur PF-1	2	0	50	0	15	0	0	50	2	0	2	0	RL	10	0	Y	Y	1	1				Y
2	Hirenanduru	1	1	28	0	20	0	0	50	2	0	2	0	RL	10	0	Y	Y	1	1				Y
3	Bablad	1	1	12	3	15	0	0	50	2	0	2	0	RL	8	0	N	Y	1	1				Y
4	Savalgi PF-1	4	0	100	0	12	0	0	50	2	0	2	0	RL	6	0	N	Y	1	1				Y
5	Hunsihadgil	2	0	10	5	12	0	0	50	2	0	2	0	RL	11	0	N	Y	1	1				Y
6	Gaudgaon	2	0	31	0	25	0	0	50	2	0	2	0	RL	5	0	N	Y	1	1				Y
7	Kulali PF-1	2	0	50	0	30	0	0	50	2	0	2	0	RL	10	0	N	Y	1	1				Y
8	Boroti PF-1	2	0	48	0	10	0	0	50	1	0	1	0	HL	7	0	N	Y	1	0				4
9	Nagansur PF-	4	0	10	0	10	0	0	50	1	0	1	0	HL	7	0	N	Y	1	0				4
10	Tilati PF-1	8	0	29	0	14	0	0	50	2	0	2	0	HL	40	1	N	Y	1	0				4

11	Tikekarwadi P	4	0	47	0	15	0	0	50	1	0	1	0	HL	20	1	Y	1	0		N				4
	PF 2	4	0	0	0	10	0	0	50	0	0	0	1	HL	7	0	Y	N	0		N				2
12	Bale PF-1	6	0	49	0	18	0	0	50	2	0	2	0	RL	14	1	N	1	0		N				4
	PF 2	2	0	0	0	10	0	0	50	0	0	0	0	HL	12	0	N	N	0		N				2
13	Pakni PF-1	2	0	26	0	16	0	0	50	1	0	1	0	RL	12	1	N	1	0		N				2
	PF 2	0	2	4	0	0	0	0	50	0	0	0	1	HL	16	0	N	N	0		N				N
14	Mundhewadi	2	0	49	0	10	0	0	50	2	0	2	0	ML	10	0	N	1	0		N				2
	PF 2	0	2	0	0	10	0	0	50	0	0	0	1	HL	10	0	N	N	0		N				N
15	Mohol PF-1	8	0	132	0	30	0	0	0	2	0	2	0	HL	20	0	Y	1	1		N				6
	PF 2	2	0	0	0	15	0	0	0	0	0	0	1	HL	21	0	Y	N	0		N				N
16	Malikpeth	5		15Sqm		24		N		2		4		ML	15	1	N	Y	N		N	N	N		4
17	Angar	6		20Sqm		15		N		2		4		ML	21	N	N	Y	N		N	N	N		4
18	Vakav	5		15Sqm		36		N		2		4		ML	26	1	N	Y	N		N	N	N		4
19	Madha	9		15 Sqm		75		N		2		4		ML	51	N	Y	Y	N		N	N	N		4
20	Wadsinge	4		15 Sqm		36		N		N		2		ML	25	N	N	Y	N		N	N	N		8
21	Dhavalas	18		15 Sms		21		N		N		3		ML	30	N	N	Y	N		N	N	N		8
22	Kem	16		15 Sqm		30		N		N		4		ML	18	2	Y	Y	N		N	N	N		8
23	Bhalvani	16		15 Sqm		36		N		N		3		ML	35	4	N	Y	N		N	N	N		8
24	Pophalaj	5		15 Sqm		22		N		N		2		RL	8	N	N	Y	N		N	N	N		4
25	Washimbe	3		15 Sqm		30		N		N		2		ML	5	N	N	Y	N		N	N	N		4
26	Parewadi PF-	Available	-	Available	-	Available	-	-	-	-	-	Available	-	Available	Available	-	-	-	Available	-	-	-	-	Available	Available
	PF 2	-	-	-	-	-	-	-	-	-	-	-	-	Available	Available	-	-	-	-	-	-	-	-	-	-
27	Jinti road	Available	-	Available	-	Available	-	-	-	-	-	Available	-	-	Available	Available	-	-	-	-	-	-	-	-	Available
28	Bhigwan PF-	Available	-	Available	-	Available	-	Available	-	Available	-	Available	-	Available	Available	Available	Available	Available	Available	-	-	-	-	-	Available
	PF 2	Available	-	-	-	Available	-	Available	-	Available	-	Available	-	Available	Available	-	Available	-	-	-	-	-	-	-	Available
29	Malthan PF-1	Available	-	Available	-	Available	-	-	-	-	-	-	-	Available	Available	-	-	Available	Available	-	-	-	-	-	Available
	PF 2	Available	-	-	-	Available	-	-	-	-	-	-	-	Available	Available	-	-	Available	-	-	-	-	-	-	-
30	Boribail PF-1	Available	-	Available	-	Available	-	-	-	Available	-	Available	-	-	Available	-	-	-	Available	-	-	-	-	-	Available
	PF 2	-	-	-	-	Available	-	-	-	-	-	-	-	-	Available	-	-	-	-	-	-	-	-	-	-
31	Kashti PF-1	Available	-	Available	-	Available	-	Available	-	Available	-	Available	-	-	-	-	-	-	Available	-	-	-	-	-	Available
32	Shrigonda road	Available	-	Available	-	Available	-	-	-	Available	-	Available	-	Available	Available	Available	-	-	Available	-	-	-	-	-	Available
33	Belwandi	2	Nil	52	Nil	150	Nil	72	short.	Nil	Short	8	Nil	G.level	9	2	Nil	Ava.	Ava.	Nil	Nil	Ava.	Nil	NIL	Ava.
34	Visapur	2	Nil	50	Nil	120	Nil	72	short.	1	Short	2	Nil	Ava.	8	1	Nil	Ava.	Ava.	Nil	Nil	Ava.	Nil	NIL	Ava.
35	Ranjangaon road	2	Nil	15	Nil	30	Nil	71	short.	Nil	Short	2	Nil	G.level	8	1	Nil	Ava.	Ava.	Nil	Nil	Ava.	Nil	NIL	Ava.
36	Sarola	2	Nil	48	Nil	110	Nil	72	short.	Nil	Short	8	Nil	Ava.	7	1	Nil	Ava.	Ava.	Nil	Nil	Ava.	Nil	NIL	Ava.
37	Akolner	2	Nil	34	Nil	115	Nil	54	short.	Nil	Short	3	Nil	Ava.	8	1	Nil	Ava.	Ava.	Nil	Nil	Ava.	Nil	NIL	Ava.
38	Vilad	7	Nil	27	Nil	50	Nil	108	short.	1	Short	6	Nil	G.level	7	1	Nil	Ava.	Ava.	Nil	Nil	Ava.	Nil	NIL	Ava.
39	Vambori	3	Nil	48	Nil	130	Nil	54	short.	Nil	Short	3	Nil	G.level	8	1	Nil	Ava.	Ava.	Nil	Nil	Ava.	Nil	NIL	Ava.
40	Rahuri PF-1	4	Nil	90.4.4	Nil	140	Nil	90	short.	Nil	Short	6	Nil	Ava.	8	1	Nil	Ava.	Ava.	Nil	Nil	Ava.	Nil	Ava.	Ava.
	PF 2	Nil	short.	Nil	short.	20	Nil	18	Nil	Nil	Nil	NIL	NIL	Ava.	5	Nil	Nil	NIL	Ava.	Nil	Nil	Nil	NIL	NIL	NIL
41	Padhegaon	7		47		41		54		1		8		yes	normal	0	0	0	0		0	396	0		2
42	Chitali	4		42		21		54		1		8		yes	normal	0	0	0	0		0	331	0		2
43	Puntamba PF 1	26		167		88		847		6		8		yes	normal		1	1	1		yes	366	no		8
	P/F-2	26				46		459		2		4													3
44	Kanhegaon																								
	PF 1	2		46		32		256		1		4		yes	normal	0	0	0	1		0	300	no		2
	PF 2	0		0		0		0		0		0													
45	Yeola	12		103		90		296		2		5		yes	normal	2	0	0	0		0	345	no		4

46	Modlimb	YES		YES 47		YES 29				YES 2		YES 4		NO	YES 23	YES 2			YES 1						YES
47	Salgare	YES 4		YES 30		YES 38		YES		2		4		YES	24	4			1						YES
48	Jath Road	YES 4		YES 56		YES 26		YES		2		4		YES	24	2			1						YES
49	Arag	YES 7		YES 30		YES 25		YES		2		5		YES	28	2			1						YES
50	Dhalgaon	YES 4		YES 56		YES 24		YES		2		4		YES	21	3			1						YES
51	Sangola	YES 5		YES 56		YES 54		YES		4		4		YES	51	6	YES		1		YES		1		YES
52	K Mahankal	YES 9		YES 30		YES 31		YES		2		5		YES	47	2			1						YES
53	Pangri	2	0	56.38	0	30	0	182	0	4	0	4	0	ML	Y	Y			Y	Y					
54	Vedshi	2	0	56.38	0	100	0	22		4	0	4	0	HL	Y	Y			Y	Y					
55	Dhoki	2	0	56.38	0	30	0	22		4	0	4	0	ML	Y	Y			Y	Y					
56	Ausa road	2	0	56.38	0	30	0	22		4	0	4	0	ML	Y	Y			Y	Y					
57	Shendri	2	0	56.38	0	30	0	248	0	0	1	2	0	HL	Y	Y			Y	Y					

Remark

Category HG-3

Sr No.	Station	Drinking water/ Hand Pump (1)		Platform (2)	Light ing (3)	Fans (4)	Foot over bridge (5)	Time table display (6)	Clocks (7)	Dustbins (8)															
	Minimum essential	Appropriate		High level																					
		Ava.	short.																						
1	Belanki	1	0	HL	N	N	N	N	N	N															
2	Harangul	1	0	ML	Y	N	N	Y	N	N															
3	Javale	1	0	HL	N	N	N	N	N	N															
4	Kalamb road	1	0	ML	Y	N	N	Y	N	N															
5	Langarpet	1	0	HL	N	N	N	N	N	N															
6	M dongargaon	1	0	HL	N	N	N	N	N	N															
7	Murud	1	0	ML	Y	N	N	Y	N	N															
8	Nippani-vadga	2	0	RL	N	N	N	N	N	N															
9	Wasud	0	1	HL	N	N	N	N	N	N															

Remark

0	0	0	0	0
---	---	---	---	---