

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	Consignee	PO Qty	Dely.Dt
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;							
1	95205032100037 dt.03-FEB-22 on M/s.TIRUMALA ENGINEERING- CHANDAUJI RITES-CALL	914500 (FP)	61XXN01	DV test bench (Computerized microprocessor controlled distributor valve test bench) as per technical specification Annexure - I, II, III, IV MAKE OWN MAKE	SR.SEC.EN GR/ C&W/ AJ	1 Nos.	05-Apr-22
2	56205704200119 dt.05-FEB-22 on M/s.GODREJ AND BOYCE MANUFACTURING COMPANY LIMITED, MUMBAI RITES-CALL	1761000 (FP)	25XXNS	SUPPLY, ERECTION, TESTING AND COMMISSIONING OF FORK LIFTER 05 TON CAPACITY (DIESEL OPERATED) SPECIFICATION AS PER ANNEXURE- A. MAKE - VOLTAS, TOYOTA, GODREJ OR NILKAMAL	MILL WRIGHT II	1 Nos.	23-Mar-22
3	91225051100075 dt.10-FEB-22 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	1282896 (FP)	56XXN02	LED signal lighting unit with built in current regulator, retrofitable in existing CLS units as per RDSO spec. No. RDSO/SPN/199/2010 Rev.1.1 with latest amendment for main LED signal lighting unit: R	SIGNAL INSPECTOR PA	144 Nos.	11-May-22
4	56215499100149 dt.16-FEB-22 on M/s.KAY PEE EQUIPMENTS PVT LTD-HOWRAH RITES-CALL	1246004.48 (FP)	25XXNS	SPLIT COVER ASSEMBLY (IN TWO HALVES) FOR WAP-5 LOCOMOTIVE AXLE BOX AS PER ABB ID NO. IA011-00372 . Make - Own.	WHEEL SETS AC LOCO W	32 Nos.	17-Jun-22
5	93215584100093 dt.16-FEB-22 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	2256809 (FP)	5646N	Supply of Shunt signal group Siemens make (no A-RT-RG- AD065 or functional equivalent without base plate (suitable for LED) FIRMS OFFER BRAND:- SIEMENS MAKE NO. A-RT-RG-A065 IS ACCEPTED.	Sr. Section Engineer	29 Nos.	28-Mar-22

6	93215502100094 dt.16-FEB-22 on M/s.ELECTRONIC AND ENGINEERING COMPANY INDIA PVT LTD-DADRA AND NAGAR HAVELI RITES-CALL	958160 (FP)	90XXNX11	Supply and installation and Commissioning Portable Digital Flaw Detedtor with A- Scan storage along with Standard accessories and spares as per latest RDSO Specification No. M&C/NDT/125/2004, Rev II Ja	Sr. Section Engineer	4 Nos.	17-May-22
7	93215613100096 dt.17-FEB-22 on M/s.J K CABLES LIMITED- NOIDA RITES-CALL	1399936.66 (FP)	9379N01	Large Span Wire 130 Sq. mm (37/2.10mm), Stranded Cadmium Copper Conductor, conforming to RDSO Specification no. TI/SPC/OHE/CAT(Cu- Cd)/0971 or latest FIRMS OFFER BRAND:- J.K MAKE IS ACCEPTED.	Sr. Section Engineer	1130 MTR	29-Mar-22
8	92215602100124 dt.22-FEB-22 on M/s.BONY POLYMERS (P) LIMITED- FARIDABAD RITES-CALL	831900 (FP)	10 NS	'L' type composite Brake Block For BLC wagon. ITEM DESCRIPTION :- L-type composition brake block for container flat wagon type BLCA/BLCB, for 840 mm. dia. Wheel, to RDSO's DRG .No. CONTR. 9404-S-11, A	HTXR KYN	2500 Nos.	22-Jun-22
9	50215140100885 dt.23-FEB-22 on M/s.TEJAS ENTERPRISES-THANE RITES-CALL	1182537 (FP)	5604N001	Wheel Sensor RSR 180 with 15 meters cable and protection tube 14.8 mtr. length for Frauscher make MSDAC Make : Frauscher make	CWM(S&T) WS BYCULLA	9 Nos.	23-May-22
10	50225004100968 dt.28-FEB-22 on M/s.RELIANCE ELECTRICALS-THANE RITES-CALL	814200 (FP)	5601N01	Frequency Converter Input 230 V AC (plus/minus 20%) Single Phase 50 Hz Output (i) 110 V AC & 83.3 Hz Frequency and (ii) 165-190 V AC & 83.3 Hz Frequency Capacity 3 KVA make Reliance, DB or Siemens.	CWM(S&T) WS BYCULLA	3 Nos.	25-May-22
11	46225004100010 dt.07-FEB-22 on M/s.TOTAL WIRELESS TECHNOLOGIES PRIVATE LIMITED- NEW DELHI	744580	31XXNNS	8 CHANNEL NVR WITH M12 CONNECTOR AS PER ICF SPECIFICATION NO. ICF/MD/SPEC-269 ISSUE STATUS:01 REV:05 DATE 12.08.2016 AND HAVING PROPER FITMENT COMPATIBILITY WITH VACRON MAKE CCTV SYSTEM INSTALLED IN B	SR,DEE,[TR S] CLA	10 Nos.	09-Mar-22

	MITES-CALL	(FP)					
12	92215680100083 dt.10-FEB-22 on M/s.APPOLO DISTRIBUTORS- KOLKATA MITES-CALL	1487359.87 (FP)	4590N01	Starter Lead Acid Battery 8V, 290AH battery for LHB power Car confirming to RDSO spec No. ELPS/SPEC/TL/001-98 (REV-0) with amendment no. 1 of Dec 2013 or latest. Initial charging of each battery is	SR. SECT.ENG.[AC/COG	30 Nos.	21-May-22
13	92225163100084 dt.10-FEB-22 on M/s.AADINATH PERIPHERALS AND CONSUMABLES- MUMBAI MITES-CALL	2088600 (FP)	92NSN1	RIBBONS FOR PRINTRONIX MAKE HEAVY DUTY LINE MATRIX PRINTERS P-8010 IN MANUFACTUER'S ORIGINAL PACKING. ACCEPTED OFFER FOR MAKE PRINTRONIX	SR DIVL COMMERCIAL M	600 Nos.	10-Jun-22
14	41215047100756 dt.14-FEB-22 on M/s.VENUS ELECTRONICS AND CONTROLS PVT LTD- MUMBAI MITES-CALL	3546018 (FP)	26XXNS	POLYIMIDE FILM COVERED HIGH CONDUCTIVITY COPPER CONDUCTOR ANNEALED BARE SIZE: 7.5 (+/-) 0.07 X 4.8 (+/-) 0.05 MM, OVERALL SIZE AFTER HEAT SEALING WITH 1/2 OVERLAP (51% TO 55%): 7.65 X 4.95 MM WITH POL	SHOP SUPDIT. COMMUTA	2100 Kgs.	13-May-22
15	60215054100763 dt.15-FEB-22 on M/s.ELECTROTECH CORPORATION- CHANDIGARH MITES-CALL	1296750 (FP)	8225N01	TWO CHANNEL PC BASED CLINICAL ABR SYSTEM (BERA), ASSR ETC FOR HEARING ASSESSMENT OF CHILDREN AND TO RULE OUT MALINGERING AT DR.B.A.M. HOSPITAL BYCULLA. Specn. attached with NIT. Make/Brand : INTERACO	MD BY	1 Nos.	15-Apr-22
16	56215532100148 dt.15-FEB-22 on M/s.SCHAEFFLER INDIA LIMITED- VADODARA MITES-CALL	5694514.8 (FP)	25XXNS	SET OF CYLINDRICAL ROLLER BEARING (DRIVING & NON DRIVING END)NU 1964 & NH 1044 FOR WAG9/WAP7 CLASS LOCO.MANUFACTURERS DRG. NO. (A)DE:NU 1964 MIA.C4 NDE:NJ 1044.566185 + HJ1044. DE:	WHEEL SETS AC LOCO W	69 Set	15-Aug-22
17	03215160200016 dt.16-FEB-22 on M/s.DURGA INDUSTRIES-DELHI MITES-CALL	1477500 (FP)	43XXN01	1.1 KV L.T. Cable Size 4, Core x 70 sq mm. Aluminium conductor (XLPE) insulated, extruded PVC inner sheathed, steel wire armoured extruded PVC outer sheathed cable confirming to IS:7098 (part-	SR.SE ELE.(C) MTP(RI)	5000 MTR	31-May-22

18	93225024200098 dt.21-FEB-22 on M/s.A M JAIN AND CO-BHUSAWAL RITES-CALL	865080 (FP)	9379N01	HDPE sipper bottle	SE(PWAY) , [STORES]	3204 Nos.	19-Apr-22
19	92215580100122 dt.22-FEB-22 on M/s.THE INDIA THERMIT CORPORATION LIMITED-KANPUR RITES-CALL	4956000 (FP)	6032NS01	Abrasive Rail cutter as per RDSO specification No.TM/SM/01 Rev.01 of 2012 with 5 years AMC. ON SITE TRAINING TO BE PROVIDED. Minimum Three visits in a year (servicing) and or call basis should be mad	SE(PWAY) , [STORES]	100 Nos.	22-Jul-22
20	56215680100187 dt.28-FEB-22 on M/s.ADVANCED RAIL CONTROLS PRIVATE LIMITED-BANGALORE RITES-CALL	803703.9 (FP)	2501NXX	Set of spares for Driver Display unit of three phase Locomotive. Make- M/s ARC. (1 Set consist of 09 item 56 nos. as per annexure A) make - ARC.	SSE(Electron ics)ELS	1 Set	29-Jun-22
21	95215554100039 dt.07-FEB-22 on M/s.RAMKRISHNA FORGINGS LIMITED- KOLKATA RITES-CALL	561680 (FP)	38103059	Side Frame Key for CTRB of BLC bogies to RDSO Drg. No. SK-69594, Alt.36 Item 6. This item should be purchased from RDSO specified vender MAKE RKFL	SR.SEC.EN GR/ C&W/ AJ	3500 Nos.	08-Jun-22
22	92215392100081 dt.10-FEB-22 on M/s.AKSHAR MARKETING-VASAI (WEST) RITES-CALL	1999956 (FP)	8279N001	UPPER LIMB CPM ACCEPTED MAKE KINETIC CENTURA AS PER CATALOGUE AND SCOPE OF WORK ATTACHED) WARRANTY 24 MONTHS & AMC 5 YEARS AFTER 2 YEARS WARRANTY.	Chief Medical Superi	1 Nos.	28-Sep-22
23	48215810100160 dt.16-FEB-22 on M/s.A.D.ELECTRO STEEL CO.PVT.LTD- KOLKATA RITES-CALL	1180079.06 (FP)	11NS	Buffing & Draw Gear Coupler and Buffer Coupling for ZDM3 Loco Drg. No. JT/SK- 3339 and As Per Annex 'A' (One Set Consist of 24 Items and Quantity 94 Nos) Note: 1) Firm should submit GC & TC along with	DIESEL HYDROULIC SHO	10 Set	02-Apr-22

24	93215605100095 dt.17-FEB-22 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	1908060 (FP)	5646N	Supply of Shunt LED signal lighting unit 110 V AC , retrofitable in existing CLS housing and compatible with AC LED ECR as per RDSO spec No RDSO/SPN/153/2011 REV 4.1 or latest. FIRMS OFFER MAKE:- GAEC	Sr. Section Engineer	330 Nos.	29-Mar-22
25	92225073100102 dt.17-FEB-22 on M/s.VIJAY ELECTRONICS-NEW DELHI RITES-CALL	556374.72 (FP)	4520N01	6(I) SITEL Primary cell (Dry Leclanche type) 1.5 V as per IRS Specs No.95/96 with amendment or later	Sr. Section Engineer	912 Nos.	17-Jun-22
26	27215033100834 dt.18-FEB-22 on M/s.SIDHBALI INDUSTRIES- GHAZIABAD RITES-CALL	883949.8 (FP)	29XXNS	MACHINED STATOR ASSEMBLY [MODIFIED], DRG. NO. 1TWD.096.102 ALT-13 [AS PER ANNEXURE-M], SPEC. NO. 4TMS.096.070 ALT-7, STR NO. CLW/TM/18600 REV 0.	SHOP SUPDTT. COMMUTA	2 Set	18-Aug-22
27	93225023200097 dt.21-FEB-22 on M/s.MULYA ENTERPRISES-NASHIK RITES-CALL	734445 (FP)	93XXN79	Hand Held Mini Printer. Brand : zebra. Model- ZQ350	DRM [C] BSL	15 Nos.	30-Mar-22
28	96225032100084 dt.21-FEB-22 on M/s.MODSONIC INSTRUMENTS MANUFACTURING COMPANY PRIVATE LIMITED- AHMEDABAD RITES-CALL	866698.2 (FP)	6026Nxxx	Supply of USFD Machine spares , As per RDSO specification M&C/ NDT/ 129/2005 Rev-II Aug 2014 ,Consumable spares for use in A scan DWT Machine of M/s. Modsonic Instruments Mfg.Co. (P) Ltd Make having	SE(PWAY) SUR	1 Set	22-Apr-22
29	50215060100864 dt.22-FEB-22 on M/s.RETRO INDIA- NARSINGHPUR RITES-CALL	526044 (FP)	5679N001	Angle base frame for medium size detachable S.S.Location Box as per Drg No- DMLB-06C. (SAMPLE TO BE GOT APPROVED BEFORE BULK SUPPLY)	CWM(S&T) WS BYCULLA	150 Nos.	22-May-22

30	50215138100883 dt.23-FEB-22 on M/s.TEJAS ENTERPRISES-THANE RITES-CALL	1110970 (FP)	5604N001	Wheel Sensors with protection tube of Frauscher make MSDAC type RSR 180(with BBIK- M 12 GS02 fixing) along with cable length of 5 Mtr. Accepted Make/Brand: M/s Frauscher. Make : Make/Brand: M/s Frausc	CWM(S&T) WS BYCULLA	10 Nos.	24-Apr-22
31	48225077100121 dt.08-FEB-22 on M/s.KNORR-BREMSE INDIA PVT. LTD.- PALWAL RITES-CALL	973500 (FP)	3713N001	OVERHAULING KIT FOR LEVELLING VALVE CONSISTING OF 16 ITEMS OF M/S KNORR BREMSE INDIA PVT. LTD.PALWAL. MAKE AS PER LIST ATTACHED.	FITTING SHOP PR	300 Set	08-Jun-22
32	91225052100077 dt.10-FEB-22 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	1282896 (FP)	5646N01	LED signal lighting unit with built in current regulator, retrofitable in existing CLS units as per RDSO spec. No. RDSO/SPN/199/2010 Rev.1.1 with latest amendment for main LED signal lighting unit: Y	SIGNAL INSPECTOR PA	144 Nos.	11-May-22
33	93225007100088 dt.11-FEB-22 on M/s.DIVYAM ENGINEERING COMPANY-KOLKATA RITES-CALL	1039521 (FP)	9379N01	Supply of spares for VOITH make Transmission Model no. T211r of 8 Wheeler Tower wagon no. RU 3488 and D 506 of Mark III Tower wagon no. CR 4501 as per Annexure A (Delivery of material required at Chal	SSE(TRD)C SN	1 Set	23-Mar-22
34	91225035200098 dt.21-FEB-22 on M/s.BENTEX CONTROL AND SWITCHGEAR COMPANY-NEW DELHI RITES-CALL	854350 (FP)	42XXN1	Airzon Brushless Direct Current (BLDC) motor type Ceiling Fan 1400 millimeter 270 7.71 5 Brand Airzon,Model Airzon Supreme 56 inch BLDC Ceiling Fan as per IS : 374 latest, 5 Star Energy Efficiency,Wh	SR. SECT. ENGG.(CON S	350 Nos.	13-Mar-22
35	56215716100169 dt.23-FEB-22 on M/s.INDORE NITRIDERS-INDORE RITES-CALL	700920 (FP)	25XXNS	Adjustment washer for Hitachi MSU as per Hitachi Drg No.10Q.745.382 ALT-D.(This item is reserved for CLW approved sources only). Make - Self.	WHEEL SETS AC LOCO W	180 Nos.	24-May-22

36	92215559100128 dt.23-FEB-22 on M/s.IQNET SYSTEMS- CHENNAI RITES-CALL	5668110 (FP)	7252N133	Supply , installation and commissioning of Automatic computerized axle box temperature measurement and wheel counting with data logging system as per Annexure- A (specification). Make Brand :- IQNET	HTXR KYN	12 Set	23-Jun-22
37	48225054100200 dt.24-FEB-22 on M/s.ESCORTS LIMITED-FARIDABAD RITES-CALL	2966520 (FP)	33NSN1	Knuckle for CBC coupler Body Assembly for AAR 'H' type, as per ESCORTS DRG.NO. SK-611 (PAC item), Specification No. RDSO/2011/CG-03 (Rev.1) or Latest.	ELECTRIC LOCO REPAIR	60 Nos.	10-Apr-22
38	50225003100928 dt.25-FEB-22 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	599735 (FP)	5679N01	Universal Point Group Relay Type RSSK-31/0015 without base plate as per RDSO Spec. No- IRS-S.46.Make:- Siemens.	CWM(S&T) WS BYCULLA	5 Nos.	26-Jun-22
39	85225088100200 dt.26-FEB-22 on M/s.KNORR-BREMSE INDIA PVT. LTD.- PALWAL RITES-CALL	867300 (FP)	30XXNNS	Overhauling kit for 8 inch double acting Brake Cylinder consisting of 30 items as per annexure	L.V.B. SHOP MTN	70 Set	26-May-22
40	56225059100189 dt.28-FEB-22 on M/s.ELMEC COM AGENCIES- MALAD(W), MUMBAI RITES-CALL	983204.32 (FP)	2901NXX	Complete BUR rack with card control rack for CGL make 3x130 KVA IGBT AUX converter CGL reference - ACIGBT control rack. Firm's Offer - Complete BUR rack with card control rack for CGL make 3x130 KVA I	SSE(Electronics)ELS	1 Nos.	01-Jul-22
41	95215557100032 dt.02-FEB-22 on M/s.GREYSHAM INTERNATIONAL PVT. LTD.-NOIDA RITES-CALL	2126950 (FP)	3897NWD	Automatic Load Sensing Device VTA type (VTA) to RDSO Drg. No. CONTR 9405-S/16 items no 4, Specification 02-ABR-02 amendment No-3. for BLC wagon This item to be procured from RDSO specified vender.	SR.SEC.EN GR/ C&W/ AJ	350 Nos.	14-Apr-22

42	85225068100123 dt.04-FEB-22 on M/s.SIGNOTRON (INDIA) PVT.LTD.- KOLKATA RITES-CALL RITES-IC	1840800 (FP)	47XXNNS	SUPPLY OF 10 KVA IGBT BASED UNDERSLUNG INVERTER INPUT VOLTAGE 110 VOLT DC, OUTPUT VOLTAGE 230 VOLT AC AS PER ICF SPECIFICATION NO. ICF/ELECT/909 REV-A. MAKE- SIGNOTRON/HIREL/SIEME	SR. SECT. ENGINEER,	8 Nos.	05-May-22
43	91225050100079 dt.10-FEB-22 on M/s.AMARA RAJA BATTERIES LTD- TIRUPATI RITES-CALL	1391616 (FP)	56XXN01	Sealed Maintenance free VRLA battery set of 60 Cells (stackable), in combination of 55+5 Cells for SMPS based integrated power supply system, each cell of 2 Volt/300 AH Capacity, fully charged conform	SIGNAL INSPECTOR PA	4 Set	11-May-22
44	50225006100808 dt.16-FEB-22 on M/s.SNT ENGINEERS- GAUTAM BUDHH NAGAR RITES-CALL	515660 (FP)	5604N01	Microcontroller Logic Card No. 4 suitable for CEL make Single Section Digital Axle Counter (SSDAC) as per RDSO specification No. SPN/177/2012 Ver 3 or latest.	CWM(S&T) WS BYCULLA	10 Nos.	16-Jun-22
45	60215058100843 dt.20-FEB-22 on M/s.JD HEALTHCARE- MUMBAI RITES-CALL	875975.9 (FP)	8225N01	SMOKE EVACUATOR SYSTEM FOR GYNAECOLOGY (OT) DEPT OF DR.B.A.M. HOSPITAL, BYCULLA. SPECIFICATION ATTACHED WITH NIT. Make : Johnson & Johnson Pvt Ltd	MD BY	1 Nos.	20-May-22
46	03215009200022 dt.22-FEB-22 on M/s.ASIA ELECTRICAL- LUCKNOW RITES-CALL	1474975 (FP)	40XXN01	LT Cable 4 Core X 25 Sq.mm Aluminium conductor, cross Linked Polyethelene (XLPE) insulated PVC outer sheathed armoured with galvanised steel strip suitable for rated voltage at 1100 volts and conf	SR.SE ELE.(C) MTP(RI)	10250 MTR	16-Jun-22
47	92225188100123 dt.22-FEB-22 on M/s.SUGI ELECTRONICS LLP- BANGALORE RITES-CALL	893555 (FP)	4590N01	High voltage HRC fuse 25A, 1000 V AC, breaking capacity-120 ka as per catalogue no.2038603. Material is as per RDSO spec no. EDTS-355, Rev-1 or latest used in LHB non AC coaches. Material is of M/s	SSE (ELECT. TRAIN LI	650 Nos.	22-Jun-22

48	56225057100166 dt.22-FEB-22 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED- HOSUR RITES-CALL	2085527.28 (FP)	25XXNS	BRAKE ELECTRONICS VIGILANCE UNIT 150829/V99-T6 AS PER FTRTIPL PART NO. 025001000 FOR THREE PHASE LOCOS. Make-0. Firm's offering VIGILANCE UNIT 150829/V99-T6/ to FTRTIL Part Number 025001000 .	ELECTRONI C LAB	4 Nos.	23-Jun-22
49	80225002200895 dt.23-FEB-22 on M/s.INDIAN OIL CORPORATION LTD- MUMBAI RITES-CALL	2855023.7 (FP)	92XXN1	HIGH SPEED DIESEL OIL (HSD) CONFIRMING TO IS :1460 (LATEST REVISION) NOTE: The supply of products will be subject to deviations / relaxations as may be authorised by MOP&NG from time to time. However	Sr. Section Engineer	43 KLTR	31-Mar-22
50	93225022200120 dt.24-FEB-22 on M/s.OCEAN COMMUNICATION AND SYSTEMS-NEW DELHI RITES-CALL	628350 (FP)	93XXN79	Hand Held Terminal (Scanner) Brand - Newland As per GeM Contract No. GEMC- 511687714502379 dated. 18/02/22	DRM [C] BSL	15 Nos.	30-Mar-22
51	85215545200116 dt.03-FEB-22 on M/s.GALAXY OFFICE AUTOMATION PVT. LTD., MUMBAI RITES-CALL	1300800 (FP)	43XXNS	Procurement of 32 nos All in One PCs as per annexure attached with preloaded Microsoft windows 10 professional on replacement account.	CWM, CARRIAGE WORKSH	32 Nos.	15-Mar-22
52	03215024200013 dt.04-FEB-22 on M/s.AQUATICS ENGINEERS-KAROL BAGH NEW DELHI RITES-CALL	875000 (FP)	43XXN01	2 TON SPLIT TYPE AIR CONDITIONER FITTED WITH RATARY COMPRESSOR R-22 REFRIGERANT WITH NORMAL COOLING CAPACITY (K.CAL/HR) 5800 TO 6000 AND MINIMUM GUARANTEED COOLING CAPACITY	SR.SE ELE.(C) MTP(RI)	20 Nos.	19-Mar-22
53	93215470100087 dt.11-FEB-22 on M/s.STANCHION DESIGNS PRIVATE LIMITED-MUMBAI	953440 (FP)	9379N01	25 kV single pole vacuum circuit breaker, type spring - spring operating mechanism with terminal connector suitable to 50 mm bus bar as per RDSO spec. no. TI/SPC/PSI/LVCB/0120	Sr. Section Engineer	2 Nos.	12-May-22

	MITES-CALL	(FP)		(DEC-2013) Ver-0 with A&			
54	93215508100089 dt.11-FEB-22 on M/s.TIRUPATI ENTERPRISES- KOLKATA MITES-CALL	2213916 (FP)	9379N01	42 KV Metal Oxide Gapless Type Lightning Arrestor (station class) as per RDSO specification no. TI/SPC/PSI/MOGTALA/0101 (02/2015) or latest (as on date of tender opening) (N	Sr. Section Engineer	53 Nos.	12-Apr-22
55	56215536100146 dt.15-FEB-22 on M/s.STESALIT LIMITED-BADDI MITES-CALL	9428200 (FP)	25XXNS	SET OF COMPLETE CUBICLE INCLUDING WIRING AND PROVISION OF EQUIPMENTS FOR 3 PHASE LOCO (WAP-7 WITH PUSH PULL SCHEMES) ONE SET CONSISTS OF 05 [FIVE]	SWITCH GEAER	2 Set	15-Aug-22
56	50215139100884 dt.23-FEB-22 on M/s.TEJAS ENTERPRISES-THANE MITES-CALL	1117755 (FP)	5604N001	Wheel Sensor with protection tube of Frauscher make MSDAC type RSR 180 (with BBIK- M 12 GS02 fixing) along with cable length of 10 Mtr. Make : Frauscher make	CWM(S&T) WS BYCULLA	9 Nos.	23-May-22
57	80225003200893 dt.23-FEB-22 on M/s.RELIANCE INDUSTRIES LTD-NAVI MUMBAI MITES-CALL	34334160 (FP)	45XXN001	HIGH SPEED DIESEL OIL (HSD) CONFIRMING TO IS :1460 (LATEST REVISION) NOTE: The supply of products will be subject to deviations / relaxations as may be authorised by MOP&NG from time to time. However	SSE(TL- AC)PA	535 KLTR	31-Mar-22
58	80225001200896 dt.23-FEB-22 on M/s.INDIAN OIL CORPORATION LTD- MUMBAI MITES-CALL	796750.8 (FP)	75XXN01	High speed diesel oil (HSD) confirming to IS 1460(latest revision). Note: the supply of product will be subject to deviation/relaxations as may be authorized by MOP&NG from time to time. However any	SR.SEC.EN GR/ C&W/ AJ	12 KLTR	31-Mar-22
59	92215515100131 dt.26-FEB-22 on M/s.APPASAMY ASSOCIATES PRIVATE LIMITED-CHENNAI MITES-CALL	663040 (FP)	8279N001	TONOMETER. As per specification attached. (ACCEPTED MAKE FOR Reichert Technologies Inc. HSN CODE 90185020) WARRANTY ONE YEAR WITH CAMC AND CAMC 5 YEARS AFTER ONE YEAR WARRANTY)	Chief Medical Superi	1 Nos.	25-Aug-22

60	48215548100214 dt.26-FEB-22 on M/s.SHASWAT STEEL WORKS PRIVATE LIMITED-MUMBAI RITES-CALL	879100 (FP)	11NS	"Set of Superstructure for New Mfg ZDM3 Loco as per Annexure ""A"" Note: 1) Firm should submit GC & TC along with the supply of material 2) Each unit should be embossed/engraved with makers name, mon	DIESEL HYDROULIC SHO	1 Set	12-Apr-22
61	56215676100109 dt.01-FEB-22 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED- HOSUR RITES-CALL	1114439.2 (FP)	25XXNS	BRAKE ELECTRONICS LPO CARD MODULE ASSEMBLY AS PER FTRTIPL PART NO 780350300 FOR THREE PHASE LOCOS. Firm offering LPO MODULE ASSY to FTRTIL Part Number 780350300 .	ELECTRONI C LAB	5 Nos.	03-May-22
62	96215026100058 dt.03-FEB-22 on M/s.ARA ENGINEERING CO- MUMBAI RITES-CALL	711587.2 (FP)	4098Nxx	A Set of conventional (Normal) OHE/ Emergency Mast along with base connection complete as per RDSO Drg. No. ETI/C/0072	SSE(TRD) Ahmednagar	8 Set	04-Apr-22
63	60215065100638 dt.08-FEB-22 on M/s.ZEAL MEDICAL PVT LTD-MUMBAI RITES-CALL	740544 (FP)	8225N01	NEONATAL RESUSCITATION CARE SYSTEM WITH DOUBLE SURFACE PHOTOTHERAPY FOR THE USE IN PAEDIATRIC DEPARTMENT OF DR.B.A.M.HOSPITAL, BYCULLA, CENTRAL	MD BY	4 Nos.	08-May-22
64	60215048100684 dt.09-FEB-22 on M/s.PRECISION ELECTRONICS INSTRUMENTS AND COMPONENTS- MUMBAI RITES-CALL	6300000 (FP)	8225N01	UPPER & LOWER GI ENDOSCOPY SYSTEM WITH ACCESSORIES FOR COVID 19 Specification attached with NIT.	MD BY	1 Nos.	09-Jun-22
65	90215009100758 dt.15-FEB-22 on M/s.RASSI IRON AND STEEL PRIVATE LIMITED-KOLKATA RITES-CALL	3658000 (FP)	NS 54	Carbon Steel Square Billets as per IS:1875, Class IV size 100mm X 100mm, Length 4 mtr. long for manufacturing of 60/52 Junction Fish Plates. Firm offer - Carbon Steel Square Billets as per IS:1875, CI	GSS (PATTERN MAKING	50 MT	23-May-22

66	50225001100810 dt.16-FEB-22 on M/s.ASDIN ENTERPRISES- MUMBAI RITES-CALL	615370 (FP)	5606N001	Top Cover & Side plate & Top cover Bracket for Post Box type Location Box As per Drg no. WPLB -05 & WPLB - 05 A (01 Set - 01 cap, 02 no cap side plate, & 12 no cap bracket) Sample to be approved before	CWM(S&T) WS BYCULLA	175 Set	16-May-22
67	27215034100826 dt.18-FEB-22 on M/s.SPECIAL ENGINEERING SERVICES LIMITED- KOLKATA RITES-CALL	1628400 (FP)	25XXNS	BARE MAGNET FRAME FOR HITACHI TM TYPE HS 15250A TO DRG. NO. 10P.702.107 ALT-M.	SHOP SUPDTT. COMMUTA	4 Nos.	18-May-22
68	36215010100880 dt.22-FEB-22 on M/s.SAFE ELECTRONICS INDIA PVT LTD-NEW DELHI RITES-CALL	1770000 (FP)	4642N01	25 KV short neutral section assembly (phase break) suitable for 193 sq.mm. Copper contact wire and 242 sq. mm. copper catenary wire. As per RDSO specification No. TI/SPC/OHE/SNS/0000 Rev-1 with A&C sli	Sr. Section Engineer	2 Nos.	22-Jun-22
69	92215471100121 dt.22-FEB-22 on M/s.LAKSHMI INDUSTRIAL CORPORATION- MEERUT CITY RITES-CALL	4938300 (FP)	6026N1	Rail Drilling Machine will be powered by Honda Gx-160 Petrol Engine, Efficient in operations features:- 1)Self centering unit for all type of Rails 2) can drill hole within 40 mm of rail ends 3)	SE(PWAY) , [STORES]	100 Nos.	22-Jul-22
70	56215712100167 dt.22-FEB-22 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.- MUMBAI RITES-CALL	2433551.62 (FP)	25XXNS	SET OF SPARES FOR ELGI MAKE COMPRESSOR MODEL RR 20100 CGM. SET CONSISTS OF 8 ITEMS 8 NOS. AS PER ANNEXURE ATTACHED. ELGI MAKE SET OF SPARES FOR COMPRESSOR MODEL RR	AUXILIARIE S OVERHAUL	14 Set	23-Aug-22
71	96225034100061 dt.03-FEB-22 on M/s.SWASTIKA INDUSTRIES-KOLKATA RITES-CALL	552240 (FP)	30XXN12	Wheel set trolley along with accessories as per RDSO Drawing Nos. SK. VL- 215, 216, 217 and 218 for toeing of axles of WAP-7/WAG-9/WAP-5 Locos. Drawings are attached herewith.	SENIOR SECTION ENGI	2 Set	03-Jul-22

72	42215012100691 dt.10-FEB-22 on M/s.SETH TRADERS- MUMBAI RITES-CALL	2585332.8 (PC)	31XXNNS	SET OF LH AND RH SIDE HORNS FOR SCHUNK MAKE, WBL 23.03 PANTOGRAPH FOR SIEMENS EMU RAKES. (01 SET CONSISTS OF 02 NOS. ITEMS, AND 01 NO. OF EACH) 1) LH SIDE HORN DESCRIPTIONS AS	SR,DEE,[TR S] CLA	120 Set	30-Apr-22
73	91225049100074 dt.10-FEB-22 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	1452816 (FP)	5646N01	Green Aspect LED signal Lamp for main colour light signal, retrofitable in existing CLS housing with integrated CRU and compatible with AC LED ECR as per RDSO spec. No. RDSO/SPN/199/2010 Revision: 1.0	SIGNAL INSPECTOR PA	144 Nos.	11-May-22
74	92215473100082 dt.10-FEB-22 on M/s.TECH ENTERPRISES-PUNE RITES-CALL	4100500 (FP)	6026N1	Battery operated Rail chamfering machine 2 nos chamfering head for 22 mm hole to be provided onsite warrant and onsite training to provide for consignee annexure/ specification is attached NOTE :- FI	SE(PWAY) , [STORES]	50 Nos.	10-Jun-22
75	56215532100147 dt.15-FEB-22 on M/s.SKF INDIA LTD- GURGAON RITES-CALL	1402194 (FP)	25XXNS	SET OF CYLINDRICAL ROLLER BEARING (DRIVING & NON DRIVING END)NU 1964 & NH 1044 FOR WAG9/WAP7 CLASS LOCO.MANUFACTURERS DRG. NO. (A)DE:NU 1964 MIA.C4 NDE:NJ	WHEEL SETS AC LOCO W	17 Set	15-Aug-22
76	92225119100101 dt.17-FEB-22 on M/s.PARK AND COMPANY-MUMBAI RITES-CALL	678500 (FP)	4290N01	Supply and installation of 30,000 Ltrs. capacity Walk in cooler / chiller Room at DR. BAM HOSPITAL BYCULLA as per Technical specification attached. suitable to run on 230 v A	SEE(A C) CSTM	1 Nos.	17-Jun-22
77	27215033100835 dt.18-FEB-22 on M/s.KHARAGPUR METAL REFORMING INDUSTRIES PVT LTD- KHARAGPUR RITES-CALL	3346952 (FP)	29XXNS	MACHINED STATOR ASSEMBLY [MODIFIED], DRG. NO. 1TWD.096.102 ALT-13 [AS PER ANNEXURE-M], SPEC. NO. 4TMS.096.070 ALT-7, STR NO. CLW/TM/18600 REV 0.	SHOP SUPD TT. COMMUTA	7 Set	18-May-22
78	95225001100043 dt.21-FEB-22 on M/s.ESCORTS LIMITED-FARIDABAD	575250	3813NXXX	Double Check Valve for BLC Wagon as per Drg. No. CONTR-9405-S/13, item -31 ALT-11 size 3/4 inches. Make : Escort. MAKE ESCORTS	SR.SEC.EN GR/ C&W/ AJ	100 Nos.	28-Apr-22

	MITES-CALL	(FP)					
79	93225011200112 dt.23-FEB-22 on M/s.A.DINISHA MARKETING CO- MUMBAI MITES-CALL	3495500 (FP)	7205NXX1	SET OF HAND TOOLS KIT, As pe GeM Contract No. GEMC-511687740100798 dated. 17/02/22	Sr. Section Engineer	1 Set	29-Mar-22
80	56225058100188 dt.28-FEB-22 on M/s.KNORR-BREMSE INDIA PVT. LTD.- PALWAL MITES-CALL	1275580 (FP)	2501NXX	Set of spares for electric CCB brake system item. (Set consists of 05 items, 08 nos.) (1) Control Portion 16 Pipe, KBIL part no. 787556- 1994- 1 no. (2) Control Portion 20 Pipe, KBIL part no. 787775-19	SSE(Pneum atic)ELS BS	1 Set	15-Apr-22
81	91225035200091 dt.17-FEB-22 on M/s.BENTEX CONTROL & SWITCHGEAR CO., NEW DELHI. MITES-CALL	854350 (FX)	42XXN1	Airzon Brushless Direct Current (BLDC) motor type Ceiling Fan 1400 millimeter 270 7.71 5 Brand Airzon,Model Airzon Supreme 56 inch BLDC Ceiling Fan as per IS : 374 latest, 5 Star Energy Efficiency,Wh	SR. SECT. ENGG.(CON S	350 Nos.	13-Mar-22
82	92215603100125 dt.22-FEB-22 on M/s.SIENA ENGINEERING PVT. LTD.-INDORE MITES-CALL	837800 (FP)	10 NS	CAST STEEL BOGI AS PER RDSO DRG No CONTR 9404 S-2 ALT-7 or LASTEST CONFORMING TO SPECN NO. CONTR LCCF 20 C 96 (REV 2 WITH AMENT NO. 2 SEP 2016. ACCEPTED MAKE SN HSN CODE 8607	HTXR KYN	2 Nos.	22-Jun-22
83	56225052100168 dt.22-FEB-22 on M/s.THERMO CABLES LIMITED-HYDERABAD MITES-CALL	1076160 (FP)	25XXNS	SINGLE CORE CABLE 4GKW/AX1.5-1800 V-BK specification-CLW SPECN NO CLW/ES/3/0458.ALT- E.(TO BE PROCURED FROM RDSO APPROVED SOURCES ONLY) Make - Thermocables .	ERECTION NO.4	24000 MTR	09-Apr-22
84	60215063200886 dt.23-FEB-22 on M/s.TATA MOTORS LIMITED, MUMBAI MITES-CALL	1699898 (FP)	67XXNS	TATA TRUCK Model No Tata 1012 LPT DCR38HSD 125 BS6M5 BS-6 with Cab & High Deck Load body (17.12Ft),Tilt & Telescopic Power Steering & Dual Circuit full Air S-Cam Brakes.	ASC/RPF TRAINING CEN	1 Nos.	10-Jun-22

85	93225105100122 dt.24-FEB-22 on M/s.WEST COAST OPTILINKS [A DIVISION OF WEST COAST PAPER MILLS LTD] -MYSORE RITES-CALL	765348 (FP)	5611N1	Supply of 24 FIBRE Armoured Optical Fibre Cable As per RDSO Specification No. IRS-TC/ 55/2006 REV.1 With amendment No..3 Or Later. Firms Offer Make :-WCO	Sr. Section Engineer	9.4 KM	05-Apr-22
----	--	--------------------	--------	---	-------------------------	--------	-----------