

## CENTRAL RAILWAY

Depot : All Depots

## LIST OF PURCHASE ORDERS

ALL

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	Consignee	PO Qty	Dely.Dt
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;							
1	48215821100347 dt.06-APR-22 on M/s.AUSTIN ENGINEERING COMPANY LIMITED- PATLA RITES-CALL	1038400  (FP)	18NS	Cylindrical roller bearing set WU- 100 x 200 WMF-2 and WJ-100 x 200 MF-2. Make NEI/SKF/FAG/ACE (One set consists of 01 no. WU- 100 x 200 WMF-2 Cylindrical roller bearing and 01 no. WJ- 100 x 200 MF-	Sr. Section Engineer	40 Set	06-Aug-22
2	93225143100200 dt.12-APR-22 on M/s.ASHIDA ELECTRONICS PVT.LTD.-THANE ( W )  RITES-CALL	2094000  (FP)	9379N01	Microprocessor based Numerical Integrated Feeder Protection module comprising DPR, OCR, WPC, PTF & AUTO Enclosure Relay as per RDSO spec. no. TI/SPC/PSI/PROTCT/5070 Rev.1 with A&C slip no. 1 or lates	Sr. Section Engineer	3 Nos.	15-May-22
3	56215537100360 dt.16-APR-22 on M/s.STESALIT LIMITED- BADDI RITES-CALL	13121600  (FP)	25XXNS	SMOOTHNING REACTOR TYPE SL-30 TO CLW DRG. NO.0TWD.075.001 ALT-7 AND SPECN.NO.4TES.075.001 ALT-6. [ITEM RESERVED FOR CLW APPROVED SOURCES ONLY]	RECTIFIER	8 Nos.	16-Jun-22
4	85225047100409 dt.16-APR-22 on M/s.INDIAN INOVATIX LTD.-AHMEDABAD.  RITES-CALL	2626124.11  (FP)	74XXNS	Supply and installation of fall arrest system as per clause 3.2.3 of EN795 : 2012 in different shops of Matunga workshop as per requirement. Qty. 01 Set of 10 Items consists of 692 Nos. and 2900 meter	MILL WRIGHT SHOP MTN	1 Set	15-Jun-22
5	85225231100410 dt.16-APR-22 on M/s.SANROK ENTERPRISES- FARIDABAD. RITES-CALL	1204308  (FP)	30XXNS	Knuckle for AAR H Coupler as per Sanrok Drawing no (1ED-1067).as per RDSO Spec RDSO/2011/CG-03 (Rev 03) or latest.	L.V.B. SHOP MTN	42 Nos.	15-Jun-22
6	56225176100364 dt.16-APR-22 on M/s.YASHRAJ ENTERPRISES- MUMBAI RITES-CALL	531000  (FP)	25XXNS	Set of digital outside micrometer, resolution 0.001mm. 1) Range - 0- 25mm - 01 No. 2) Range 25-50mm - 01 No. 3) Range - 50-75mm - 01 No. 4) Range - 75-100mm - 01 No. 5) Range 300-400mm - 03 Nos. One se	CWM/ELW/B SL	5 Set	01-Jun-22

7	91225158100202 dt.19-APR-22 on M/s.AVADH RAIL INFRA LIMITED- LUCKNOW RITES-CALL	849600  (FP)	91NS	140 KN Air spring for LHB GS coaches to RDSO STR No RDSO/2020/CG-01 RDSO drawing no.CG- K5065,alt.'b' for space envelope and RDSO drawing no.CG- 18228 for base plate .Top plate diameter 700mm and insta	Sr. Section Engineer	6 Nos.	18-Jul-22
8	42225004101736 dt.20-APR-22 on M/s.SANROK ENTERPRISES- FARIDABAD RITES-CALL	692601  (FP)	33XXNXX	HEX SOCKET CAP SCREW M 42 x 300 (ALLEN SCREW) to M/s. ESCORT DRG. NO. SK.336 (4) or M/s. SANROK DRG. NO. 2 ED- 181-1189 or M/s. WSF DRG. NO. AB/889 or same as RDSO reference/equivalent DRG.	SSE/Rehab & Coupler/	645 Nos.	15-Jul-22
9	50225054D01750 dt.20-APR-22 on M/s.MYCO ELECTRICALS P LTD- SIRMOUR RITES-CALL	6822170  (FP)	5611N0015	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of Size of 12 Core x 1.5 sq.mm conforming to RDSO Specification No. IRS: S- 63/2014(Rev 4.0) Or Latest amendment.	Sr. Section Engineer	31 KM	20-Jul-22
10	93225151100233 dt.22-APR-22 on M/s.CLS INDUSTRIES- NEW DELHI  RITES-CALL	504450  (FP)	5650N	Supply of Shunt LED Signal Lighting Unit 110V. AC with built in Current Regulator, retrofitale in existing CLS units and compatible with AC LED ECR, as per RDSO Specification :RDSO/SPN/153/2011, Rev.	Sr. Section Engineer	90 Nos.	01-Jun-22
11	41215116201578 dt.08-APR-22 on M/s.MASCOM ELECTRONICS PVT LTD- MUMBAI RITES-CALL	789000  (FP)	5701NNS1	10 NOS. DATABASE NODES (All in one computers)	CCM(PM) CSTM	10 Nos.	03-Jul-22
12	03215138100053 dt.11-APR-22 on M/s.S. PAL ENTERPRISES PVT LTD- ALWAR RITES-CALL	32842024.3  (FP)	96XXN133	Supply of PVC insulated armoured unscreened, underground Railway signalling cable of size 06 Core x 1.5 sq.mm conforming to RDSO Spec. No. IRS:S-63/2014 (Rev.4.0).	"SSE(SIG) (C) SUR SO	240 KM	11-Sep-22
13	03215138100055 dt.11-APR-22 on M/s.GRANDLAY ELECTRICALS INDIA - SONIPAT	12744000  (FP)	96XXN133	Supply of PVC insulated armoured unscreened, underground Railway signalling cable of size 06 Core x 1.5 sq.mm conforming to RDSO Spec. No. IRS:S-63/2014	"SSE(SIG) (C) SUR SO	100 KM	11-Nov-22



20	93225250200249 dt.27-APR-22 on M/s.MULYA ENTERPRISES-NASHIK  RITES-CALL	1311915  (FP)	93XXN79	Barcode Printer Brand-ZEBRA OR HONEYWELL OR POSTEK As per GeM Contract No. GEMC-511687798084945 Dtd-20/04/2022	DRM [C] BSL	11 Nos.	30-May-22
21	56215533100322 dt.01-APR-22 on M/s.MULTIVISTA GLOBAL PRIVATE LIMITED-CHENNAI RITES-CALL	6166375.65  (FP)	25XXNS	SET OF MAIN GEAR BEARING FOR WAP-5 , AS PER CLW DRG. NO: - 1210-01.311-021. EACH SET CONSISTS OF TWO ITEMS. (1) L 558548 CONE QTY. = 1 NO (2) L 558510 CUP QTY. = 01 NO (ITEM RESERVED	WHEEL SETS AC LOCO W	13 Set	28-Dec-22
22	48225108100339 dt.04-APR-22 on M/s.SANTO ENGINEERING COMPANY PRIVATE LIMITED-VALSAD RITES-CALL	1484440  (FP)	3350N001	BOGIE FRAME ASSEMBLY FOR GENERATOR VAN SIDE-1 (Hand Side) AS PER DRAWING RCF DRG. NO. LW03008 ALT 'e' MDTs-213 Rev-04. This Item is reserved for Procurement from Any Railway Approved Sources for the I	ELECTRIC LOCO REPAIR	4 Nos.	04-Aug-22
23	92215518100228 dt.11-APR-22 on M/s.SSWAHA TECHNOLOGIES- KOLKATA RITES-CALL	1699200  (FP)	73XXN48	Supply, installation and commissioning of fully automated computerized single car test rig for LHB and ICF design coaches as per specifications attached Annexure A, annexure B, annexure C.	SSE/C&W/W ADIBUNDER	4 Nos.	08-Oct-22
24	92225237100229 dt.11-APR-22 on M/s.SANROK ENTERPRISES- FARIDABAD RITES-CALL	801102  (FP)	73XXN17	HLI device for Automatic Smoke/Fire Detection cum Suppression system fitted in the coaches of MZN and NCC WB based Trains.	JR.ENGINEER COACHING	3 Nos.	09-Aug-22
25	42215013101658 dt.13-APR-22 on M/s.MEDHA TRACTION EQUIPMENT PRIVATE LIMITED-HYDERABAD  RITES-CALL	35578712.2  (FP)	31XXNS	3-Phase Traction Motor type TME 48-45-6 of M/s. Medha make for Medha EMU and MEMU with its Pinion (Part No. SPTS A007933R0001), Gearbox Housing RAL 9005 (Part No. SPTS A005963R0001), Sandwich Spring Un	S.S.I. [EMU] MTN	11 Set	31-Dec-22

26	56225173100362 dt.16-APR-22 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.- MUMBAI RITES-CALL	505925  (FP)	25XXNS	OPERATING VALVE FOR WIPER MOTOR FOR WAP- 7 & WAG-9 (3 PHASE)CLASS OF LOCOMOTIVES AS PER CLW's DRG NO. 1209- 08.032-023,REF NO. 20 & PART DRG NO. 1209- 07.303-018 TO CLW SPECN. NO.	PNEUMATIC AC LOCO W/	50 Nos.	15-Aug-22
27	50215082101780 dt.21-APR-22 on M/s.CG POWER AND INDUSTRIAL SOLUTIONS LIMITED- MUMBAI.  RITES-CALL	19866480  (FP)	56301571	"ELECTRIC POINT MACHINE (ROTARY LOCKING TYPE), 143 MM THROW (AC IMMUNITY 160V AC) NON- TRAILABLE TO OPERATE ON 110V DC COMPLETE WITH LOCK AND DETECTOR SLIDES AND CABLE TERMINATION BOX, AS PER RDSO S	CRD	150 Nos.	21-Jan-23
			5630N002	ELECTRIC POINT MACHINE ( ROTARY LOCKING TYPE), 143 MM THROW (AC IMMUNITY 160V AC) NON- TRAILABLE TO OPERATE ON 110V DC COMPLETE	SIGNAL INSPECTOR WR	20 Nos.	21-Jan-23
			5630N005	ELECTRIC POINT MACHINE ( ROTARY LOCKING TYPE), 143 MM THROW (AC IMMUNITY 160V AC) NON- TRAILABLE TO OPERATE ON 110V DC COMPLETE	SIGNAL INSPECTOR NGP	4 Nos.	21-Jan-23
			5630N006	ELECTRIC POINT MACHINE ( ROTARY LOCKING TYPE), 143 MM THROW (AC IMMUNITY 160V AC) NON- TRAILABLE TO OPERATE ON 110V DC COMPLETE	SIGNAL INSPECTOR NGP	2 Nos.	21-Jan-23
			5630N007	Electric point machine (rotary locking type), 143 mm throw (AC immunity 160v ac) Non-trailable to operate on 110v dc complete with lock and detector slides and cable	SIGNAL INSPECTOR KVV	100 Nos.	21-Jan-23
28	50225028101811 dt.22-APR-22 on M/s.G.K ENTERPRISES- AGRA RITES-CALL	855500  (FP)	5604N01	SK 30H Double Rail Contact with 5.5 meter Rx coil (RX1 & RX2), Make - THALES, Part No- 5823111241 & 5823111207, for AZLS type Single section digital Axle counter as per RDSO/Specn. No.	CWM(S&T) WS BYCULLA	10 Nos.	22-Jul-22
29	56225033100388 dt.23-APR-22 on M/s.UNITECH INSTRUMENTS-THANE	794730	2501NXX	Supply, installation and commissioning of 2500 bar high pressure hydraulic system for pinion mounting and extraction for three phase traction motor as per specification given in	SSE(TRS/T M)BSL	1 Nos.	02-Aug-22

	RITES-CALL	(FP)		Annexure I.			
30	92225358100273 dt.26-APR-22 on M/s.ESCORTS LIMITED- FARIDABAD  RITES-CALL	570872.2  (FP)	33XXN083	Power card JZP card ESCORTS Part NO.3EB 8242/2. ACCEPTED MAKE FOR ESCORTS	HEAD STORE KEEPER WA	2 Nos.	25-Jul-22
31	50215041101496 dt.01-APR-22 on M/s.STATCON ENERGIAA PRIVATE LIMITED-GAUTAM BUDH NAGAR RITES-CALL	9839076  (FP)	5646N001	Supply, checking of installation, Commissioning and testing of SMPS based integrated power supply conforming to RDSO specification RDSO/SPN/165/2012 version 3.0 for panel interlocked station as per ce	CHIEF SIG.INSPEC TOR	1 Set	01-Sep-22
			5646N002	Supply, installation. Commissioning and testing of SMPS based integrated power supply conforming to RDSO specification	S.S.E./RRI/A JNI.	1 Set	01-Sep-22
			5646N003	Supply, checking of installation, commissioning and testing of SMPS based Integrated Power Supply conforming to RDSO specification	S.S.E./RRI/A JNI.	6 Set	01-Sep-22
			5646N004	Supply, checking of installation, commissioning and testing of SMPS based Integrated Power Supply conforming to RDSO specification	S.S.E./RRI/A JNI.	2 Set	01-Sep-22
32	92225192100219 dt.05-APR-22 on M/s.TELEPHONE ELECTRONIC CORPORATION- MUMBAI RITES-CALL	605340  (FP)	5611N01	SUPPLY OF 100 PAIR CABLE 0.5 MM CONDUCTOR DIA ARMOURED PIJF UNDER GROUND TELEPHONE CABLE, AS PER RDSO SPECIFICATION NO IRS/TC/41/97 WITH AMENDMENT NO 3 OR LATEST.	Sr. Section Engineer	1000 MTR	04-Jun-22
33	91225057100182 dt.06-APR-22 on M/s.VIVID METRAWATT-VASAI EAST RITES-CALL	678500  (FP)	25NS	SURGE COMPARISON HIGH VOLTAGE AC/DC INSULATION TEST EQUIPMENT AS PER DETAILED SPECIFICATION ATTACHED	SR.DME [D] PA	1 Nos.	05-Jun-22

34	86215086100084 dt.09-APR-22 on M/s.APAR INDUSTRIES LTD. UNIT - UNIFLEX CABLES-MUMBAI  RITES-CALL	722750  (FP)	2940N01	Thin walled cable size 1 X 0.5 Sq.mm. 3 GKW 500 Volts, as per CLW specification no. CLW.ES.0458 Alt-E for implementation of full cab redundancy feature in three phase locomotives as per RDSO/2017/EL/M	Sr. Section Engineer	24500 MTR	11-Jun-22
35	56225044100354 dt.12-APR-22 on M/s.HIND ENTERPRISES- MUMBAI RITES-CALL	1090320  (FP)	2501NXX	Set of printed board (PCBs) for Timer circuit for M/s Woama make relays. Set consists of- (1) Q44 relay part no WE/RL/44/117,Qty 40 nos. (2) Q 118 relay part no WE/RL/118/117,Qty 40 nos. (3) Q 119 rel	SSE(Electronics)ELS	1 Set	12-Jun-22
36	60215038101662 dt.13-APR-22 on M/s.AGROMACH SPARES CORPORATION- MUMBAI RITES-CALL	24016608.4  (FP)	6665N01	Hydraulic Spares (Rexroth make) for Cowans Sheldon (New Design) 140 T diesel Hydraulic Breakdown Cranes as per Annexure A attached (1 set of 9 items) Sr. No.1 Cat No.N60001 HSN Code 84136090, Sr. No.	CRANE REPAIR SHOP PR	1 Set	15-Jul-23
			6665N02	Hydraulic spares (Rexroth make) for POH of 140T DHBD Cranes of Cowans Sheldon make (Old Design)	CRANE REPAIR SHOP PR	1 Set	15-Jul-23
			6665N03	Hydraulic Imported Spares for emergency requirement for 140 T DHBD Crane COWANS SHELDON	LSK BSL	1 Set	15-Jul-23
37	50225048D01749 dt.20-APR-22 on M/s.SPM POWER AND TELECOM PRIVATE LIMITED-HYDERABAD  RITES-CALL	11993815  (FP)	5611N009	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of Size of 12 Core x 1.5 sq.mm conforming to RDSO Specification No. IRS: S- 63/2014(Rev 4.0) Or Latest amendment.	Sr.Section Enginner(	20 KM	20-Jul-22
			5611N010	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of	Sr. Section Engineer	10 KM	20-Jul-22
			5611N011	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of	Sr. Section Engineer	6 KM	20-Jul-22
			5611N012	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of	Sr.Section Enginner(	.5 KM	20-Jul-22
			5611N013	PVC Insulated Armoured Unscreened Copper			

				Conductor Underground Railway Signaling Cable of	Sr.Section Enginner(	10 KM	20-Jul-22
			5611N014	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of	SIGNAL INSPECTOR NGP	8 KM	20-Jul-22
38	41215120201787 dt.21-APR-22 on M/s.ICON INFOTECH PRIVATE LIMITED- MUMBAI RITES-CALL	8588000  (FP)	5701NNS1	450 NOS. UTS REPORT PRINTERS Demand No 81690316 ( File no 4121.5120 ) +115 NOS. PRS CHART PRINTERS Against Demand No.81690318 (File no 41215122)Total Qty = 565 Nos	CCM(PM) CSTM	565 Nos.	18-May-22
39	50225027101807 dt.22-APR-22 on M/s.G.K ENTERPRISES- AGRA RITES-CALL	855500  (FP)	5604N001	SK 30H Double Rail Contact with 5.5 meter Tx coil (TX1 & TX2), Make - THALES, Part No- 5823111209 & 5823111211 for AZLS type Single section digital Axle counter as per RDSO/Specn. No. RDSO/SPN/177/2012	CWM(S&T) WS BYCULLA	10 Nos.	22-Jul-22
40	93225109100234 dt.25-APR-22 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	905827  (FP)	5650N	Supply of modem suitable for Siemens make MSDAC as per RDSO specification No RDSO/SPN/176/2013, Rev3or Latest (Inspection By RDSO). FIRMS OFFER MAKE / BRAND- SIEMENS	Sr. Section Engineer	10 Nos.	25-Oct-22
41	60215066201530 dt.01-APR-22 on M/s.SUMMIT HEALTHCARE PRIVATE LIMITED-MUMBAI.  RITES-CALL	985620  (FP)	8225N01	PULSE OXIMETER WITH NIBP AND RESPIRATION RATE MONITORING FACILITY FOR THE USE IN PAEDIATRIC DEPARTMENT OF BYCULLA HOSPITAL, CENTRAL RAILWAY	MD BY	4 Nos.	29-Apr-22
42	03215138100054 dt.11-APR-22 on M/s.CONTINENTAL TELEPOWER INDUSTRIES LTD- SIRMAUR RITES-CALL	21894682.9  (FP)	96XXN133	Supply of PVC insulated armoured unscreened, underground Railway signalling cable of size 06 Core x 1.5 sq.mm conforming to RDSO Spec. No. IRS:S-63/2014 (Rev.4.0).	"SSE(SIG) (C) SUR SO	160 KM	11-Oct-22

43	27225006101634 dt.12-APR-22 on M/s.GANESH FOUNDRY-JODHPUR  RITES-CALL	530528   (FP)	25XXNS	AXLE BOX HOUSING FINISHED WITH GREASE NIPPLE (WITHOUT BEARING) FOR WAP1 AND WAP4 LOCOS AS PER CLW DRG. NO. 03/1/11/50 ALT-3 OR TO FAG DRG.NO.901-26- 102/A3. TOP PORTION HEIGHT OF THE AXLE	WHEEL SETS AC LOCO W	16 Nos.	12-Aug-22
44	50195083101645 dt.12-APR-22 on M/s.S.R.ELECTRONICS- MUMBAI RITES-CALL	4977240   (FP)	5679N001	Top cover for medium size weld less detachable S.S.Location Box as per Drg No. S&T/BY/DMLB- 13C . 1 SET= (1 No Top Cover and 2 No's side plate = Total 03 No's) Make : SELF	CWM(S&T) WS BYCULLA	1000 Set	12-Jul-22
45	91225147100195 dt.13-APR-22 on M/s.NOVIUS TECHNOLOGIES INDIA PRIVATE LIMITED- PUNE RITES-CALL	1795500   (FP)	45XXN12	Supply, Erection and commissioning of Automatic Computerized Axle Box Temperature measurement and wheel counting with data logging system of any reputed make as per specification Annexure-A.Tentative	Sr. Section Engineer	6 Nos.	12-Jul-22
46	03225004200056 dt.25-APR-22 on M/s.HLBS TECH PVT.LTD, MADHYA PRADESH RITES-CALL	1395436   (FP)	4315N01	HP 400 G6 AIO i5 10500 Win10P 1615WIFI or Similar Processor Make Intel Processor Generation10Number of Cores per Processor 6 Processor Description Intel Core i5 RAM Size (GB)16 Total SSD Capacity (GB)	F.A.&C.A.O., [C]/SAO,	19 Nos.	29-Jun-22
47	93215589200248 dt.27-APR-22 on M/s.RATIONAL BUSINESS CORPORATION PRIVATE LIMITED, Sonipat RITES-CALL	865246.8   (FP)	93XXN79	Barcode label Brand- DESMAT As per GeM Contract No. GEMC- 511687740758753 Dtd- 20/04/2022	DRM [C] BSL	3630 Nos.	30-May-22
48	48215512100411 dt.28-APR-22 on M/s.COSMOS CORPORATION- MUMBAI RITES-CALL	926743.68   (FP)	30XXNS	Safety Strip to Drawing No.MI005712	ELECTRIC LOCO REPAIR	288 Set	12-Jun-22

49	74225055100088 dt.28-APR-22 on M/s.SETH TRADERS- MUMBAI RITES-CALL	712321.63  (FP)	3588NXX	HORN 20 DEG ASSY LH- 1800 OF SCHUNK PANTOGRAPH TYPE WBL 23.03 PART NO. 909010021700 DRG. NO. REF. NO. -GB7 PH 85 HS 06-00 procured from SCHUNK CARBON TECHNOLOGY INDIA	SSE/Brake Equipment	60 Nos.	28-Oct-22
50	41215123201898 dt.29-APR-22 on M/s.AADINATH PERIPHERALS AND CONSUMABLES- MUMBAI RITES-CALL	7363076  (FP)	5701NNS1	679 NOS. PRS TICKET PRINTERS	CCM(PM) CSTM	679 Nos.	25-May-22
51	50225023101551 dt.05-APR-22 on M/s.RELIANCE ELECTRICALS-THANE  RITES-CALL	743400  (FP)	5679N001	Relay & Indication Card for 1.6 Amp 24 VDC System Voltage of fuse Circuit for fuse Auto Changeover system for 32 Nos. As per RDSO Spec. No. RDSO/SPN/209/2012 Revo (Tentative) and as per S&T Spec. No.	CWM(S&T) WS BYCULLA	360 Nos.	05-Jul-22
52	60225007201575 dt.06-APR-22 on M/s.M/s. LORD's MARK INDUSTRIES PRIVATE LIMITED- MUMBAI, MUMBAI RITES-CALL	750000  (FP)	8225N01	PROCUREMENT OF CONTACTLESS REMOTE PATIENT MONITORING & EARLY WARNING SYSTEM (DOZEE PRO/ MODEL NO. EWS 1212 WITH MOBILE APP) - PAC ITEM for the use at Dr.B.A.M. Hospital, Byculla, Central Railway	MD BY	5 Nos.	21-Mar-22
53	91225091100196 dt.13-APR-22 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	962673.5  (FP)	5630N1	Electric Point machine, Siemens make, non- trailable design, 143mm throw, with IP-67 protection electric point motor as per the RDSO STS/E/PM/MOTOR SPN/VOL-II/14 dt 15.05.20, complete with lock detec	SIGNAL INSPECTOR PA	5 Nos.	10-Oct-22
54	56225056100361 dt.16-APR-22 on M/s.TELEMA ELECTRICALS PRIVATE LIMITED-BADDI  RITES-CALL	10747440  (FP)	25XXNS	DBR (VERTICAL) FITTED WITH AC MVRF FOR ELECTRIC LOCOS AS PER RDSO SPECIFICATION NO. ELRS/SPEC/DBR/0028(RE V.0) OF SEP. 2003 WITH AMENDMENT NO. 3(ITEM IS RESERVED FOR CLW APPROVED SOURCES ONLY)	RECTIFIER	12 Nos.	15-Aug-22

55	93225014200222 dt.18-APR-22 on M/s.SOMYA PYROTEK SERVICES-NEW DELHI  RITES-CALL	956540  (FP)	5646N	CO2 TYPE FIRE EXTINGUISHER OF 4.5 KG CAP, BRAND: BOLT FIRE AS PER GEM CONTRACT.NO GEMC- 511687781564686 DT- 11.04.2022	Sr. Section Engineer	260 Nos.	26-May-22
56	91225162100204 dt.19-APR-22 on M/s.AVADH RAIL INFRA LIMITED- LUCKNOW RITES-CALL	885000  (FP)	01XXN1	Air spring Assembly (Capacity 160KN) to specification No RDSO/CG/2020/CG-01.k	Sr. Section Engineer	6 Nos.	18-Jul-22
57	42225002101738 dt.20-APR-22 on M/s.BHARAT HEAVY ELECTRICALS LIMITED- NEW DELHI RITES-CALL	6372000  (FP)	35XXNS	1578 KVA Traction Transformer Complete with all accessories and components and cooling system. Accessories: 1) Roof and under frame CT, (2) 25 KV HT cable, (3) Transformer fixing bolts and safety chai	Sr. Section Engineer	1 Set	20-Oct-22
58	92215645100266 dt.25-APR-22 on M/s.TIRUPATI ENTERPRISES- KOLKATA RITES-CALL	1475826  (FP)	4611N01	96 KV 10 KVA, Class III station class metal oxide gapless type Lightning arrester as RDSO Specn No. ETI/PSI/137(8/89) with A&C slip No.1 to 7 or latest with insulating base and surge monitor. From RD	SR.SE.TD.S S. KALYAN	33 Nos.	23-Aug-22
59	74225061800086 dt.28-APR-22 on M/s.ICF Headquartes, Chennai  RITES-CALL	632513.1  (FP)	3193NXX	SCHAKU COUPLER ASSLY	SSE/Rehab & Coupler/	10 Set	27-Jun-22
60	27225012101902 dt.29-APR-22 on M/s.R.P.MACHINE TOOLS-GAZIABAD RITES-CALL	2351032  (FP)	2901N01	Aluminium Impeller for oil cooling blower unit, centrifugal designed for 3 phase locomotive as per CLW Specification No. CLW/ES/3/0647 Alt E.	SR.SEC.EN G. (STORES)	25 Nos.	29-Aug-22
61	93225225200202 dt.12-APR-22 on M/s.A.P.INDUSTRIES, DELHI.	4199000	4011N87	185 Sq.mm X 2 Core Aluminium Conductor XLPE insulated PVC Sheathed Amoured Cable, Brand:AP, Brand Type : Registered Brand.	SR. SECT. ENGG./ T D	10000 MTR	16-May-22

	<p>62</p> <p>56225282100363 dt.16-APR-22 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED- HOSUR RITES-CALL</p>	<p>(FP)</p> <p>693056.48</p> <p>(FP)</p>	<p>2501NXX</p>	<p>Catalogue Status: OEM verified catalogue.Selling As : OEM, category Name</p> <p>E-70 Brake Control Unit as per FTRTIL Part No.016001000 for E-70 Pneumatic Panel. ACCEPTED: FIRMS OFFER " E-70 BRAKE CONTROL UNIT to FTRTIPL Part Number 016001000</p>	<p>SSE(Pneum atic)ELS BS</p>	<p>2 Nos.</p>	<p>21-Aug-22</p>
	<p>63</p> <p>50215082101779 dt.21-APR-22 on M/s.VOSSLOH COGIFER SIGNALLING INDIA PRIVATE LIMITED-BHILAI  RITES-CALL</p>	<p>11121500</p> <p>(FP)</p>	<p>56301571</p> <p>5630N003</p> <p>5630N004</p>	<p>"ELECTRIC POINT MACHINE (ROTARY LOCKING TYPE), 143 MM THROW (AC IMMUNITY 160V AC) NON- TRAILABLE TO OPERATE ON 110V DC COMPLETE WITH LOCK AND DETECTOR SLIDES AND CABLE TERMINATION BOX, AS PER RDSO S</p> <p>ELECTRIC POINT MACHINE ( ROTARY LOCKING TYPE), 143 MM THROW (AC IMMUNITY 160V AC) NON- TRAILABLE TO OPERATE ON 110V DC COMPLETE</p> <p>Supply of electric point machine 143mm stroke(AC immunity 400v AC) complete with lock detector and slider for lock detector non- trailable to operate on 110VDC rotary locking with</p>	<p>PUNE</p> <p>S.S.E./RRI/A JNI.</p> <p>"SSE(SIG) (C) SUR SO</p>	<p>35 Nos.</p> <p>65 Nos.</p> <p>50 Nos.</p>	<p>21-Jan-23</p> <p>21-Jan-23</p> <p>21-Jan-23</p>
	<p>64</p> <p>41215127201842 dt.26-APR-22 on M/s.TEAM ENGINEERS ADVANCE TECHNOLOGIES INDIA PRIVATE LIMITED- HYDERABAD  RITES-CALL</p>	<p>5286624.2</p> <p>(FP)</p>	<p>5701NNS1</p>	<p>64 NOS. TERMINAL SERVERS Against Demand NO 81690324 ( file no 41215127) +105 NOS. TERMINAL SERVERS Against Demand No 81690320 (File no 41215124 )Total Qty = 169 Nos</p>	<p>CCM(PM) CSTM</p>	<p>169 Nos.</p>	<p>31-May-22</p>