

## CENTRAL RAILWAY

Depot : All Depots

## LIST OF PURCHASE ORDERS

ALL

| Sr.  | P.O. No. and Date   | PO Value                          | PL.No    | Item Description   | POSr. | Consignee  | PO Qty    | Dely.Dt   |
|--|---|-----------------------------------|----------|--|-------|------------|-----------|-----------|
| PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled; |   |                                   |          |  |       |            |           |           |
| 1  | 27222418102438<br>dt.01-JUN-22 on<br>M/s.TRIMURTI<br>TRADING COMPANY-<br>MUMBAI<br><br>RITES-CALL         | 799761.52<br><br><br><br><br>(FP) | 25870014 | MAGNET VALVE WITH<br>PIPE BRACKET<br>ENERGISED TO OPEN 3<br>WAY VALVE AS PER CLW<br>DRG. NO. CLW/ES/SK-1/M-<br>2 ALT-H AND CLW<br>SPECIFICATION<br>NO.CLW/ES/M-2 ALT-H.  | 1     | ACL<br>BSL | 278 Nos.  | 01-Dec-22 |
| 2  | 38224335102456<br>dt.02-JUN-22 on<br>M/s.POOJA SALES<br>CORPORATION-<br>YAMUNA NAGAR<br>RITES-CALL        | 808005<br><br><br><br><br>(FP)    | 33577791 | Snack Table with Bottle<br>Holder for AC-2tier and AC-<br>3tier LHB type<br>Coaches%A0to%A0RCF<br>Drg. No. LW 64218 Alt-<br>g.%A0%A0 Colour of Snack<br>Table and Bottle Holder<br>should be Blue.Material &<br>Specification as per | 1     | LTT        | 330 Nos.  | 02-Aug-22 |
| 3  | 84221006100022<br>dt.03-JUN-22 on<br>M/s.S.KUMARAN<br>TEXTILES-ERODE<br>RITES-CALL                        | 756000<br><br><br><br><br>(FP)    | 79339153 | Bed sheet mill made<br>superior quality assorted<br>with I/R Monogram in all<br>four corners with indelible<br>ink (Preferably woven).<br>Dimension Length = 229<br>cm. Width = 140 cm.  | 1     | CRD        | 4000 Nos. | 03-Jul-22 |
| 4  | 42221246102467<br>dt.03-JUN-22 on<br>M/s.GENERAL AUTO<br>ELECTRIC<br>CORPORATION-<br>MUMBAI<br>RITES-CALL | 1033591.5<br><br><br><br><br>(FP) | 31900719 | TACHO GENERATOR OF<br>M/S SIEMENS MAKE FOR<br>AWS PART NO. S25400 -<br>A4 - A1 - IND. Make<br>SIEMENS  | 1     | KALVA      | 8 Nos.    | 30-Nov-22 |
|  |   |                                   |          |  | 2     | SNPD       | 7 Nos.    | 30-Nov-22 |
| 5  | 42223642102516<br>dt.07-JUN-22 on<br>M/s.SI AIR SPRINGS<br>PRIVATE LIMITED-<br>MADURAI<br>RITES-CALL      | 551919.04<br><br><br><br><br>(FC) | 31011408 | O-Ring for Spigot of 180 KN<br>Capacity Air Spring as per<br>RDSO Spec. No.<br>RDSO/2020/CG-01.  | 1     | SNPD       | 5704 Nos. | 10-Sep-22 |
| 6  | 79223094202519<br>dt.07-JUN-22 on<br>M/s.ALTAAS TEXTILES<br>PVT. LTD.-MUMBAI<br><br>RITES-CALL            | 534244.5<br><br><br><br><br>(FP)  | 79511843 | "Cotton Yarn Waste-Type -1<br>to IS: 5485 latest version".<br>Packing condition should be<br>as specified in IS -5485<br>latest version.   | 1     | AQ         | 5000 Kgs. | 20-Aug-22 |
|  |   |                                   |          |  | 2     | AQ         | 6350 Kgs. | 20-Aug-22 |
| 7  | 42221466102557<br>dt.08-JUN-22 on<br>M/s.SETH TRADERS-<br>MUMBAI<br>RITES-CALL                            | 1347129.3<br><br><br><br><br>(FP) | 31758617 | Set of spares of M/s Schunk<br>Metal and Carbon India Pvt.<br>Ltd. make panto type WPL<br>23.03.for Lightweight PAN<br>Pantograph [1] BALL JOINT<br>PART NO. 909010012100 -<br>Qty-01 No. [2] CAM PART<br>NO. 909010010900 -         | 1     | MTN        | 17 Set    | 31-Oct-22 |
|  |   |                                   |          |  | 2     | KALVA      | 2 Set     | 31-Oct-22 |
|  |   |                                   |          |  | 3     | SNPD       | 14 Set    | 31-Oct-22 |

|    |  |                        |          |   |   |      |           |           |
|----|--|------------------------|----------|---|---|------|-----------|-----------|
| 8  | 27222002102599<br>dt.13-JUN-22 on<br>M/s.S. N.<br>MECHANICAL<br>ENTERPRISE PRIVATE<br>LIMITED-HOWRAH<br><br>RITES-CALL | 1498836<br><br>(FX)    | 25184556 | 8"x8" AIR Brake cylinder with mounting X & Z AS PER CLW DRG. No. 01/3/19/56 ALT-10. EACH UNIT SHOULD BE EMBOSSSED/ENGRAVED WITH MAKERS NAME, MONTH, YEAR & BATCH NO. OF MANUFACTURING AT A CONSPICUOUS PL | 1 | KYN  | 10 Nos.   | 31-May-23 |
|    |  |                        |          |   | 2 | ACL  | 136 Nos.  | 31-May-23 |
| 9  | 42223064102608<br>dt.13-JUN-22 on<br>M/s.SANROK<br>ENTERPRISES-<br>FARIDABAD<br>RITES-CALL                             | 3491197.56<br><br>(FP) | 31220137 | FORK EYE WITH BOLT [SUB-ASSLY] TO ESCORTS DRG.NO. 2.SK.399/LATEST EQUIVALENT TO SANROK DRG. NO. 2ED.181.1383. OR SIMILAR.<br>MANUFACTURERS IDENTIFICATION MARK  | 1 | MTN  | 168 Nos.  | 31-Aug-22 |
|    |  |                        |          |   | 2 | SNPD | 254 Nos.  | 31-Aug-22 |
| 10 | 38222578102637<br>dt.14-JUN-22 on<br>M/s.MGM RUBBER<br>COMPANY-KOLKATA<br><br>RITES-CALL                               | 4472200<br><br>(FP)    | 30076134 | SILENT BLOCK FOR ANCHOR LINK [TYPE-B] TO RDSO SK. 94101 ALT-2 TO RDSO SPECIFICATION NO. C-9406, REV-2 WITH AMDT. NO. 2 OF AUG-2016. MATERIAL & SPECIFICATION AS PER DRAWING                               | 1 | MTN  | 2000 Nos. | 14-Aug-22 |
|    |  |                        |          |   | 2 | MTN  | 3000 Nos. | 30-Nov-22 |
| 11 | 85221662800808<br>dt.16-JUN-22 on<br>M/s.PRINCIPAL CHIEF<br>MATERIALS<br>MANAGER,<br>CHURCHGATE<br>RITES-CALL          | 1070971.9<br><br>(PC)  | 30020451 | REAR COVER FOR AXLE BOX [FINISHED MACHINED] TO DRG NO. T-0-2-603 ALT-G/14, ITEM NO. 2. MTRL AND SPECN: AS PER DRG.  | 1 | MTN  | 400 Nos.  | 14-Sep-22 |
|    |  |                        | 30358206 | 20 NB FLANGE WELDED JOINT [PIPE TO EQUIPMENT] FOR PASSENGER STOCK. [AIR BRAKE] TO RDSO DRG. NO. WD 83062-S-07, ALT-5 ITEM NO. 1 TO 4. MTRL AND SPECN. RDSO'S SPECN. NO. 04-ABR-02, AMENDMENT NO. 7 OF F   | 2 | MTN  | 200 Set   | 14-Sep-22 |
|    |  |                        | 33500046 | LATERAL BUMP STOP FOR FIAT IR BOGIE TO . RCF Drg. No. LW05104, Alt 'B' AND SPECIFICATION. No. 17.531 100 & TS - 17.617.100 as per Drg.No. RCF.DRG.NO. LW05104, ALT. 'B' specn: RCF.DRG.NO. LW05104, ALT.  | 3 | MTN  | 100 Nos.  | 14-Sep-22 |

|    |  |                       |          |  |    |     |            |           |
|----|--|-----------------------|----------|--|----|-----|------------|-----------|
|    |  |                       | 33500447 | YAW DAMPER TO RCF DRAWING NO. LW-05103, ALT-f, CONFORMING TO RDSO SPECIFICATION NO. RDSO/CG-18005, REV. NIL. THIS ITEM IS RESTRICTED FOR PROCUREMENT FROM RDSO APPROVED SOURCE ONLY.                 | 4  | MTN | 20 Nos.    | 14-Sep-22 |
|    |  |                       | 33501002 | PRIMARY VERTICAL DAMPER TO RCF DRG. NO. LW-05102, ALT-d CONFIRING TO RDSO SPECIFICATION NO. RDSO/CG-18005, Rev. Nil. This item is restricted for procurement from RDSO approved source only.         | 5  | MTN | 50 Nos.    | 14-Sep-22 |
| 12 | 80222249102701<br>dt.17-JUN-22 on<br>M/s.INDIAN OIL<br>CORPORATION LTD-<br>MUMBAI<br>RITES-CALL                                    | 14558250<br><br>(FP)  | 80030166 | Servoplex SHC-120 (IOCL) Grease for Traction Motor Bearing of WAG-9/WAP-7 Locos. Make : SERVOPLEX SHC 120  | 1  | KYN | 1050 Kgs.  | 31-Aug-22 |
|    |  |                       |          |  | 2  | ACL | 1050 Kgs.  | 31-Aug-22 |
|    |  |                       |          |  | 3  | AQ  | 1225 Kgs.  | 31-Aug-22 |
|    |  |                       |          |  | 4  | KYN | 1050 Kgs.  | 31-Jan-23 |
|    |  |                       |          |  | 5  | ACL | 1050 Kgs.  | 31-Jan-23 |
|    |  |                       |          |  | 6  | AQ  | 1225 Kgs.  | 31-Jan-23 |
|    |  |                       |          |  | 7  | KYN | 1050 Kgs.  | 31-May-23 |
|    |  |                       |          |  | 8  | ACL | 1575 Kgs.  | 31-May-23 |
|    |  |                       |          |  | 9  | AQ  | 1225 Kgs.  | 31-May-23 |
|    |  |                       |          |  | 10 | KYN | 1225 Kgs.  | 31-Dec-23 |
|    |  |                       |          |  | 11 | AQ  | 1400 Kgs.  | 31-Dec-23 |
| 13 | 27222286102717<br>dt.20-JUN-22 on<br>M/s.SATISH CHANDRA<br>SAMANTA AND CO-<br>HOWRAH<br><br>RITES-CALL                             | 3229990.4<br><br>(FP) | 23565299 | Auxiliary switch complete to CLW Drg. No. 4TWD .101.138 ALT-6 (Total 12 sheets) for tap changer type no. 32.   | 1  | KYN | 2330 Nos.  | 30-Jun-23 |
|    |  |                       |          |  | 2  | ACL | 12135 Nos. | 30-Jun-23 |
|    |  |                       |          |  | 3  | AQ  | 575 Nos.   | 30-Jun-23 |
| 14 | 79221115202720<br>dt.20-JUN-22 on<br>M/s.H.P. STATE<br>HANDICRAFTS AND<br>HANDLOOM<br>CORPORATION LTD.-<br>NEW DELHI<br>RITES-CALL | 18278482<br><br>(FP)  | 79330538 | Soft Blanket of superior quality with four side satin piping (note less than 4 stitches per cm) conforming to the specification described below:i) Dimensions -215 cms X 120 cms ii) Fibre content - | 1  | CRD | 12000 Nos. | 26-Jul-22 |
|    |  |                       |          |  | 2  | CRD | 12379 Nos. | 10-Aug-22 |
|    |  |                       |          |  | 3  | NGP | 3232 Nos.  | 26-Jul-22 |

|    |  |                                |          |  |   |           |                |           |
|----|--|--------------------------------|----------|--|---|-----------|----------------|-----------|
| 15 | 50223105102738<br>dt.20-JUN-22 on<br>M/s.GENERAL AUTO<br>ELECTRIC<br>CORPORATION-<br>MUMBAI<br>RITES-CALL                        | 1741916<br><br><br><br>(FP)    | 56468064 | Calling ON LED Signal<br>Lighting Unit with built in<br>current regulator retrofittable<br>in existing CLS Units as per<br>RDSO Specification<br>RDSO/Spn/153/2011. Rev.<br>4.1 Make : GAEC                                      | 1 | CRD       | 49 Nos.        | 20-Apr-23 |
|    |  |                                |          |  | 2 | PUNE      | 45 Nos.        | 20-Apr-23 |
|    |  |                                |          |  | 3 | BSL       | 58 Nos.        | 20-Apr-23 |
|    |  |                                |          |  | 4 | NGP       | 92 Nos.        | 20-Apr-23 |
| 16 | 79222334202745<br>dt.20-JUN-22 on M/s.<br>HANDTEX INDUSTRIAL<br>CO OPERATIVE<br>FEDERATION LIMITED-<br>ALIGARH<br><br>RITES-CALL | 60298086<br><br><br><br>(PC)   | 79339013 | Hand Towel Turkish Hand<br>loom Size 60 X 40 Cms<br>Superior Quality to Variety<br>No.4 Conforming to<br>Specification No. IS:<br>854/1991, Revision 2,<br>Reaffirmed in 2007 with<br>latest revision/amendments<br>with 'CR' Mo | 1 | CRD       | 400000<br>Nos. | 26-Jul-22 |
|    |  |                                |          |  | 2 | CRD       | 400875<br>Nos. | 10-Aug-22 |
|    |  |                                |          |  | 3 | NGP       | 134000<br>Nos. | 26-Jul-22 |
|    |  |                                |          |  | 4 | NGP       | 134240<br>Nos. | 10-Aug-22 |
| 17 | 38224315102748<br>dt.21-JUN-22 on<br>M/s.CENTRAL GASKET<br>COMPANY-MUMBAI<br><br>RITES-CALL                                      | 815276.16<br><br><br><br>(FP)  | 33535401 | Rubber Profile for Window<br>Glass in length of 4.5<br>meters to RCF Drg. No.<br>LW54141 Alt-Nil and<br>conforming to MCF Spec.<br>No. MMDTS20047 Rev-0  | 1 | PR        | 4275 Nos.      | 22-Sep-22 |
|    |  |                                |          |  | 2 | PUNE      | 523 Nos.       | 22-Sep-22 |
| 18 | 27221290102781<br>dt.21-JUN-22 on<br>M/s.TRIMURTI<br>TRADING COMPANY-<br>MUMBAI<br><br>RITES-CALL                                | 803615.4<br><br><br><br>(FP)   | 25878049 | MAGNET VALVE ROTEX<br>MODEL NO. 3054C, DRG.<br>NO. 081-13-231-171 REV 3.   | 1 | KYN       | 5 Nos.         | 21-Dec-22 |
|    |  |                                |          |  | 2 | ACL<br>PR | 64 Nos.        | 21-Dec-22 |
| 19 | 38223412102788<br>dt.22-JUN-22 on<br>M/s.P. K. METAL<br>CASTING-BHOPAL<br>RITES-CALL   | 2157693.72<br><br><br><br>(FP) | 33540160 | Stainless Steel Dust Bin<br>Fixing Arrgt. with Frame for<br>LHB Coaches to RCF Drg.<br>No. MI004725 Alt-h , Item<br>No. 1 & 3 only. An SS Wire<br>Rope, Grade AISI-202 of<br>min. Dia. 3 mm & Length                             | 1 | PR        | 273 Set        | 23-Oct-22 |
|    |  |                                |          |  | 2 | PR        | 273 Set        | 28-Feb-23 |
| 20 | 38180252702804<br>dt.22-JUN-22 on<br>M/s.NATIONAL<br>ENGINEERING<br>INDUSTRIES LTD.-<br>JAIPUR<br>RITES-CALL                     | 1783534.6<br><br><br><br>(PC)  | 30027068 | DOUBLE ROW SELF<br>ALIGNING SPHERICAL<br>ROLLER BEARING NO<br>22326 C/C3 CONFORMING<br>TO RDSO SPECN. C-8527<br>(REV.1) WITH<br>AMENDMENT SLIP NO.<br>1&2 SUITABLE FOR 16.25<br>TONNES AND 13 TONNES<br>AXLE WITH GUARANTEE      | 1 | MTN       | 170 Nos.       | 30-Oct-22 |

|    |  |                        |          |   |   |      |               |           |
|----|--|------------------------|----------|---|---|------|---------------|-----------|
| 21 | 84221003200015<br>dt.02-JUN-22 on M/s.<br>HANDTEX INDUSTRIAL<br>CO OPERATIVE<br>FEDERATION LIMITED-<br>ALIGARH<br><br>RITES-CALL | 3950000<br><br>(FP)    | 79337806 | Bed Sheet Handloom cotton<br>white bleached of size<br>229x140 cms to variety<br>no.12 to IS:745/2003 with<br>printed strip 2.5 cm wide<br>along the length of bedsheet<br>at a distance of 30 +/- 3 cm<br>from each side in    | 1 | CRD  | 10000<br>Nos. | 01-Jul-22 |
| 22 | 74221030100146<br>dt.23-JUN-22 on<br>M/s.TRIMURTI<br>TRADING COMPANY-<br>MUMBAI<br><br>RITES-CALL                                | 539850<br><br>(FP)     | 31354002 | SET OF MAGNET VALVE<br>FOR ESCORTS MAKE EP<br>UNIT AND AWS/DMH<br>PANEL COMPRISING OF<br>(1) APPLICATION MAGNET<br>VALVE COMPLETE TYPE<br>EV 207 3 VT TO M/s<br>ESCORTS DRG.NO. 3A-<br>82337 QTY-1 NO. (2)<br>HOLDING MAGNET VA | 1 | SNPD | 15 Set        | 23-Dec-22 |
| 23 | 38180252702850<br>dt.24-JUN-22 on<br>M/s.SCHAEFFLER<br>INDIA LIMITED-<br>VADODARA<br>RITES-CALL                                  | 1867465.64<br><br>(FP) | 30027068 | DOUBLE ROW SELF<br>ALIGNING SPHERICAL<br>ROLLER BEARING NO<br>22326 C/C3 CONFORMING<br>TO RDSO SPECN. C-8527<br>(REV.1) WITH<br>AMENDMENT SLIP NO.<br>1&2 SUITABLE FOR 16.25<br>TONNES AND 12 TONNES                            | 1 | MTN  | 178 Nos.      | 30-Dec-22 |
| 24 | 38223084102872<br>dt.27-JUN-22 on<br>M/s.BIMCO<br>ENGINEERING<br>ENTERPRISE-<br>LUDHIANA<br>RITES-CALL                           | 796500<br><br>(FP)     | 33140753 | HEX. HEAD BOLT KIT FOR<br>BRAKE HEAD & BLOCK<br>ARRGT. CONSISTING OF<br>07 ITEMS TO ICF DRG.NO.<br>T-3-1-619, ALT-e/2 ,ITEM<br>Nos. 5 ,6 ,9,10,11,12 AND<br>13. MATERIAL &<br>SPECIFICATION AS PER<br>DRAWING.                  | 1 | MTN  | 12500<br>Nos. | 28-Aug-22 |
| 25 | 85221721800918<br>dt.28-JUN-22 on<br>M/s.Office of the<br>Principal Chief<br>Materials Manager,<br>Allahabad<br>RITES-CALL       | 553190<br><br>(FP)     | 30056068 | DOUBLE ACTING<br>HYDRAULIC SHOCK<br>ABSORBER FOR<br>VERTICAL APPLICATION<br>HAVING CAPACITY 600<br>KGS TO ICF Drg. No.<br>ICF/SK-0-5-015, Alt-p/4.<br>Item No.1, MATERIAL AND<br>SPECIFICATION TO RDSO<br>SPECIFICATION NO. C-  | 1 | MTN  | 100 Nos.      | 26-Sep-22 |
| 26 | 42223086102954<br>dt.28-JUN-22 on<br>M/s.MCAM SURLON<br>INDIA LTD.-<br>GHAZIABAD<br>RITES-CALL                                   | 720649.6<br><br>(FP)   | 31050608 | Rubbing Pad for Bogie<br>Bolster to ICF Drg. No.<br>DMU/DPC5-0-5-507 Alt-a/2,<br>Item No.1. Material and<br>specification as per drawing.<br>firms offer: CLAUSE 2.7,<br>TABLE-I OF RDSO SPEC.<br>NO. C-9705: 1) Sl. No.4: Te   | 1 | MTN  | 1388 Nos.     | 30-Sep-22 |
| 27 | 42221369102962<br>dt.28-JUN-22 on<br>M/s.KNORR-BREMSE<br>INDIA PVT. LTD.-<br>PALWAL<br>RITES-CALL                                | 4039429.1<br><br>(FP)  | 31807033 | Set of filter element for<br>Knorr Bremse compressor<br>model No. VV 120 as per<br>part No.8.000.8.923.719.5<br>Qty. 02 Nos. and part<br>No.8.000.0.923.724.5 Qty.<br>01 No. [One set consist of 2<br>items having 3 Nos.]      | 1 | SNPD | 100 Set       | 30-Sep-22 |
|    |  |                        |          |   | 2 | SNPD | 132 Set       | 31-May-23 |
|    |  |                        |          |   | 3 | MTN  | 25 Set        | 30-Sep-22 |
|    |  |                        |          |   | 4 | MTN  | 72 Set        | 31-May-23 |

|    |  |                        |          |  |   |               |           |           |
|----|--|------------------------|----------|--|---|---------------|-----------|-----------|
| 28 | 38220266102981<br>dt.29-JUN-22 on<br>M/s.CEMCON<br>RAILWAY INDUSTRIES-<br>SONIPAT<br><br>RITES-CALL                      | 3964346.88<br><br>(FP) | 30256550 | UIC Type Rubber Vestibule<br>Upper Flange Complete to<br>RDSO SK-99056 Alt-3, Item<br>No.2 Material and<br>Specification : RDSO STR<br>No. RDSO/2007/CG-05,<br>Rev-1 of November-2018.   | 1 | MTN           | 96 Set    | 31-Aug-22 |
|    |  |                        |          |  | 2 | MTN           | 96 Set    | 31-Jan-23 |
| 29 | 18222082102990<br>dt.29-JUN-22 on<br>M/s.TRINITY HOUSE<br>(INDIA) PVT. LTD.-<br>MUMBAI<br>RITES-CALL                     | 573480<br><br>(FP)     | 17453720 | WIPER MOTOR ASSLY<br>AIR WINDSHIELD 85<br>DEGREE LEFT SIDE EMD<br>PART NO 10644019 ALT<br>"Ab" ( THIS ITEM IS THE<br>PART OF GA OF WIPER<br>MOTOR ASM KIT -<br>WINDOW TO DLW DRG<br>NO. K 1745042 DLW/PT                                 | 1 | GPR PA        | 14 Nos.   | 29-Dec-22 |
|    |  |                        |          |  | 2 | DLS<br>(KYN)  | 10 Nos.   | 29-Dec-22 |
| 30 | 38223532103025<br>dt.30-JUN-22 on<br>M/s.INDIA TOOLS<br>CRAFTS PVT LTD-<br>KOLKATA<br>RITES-CALL                         | 1971001.2<br><br>(FP)  | 38103023 | BOLSTER SNUBBER<br>SPRING TO RDSO'S DRG<br>NO. WD-83069-S-1, ALT-<br>16, ITEM-3, MATERIAL GR-<br>Gr.60Si7, CONFORMING<br>TO IS:3195-1992 READ<br>WITH AMEND. NO.2 OF<br>SEPT.2000 & RDSO'S<br>SPECN NO. WD-01-HLS-04                     | 1 | WAGO<br>N/BSL | 1358 Nos. | 01-Nov-22 |
| 31 | 27222965102480<br>dt.06-JUN-22 on<br>M/s.ORIENTAL FIBRE<br>AND ENGINEERING<br>INDUSTRIES-KOLKATA<br><br>RITES-CALL       | 4486171.2<br><br>(FP)  | 25822100 | FINGER CONTACT WITH<br>FLEXIBLE SHUNT ASSLY.<br>FOR REVERSER AND<br>COMMUTATOR ASSLY.<br>FOR ELECT. LOCOS TO<br>CLW DRG. NO. 4 TWD.<br>101.064, ALT.-6 (Sheet No.<br>0).   | 1 | KYN           | 143 Nos.  | 29-Sep-23 |
|    |  |                        |          |  | 2 | ACL<br>(KYN)  | 203 Nos.  | 29-Sep-23 |
|    |  |                        |          |  | 3 | ACL<br>(KYN)  | 203 Nos.  | 29-Dec-23 |
|    |  |                        |          |  | 4 | AQ            | 102 Nos.  | 29-Sep-23 |
| 32 | 42223064102585<br>dt.10-JUN-22 on<br>M/s.CORE SUN<br>POWER<br>ENGEENERING<br>PRIVATE LIMITED-<br>FARIDABAD<br>RITES-CALL | 868662.9<br><br>(FP)   | 31220137 | FORK EYE WITH BOLT<br>[SUB-ASSLY] TO<br>ESCORTS DRG.NO.<br>2.SK.399/LATEST<br>EQUIVALENT TO SANROK<br>DRG. NO. 2ED.181.1383.<br>OR SIMILAR.<br>MANUFACTURERS<br>IDENTIFICATION MARK,<br>MANUFACTURING<br>MONTH AND YEAR TO BE<br>SPECIFY | 1 | MTN           | 42 Nos.   | 31-Aug-22 |
|    |  |                        |          |  | 2 | SNPD          | 63 Nos.   | 31-Aug-22 |
| 33 | 27222170102601<br>dt.13-JUN-22 on<br>M/s.G.G.AUTOMOTIV<br>E GEARS LTD.-DEWAS<br><br>RITES-CALL                           | 11910920<br><br>(FP)   | 25420100 | GEAR WHEEL 65 TEETH<br>FOR TM HS 15250 A FOR<br>WAG7 LOCO,AS PER<br>RDSO DRG. NO. SKDL<br>4372 ALT-4 TO SPECN.<br>RDSO SPEC.NO-<br>MP.0.2800-09 (REV.02)<br>JUNE-05.   | 1 | KYN           | 4 Nos.    | 30-Dec-22 |
|    |  |                        |          |  | 2 | ACL<br>(KYN)  | 22 Nos.   | 30-Sep-22 |
|    |  |                        |          |  | 3 | ACL<br>(KYN)  | 22 Nos.   | 31-Dec-22 |
|    |  |                        |          |  | 4 | ACL<br>(KYN)  | 22 Nos.   | 28-Feb-23 |

|    |   |                       |          |  |   |            |           |           |
|----|---|-----------------------|----------|--|---|------------|-----------|-----------|
| 34 | 81222069202617<br>dt.13-JUN-22 on<br>M/s.WHALE<br>STATIONERY<br>PRODUCTS LIMITED.,<br>NEW DELHI<br><br>RITES-CALL | 1858400<br><br>(FP)   | 83048881 | PAPER COMPUTER<br>INTERLEAVED WITH<br>CARBON IN SHEETS<br>CONFORMING TO IS<br>12766/97 WITH TEST<br>REQUIREMENTS AS<br>GIVEN IN ISS. 2 PLY<br>CONTINOUS STATIONERY<br>WITH ONE TIME CARBON<br>INTERLEAVED WITH<br>CRIMP OR FANLOCK ARR | 1 | STY        | 1000 Set  | 16-Jul-22 |
|    |   |                       |          |  | 2 | PUNE       | 150 Nos.  |           |
| 35 | 10221523802618<br>dt.13-JUN-22 on<br>M/s.LUBE OI FILTER<br>PLANT, secunderbad<br><br>RITES-CALL                   | 1582187.2<br><br>(FP) | 10055083 | Set of low mean pore size<br>filters- 1)Large Primary fuel<br>oil fler 2)Large Secondary<br>fuel oil filter to 1) RDSO<br>Drg.No SK.DP 3901 Alt.Nil<br>2) RDSO Drg.No SK.DP<br>3902 Alt.Nil. RDSO SPECN.<br>NO. MP.0.2600.25 (R        | 1 | GPR PA     | 80 Pairs  | 13-Nov-22 |
|    |   |                       |          |  | 2 | DLS        | 140 Pairs | 13-Nov-22 |
| 36 | 27223529102656<br>dt.16-JUN-22 on<br>M/s.RIVER<br>ENGINEERING PVT<br>LTD-GREATER NOIDA<br><br>RITES-CALL          | 720614.2<br><br>(FP)  | 23842283 | AUX. CAM SWITCH<br>COMPLETE FOR SMGR<br>AS per AAL item no.M713 &<br>drg. no. 9910383855002 or<br>BT part no. A6331 & BT drg.<br>no. AM 400 660 R1 or<br>ELMEX TYPE NO.3,<br>CAMSWT (PART NO.<br>EX406.1) FOR SMGR.                    | 1 | KYN        | 549 Nos.  | 31-May-23 |
|    |   |                       |          |  | 2 | AQ         | 157 Nos.  | 31-May-23 |
| 37 | 27221231102659<br>dt.16-JUN-22 on<br>M/s.S.K.ENGINEERING<br>ENTERPRISE-HOWRAH<br><br>RITES-CALL                   | 554246<br><br>(FP)    | 23186197 | 3/4" SAFETY VALVE TYPE<br>E-1 SEATING PRESSURE<br>11.5 KG./SQ.CM. TO WSF<br>PT.NO. IB-70279/2. EACH<br>UNIT SHOULD BE<br>EMBOSSSED/ENGRAVED<br>WITH MAKER'S NAME,<br>MONTH, YEAR & BATCH<br>NO. OF MANUFACTURING<br>AT A CONSPICUOUS   | 1 | KYN        | 50 Nos.   | 16-Oct-22 |
|    |   |                       |          |  | 2 | ACL        | 100 Nos.  | 16-Oct-22 |
|    |   |                       |          |  | 3 | AQ         | 4 Nos.    | 16-Oct-22 |
| 38 | 27223252102692<br>dt.17-JUN-22 on<br>M/s.ANIL LOCO<br>TECHNOLOGIES<br>PRIVATE LIMITED-<br>HYDERABAD<br>RITES-CALL | 535484<br><br>(FP)    | 29050017 | WHEEL SET GUIDE FOR<br>WAG-9/WAP-7 LOCO AS<br>PER ABB DRG.NO.IB-011-<br>00186 & CLW DRG.1209-<br>01.115-004 ALT-1 .  | 1 | ACL<br>BSL | 40 Nos.   | 17-Dec-22 |
| 39 | 27222328102719<br>dt.20-JUN-22 on<br>M/s.ANANTASHREE<br>ENGINEERS-GAUTAM<br>BUDDH NAGAR<br><br>RITES-CALL         | 922488.6<br><br>(FP)  | 23564404 | CRANKSHAFT COMPLETE<br>FOR N32 TAP CHANGER<br>TO M/s REPL PT NO. A-<br>2101 & Drg. No. AG-106705-<br>RI OR M/s AAL PT NO. M-<br>2101 & Drg.No-<br>9980383805801.   | 1 | ACL<br>BSL | 3 Nos.    | 31-May-23 |
| 40 | 27224710102734<br>dt.20-JUN-22 on<br>M/s.NATIONAL<br>ENGINEERING<br>INDUSTRIES LTD.-<br>JAIPUR<br>RITES-CALL      | 2867459<br><br>(FP)   | 29010172 | SET OF STEP SIZE<br>RACERS FOR AXLE<br>BOXES OF WAG-9/WAP-7<br>LOCO AS PER<br>ANNEXURE.ONE SET<br>CONSISTING OF 04 ITEMS<br>04 NOS (1)PLAIN INNER<br>RACER RB 5080D TO NEI<br>DRG.NO.PESD-6179 QTY-<br>01 (2) LIPPED INNER             | 1 | ACL<br>BSL | 131 Set   | 30-Jun-23 |

|    |  |                       |          |   |   |            |           |           |
|----|--|-----------------------|----------|---|---|------------|-----------|-----------|
| 41 | 27223961102742<br>dt.20-JUN-22 on<br>M/s.FAIVELEY<br>TRANSPORT RAIL<br>TECHNOLOGIES INDIA<br>PRIVATE LIMITED-<br>HOSUR<br>RITES-CALL | 1122652<br><br>(FP)   | 29168314 | SET OF KIT FOR SAFETY VALVE CONTAINING 02 SUBKITS i.e. 790024101 & 790024103 containing 04 ITEMS & 08 NOS. AS PER ANNEXURE ATTACHED.<br>Accepted offer: SET OF MAINT KITS SAFETY VALVES to FTRTIPL Part Num | 1 | KYN        | 6 Set     | 31-May-23 |
|    |  |                       |          |   | 2 | ACL        | 116 Set   | 31-May-23 |
|    |  |                       |          |   | 3 | AQ         | 20 Set    | 31-May-23 |
| 42 | 27223438102792<br>dt.22-JUN-22 on<br>M/s.PRECISION<br>SPARES AND TOOLS-<br>KOLKATA<br>RITES-CALL                                     | 1941100<br><br>(FP)   | 29230044 | SET OF METALLIC PIPES FOR MAIN TRANSFORMER CONSISTING OF A.B.B1.C.D.F.G.K.L.M. PIPES & HARDWARE AS PER SHEET 5 & 8 OF CLW SPECN. No. CLW/ES/2/0253 ALT F  | 1 | ACL<br>BSL | 2 Set     | 31-May-23 |
|    |  |                       |          |   | 2 | AQ         | 5 Set     | 31-May-23 |
| 43 | 85221710800863<br>dt.22-JUN-22 on<br>M/s.Principal Chief<br>Materials Manager,<br>Jabalpur<br><br>RITES-CALL                         | 1157313.5<br><br>(FP) | 30010901 | PROTECTIVE TUBE COMPLETE FOR AXLE BOX GUIDE ARRANGEMENT TO ICF DRG. NO. T-0-1-610. ALT-13/x, COL-II OR ALTERNATIVELY INJECTION MOULDED POLYACETAL PROTECTIVE TUBE TO ICF DRG. NO. T-0-1-648, ALT-f/Nil,     | 1 | MTN        | 100 Nos.  | 20-Sep-22 |
|    |  |                       | 30030420 | SUSPENSION STRAP ON BOGIE FRAME TO ICF DRG. NO. WTAC3-0-3-317, ALT- a. ITEM NO. 1. MATERIAL SPECIFICATION AS PER DRG. (CLOSED PL 30037864)  | 2 | MTN        | 1000 Nos. | 20-Sep-22 |
|    |  |                       | 30540264 | SEALED WINDOW GLASS UNIT COMPLETE [FOR WIDER WINDOW] 1220 mm TO RCF DRG NO.AE-54107, ALT:d. (PL CLOSE OLD PL 84067846 )   | 3 | MTN        | 350 Nos.  | 20-Sep-22 |
|    |  |                       | 75403043 | VINYL COATED UPHOLSTERY FABRIC [LEATHER LIKE] AGAINST RDSO SPECN. NO. RDSO/2008/CG-07 WITH AMENDMENT SLIP NO. 03 OF APRIL 2015 AND CORRIGENDUM NO. 1. SHADE, COLOUR AND PATTERN AS PER RDSO'S SAMPLE NO.    | 4 | MTN        | 2500 MTR  | 20-Sep-22 |



|    |  |                       |          |  |   |        |            |           |
|----|--|-----------------------|----------|--|---|--------|------------|-----------|
|    |  |                       | 77032070 | Enamel Synthetic Exterior Brushing Finishing Air Craft Blue to ICF Specification : ICF/MD/Spec-045 issue states-02, Rev-03 and IS:8662/2004, 2nd Revision (Reaffirmed 2019) except clause C-3, with RDSO | 5 | MTN    | 500 LTR    | 20-Sep-22 |
| 44 | 43221076102842<br>dt.24-JUN-22 on<br>M/s.S. P. J.<br>INDUSTRIES PRIVATE<br>LIMITED-KOLKATA<br><br>RITES-CALL | 640917<br><br>(FP)    | 45180337 | 400 MM SWEEP 140V 60 WATTS CAPACITOR TYPE. VOLTAGE RANGE 98/168 VOLTS AC. FIXED TYPE RAILWAY CARRAIGE FAN WITH TWO BALL BEARINGS, CRASHWORTHY STAINLESS STEEL FAN GAURDS AS PER ICF                      | 1 | KALVA  | 155 Nos.   | 24-Dec-22 |
|    |  |                       |          |  | 2 | NGP    | 15 Nos.    | 24-Dec-22 |
| 45 | 62222330102923<br>dt.28-JUN-22 on<br>M/s.OZONE INDIA-<br>MUMBAI<br>RITES-CALL                                | 2463016.5<br><br>(FP) | 82216054 | DELTA MOTION CEREMIC (HA COATED ACETABULER MONO BLOCK CUP WITH CEREMIC LINER + DELTA MOTION HEAD+ DELTA MODULER SLEEV +  | 1 | MD/BY  | 12 Nos.    | 28-Jun-23 |
|    |  |                       |          |  | 2 | DRH/KY | 3 Nos.     | 28-Jun-23 |
| 46 | 62223495102927<br>dt.28-JUN-22 on<br>M/s.OZONE INDIA-<br>MUMBAI<br>RITES-CALL                                | 1050000<br><br>(FP)   | 82216032 | Description: PEEK CAGE WITH CALCIUM HYDROXYAPPATITE FILLING FOR CERVICAL SPINE ANY SIZE IMPLANT LCP WITH FOUR LOCKING SCREWS- IMPORTED, US   | 1 | MD/BY  | 25 Nos.    | 28-Jun-23 |
| 47 | 27221404102942<br>dt.28-JUN-22 on<br>M/s.SAM<br>ELECTRICALS-<br>MUMBAI<br>RITES-CALL                         | 803977.99<br><br>(FP) | 25724204 | NYLON CABLE TIE TYPE-1 for ELECTRIC LOCOMOTIVE AS PER CLW SPECN. NO. CLW/ES/C-38, ALT.E . ACCEPTED OFFER SURELOCK MAKE NYLON CABLE TIE SIZE 380 MM LENGTH X 7 MM WIDTH X 1.60 MM THICKNESS TOLRANCE PLUS | 1 | KYN    | 200 HDS    | 28-Sep-22 |
|    |  |                       |          |  | 2 | KYN    | 349 HDS    | 31-May-23 |
|    |  |                       |          |  | 3 | ACL    | 800 HDS    | 28-Sep-22 |
|    |  |                       |          |  | 4 | ACL    | 786 HDS    | 31-May-23 |
|    |  |                       |          |  | 5 | AQ     | 257 HDS    | 31-May-23 |
| 48 | 38224343102980<br>dt.29-JUN-22 on<br>M/s.STAR FASTENERS-<br>JALANDHAR<br><br>RITES-CALL                      | 587518.79<br><br>(FP) | 33670572 | Hex. Head Bolt M16 x 70 High Tensile to Specification No. IS:1364-2002 (Part-1), IS:1367-2002 (Part-3) 10.9, CE and RCF Spec. No. MDTS-057.  | 1 | MTN    | 25612 Nos. | 30-Sep-22 |
| 49 | 85221365100931<br>dt.30-JUN-22 on<br>M/s.MERSEN INDIA<br>PRIVATE LIMITED-<br>BANGALORE<br>RITES-CALL         | 712814.4<br><br>(FP)  | 25881577 | Metalized Carbon Strips Suitable for High Reach Panto graph with ADD provision as per spec. no. RDSO / 2014/EL/SPEC/0114, rev.0, date may 2014. as per Drg.No. AS ABOVE specn: AS ABOVE                  | 1 | MTN    | 30 Nos.    | 29-Oct-22 |

|    |   |                    |          |   |   |               |               |           |
|----|---|--------------------|----------|---|---|---------------|---------------|-----------|
| 50 | 38220286103013<br>dt.30-JUN-22 on<br>M/s.MELBROW<br>ENGINEERING WORKS<br>PVT. LTD.-KOLKATA<br>RITES-CALL      | 782340<br>(FP)     | 38124269 | HAND WHEEL FOR<br>BOXNHL WAGON TO<br>RDSO DRG. NO. WD-<br>09057-S-01, ALT.-2, ITEM-1<br>(PART DRG. NO. WD-<br>96031-S-1, ALT- NIL)<br>MATERIAL AND<br>SPECIFICATION<br>CONFIRMING TO IS:2062-<br>2011, AMENDMENT NO.1 | 1 | WAGO<br>N/BSL | 780 Nos.      | 01-Jan-23 |
| 51 | 85221601800697<br>dt.01-JUN-22 on<br>M/s.ICF Headquartes,<br>Chennai<br>RITES-CALL                            | 599050<br>(PC)     | 75403043 | VINYL COATED<br>UPHOLSTERY FABRIC<br>[LEATHER LIKE] AGAINST<br>RDSO SPECN. NO.<br>RDSO/2008/CG-07 WITH<br>AMENDMENT SLIP NO. 03<br>OF APRIL 2015 AND<br>CORRIGENDUM NO. 1.<br>SHAPE, COLOUR AND                       | 1 | MTN           | 5000 MTR      | 30-Aug-22 |
| 52 | 80223005102473<br>dt.06-JUN-22 on<br>M/s.PACKING HOUSE-<br>MUMBAI<br>RITES-CALL                               | 504000<br>(FP)     | 92113023 | FOUNDRY COKE GRADE-<br>I.I.S : 439/1989.  | 1 | MTN           | 15 MT         | 05-Jul-22 |
| 53 | 27223468102481<br>dt.06-JUN-22 on<br>M/s.SPECIAL<br>ENGINEERING<br>SERVICES LIMITED-<br>KOLKATA<br>RITES-CALL | 1196520<br>(FP)    | 29940060 | END FRAME DRIVING<br>END ASSEMBLY<br>(MACHINED) WITH AIR<br>OUTLET NET FOR<br>TRACTION MOTORS<br>(TYPE 6FRA 6068) OF<br>WAP-7/WAG-9 LOCO AS<br>PER CLW DRG. NO.<br>1TWD.096.005/ALT-9<br>(REF.4) and CLW              | 1 | KYN           | 5 Nos.        | 30-Sep-22 |
|    |   |                    |          |   | 2 | AQ            | 8 Nos.        | 30-Sep-22 |
| 54 | 38224307802505<br>dt.06-JUN-22 on<br>M/s.Rail Spring<br>Karkhana, Gwalior<br>RITES-CALL                       | 2589557.67<br>(FP) | 33500678 | Primary Spring Outer for<br>LHB GS Coaches, to RCF<br>Drg. No. LG 01100, Alt. Nil ,<br>conforming to RDSO<br>Specification No.<br>RDSO/2017/CG-01, Rev.<br>Nil, along with RDSO L. No.                                | 1 | PR            | 230 Nos.      | 06-Sep-22 |
| 55 | 85221441100750<br>dt.07-JUN-22 on<br>M/s.POLYMER<br>PRODUCTS OF INDIA-<br>BANGALORE<br>RITES-CALL             | 708000<br>(FP)     | 33500010 | Ball Joint Traction Lever to<br>FIAT Drg. No. C.53.973<br>REF BRED 8403 Rev 02<br>(FF 1521728 MOD 01) to be<br>read with T.S.17 532 100<br>00, T.S.17 617 100 02,<br>MDTS-148 Rev.01 and<br>MDTS-122 Rev- 03.         | 1 | MTN           | 500 Nos.      | 08-Jul-22 |
| 56 | 90211115702541<br>dt.08-JUN-22 on<br>M/s.STEEL<br>AUTHORITY OF INDIA<br>LIMITED-KOLKATA<br>RITES-CALL         | 6616847.64<br>(FP) | 90749819 | LOW ALLOY HIGH<br>TENSILE CORROSION<br>RESISTANT SHEET 2 MM<br>THICK X 1250 X 2500 mm<br>TO I.R.S. SPECIFICATION:<br>M-41/1997 GRADE 1. as<br>per Specn. I.R.S. M-<br>41/1997   | 1 | MTN           | 870 QTL.      | 31-Mar-23 |
| 57 | 38223423102563<br>dt.09-JUN-22 on<br>M/s.PARASNATH<br>ENTERPRISES-NEW<br>DELHI<br>RITES-CALL                  | 1117412.8<br>(FP)  | 30010470 | ACETAL GUIDE RING FOR<br>BG COACHES TO RDSO<br>DRG. NO. SK-91025, ALT-<br>3. MATERIAL AND<br>SPECIFICATION: RDSO<br>STR NO. C-8215 REV-2<br>AND AMDT-2 OF AUGUST-<br>2019.  | 1 | MTN           | 38000<br>Nos. | 10-Aug-22 |

|    |   |                       |          |  |   |            |              |           |
|----|---|-----------------------|----------|--|---|------------|--------------|-----------|
| 58 | 85221470100771<br>dt.09-JUN-22 on<br>M/s.INDIA AUTO<br>INDUSTRIES PVT. LTD.-<br>NEW DELHI<br>RITES-CALL | 536310<br><br>(FP)    | 33501002 | Primary Vertical Damper to RCF Drg. No. LW05102 Alt-d Confirming to RDSO Specification No. RDSO/CG-18005 Rev-Nil .   | 1 | MTN        | 100 Nos.     | 10-Jul-22 |
| 59 | 85221445100774<br>dt.09-JUN-22 on<br>M/s.AVADH RAIL<br>INFRA LIMITED-<br>LUCKNOW<br>RITES-CALL          | 787650<br><br>(FP)    | 33503011 | Rubber Pad for Primary Suspension for FIAT IR Bogie as per RCF Drg.No. LW01101, Alt-b along with RCF Spec. No. MDT5 098  | 1 | MTN        | 500 Nos.     | 10-Jul-22 |
| 60 | 38223362103035<br>dt.30-JUN-22 on<br>M/s.CHANDA AND<br>CHANDA ENGINEERS-<br>HOWRAH<br>RITES-CALL        | 1642937.6<br><br>(FP) | 33570759 | Maintenance Kit -01 For Earthing Equipment, consisting of following 3 Items, Material Confirming to RCF Specification No. EDTS-101, Rev C, Amendment 1, Corrigendum 6. 1) Earthing Cable to RCF Drawin | 1 | PR         | 458 Set      | 01-Sep-22 |
| 61 | 38222155102596<br>dt.10-JUN-22 on<br>M/s.ADITYA<br>INDUSTRIES-<br>BHAYANDAR<br>RITES-CALL               | 627708.08<br><br>(FP) | 30517394 | REPAIR KIT FOR OUTER DOOR ASSEMBLY ICF/RCF MAIN LINE COACHES (CONSISTING OF 4 ITEMS AS UNDER). i. LOWER BEARING JOURNAL TO ICF DRG. NO. T-5-1-642, ALT-t/2 , ITEM NO. 1, QTY 200 NOS                   | 1 | MTN        | 4 Set        | 11-Oct-22 |
| 62 | 27223569102657<br>dt.16-JUN-22 on<br>M/s.RITRA<br>TECHNOLOGIES LLP-<br>BHOPAL<br>RITES-CALL             | 989725<br><br>(FP)    | 29230019 | Stecker Stucchi (For converter valve set) as per ABB document No-3EHW370005 R0001 .  | 1 | ACL<br>BSL | 47 Nos.      | 16-Dec-22 |
|    |   |                       |          |  | 2 | AQ         | 14 Nos.      | 16-Dec-22 |
| 63 | 38223367102669<br>dt.16-JUN-22 on<br>M/s.G.B EQUIPMENT<br>SYSTEMS LIMITED-<br>DEHRADUN<br>RITES-CALL    | 966420<br><br>(FP)    | 33501002 | Primary Vertical Damper for FIAT bogies to RDSO Drg. No. RDSO/CG/DRG/21047 Alt-1 and conforming to RDSO Spec. No. RDSO/CG-18005 Rev-Nil.   | 1 | MTN        | 200 Nos.     | 01-Aug-22 |
| 64 | 85221407100817<br>dt.17-JUN-22 on<br>M/s.PREMIER<br>POLYFILM LTD.-<br>BULANDSHAHAR<br>RITES-CALL        | 3091200<br><br>(FP)   | 75403043 | VINYL COATED UPHOLSTERY FABRIC [LEATHER LIKE] AGAINST RDSO SPECN. NO. RDSO/2008/CG-07 WITH AMENDMENT SLIP NO. 03 OF APRIL 2015 AND CORRIGENDUM NO. 1. SHADE, COLOUR AND                                | 1 | MTN        | 12000<br>MTR | 27-Jul-22 |
| 65 | 27221088102712<br>dt.20-JUN-22 on<br>M/s.RECON<br>ENGINEERING CO P<br>LTD-KOLKATA<br>RITES-CALL         | 1042176<br><br>(FP)   | 23158530 | 1-1/4" Non Return valve assly. type 86R (Teflon seated) to Drg. No. ELW/BSL/1/WAM-4/F74.094 Ref. No. 1 to 10.  | 1 | KYN        | 37 Nos.      | 31-May-23 |
|    |   |                       |          |  | 2 | ACL<br>BSL | 499 Nos.     | 31-May-23 |

|    |  |  |          |  |   |            |               |           |
|----|--|--|----------|--|---|------------|---------------|-----------|
|    |  |  |          |  | 3 | AQ         | 16 Nos.       | 31-May-23 |
| 66 | 27223325102728<br>dt.20-JUN-22 on<br>M/s.FAIVELEY<br>TRANSPORT RAIL<br>TECHNOLOGIES INDIA<br>PRIVATE LIMITED-<br>HOSUR<br>RITES-CALL | 4790377.56<br><br><br><br><br><br><br><br><br><br>(FP) | 29160364 | SET OF KIT FOR DIRECT<br>BRAKE EXHAUST<br>COMPRISING OF 16<br>ITEMS, 36 NOS. (1) FTIL<br>PT.NO. 790018115 & D & M<br>PT.NO. RKA900-W91 (08<br>ITEMS-20 NOS), (2) FTIL<br>PT.NO. 790013118 (08<br>ITEMS-16 NOS). AS PER<br>ANNEXURE | 1 | KYN        | 8 Set         | 31-May-23 |
|    |  |  |          |  | 2 | ACL        | 20 Set        | 31-May-23 |
|    |  |  |          |  | 3 | ACL        | 20 Set        | 30-Sep-23 |
|    |  |  |          |  | 4 | AQ         | 30 Set        | 31-May-23 |
|    |  |  |          |  | 5 | AQ         | 25 Set        | 30-Sep-23 |
| 67 | 27221028102793<br>dt.22-JUN-22 on<br>M/s.BIMCO<br>ENGINEERING<br>ENTERPRISE-<br>LUDHIANA<br>RITES-CALL                               | 1145745.78<br><br><br><br><br><br><br><br><br><br>(FP) | 25607728 | Bolt for suspension tube M<br>36 X 110 MM TO CLW<br>DRG. NO. 4 TWD.095.089<br>ALT-4. Note:<br>MANUFACTURERs NAME<br>AND PROPERTY CLASS<br>MUST BE<br>EMBOSSED/INDENTED<br>ON HARDWARES.<br>Accepted Make- BIMCO.                   | 1 | KYN        | 487 Nos.      | 31-May-23 |
|    |  |  |          |  | 2 | ACL        | 5639 Nos.     | 31-May-23 |
| 68 | 85221309100889<br>dt.24-JUN-22 on<br>M/s.VIRTUE RUBBER<br>TECH-HARIDWAR<br><br>RITES-CALL  | 578256.64<br><br><br><br><br><br><br><br><br><br>(FP)  | 31357106 | AIR BRAKE HOSE<br>COUPLING FOR FEED<br>PIPE TO RDSO DRAWING<br>NO WD-81027-S-01, ALT-<br>10. MATERIAL AND<br>SPECIFICATION TO RDSO<br>SPECN 02-ABR-<br>02.APPENDIX-F.<br>AMENDMENT NO. 2 OF  | 1 | MTN        | 416 Nos.      | 25-Jul-22 |
| 69 | 95221002100240<br>dt.24-JUN-22 on<br>M/s.UTTAM UDYOG-<br>MUMBAI.<br>RITES-CALL   | 1730715<br><br><br><br><br><br><br><br><br><br>(FP)    | 79337806 | Bed Sheet Handloom cotton<br>white bleached of size<br>229x140 cms to variety<br>no.12 to IS:745/2003 with<br>printed strip 2.5 cm wide<br>along the length of bedsheet<br>at a distance of 30 +/- 3 cm                            | 1 | NGP        | 10000<br>Nos. | 10-Jul-22 |
| 70 | 38223407102853<br>dt.27-JUN-22 on<br>M/s.ELASTOMER<br>LINING WORKS-<br>AMBERNATH<br>RITES-CALL                                       | 8496000<br><br><br><br><br><br><br><br><br><br>(FP)    | 33524014 | Intercar gangway mounting<br>to RCF 's drawing No.<br>110113. 0.24.100.001,<br>Alt.R2 W/o Item No.4, with<br>latest alteration and RDSO<br>Specification No.<br>RDSO/2007/CG-05<br>(Rev.01)  | 1 | PR         | 67 Set        | 28-Sep-22 |
|    |  |  |          |  | 2 | PR         | 66 Set        | 31-Jan-23 |
|    |  |  |          |  | 3 | NGP        | 11 Set        | 28-Sep-22 |
| 71 | 27223952102887<br>dt.27-JUN-22 on<br>M/s.HIND<br>ENTERPRISES-<br>MUMBAI<br>RITES-CALL  | 2578164.3<br><br><br><br><br><br><br><br><br><br>(FP)  | 29708084 | SET OF ROTARY SWITCH<br>SET COMPRISING OF 04<br>ITEMS IN 06 NOS EACH<br>SET AS PER SKETCH NO:<br>ELS/AQ/WAG-9/S.K.<br>NO:0023/REV-01. Accepted<br>offer: SET OF ROTARY<br>SWITCH CONSISTING OF<br>FOLLOWING 04 ITEMS IN            | 1 | ACL<br>BSL | 36 Set        | 30-Sep-23 |
|    |  |  |          |  | 2 | AQ         | 9 Set         | 30-Sep-23 |
| 72 | 38220392102894<br>dt.27-JUN-22 on<br>M/s.ANAND SALES<br>CORPORATION-<br>KOLKATA<br>RITES-CALL  | 599440<br><br><br><br><br><br><br><br><br><br>(FP)     | 38450811 | MODIFIED DOOR<br>MEDIATOR<br>ARRANGEMENT FOR<br>BOXN WAGON TO SECR<br>SKETCH NO. WRS - 1300,<br>ALT-3. MATERIAL AND<br>SPECIFICATION AS PER<br>DRAWING.  | 1 | BSL        | 100 Nos.      | 28-Dec-22 |

|    |  |                        |          |   |   |            |            |           |
|----|--|------------------------|----------|---|---|------------|------------|-----------|
| 73 | 80222245102903<br>dt.28-JUN-22 on<br>M/s.JAINEX LIMITED-<br>MUMBAI<br>RITES-CALL               | 1759970<br><br>(FP)    | 80031614 | Grease 'O' Rings and Rubber components of Pneumatic valves based on a combination of Phenyl Methyl Silicon and Synthetic Ester Oil. Brand : Molykote 55 M Silicon Grease. RDSO.MP.MI-15(Rev.12) | 1 | MTN        | 11 Kgs.    | 28-Feb-23 |
|    |  |                        |          |   | 2 | KYN        | 17 Kgs.    | 28-Feb-23 |
|    |  |                        |          |   | 3 | PR         | 15 Kgs.    | 28-Feb-23 |
|    |  |                        |          |   | 4 | ACL        | 37 Kgs.    | 28-Feb-23 |
|    |  |                        |          |   | 5 | CLA        | 1 Kgs.     | 28-Feb-23 |
|    |  |                        |          |   | 6 | GPR PA     | 4 Kgs.     | 28-Feb-23 |
|    |  |                        |          |   | 7 | DLS        | 4 Kgs.     | 28-Feb-23 |
|    |  |                        |          |   | 8 | AQ         | 8 Kgs.     | 28-Feb-23 |
|    |  |                        |          |   | 9 | SNPD       | 3 Kgs.     | 28-Feb-23 |
| 74 | 90221240102910<br>dt.28-JUN-22 on<br>M/s.FAMOUS STEEL CORPORATION-<br>MUMBAI<br>RITES-CALL     | 1302612.03<br><br>(FP) | 90900558 | HEAT TREATED STEEL SHOTS TO IS:SPECN. No.4606/1983, REV 1, AMEND 1 OF 1985 GRADE SS 1180. as per Specn. IS:4606/1983  | 1 | MTN        | 14550 Kgs. | 15-Oct-22 |
| 75 | 62222331102924<br>dt.28-JUN-22 on<br>M/s.SAHIL ENTERPRISES-THANE<br>RITES-CALL                 | 1764000<br><br>(FP)    | 82216057 | Description : UNCEMENTED BIPOLER IMPLANT FEMORAL STEM, FEMORAL HEAD, LINER & SHELL (UNCEMENTED PROXIMALLY COATED STEM AND SELF CENTERIC METALIC)  | 1 | MD/BY      | 35 Nos.    | 28-Jun-23 |
|    |  |                        |          |   | 2 | DRH/KY     | 5 Nos.     | 28-Jun-23 |
| 76 | 27222282102941<br>dt.28-JUN-22 on<br>M/s.RIVER ENGINEERING PVT LTD-GREATER NOIDA<br>RITES-CALL | 668625.76<br><br>(FP)  | 23565159 | Lever assy. complete to M/s Adtranz pt. no. A4540 to drg. no. HAGT-225320 R1, spare for air motor of tap changer.   | 1 | ACL<br>BSL | 4 Nos.     | 31-May-23 |
| 77 | 27223170102947<br>dt.28-JUN-22 on<br>M/s.PATRON INDUSTRIAL CORPORATION-HOWRAH<br>RITES-CALL    | 3959932.5<br><br>(FP)  | 25890013 | ELECTRO MAGNETIC CONTACTOR FOR AUXILIARY MOTOR DRG. 1TWD.291.033 Alt-9.   | 1 | ACL<br>BSL | 95 Nos.    | 30-Dec-23 |
| 78 | 42221448102959<br>dt.28-JUN-22 on<br>M/s.SETH TRADERS-<br>MUMBAI<br>RITES-CALL                 | 1231212<br><br>(FP)    | 31317017 | DIAGONAL ROD [2 nos] INCLUDING HEAT SHRINK TUBE AND CABLE TIE PART NO. 3.17103-11748.   | 1 | MTN        | 39 Set     | 31-Oct-22 |
|    |  |                        |          |   | 2 | VVH        | 35 Set     | 31-Oct-22 |
|    |  |                        |          |   | 3 | SNPD       | 37 Set     | 31-Oct-22 |
| 79 | 38222291102991<br>dt.29-JUN-22 on<br>M/s.HINDUSTAN FIBRE GLASS WORKS PRIVATE LIMITED-KOLKATA   | 897921                 | 30542698 | FRP WINDOW ASSEMBLY 2'0" WIDE TO DRG.NO. RDSO SKETCH-96070, ALT-1 (EXCEPT ITEMS 4 TO 7) AND WITH RDSO SPECN.NO. RDSO/2007/CG-02 , REV.01 WITH AMD.02 INSTEAD OF RDSO                            | 1 | MTN        | 267 Nos.   | 30-Jun-23 |

|    |  |                        |          |  |   |      |           |           |
|----|--|------------------------|----------|--|---|------|-----------|-----------|
|    | RITES-CALL   | (FP)                   |          | INSTEAD OF RDSO SPECN C-9403.THE   |   |      |           |           |
| 80 | 42221450102996<br>dt.29-JUN-22 on<br>M/s.SETH TRADERS-<br>MUMBAI<br>RITES-CALL   | 3380700<br><br>(FP)    | 31758575 | Set of Items: 1] Base Bearing Part No.3.L.O1.4206 - Qty.-02 Nos. 2] Coupling Rod Part No.2.K.16.4276 - Qty.-01 No. 3] Pan Head Part No.1-3918.5470 Qty.- 01 No.  | 1 | MTN  | 4 Set     | 30-Nov-22 |
|    |  |                        |          |  | 2 | SNPD | 11 Set    | 30-Sep-22 |
| 81 | 42221108102448<br>dt.02-JUN-22 on<br>M/s.INDIA AUTO<br>INDUSTRIES PVT. LTD.-<br>NEW DELHI<br>RITES-CALL                              | 3514795.2<br><br>(FP)  | 31050566 | LATERAL DAMPER FOR SECONDARY AIR SPRING SUSPENSION ARRANGEMENT TO ICF DRG. NO. DC/EMU/M/ASR-0-5-005, ALT-p/6 , ITEM NO. 1 AND GUARANTEE SHALL BE AS PER CLAUSE-8 OF RDSO SPEC.NO. C-8703, REV.2. AMDT-1  | 1 | MTN  | 100 Nos.  | 31-Jul-22 |
|    |  |                        |          |  | 2 | MTN  | 100 Nos.  | 30-Sep-22 |
|    |  |                        |          |  | 3 | MTN  | 100 Nos.  | 31-Dec-22 |
|    |  |                        |          |  | 4 | MTN  | 110 Nos.  | 28-Feb-23 |
|    |  |                        |          |  | 5 | VVH  | 33 Nos.   | 31-Jul-22 |
|    |  |                        |          |  | 6 | SNPD | 75 Nos.   | 31-Jul-22 |
|    |  |                        |          |  | 7 | SNPD | 73 Nos.   | 31-Dec-22 |
| 82 | 42221425102453<br>dt.02-JUN-22 on<br>M/s.FAIVELEY<br>TRANSPORT RAIL<br>TECHNOLOGIES INDIA<br>PRIVATE LIMITED-<br>HOSUR<br>RITES-CALL | 1594644.92<br><br>(FP) | 31797039 | SPRING BRAKE CHAMBER COMPLETE TO M/S FTIL PART NO 799 5002 80 ALONG WITH PARKING BRAKE LEVER ASSEMBLY TO FTIL PART NO 546 1010 00.[ One Number each.] SET SPRING BR CHAMBER&PAR BR to FTRTIPL Part Numbe | 1 | MTN  | 28 Nos.   | 31-Aug-22 |
|    |  |                        |          |  | 2 | MTN  | 16 Nos.   | 30-Apr-23 |
|    |  |                        |          |  | 3 | SNPD | 6 Nos.    | 31-Aug-22 |
|    |  |                        |          |  | 4 | SNPD | 3 Nos.    | 30-Apr-23 |
| 83 | 42223575102454<br>dt.02-JUN-22 on<br>M/s.R.N.STEEL CO.-<br>HOWRAH<br>RITES-CALL  | 1161120<br><br>(FP)    | 31010301 | PROTECTIVE TUBE COMPLETE TO ICF DRG. NO. EMU/M-0-1-011, ALT-h/2. MATERIAL AND SPECIFICATION AS PER DRAWING. make - RNSC  | 1 | MTN  | 2400 Nos. | 30-Nov-22 |
| 84 | 70221131102468<br>dt.04-JUN-22 on<br>M/s.APIDOR<br>ABRASIVE PRODUCTS<br>PVT.LTD-NASIK<br><br>RITES-CALL                              | 2793395.58<br><br>(FP) | 70012027 | Rail cutting wheel (Abrasive Disc) as per specification No.- TM/SM/2 (Revision 01 of 2020) Firms Offer :- APIDOR Make.   | 1 | CRD  | 2834 Nos. | 09-Jan-23 |
|    |  |                        |          |  | 2 | PUNE | 1067 Nos. | 09-Jan-23 |
|    |  |                        |          |  | 3 | BB   | 1947 Nos. | 09-Jan-23 |
|    |  |                        |          |  | 4 | BSL  | 1934 Nos. | 09-Jan-23 |
| 85 | 48221174800565<br>dt.04-JUN-22 on<br>M/s.PRINCIPAL CHIEF<br>MATERIALS<br>MANAGER,<br>CHURCHGATE<br>RITES-CALL                        | 1134962<br><br>(PC)    | 33500447 | YAW DAMPER TO RCF DRAWING NO. LW-05103, ALT-f, CONFORMING TO RDSO SPECIFICATION NO. RDSO/CG-18005, REV. NIL. THIS ITEM IS RESTRICTED FOR PROCUREMENT FROM RDSO APPROVED SOURCE ONLY.                     | 1 | PR   | 100 Nos.  | 03-Aug-22 |

|    |   |                                |          |   |   |            |               |           |
|----|---|--------------------------------|----------|---|---|------------|---------------|-----------|
| 86 | 38224975102474<br>dt.06-JUN-22 on<br>M/s.POWERNETICS<br>EQUIPMENT (I) PVT<br>LTD-NAVI MUMBAI<br>RITES-CALL RITES-IC | 1463200<br><br><br><br>(FC)    | 33569344 | 4.5 KW Underslung type<br>constant voltage regulated<br>battery charger for LHB<br>coaches as per RDSO<br>Specification No. RDSO/<br>PE/SPEC/AC/0183-(Rev- 1)<br>2018.  | 1 | PR         | 8 Nos.        | 22-Jul-22 |
| 87 | 79221005D02499<br>dt.06-JUN-22 on<br>M/s.RASHMI<br>ENGINEERING, PUNE<br><br>RITES-CALL                              | 4735500<br><br><br><br>(FP)    | 79339153 | BED SHEET SIZE LENGTH<br>229CMX WIDTH 140 CM<br>MILL MADE SUPERIOR<br>QUALITY ASSORTED<br>WITH I/R MONOGRAM IN<br>ALL FOUR CORNERS<br>WITH INDELIBLE ROYAL<br>BLUE INK (PREFERABLY<br>WOVEN) BED SHEET                          | 1 | CRD        | 20000<br>Nos. | 06-Jul-22 |
| 88 | 85221505100773<br>dt.09-JUN-22 on<br>M/s.ELASTOMER<br>LINING WORKS-<br>AMBERNATH<br>RITES-CALL                      | 625400<br><br><br><br>(FC)     | 33503023 | Pad for Secondary<br>Suspension to MINER's<br>Drg. No. 1903149 Ver-a or<br>Equivalent & FIAT-SIG<br>Specification No.<br>17.477.100.02.   | 1 | MTN        | 100 Nos.      | 10-Jul-22 |
| 89 | 18222221102588<br>dt.10-JUN-22 on<br>M/s.PIONEER FIL-MED<br>PVT LTD-NEW DELHI<br><br>RITES-CALL                     | 2730293.44<br><br><br><br>(FP) | 16241198 | LONG LIFE LUBE OIL AND<br>FUEL OIL FILTER TWO<br>PIECES FOR HHP<br>LOCOMOTIVES RDSO<br>DRG NO SK DP 3948 ALT<br>nil OR LATEST EMD DRG<br>NO 40056007 RDSO<br>SPECN NO MP 0.2600.26<br>REV-00 SEP 2000 OP                        | 1 | GPR PA     | 188 Nos.      | 25-Sep-22 |
|    |   |                                |          |   | 2 | DLS        | 104 Nos.      | 25-Sep-22 |
| 90 | 27223269103026<br>dt.30-JUN-22 on<br>M/s.PERFECT GEARS-<br>MUMBAI<br>RITES-CALL                                     | 3513945.6<br><br><br><br>(FP)  | 29250067 | Membrane for Hurth<br>Coupling as per ABB Part<br>No. 0501317975 & ABB<br>Drg. No. IA011-00234 ALT-<br>4 or RDSO approved Drg.<br>No. MCPL/HC-2306/11.01<br>Rev-0 with RDSO Specn.  | 1 | ACL<br>BSL | 88 Nos.       | 30-Jun-23 |
|    |   |                                |          |   | 2 | ACL<br>BSL | 88 Nos.       | 30-Sep-23 |
| 91 | 38221896102593<br>dt.10-JUN-22 on<br>M/s.SUPER<br>ENGINEERING WORKS-<br>MUMBAI<br>RITES-CALL                        | 641017.3<br><br><br><br>(FP)   | 30420489 | S.S. UNEQUAL ANGLE<br>MOULDING, SIZE : 2440 x<br>75 x 25 x 1 mm TO MTN<br>DRG.NO. MISC.SK.-3599<br>ALT-5 , REF-3. MATERIAL<br>AND SPECIFICATION AS<br>PER DRAWING.  | 1 | MTN        | 1309 Nos.     | 31-Oct-22 |
| 92 | 85221641800797<br>dt.11-JUN-22 on<br>M/s.PRINCIPAL CHIEF<br>MATERIALS<br>MANAGER,<br>CHURCHGATE<br>RITES-CALL       | 534450<br><br><br><br>(PC)     | 37130912 | BUFFER PLUNGER WITH<br>FACE PLATE, BUFFER<br>SPINDLE AND HEX NUT<br>[ASSEMBLY] TO RDSO<br>DRG. NO. SKETCH 98145,<br>ALT-11 AND C.RLY. ALT.d,<br>ITEM NO. 3,5,6,7 AND 17.<br>MATERIAL AND<br>SPECIFICATION AS PER<br>DRAWING.    | 1 | MTN        | 100 Nos.      | 09-Sep-22 |
| 93 | 27223282102605<br>dt.13-JUN-22 on<br>M/s.SECHERON<br>HASLER INDIA<br>PRIVATE LIMITED-<br>GURGAON<br>RITES-CALL      | 9113730<br><br><br><br>(FP)    | 29960046 | AOH/IOH/POH Kit for<br>Secheron Contactor Type<br>BPS 15.15 C/2 & BPS<br>30.06S as per part no<br>SG201176R00020. Each<br>set consist of 8 items.10<br>nos. As per OEM manual<br>(SECHRON) page no. D-32<br>& D-33 as under: (1 | 1 | KYN        | 12 Set        | 30-Sep-22 |
|    |   |                                |          |   | 2 | KYN        | 12 Set        | 31-Dec-22 |
|    |   |                                |          |   | 3 | KYN        | 11 Set        | 30-Apr-23 |

|    |   |                        |          |  |    |      |           |           |
|----|---|------------------------|----------|--|----|------|-----------|-----------|
|    |   |                        |          |  | 4  | ACL  | 34 Set    | 30-Sep-22 |
|    |   |                        |          |  | 5  | ACL  | 34 Set    | 31-Dec-22 |
|    |   |                        |          |  | 6  | ACL  | 34 Set    | 30-Apr-23 |
|    |   |                        |          |  | 7  | ACL  | 34 Set    | 30-Jun-23 |
|    |   |                        |          |  | 8  | AQ   | 25 Set    | 30-Sep-22 |
|    |   |                        |          |  | 9  | AQ   | 25 Set    | 31-Dec-22 |
|    |   |                        |          |  | 10 | AQ   | 25 Set    | 30-Apr-23 |
|    |   |                        |          |  | 11 | AQ   | 25 Set    | 30-Jun-23 |
| 94 | 50223105102615<br>dt.13-JUN-22 on<br>M/s.CLS INDUSTRIES-<br>NEW DELHI<br>RITES-CALL                         | 568701<br><br>(FP)     | 56468064 | Calling ON LED Signal Lighting Unit with built in current regulator retrofittable in existing CLS Units as per RDSO Specification RDSO/Spn/153/2011. Rev. 4.1 Make : SELF                                | 1  | CRD  | 81 Nos.   | 13-Apr-23 |
| 95 | 75221118102639<br>dt.14-JUN-22 on<br>M/s.ADVANCE PAINTS<br>PRIVATE LIMITED-<br>MUMBAI<br>RITES-CALL         | 3488776.2<br><br>(FP)  | 77900091 | SET OF PU PAINTS FOR EMU MUTP PHASE-II COACHES ONE SET CONSISTS FOUR ITEMS WITH TWO PACK 1) RAL-9018 PU POPYRUS WHITE METALLIC FINISH QTY/SET 22.5 LTRS(18 ltrs Base + 4.5 ltrs Hardener)                | 1  | MTN  | 252 Set   | 30-Jun-22 |
| 96 | 38223318802660<br>dt.16-JUN-22 on<br>M/s.Rail Spring<br>Karkhana, Gwalior<br>RITES-CALL                     | 6574791.85<br><br>(FP) | 33500368 | PRIMARY SPRING OUTER FOR GENERATOR CAR TO FIAT DRG. NO. 1277142 VER 01, CONFORMING TO RDSO SPECIFICATION NO. RDSO/2017/CG-01, REV-1 WITH CORRIGENDUM-1 OF OCTOBER 2019, ALONG WITH RDSO L. NO. SV.FIAT.S | 1  | MTN  | 84 Nos.   | 30-Jun-23 |
|    |   |                        |          |  | 2  | LTT  | 140 Nos.  | 20-Sep-22 |
|    |   |                        |          |  | 3  | PR   | 200 Nos.  | 20-Sep-22 |
|    |   |                        |          |  | 4  | PR   | 191 Nos.  | 30-Jun-23 |
|    |   |                        |          |  | 5  | WB   | 14 Nos.   | 20-Sep-22 |
|    |   |                        |          |  | 6  | PUNE | 20 Nos.   | 20-Sep-22 |
| 97 | 38223375102671<br>dt.16-JUN-22 on<br>M/s.GUMMI METALL<br>TECHNIK (INDIA) PVT<br>LTD-BANGALORE<br>RITES-CALL | 13248662.4<br><br>(FP) | 33500060 | Axle Box Pivot Bush with solid or hollow pin construction for FIAT Bogie to Drg. No. 1247488 Alt-a to be read with Tech. Spec. No. 17.359 100 03, 17.617 100 02 and MDTS-148 Rev.01 & MDTS-122 Rev.03.   | 1  | PR   | 1080 Nos. | 17-Aug-22 |
|    |   |                        |          |  | 2  | PR   | 1080 Nos. | 31-Jan-23 |
| 98 | 85221446100818<br>dt.17-JUN-22 on<br>M/s.GABRIEL INDIA<br>LIMITED-PUNE<br>RITES-CALL                        | 784700<br><br>(FP)     | 33509311 | Secondary Vertical Damper for LHB NAC Coaches to RCF Drg. No. LG05102 Alt-d and conforming to RDSO Spec. No. RDSO/CG-18005 Rev. Nil.   | 1  | MTN  | 125 Nos.  | 02-Aug-22 |
| 99 | 38223498102699<br>dt.17-JUN-22 on<br>M/s.RESISTOFLEX<br>DYNAMICS PVT. LTD.-<br>Greater Noida<br>RITES-CALL  | 3221400<br><br>(FP)    | 33503527 | Air Spring Assembly (120 KN capacity) for Main Line / Rajdhani LHB Coaches for FIAT Type Bogie as per RCF List No. MPLBGASPLHB Ver-5 with RDSO Spec. No. RDSO/2020/CG-01.                                | 1  | MTN  | 21 Nos.   | 31-May-23 |



|     |   |                       |          |  |   |                                    |           |           |
|-----|---|-----------------------|----------|--|---|------------------------------------|-----------|-----------|
| 100 | 79221115202706<br>dt.17-JUN-22 on<br>M/s.THE GUJARAT<br>RAJYA HANDLOOM,<br>HANDICRAFTS AND<br>AUDYOGIC SAHAKARI<br>FEDERATION LTD-<br>AHMEDABAD<br><br>RITES-CALL | 12185434<br><br>(FP)  | 79330538 | Soft Blanket of superior<br>quality with four side satin<br>piping (note less than 4<br>stitches per cm) conforming<br>to the specification<br>described below:i)<br>Dimensions -215 cms X 120<br>cms ii) Fibre content -        | 1 | CRD                                | 8000 Nos. | 26-Jul-22 |
|     |   |                       |          |  | 2 | CRD                                | 8253 Nos. | 10-Aug-22 |
|     |   |                       |          |  | 3 | NGP                                | 2154 Nos. | 26-Jul-22 |
| 101 | 27221197102713<br>dt.20-JUN-22 on<br>M/s.MA KALI<br>INDUSTRIES-HOWRAH<br><br>RITES-CALL   | 1348740<br><br>(FP)   | 23168407 | SAND EJECTOR TYPE-C,<br>AS PER CLW Drg. No.<br>0/2/65/114, Alt. 1.   | 1 | KYN                                | 284 Nos.  | 30-Sep-22 |
|     |   |                       |          |  | 2 | ACL<br>BSL                         | 850 Nos.  | 30-Sep-22 |
|     |   |                       |          |  | 3 | AQ                                 | 136 Nos.  | 30-Sep-22 |
| 102 | 27223000102726<br>dt.20-JUN-22 on<br>M/s.SCHUNK CARBON<br>TECHNOLOGY INDIA<br>PRIVATE LIMITED-<br>BANGALORE<br><br>RITES-CALL                                     | 2539360<br><br>(FP)   | 23880016 | High reach Pantograph for<br>electric locos to<br>Specification No.<br>RDSO/2007/EL/SPEC/0054<br>Rev.2 dated 04.11.2015.<br>Scope of supply as per<br>RDSO Specification.<br>Accepted offer: High Reach<br>Pantograph as per RDS | 1 | ACL<br>BSL                         | 3 Nos.    | 31-Dec-22 |
|     |   |                       |          |  | 2 | AQ                                 | 1 Nos.    | 31-Dec-22 |
| 103 | 27223745102729<br>dt.20-JUN-22 on<br>M/s.TRINITY HOUSE<br>(INDIA) PVT. LTD.-<br>MUMBAI<br>RITES-CALL  | 4767388.8<br><br>(FP) | 23991070 | SET OF SIEMENS<br>PROGRAMME SWITCHES<br>FOR WAG5 LOCO AS PER<br>SKETCH NO.<br>BSL/ELW/SK.NO.9035 ALT-<br>4 SET COMPRISING OF 10<br>ITEMS 18 NOS. Accepted<br>offer: SIEMENS MAKE SET<br>OF PROGRAMME                             | 1 | ACL<br>BSL                         | 38 Set    | 31-May-23 |
| 104 | 27224736102731<br>dt.20-JUN-22 on<br>M/s.APPLIED<br>ENGINEERING<br>SERVICES-MUMBAI<br>RITES-CALL  | 4886616<br><br>(FP)   | 23XXNS   | ROTOR BAR FOR BRAZED<br>ROTOR FOR 3 PHASE TM<br>TYPE 6 FXA 7059 FOR<br>WAP 5 LOCO AS PER<br>CLW DRG<br>NO.4TWD.097.074 ALT<br>AND MATERIAL AS PER<br>CLW<br>SPEC.NO.4TMS.096.060<br>ALT.8, LENGTH 482+-<br>0.5MM.                | 1 | SHOP<br>SUPDT<br>T.<br>MACHI<br>NE | 1368 Nos. | 20-Jan-23 |
|     |   |                       | 29945604 | ROTOR BAR FOR BRAZED<br>ROTOR FOR 3 PHASE TM<br>TYPE 6 FXA 7059 FOR<br>WAP 5 LOCO AS PER<br>CLW DRG<br>NO.4TWD.097.074 ALT<br>AND MATERIAL AS PER<br>CLW<br>SPEC.NO.4TMS.096.060<br>ALT.8, LENGTH 482+-<br>0.5MM.                | 2 | TMW                                | 2112 Nos. | 31-May-23 |

|     |  |                        |          |  |   |            |           |           |
|-----|--|------------------------|----------|--|---|------------|-----------|-----------|
| 105 | 27221456102732<br>dt.20-JUN-22 on<br>M/s.NATIONAL<br>ENGINEERING<br>INDUSTRIES LTD.-<br>JAIPUR<br>RITES-CALL       | 1969018.8<br><br>(FP)  | 25018863 | SET OF STEP SIZE<br>THROWER, INNER RACER<br>and DISTANCE PIECES<br>FOR WAP-1,WAP-4, WAG-<br>7, WCAM-3 LOCOS AS<br>PER SKETCH NO.<br>BSL/ELW/SK.NO.8015,<br>ALT-1. SET CONSISTS OF<br>07 ITEMS 60 NOS. EACH<br>SET WILL CONSIST OF: | 1 | ACL<br>BSL | 7 Set     | 31-Dec-22 |
| 106 | 41223124102751<br>dt.21-JUN-22 on<br>M/s.MERSEN INDIA<br>PRIVATE LIMITED-<br>BANGALORE<br>RITES-CALL               | 1182360<br><br>(FP)    | 47421071 | Carbon brush for earth<br>return assembly to Schunk<br>Metal Drg No.4048900/F<br>(Grade C40Z3) OR as per<br>drawing<br>No.WR/MX/EL/2013/4-AC-<br>DC-TM-297. Make :<br>MERSEN/BE14Z1  | 1 | MTN        | 150 Nos.  | 24-Aug-22 |
|     |  |                        |          |  | 2 | MTN        | 150 Nos.  | 31-Dec-22 |
|     |  |                        |          |  | 3 | VVH        | 150 Nos.  | 24-Aug-22 |
|     |  |                        |          |  | 4 | VVH        | 150 Nos.  | 31-Dec-22 |
|     |  |                        |          |  | 5 | SNPD       | 117 Nos.  | 24-Aug-22 |
|     |  |                        |          |  | 6 | SNPD       | 118 Nos.  | 31-Dec-22 |
| 107 | 81221012202762<br>dt.21-JUN-22 on<br>M/s.RATIONAL<br>BUSINESS<br>CORPORATION PVT<br>LTD-SONIPAT<br>RITES-CALL      | 1644103.44<br><br>(FP) | 83054066 | PRE-PRINTED<br>CARBONLESS PARCEL<br>WAY BILL COM./P 35 (A)<br>AND LUGGAGE TICKET IN<br>CONTINUOUS<br>STATIONERY SIZE<br>10""X7""X4 PLY WITH<br>PERFORATION ON TWO<br>SIDE, SHOULD BE<br>WATERMARK WITH                             | 1 | STY        | 798 Set   | 20-Aug-22 |
| 108 | 27224666102786<br>dt.22-JUN-22 on<br>M/s.VIKRANT<br>ENGINEERING WORKS<br>PRIVATE LIMITED-<br>KOLKATA<br>RITES-CALL | 2212500<br><br>(FP)    | 29488059 | FILTER ASSEMBLY FOR<br>MACHINE ROOM<br>VENTILATION FOR 3<br>PHASE LOCO AS PER<br>CLW<br>SPEC.NO.CLW/MS/3/012<br>PART-1 AND CLW<br>DRAWING NO.1209.11.135-<br>121 ALT-2.  | 1 | ACL<br>BSL | 50 Nos.   | 30-Apr-23 |
| 109 | 42223785102841<br>dt.24-JUN-22 on<br>M/s.SANROK<br>ENTERPRISES-<br>FARIDABAD<br>RITES-CALL                         | 506786.4<br><br>(FP)   | 31220022 | Polymide Bush to Escorts<br>Drg. No. 40-586-06-4(4) or<br>Equivalent.  | 1 | MTN        | 1480 Nos. | 24-Sep-22 |
|     |  |                        |          |  | 2 | SNPD       | 906 Nos.  | 24-Sep-22 |
| 110 | 42220037102844<br>dt.24-JUN-22 on<br>M/s.ELASTOMECH-<br>KOLKATA<br>RITES-CALL                                      | 508462<br><br>(FP)     | 35750250 | RUBBER SANDWICH UNIT<br>OF M/S SIEMENS<br>TRACTION MOTOR TYPE<br>1TB2022 OTA 03 AS PER<br>DRG NO WR /MX/EL-1926-<br>2 /AC-DC-TM269. (PL<br>Close TPL 35320382 ) as   | 1 | SNPD       | 31 Set    | 24-Oct-22 |
| 111 | 27224665102440<br>dt.01-JUN-22 on<br>M/s.CONTRANSYS<br>PRIVATE LIMITED-<br>KOLKATA<br>RITES-CALL                   | 1958800<br><br>(FP)    | 25888080 | BOW ASSEMBLY FOR<br>PANTOGRAPH TYPE IR-03<br>H M/s.CONTRANSYS<br>PART No. C 0H1600.  | 1 | ACL<br>BSL | 5 Nos.    | 30-Nov-22 |
|     |  |                        |          |  | 2 | ACL<br>BSL | 15 Nos.   | 31-May-23 |

|     |  |                    |          |   |   |              |               |           |
|-----|--|--------------------|----------|---|---|--------------|---------------|-----------|
| 112 | 38222234102477<br>dt.06-JUN-22 on<br>M/s.RAMA<br>ENGINEERING WORKS-<br>HYDERABAD<br>RITES-CALL                     | 637200<br>(FP)     | 30011516 | Thermoplastic Polyester Elastomer (Hytrel) Upper Washer for Primary Suspension to RDSO Drg. No. CG-K4058 Alt-3. Material & Specification : RDSO Spec. No. C-K409 Rev.2 with Amdt. No. 4 of August-2016    | 1 | MTN          | 450 Nos.      | 28-Feb-23 |
| 113 | 90220667802500<br>dt.06-JUN-22 on<br>M/s.HEAD QUATER,<br>Kolkata<br>RITES-CALL                                     | 1423250<br>(FP)    | 90402443 | Mild Steel Plates 5 x 1250 x 6300 to the Specification IS:2062:2011 Grade E 250 A Cu specn: I . S. 2062/2011  | 1 | ACL<br>BSL   | 250 QTL.      | 30-Jun-22 |
| 114 | 79221005102517<br>dt.07-JUN-22 on<br>M/s.TVL SRI JOTHI<br>COLOURS-KARUR<br>RITES-CALL                              | 2352000<br>(FC)    | 79339153 | BED SHEET SIZE LENGTH 229CMX WIDTH 140 CM MILL MADE SUPERIOR QUALITY ASSORTED WITH I/R MONOGRAM IN ALL FOUR CORNERS WITH INDELIBLE ROYAL  | 1 | CRD          | 10000<br>Nos. | 22-Jun-22 |
| 115 | 27222002102879<br>dt.27-JUN-22 on<br>M/s.S. N.<br>MECHANICAL<br>ENTERPRISE PRIVATE<br>LIMITED-HOWRAH<br>RITES-CALL | 749418<br>(FP)     | 25184556 | 8"x8" AIR Brake cylinder with mounting X & Z AS PER CLW DRG. No. 01/3/19/56 ALT-10. EACH UNIT SHOULD BE EMBOSSSED/ENGRAVED WITH MAKERS NAME, MONTH, YEAR & BATCH NO. OF MANUFACTURING AT A CONSPICUOUS PL | 1 | ACL<br>BSL   | 73 Nos.       | 31-May-23 |
| 116 | 27223861102881<br>dt.27-JUN-22 on<br>M/s.PHOENIX RUBBER<br>WORKS-HOWRAH<br>RITES-CALL                              | 1024093.68<br>(FP) | 25258308 | Rubber Bush Assly for Centre Pivot Arrangement for WAG-7 locos as per CLW Drg. No. 06/2/15/49 Ref 1 and 2 only.   | 1 | KYN          | 34 Nos.       | 31-May-23 |
|     |  |                    |          |   | 2 | ACL<br>BSL   | 23 Nos.       | 30-Sep-22 |
|     |  |                    |          |   | 3 | ACL<br>BSL   | 61 Nos.       | 31-May-23 |
|     |  |                    |          |   | 4 | AQ           | 6 Nos.        | 31-May-23 |
| 117 | 10221740102897<br>dt.27-JUN-22 on<br>M/s.A.S LEATHER<br>WORKS-KANPUR<br>RITES-CALL                                 | 515424<br>(FP)     | 11270032 | TRACTION MOTOR AIR DUCT BOOT (LEATHER) RDSO DRG. NO. SK.DP - 3503 ALT. (1) . RDSO SPECIFICATION NO. MP.0.2400.25 (REV . 01) Mar - 2021.   | 1 | CLA          | 54 Nos.       | 27-Sep-22 |
|     |  |                    |          |   | 2 | GPR PA       | 58 Nos.       | 27-Sep-22 |
|     |  |                    |          |   | 3 | DLS<br>(GPR) | 44 Nos.       | 27-Sep-22 |
| 118 | 42223086102955<br>dt.28-JUN-22 on<br>M/s.RAMA<br>ENGINEERING WORKS-<br>HYDERABAD<br>RITES-CALL                     | 720649.6<br>(FP)   | 31050608 | Rubbing Pad for Bogie Bolster to ICF Drg. No. DMU/DPC5-0-5-507 Alt-a/2, Item No.1. Material and specification as per drawing.   | 1 | MTN          | 1222 Nos.     | 30-Sep-22 |
|     |  |                    |          |   | 2 | VVH          | 166 Nos.      | 30-Sep-22 |
| 119 | 42221518102960<br>dt.28-JUN-22 on<br>M/s.S.M.INTERNATIO<br>NAL-MUMBAI  | 2068776            | 31901037 | Burst Proof type primary voltage transformer as per RITZ type No. GSEFBGC 25 F Gr.3 Drg No. MB3.5941 Make RITZ instrument Transformer   | 1 | MTN          | 1 Nos.        | 30-Nov-22 |

|     |   |            |          |  |   |     |          |           |
|-----|---|------------|----------|--|---|-----|----------|-----------|
|     | 85221724800927  |            |          | GmbH suitable to AC-DC   | 2 | MTN | 1 Nos.   | 28-Feb-23 |
| 120 | dt.29-JUN-22 on<br>M/s.PRINCIPAL CHIEF<br>MATERIALS<br>MANAGER,<br>CHURCHGATE | 2765165.91 | 30011516 | THERMOPLASTIC<br>POLYESTER ELASTOMER<br>[HYTREL] UPPER<br>WASHER FOR PRIMARY<br>SUSPENSION TO RDSO<br>DRG.NO.CG-K 4058.ALT.3.<br>AND RDSO<br>SPECIFICATION NO. C-K<br>409, REV.2, AMENDMENT<br>SLIP NO. 3. OF<br>SEPTEMBER 2010. THIS  | 1 | MTN | 100 Nos. | 27-Sep-22 |
|     | RITES-CALL  | (FP)       | 30020487 | AXLE BOX HOUSING<br>[FINISHED MACHINED] TO<br>ICF DRG. NO. T-0-2-602,<br>Alt-u/14, ITEM NO. 2<br>SHEET NO. 1 AND 2.<br>MATERIAL AND<br>SPECIFICATION TO RDSO<br>SPECIFICATION NO.<br>RDSO/2007/CG-08 WITH<br>AMMENDMENT SLIP NO. 1     | 2 | MTN | 30 Nos.  | 27-Sep-22 |
|     |   |            | 30056068 | DOUBLE ACTING<br>HYDRAULIC SHOCK<br>ABSORBER FOR<br>VERTICAL APPLICATION<br>HAVING CAPACITY 600<br>KGS TO ICF Drg. No.<br>ICF/SK-0-5-015, Alt-p/4.<br>Item No.1, MATERIAL AND<br>SPECIFICATION TO RDSO<br>SPECIFICATION NO. C-<br>8703 | 3 | MTN | 50 Nos.  | 27-Sep-22 |
|     |   |            | 30076134 | SILENT BLOCK FOR<br>ANCHOR LINK [TYPE-B]<br>TO RDSO SK. 94101 ALT-<br>2. RDSO SPECIFICATION<br>NO. C-9406 [REV-2] OR<br>LATEST. THIS ITEM IS<br>RESTRICTED FOR<br>PROCUREMENT FROM<br>RDSO APPROVED<br>SOURCES ONLY.                   | 4 | MTN | 200 Nos. | 27-Sep-22 |
|     |   |            | 30210306 | DRAW HOOK BEAM<br>REINFORCED FOR DRAW<br>GEAR ARRANGMENT TO<br>ICF DRG. NO. T-2-1-602,<br>ALT-m/2. AND C.RLY. ALT-<br>a. MTRL. SPECN. - AS<br>PER DRG.   | 5 | MTN | 100 Nos. | 27-Sep-22 |
|     |   |            | 30358206 | 20 NB FLANGE WELDED<br>JOINT [PIPE TO<br>EQUIPMENT] FOR<br>PASSENGER STOCK. [AIR<br>BRAKE] TO RDSO DRG.<br>NO. WD 83062-S-07, ALT-5<br>ITEM NO. 1 TO 4. MTRL<br>AND SPECN. RDSO'S<br>SPECN. NO. 04-ABR-02,<br>AMENDMENT NO. 7 OF F     | 6 | MTN | 50 Set   | 27-Sep-22 |

|          |   |    |     |         |           |
|----------|---|----|-----|---------|-----------|
| 33500022 | Ball Joint Roll Link to FIAT<br>Drg. No. C53973 REB<br>BRED 8416 Rev - 3R (FF<br>No. 1560095.4) to be read<br>with T.S.17.531.100.03,<br>T.S.17.617.100.02 & MDTs<br>148 Rev-01 & MDTs 122<br>Rev-03. as per Drg.No.<br>DRG.NO.     | 7  | MTN | 50 Nos. | 27-Sep-22 |
| 33500046 | LATERAL BUMP STOP<br>FOR FIAT IR BOGIE TO .<br>RCF Drg. No. LW05104, Alt<br>'B' AND SPECIFICATION.<br>No. 17.531 100 & TS -<br>17.617.100 as per Drg.No.<br>RCF.DRG.NO. LW05104,<br>ALT. 'B' specn:<br>RCF.DRG.NO. LW05104,<br>ALT. | 8  | MTN | 50 Nos. | 27-Sep-22 |
| 33500277 | SAFETY WIRE ROPE<br>ASSEMBLY FOR FIAT IR<br>BOGIE TO RCF'S DRG.NO.<br>LW-05105. as per Drg.No.<br>RCF.DRG.NO.LW05105<br>specn:<br>RCF.DRG.NO.LW05105  | 9  | MTN | 50 Nos. | 27-Sep-22 |
| 33503011 | RUBBER PAD FOR<br>PRIMARY SUSPENSION<br>FOR FIAT IR BOGIE TO<br>DRG NO 1901097 VER.08<br>READ WITH T.S. 17.531<br>100 03, T.S.17 617 100<br>02,MDTS-148 REV."01"&<br>MDTS-122 REV."03"  | 10 | MTN | 50 Nos. | 27-Sep-22 |
| 33524026 | GANG WAY BRIDGE<br>MOUNTING Assembly<br>Alstom Drg No-<br>1.10113.0.24.120.001.Alt-'<br>B' as per Drg.No.<br>DRG.NO.1.10113.0.24.120.<br>001 ALT. B. specn: DRG.<br>NO. 1.10113.0.24.120.001<br>ALT B                               | 11 | MTN | 25 Nos. | 27-Sep-22 |
| 33569344 | 4.5 KW Underslung type<br>constant voltage regulated<br>battery charger for LHB<br>coaches as per RDSO<br>Specification No. RDSO/<br>PE/SPEC/AC/0183-2015<br>(Rev -'01'). Note :- Material<br>to be procured f                      | 12 | MTN | 4 Nos.  | 27-Sep-22 |

|     |   |                        |          |  |    |        |            |           |
|-----|---|------------------------|----------|--|----|--------|------------|-----------|
|     |   |                        | 75403043 | VINYL COATED UPHOLSTERY FABRIC [LEATHER LIKE] AGAINST RDSO SPECN. NO. RDSO/2008/CG-07 WITH AMENDMENT SLIP NO. 03 OF APRIL 2015 AND CORRIGENDUM NO. 1. SHADE, COLOUR AND PATTERN AS PER RDSO'S SAMPLE NO. | 13 | MTN    | 2000 MTR   | 27-Sep-22 |
|     |   |                        | 75403717 | DECORATIVE THERMOSETTING SYNTHETIC RESIN BONDED LAMINATED SHEET FOR USE IN COACHING STOCK TO RDSO SPECIFICATION NO. STR C-K 514 WITH AMENDMENT NO. 4 OF OCT. 2013. SIZE: 2440 x 1220 x 3 mm, TO SHADE AN | 14 | MTN    | 100 Nos.   | 27-Sep-22 |
| 121 | 81221107102523<br>dt.07-JUN-22 on<br>M/s.TRADEWELL-<br>MUMBAI<br>RITES-CALL RITES-IC                | 4060224<br><br>(FC)    | 83031029 | White Security Bond Paper 130 GSM plus/minus 5 percent with IR Logo Watermark-(running water mark by dandy roll specification- 02 inch diameter with 17 stars and  | 1  | STY    | 10000 Kgs. | 23-Jun-22 |
|     |   |                        |          |  | 2  | STY    | 28000      | 23-Jul-22 |
| 122 | 90221031102530<br>dt.08-JUN-22 on<br>M/s.GREENPLY<br>INDUSTRIES LIMITED-<br>BAMANBORE<br>RITES-CALL | 660800<br><br>(FP)     | 93500191 | COMPREG SLATS to SIZE 2700 X60 X15 MM to ICF specification No. C-9407 Rev. 03 of Feb.07 [ with 02 Amendments - Last Amendment No.02 issued in September- 2015, corrigendum-1 of june-2015] [THIS ITEM    | 1  | MTN    | 3500 Nos.  | 15-Sep-22 |
| 123 | 38223526102564<br>dt.09-JUN-22 on<br>M/s.SHREE BALAJI<br>INDUSTRIES-<br>DERABASSI<br>RITES-CALL     | 1348740<br><br>(FP)    | 33549989 | WASTE BIN as per ICF Drawing No. LWSCZAC-6-4-011 Alt. a  | 1  | WB     | 900 Nos.   | 10-Aug-22 |
| 124 | 42221437102582<br>dt.09-JUN-22 on<br>M/s.SARITA<br>FORGINGS LIMITED-<br>LUDHIANA<br>RITES-CALL      | 2957187.38<br><br>(FP) | 31060055 | CENTRE PIVOT PIN COMPLETE (SINGLE PIECE DESIGN) TO DRG. NO. ICF/SK3-0-6-001 ALT-c/NIL , COL-I. MATERIAL AND SPECIFICATION AS PER DRAWING   | 1  | MTN    | 48 Nos.    | 30-Sep-22 |
|     |   |                        |          |  | 2  | VVH    | 8 Nos.     | 30-Sep-22 |
|     |   |                        |          |  | 3  | SNPD   | 71 Nos.    | 31-Aug-22 |
| 125 | 18222221102589<br>dt.10-JUN-22 on<br>M/s.PRAG POLYMERS-<br>LUCKNOW<br>RITES-CALL                    | 897630.72<br><br>(FP)  | 16241198 | LONG LIFE LUBE OIL AND FUEL OIL FILTER TWO PIECES FOR HHP LOCOMOTIVES RDSO DRG NO SK DP 3948 ALT nil OR LATEST EMD DRG NO 40056007 RDSO SPECN NO MP 0.2600.26 REV.00 SEP 2009 DR                         | 1  | GPR PA | 62 Nos.    | 25-Sep-22 |
|     |   |                        |          |  | 2  | DLS    | 34 Nos.    | 25-Sep-22 |

|     |  |                       |          |  |   |               |           |           |
|-----|--|-----------------------|----------|--|---|---------------|-----------|-----------|
| 126 | 38223367102670<br>dt.16-JUN-22 on<br>M/s.ESCORTS LIMITED-<br>FARIDABAD<br>RITES-CALL                                   | 3865680<br><br>(FP)   | 33501002 | Primary Vertical Damper for<br>FIAT bogies to RDSO Drg.<br>No. RDSO/CG/DRG/21047<br>Alt-1 and conforming to<br>RDSO Spec. No. RDSO/CG-<br>18005 Rev-Nil.                                     | 1 | MTN           | 800 Nos.  | 01-Aug-22 |
| 127 | 27222995102725<br>dt.20-JUN-22 on<br>M/s.CONTINENTAL<br>ENGINEERING WORKS<br>PRIVATE LIMITED-<br>KOLKATA<br>RITES-CALL | 818648.6<br><br>(FP)  | 23878551 | 3 WAY DIRECT ACTING<br>NC MANIFOLD MOUNT EP<br>VALVE WITHOUT PIPE<br>BRACKET TO CLW<br>DRG.NO.4TWD.111.118<br>ALT-14 AND<br>SPECIFICATION<br>NO.4TES.111.018 ALT 3.                          | 1 | ACL<br>BSL    | 583 Nos.  | 31-May-23 |
| 128 | 90220752702750<br>dt.21-JUN-22 on<br>M/s.STEEL<br>AUTHORITY OF INDIA<br>LIMITED-KOLKATA<br>RITES-CALL                  | 5030446.2<br><br>(PC) | 90411559 | Mild Steel Plates 16 x 2500<br>x 12500 to the Specification<br>IS:2062:2011 Grade E 250<br>B0 With Furnace<br>Normalisation With UST as<br>per ASTM A435/A 435 M-90<br>(Close TPL: 90423227) | 1 | MMR           | 85 MT     | 31-Mar-23 |
| 129 | 42221570102784<br>dt.22-JUN-22 on<br>M/s.BOMBAY OIL<br>SEALS COMPANY-<br>MUMBAI<br>RITES-CALL                          | 4343138.8<br><br>(FP) | 35823306 | Piston Packing for 203.2<br>mm bogie mounted Air<br>Brake Cylinder to drg. no.<br>TQKA/24/R7   | 1 | MTN           | 4519 Nos. | 30-Nov-22 |
|     |  |                       |          |  | 2 | SNPD          | 6328 Nos. | 30-Nov-22 |
| 130 | 38223533102795<br>dt.22-JUN-22 on<br>M/s.MELBROW<br>ENGINEERING WORKS<br>PVT. LTD.-KOLKATA<br>RITES-CALL               | 1256169<br><br>(FP)   | 38143008 | BRAKE BEAM TO RDSO<br>DRG.NO. WD-89033-S-1,<br>ALT-21. MATERIAL AND<br>SPECIFICATION AS PER<br>DRAWING.  | 1 | WAGO<br>N/BSL | 100 Nos.  | 21-Oct-22 |
|     |  |                       |          |  | 2 | NGP           | 51 Nos.   | 21-Oct-22 |
| 131 | 27223492102799<br>dt.22-JUN-22 on<br>M/s.ELECTROMECH-<br>HARIDWAR<br>RITES-CALL  | 1977208<br><br>(FP)   | 29161058 | SET OF WIPER ARM<br>ASSEMBLY COMPLETE<br>[LH and RH- 02 NOS.<br>EACH] AS PER CLW<br>SPECN. NO.<br>CLW/MS/3/050 ALT-5 and<br>CLW DRG. NO. 1209.07-  | 1 | ACL<br>BSL    | 103 Set   | 31-May-23 |
|     |  |                       |          |  | 2 | AQ            | 15 Set    | 31-May-23 |
| 132 | 38220266102812<br>dt.22-JUN-22 on<br>M/s.SRM EXOFLEX<br>PRIVATE LIMITED-<br>KOLKATA<br>RITES-CALL                      | 775968<br><br>(FP)    | 30256550 | UIC Type Rubber Vestibule<br>Upper Flange Complete to<br>RDSO SK-99056 Alt-3, Item<br>No.2 Material and<br>Specification : RDSO STR<br>No. RDSO/2007/CG-05,<br>Rev-1 of November-2018.       | 1 | MTN           | 48 Set    | 23-Oct-22 |
| 133 | 42221472102843<br>dt.24-JUN-22 on<br>M/s.MEDHA SERVO<br>DRIVES PRIVATE<br>LIMITED-HYDERABAD                            | 655490                | 31900653 | SPEED SENSOR TYPE T<br>813-M WITH INTEGRATED<br>CABLE AND JUNCTION<br>BOX TYPE J 813 M FOR<br>MEDHA MAKE<br>SPEEDOMETER TYPE MR<br>1918.   | 1 | VVH           | 5 Nos.    | 30-May-23 |

|     |  |                        |          |   |   |            |           |           |
|-----|--|------------------------|----------|---|---|------------|-----------|-----------|
|     | RITES-CALL   | (FP)                   |          |   | 2 | KALVA      | 7 Nos.    | 12-Sep-22 |
|     |  |                        |          |   | 3 | SNPD       | 10 Nos.   | 30-May-23 |
| 134 | 27223341102880<br>dt.27-JUN-22 on<br>M/s.ANAND ENGG.<br>CORPORATION-<br>KANPUR<br>RITES-CALL                       | 580725.2<br><br>(FP)   | 29100069 | PUSH PULL ROD FOR<br>WAP7/WAG9 AS PER CLW<br>DRG. NO. 1209.01.113.006<br>ALT-2 CONSISTING OF (1)<br>FLANGE AS PER CLW<br>DRG.NO.1209.01.113.007<br>ALT-5 (2)TUBE WELDING<br>AS PER CLW DRG.NO.<br>1209.01.212.008 ALT 2           | 1 | ACL<br>BSL | 11 Nos.   | 30-Sep-23 |
| 135 | 42224278102898<br>dt.27-JUN-22 on<br>M/s.SANROK<br>ENTERPRISES-<br>FARIDABAD<br>RITES-CALL                         | 545230.8<br><br>(FP)   | 31220101 | Front Plate (Sub-Assy.) to<br>Schaku Drg. No. 40-586-06-<br>02 (4) or Equivalent.   | 1 | MTN        | 49 Nos.   | 27-Sep-22 |
|     |  |                        |          |   | 2 | SNPD       | 102 Nos.  | 27-Sep-22 |
| 136 | 38221148102901<br>dt.27-JUN-22 on<br>M/s.FABRICANT<br>(INDIA)-HOWRAH<br>RITES-CALL                                 | 724966.75<br><br>(FP)  | 30011218 | SAFETY STRAP FOR<br>AXLE BOX GUIDE ARRGT.<br>TO ICF DRG. NO. T-0-1-<br>631, ALT. 1/4. MATERIAL<br>AND SPECIFICATION AS<br>PER DRAWING.  | 1 | PR         | 4268 Nos. | 26-Sep-22 |
| 137 | 62223441102928<br>dt.28-JUN-22 on<br>M/s.SYS MEDTECH<br>INTERNATIONAL<br>PRIVATE LIMITED-<br>MUMBAI.<br>RITES-CALL | 1974000<br><br>(FP)    | 82214501 | Description : POLYAXIAL<br>PEDICULAR SCREW WITH<br>SINGLE LOCKING<br>SYSTEM, 5-7 MM<br>DIAMETER, ANY LENGTH,<br>TITANIUM WITH INNE-<br>IMPORTED, US FDA<br>APPROVED, MAKE OF<br>MEDITRONICS OR<br>SYNTHESES OR ZIMMER             | 1 | MD/BY      | 200 Nos.  | 28-Jun-23 |
| 138 | 81223258102963<br>dt.28-JUN-22 on<br>M/s.SUPER BOND<br>MFG PVT LTD-<br>KOLKATA<br>RITES-CALL                       | 2397797.76<br><br>(FP) | 84909821 | Non-flammable solvent<br>based adhesive for pasting<br>flexible PVC flooring<br>material to stainless steel to<br>Specn.no.ICF/M/D/SPECN-<br>093 issue status-01,<br>Rev.No.0 of June -1998 with<br>Amendment No.2 of<br>05.08.20 | 1 | MTN        | 8000 LTR  | 24-Aug-22 |
|     |  |                        |          |   | 2 | MTN        | 5160 LTR  | 31-May-23 |
|     |  |                        |          |   | 3 | VVH        | 180 LTR   | 31-May-23 |
|     |  |                        |          |   | 4 | ACL        | 260 LTR   | 24-Aug-22 |
|     |  |                        |          |   | 5 | ACL        | 360 LTR   | 31-May-23 |
|     |  |                        |          |   | 6 | WB         | 300 LTR   | 24-Aug-22 |
|     |  |                        |          |   | 7 | WB         | 380 LTR   | 31-May-23 |
| 139 | 38222400102967<br>dt.28-JUN-22 on<br>M/s.S.M. ENTERPRISE-<br>HOWRAH<br>RITES-CALL                                  | 1081551.42<br><br>(FP) | 30360092 | Apron Plate to MISC SK-<br>3684 Alt-4 , Item No.1.  | 1 | MTN        | 2241 Nos. | 29-Sep-22 |
| 140 | 18223696102970<br>dt.29-JUN-22 on<br>M/s.AVADH RAIL<br>INFRA LIMITED-<br>LUCKNOW<br>RITES-CALL                     | 970583.04<br><br>(FP)  | 17140997 | SHIM COIL SPRING FOR<br>SIX WHEEL HTSC TRUCK-<br>BOGIE ASSLY. AS PER<br>DRG. NO. DLW.<br>DRG.No.40087273 Alt. d<br>(DLW PAno.17140997)<br>RDSO Spec. No.<br>MP.0.40.99.01 (Rev.03)<br>AUG 2017                                    | 1 | GPR PA     | 896 Nos.  | 30-Sep-22 |



|     |  |                        |          |   |          |   |          |           |
|-----|--|------------------------|----------|---|----------|---|----------|-----------|
| 141 | 42221202102449<br>dt.02-JUN-22 on<br>M/s.FAIVELEY<br>TRANSPORT RAIL<br>TECHNOLOGIES INDIA<br>PRIVATE LIMITED-<br>HOSUR<br>RITES-CALL | 1480195.54<br><br>(FP) | 31351499 | MAINTENANCE KIT FOR<br>DUPLEX CHECK VALVE<br>[M/S FTIL MAKE] TO PART<br>NO 790039105 AS PER<br>SKETCH NO<br>EMU/MTN/BE/34. Firm's<br>Counter offer :- MAINT KIT<br>FOR DUPLEX CHK VALVE<br>to FTRTIPL Part Number<br>790039105 whic   | 1        | MTN   | 330 Set  | 30-Sep-22 |
|     |  |                        |          |   | 2        | KALVA   | 7 Set    | 30-Dec-22 |
|     |  |                        |          |   | 3        | SNPD  | 72 Set   | 31-Jul-22 |
| 142 | 27223924102471<br>dt.06-JUN-22 on<br>M/s.FAIVELEY<br>TRANSPORT RAIL<br>TECHNOLOGIES INDIA<br>PRIVATE LIMITED-<br>HOSUR<br>RITES-CALL | 927069.36<br><br>(FP)  | 29168340 | Set of Kit for Latched<br>Solenoid Valve & Double<br>Check Valve comprising 02<br>sub-kits, Total 16 items &<br>34 Nos as per Annexure<br>attached. Firm's offer: SET<br>OF KIT FOR LATCHED<br>SOLENOI to FTRTIPL Part<br>Number      | 1        | AQ  | 21 Set   | 31-May-23 |
| 143 | 27221212202476<br>dt.06-JUN-22 on<br>M/s.TRINITY HOUSE<br>(INDIA) PVT. LTD.-<br>MUMBAI<br>RITES-CALL                                 | 25544450<br><br>(FP)   | 23158918 | 3/8" SAFETY VALVE FOR<br>AIR COOLER TO M/S<br>ELGI's PT.NO. A020002<br>TRC-2000. Accepted<br>Description/Part No.- ELGI<br>MAKE SAFETY VALVE<br>ASSY 3/8" INC. PART<br>NO.A020002.  | 1        | KYN   | 10 Nos.  | 31-Dec-22 |
|     |  |                        |          |   | 2        | ACL   | 102 Nos. | 31-Dec-22 |
|     |  |                        |          |   | 3        | AQ  | 5 Nos.   | 31-Dec-22 |
|     |  |                        | 23513380 | "SET OF CYLINDERS FOR<br>M/S. ELGI MAKE<br>COMPRESSOR MODEL -<br>RR -20100 OF WAG-9   | 4        | KYN   | 1 Set    | 31-Dec-22 |
|     |  |                        |          |   | 5        | ACL   | 11 Set   | 31-Dec-22 |
|     |  |                        |          |   | 6        | AQ  | 14 Set   | 31-Dec-22 |
|     |  |                        | 23513433 | SET OF ENDCOVERS<br>FREEEND AND FLY END<br>FOR ELGI COMPRESSOR<br>TRC-1000 MN AS PER<br>ELGI PART NO.(1)<br>000318090 QTY=01 NO(2)<br>000317770<br>QTY=01NO.ONE SET<br>CONSISTS OF 02 ITEMS<br>02 NOS. Accepted<br>Description/Part N | 7        | ACL<br>BSL  | 62 Set   | 31-Dec-22 |
|     |  |                        |          |   | 23513720 | SET OF DISC VALVE<br>ASSLY. FOR ELGI<br>COMPRESSOR TYPE TRC-<br>1000 MN SET | 8        | KYN       |
|     |  |                        | 9        | ACL   |          |   | 66 Set   | 31-Dec-22 |
|     |  |                        | 10       | AQ  |          |   | 2 Set    | 31-Dec-22 |
|     |  |                        | 23513743 | SET OF LP AND HP<br>PISTON FOR ELGI<br>COMPRESSOR TYPE TRC-<br>1000 MN COMPRISING OF  | 11       | KYN   | 3 Set    | 31-Dec-22 |
|     |  |                        |          |   | 12       | ACL   | 25 Set   | 31-Dec-22 |
|     |  |                        |          |   | 13       | AQ  | 1 Set    | 31-Dec-22 |

|          |   |    |            |          |           |
|----------|---|----|------------|----------|-----------|
| 23513779 | SET OF PISTON RINGS FOR ELGI MAKE COMPRESSOR TYPE TRC-1000 MN COMPRISING OF 06 ITEMS 14 NOS. AS PER SKETCH<br>NO.BSL/ELW/SK.NO.5000.<br>(A) PISTON RING DIA 100 MM.PART NO:022401059<br>CONSISTING FOLLOWING 03 I | 14 | ACL<br>BSL | 22 Set   | 31-Dec-22 |
| 23513780 | SPARES FOR AUXILIARY COMPRESSOR TYPE CRC-150.ONE SET CONSISTS OF 12 ITEMS 24 NOS.,AS PER ANNEXURE ATTACHED. as per Drg.No. 6) VALVE PLATE FOR AUX. COMPRESSOR TYPE CRC-150 T specn: 9] AIR FILTER ASSLY.          | 15 | ACL<br>BSL | 21 Set   | 31-Dec-22 |
| 23513822 | SET OF SPARES FOR DRY TYPE SUCTION FILTER ASSEMBLY FOR ELGI TRC1000 MN COMPRESSOR CONSISTING OF;- 1. The filter element to Elgi Pt. No. 000317820- 01 No. 2. Rubber beading to Elgi Pt. No. 000432330- 0          | 16 | KYN        | 158 Nos. | 31-Dec-22 |
| 23517438 | CONNECTING ROD & CRANK SHAFT ASSLY. WITH BEARING FOR ELGI COMPRESSOR TYPE TRC-  | 17 | KYN        | 3 Nos.   | 31-Dec-22 |
|          |   | 18 | ACL        | 43 Nos.  | 31-Dec-22 |
|          |   | 19 | AQ         | 3 Nos.   | 31-Dec-22 |
| 23519393 | CAST ALLUMINIUM COOLING FAN TO M/S.ELGI PT. NO. A070047. Accepted Description/Part No. -ELGI MAKE C/FN & FLG ASSY for TRC 1000MN PART NO. A070047.  | 20 | ACL<br>BSL | 7 Nos.   | 31-Dec-22 |
| 23519575 | "DRY TYPE SUCTION FILTER (MODIFIED)TO PART NO.070309310 FOR ELGI COMPRESSOR   | 21 | KYN        | 8 Nos.   | 31-Dec-22 |
|          |   | 22 | ACL        | 108 Nos. | 31-Dec-22 |
|          |   | 23 | AQ         | 16 Nos.  | 31-Dec-22 |
| 23519599 | CYLINDER 100 DIA (DISC VALVE) PT.NO. 00021010A, SPARE FOR ELGI COMPRESSOR TRC   | 24 | KYN        | 3 Nos.   | 31-Dec-22 |
|          |   | 25 | ACL        | 16 Nos.  | 31-Dec-22 |
|          |   | 26 | AQ         | 5 Nos.   | 31-Dec-22 |
| 23519824 | CYLINDER DIA 60 (DISC VALVE) PT.NO. 00021011A, SPARE FOR ELGI COMPRESSOR TYPE   | 27 | KYN        | 12 Nos.  | 31-Dec-22 |
|          |   | 28 | ACL        | 35 Nos.  | 31-Dec-22 |
|          |   | 29 | AQ         | 2 Nos.   | 31-Dec-22 |
| 23991112 | ELGI (AOH) YEARLY SERVICE KIT FOR COMPRESSOR TYPE TRC-  | 30 | KYN        | 83 Set   | 31-Dec-22 |
|          |   | 31 | ACL        | 176 Set  | 31-Dec-22 |

|     |   |                        |          |  |    |               |              |           |
|-----|---|------------------------|----------|--|----|---------------|--------------|-----------|
|     |   |                        | 25518010 | COOLING FAN WITH FLANGE ASSLY FOR M/S ELGI MAKE MAIN COMPRESSOR TYPE RR 20100 AS PER ELGI PART NO. A070067 as per Drg.No. NIL specn: ELGI MAKE MAIN COMPRESSOR TYPE RR 20100 AS PER ELGI PART NO. A07006 | 32 | AQ            | 7 Nos.       | 31-Dec-22 |
|     |   |                        | 29510041 | POH Maintenance kit for Air Compressor [Main] Type RR 20100 of M/s. Elgi make for 3 phase LOCO as per annexure (alt- A) attached, One set consists of 37 items 76 Nos. Accepted Offer: ELGI MAKE POH MA  | 33 | ACL<br>BSL    | 12 Set       | 31-Dec-22 |
|     |   |                        | 29518222 | CRANK SHAFT ASSEMBLY FOR M/S. ELGI MAKE COMPRESSOR   | 34 | KYN           | 1 Nos.       | 31-Dec-22 |
|     |   |                        |          |  | 35 | AQ            | 4 Nos.       | 31-Dec-22 |
|     |   |                        | 29518234 | SET OF COPPER PIPE FOR M/S. ELGI MAKE COMPRESSOR TYPE RR - 20100. ONE SET COMPRISING OF 04 ITEMS IN 04 NOS. AS PER SKETCH NO.ELS/AQ/WAG-9/SK.NO.0070 REV-0. AS UNDER. (1) DELIVERY PIPE 'A' WITH FLANGE. | 36 | AQ            | 2 Set        | 31-Dec-22 |
|     |   |                        | 29518295 | Set of AOH Kit for ELGI make compressor Type-RR20100 as per M/s. ELGI's Part No. 072403619   | 37 | KYN           | 53 Set       | 31-Dec-22 |
|     |   |                        |          |  | 38 | ACL           | 43 Set       | 31-Dec-22 |
|     |   |                        |          |  | 39 | AQ            | 81 Set       | 31-Dec-22 |
| 144 | 38223280102483<br>dt.06-JUN-22 on<br>M/s.ANAND SALES<br>CORPORATION-<br>KOLKATA<br>RITES-CALL | 632126<br><br>(FP)     | 38141607 | FABRICATED HAND BRAKE WHEEL TO RDSO DRG NO SK- 78525 ALT NIL MATERIAL AND SPECIFICATION CONFIRMING TO IS 2062 - 2011 AMENDMENT NO 1 OF NOV 2012 GR E 250 A   | 1  | KWV           | 487 Nos.     | 07-Dec-22 |
| 145 | 38222302102485<br>dt.06-JUN-22 on<br>M/s.CHOURASIYA<br>GROUP-KATNI<br>RITES-CALL              | 1045421<br><br>(FP)    | 38106802 | 37 mm packing for Buffer Height adjustment of Casnub Bogie to RDSO DRG. No. WD-91074-S/1 Item-2. ALT-1. MATERIAL AND SPECIFICATION AS PER DRAWING.   | 1  | WAGO<br>N/BSL | 1222 Nos.    | 06-Aug-22 |
| 146 | 75221028102574<br>dt.09-JUN-22 on<br>M/s.RAHUL PAINTS-<br>LUCKNOW<br>RITES-CALL               | 21441805.5<br><br>(FP) | 77034454 | Enamel, Synthetic, Exterior Finishing Black to Spec. IS:8662/2004 (2nd Rev.) Reaffirmed-2019 with additional requirements of ICF/MD/Spec-045, Issue Status-02, Rev.-03 dated 14-06-2007 with RDSO Amdt.  | 1  | MTN           | 75228<br>LTR | 14-Sep-22 |
|     |   |                        |          |  | 2  | MTN           | 75227<br>LTR | 14-Dec-22 |
|     |   |                        |          |  | 3  | SNPD          | 16944<br>LTR | 14-Sep-22 |
|     |   |                        |          |  | 4  | SNPD          | 16945<br>LTR | 14-Dec-22 |
|     |   |                        |          |  | 5  | ACL           | 5329 LTR     | 14-Sep-22 |
|     |   |                        |          |  | 6  | GPR PA        | 3603 LTR     | 14-Sep-22 |

|     |   |                       |          |   |   |            |               |           |
|-----|---|-----------------------|----------|---|---|------------|---------------|-----------|
| 147 | 38223358102976<br>dt.29-JUN-22 on<br>M/s.AVADH RAIL<br>INFRA LIMITED-<br>LUCKNOW<br>RITES-CALL                                  | 1791240<br><br>(FP)   | 33503011 | Rubber Pad for Primary<br>Suspension for FIAT IR<br>Bogie as per RCF Drg.No.<br>LW01101, Alt-b along with<br>RCF Spec. No. MDTS 098.  | 1 | MTN        | 600 Nos.      | 21-Jul-22 |
|     |   |                       |          |   | 2 | PR         | 600 Nos.      | 21-Jul-22 |
| 148 | 27223341102978<br>dt.29-JUN-22 on<br>M/s.TIRUPATI<br>ENGINEERING WORKS-<br>KOLKATA<br>RITES-CALL                                | 3997556.8<br><br>(FP) | 29100069 | PUSH PULL ROD FOR<br>WAP7/WAG9 AS PER CLW<br>DRG. NO. 1209.01.113.006<br>ALT-2 CONSISTING OF (1)<br>FLANGE AS PER CLW<br>DRG.NO.1209.01.113.007<br>ALT-5 (2)TUBE WELDING<br>AS PER CLW DRG.NO.<br>1209.01.312.008 ALT-2       | 1 | ACL<br>BSL | 24 Nos.       | 30-Jun-23 |
|     |   |                       |          |   | 2 | ACL        | 23 Nos.       | 30-Sep-23 |
| 149 | 18220038102993<br>dt.29-JUN-22 on<br>M/s.SHAKTHI TECH<br>MANUFACTURING<br>INDIA PRIVATE<br>LIMITED-<br>COIMBATORE<br>RITES-CALL | 778800<br><br>(FP)    | 16030278 | COVER AND SEAL ASSLY.<br>EMD DRG NO 9544764<br>ALT Ba OR LATEST DLW<br>PT NO 16030278   | 1 | GPR PA     | 24 Nos.       | 29-Aug-22 |
| 150 | 42223456103008<br>dt.30-JUN-22 on<br>M/s.SANROK<br>ENTERPRISES-<br>FARIDABAD<br>RITES-CALL                                      | 1097754<br><br>(FP)   | 31220319 | Leaf Spring Complete (Sub<br>Assly.) to Schaku Drg. No.<br>40-524-07-06 (3) or Escorts<br>Drg. No. SK-312 or<br>Equivalent. Note:<br>Manufacturers identification<br>mark, manufacturing month<br>& year to be engraved at su | 1 | MTN        | 169 Nos.      | 30-Sep-22 |
|     |   |                       |          |   | 2 | VVH        | 17 Nos.       | 30-Sep-22 |
|     |   |                       |          |   | 3 | SNPD       | 257 Nos.      | 30-Sep-22 |
| 151 | 85221634800780<br>dt.09-JUN-22 on<br>M/s.PRINCIPAL CHIEF<br>MATERIALS<br>MANAGER,<br>CHURCHGATE<br>RITES-CALL                   | 1043010<br><br>(PC)   | 37136203 | FACE PLATE FOR<br>BUFFER PLUNGER TO<br>DRG.NO.RDSO SK 94254<br>ALT-3 TO SPEC.NO.ICF<br>STR NO.<br>ICF/MD/SPEC.252, REV.0<br>OF AUG. '13 ((CLOSE PL-<br>37137610, old desc-FACE<br>PLATE FOR BUFFER<br>PLUNGER TO RDSO         | 1 | MTN        | 500 Nos.      | 07-Sep-22 |
| 152 | 79223093102583<br>dt.10-JUN-22 on<br>M/s.GAFE<br>CORPORATION-<br>MUMBAI<br>RITES-CALL   | 595610.93<br><br>(FP) | 79511820 | Waste Cotton White Teased<br>No.2 for Cleaning Purpose<br>DGS & D G/ TEX / C / 52- B<br>Firm's Offer : PACKING 50<br>KGS PLASTIC BALE   | 1 | MMR        | 740 Kgs.      | 31-Jan-23 |
|     |   |                       |          |   | 2 | NGP        | 500 Kgs.      | 31-Jan-23 |
|     |   |                       |          |   | 3 | KYN        | 10617<br>Kgs. | 31-Jan-23 |
|     |   |                       |          |   | 4 | PR         | 1355 Kgs.     | 31-Jan-23 |
|     |   |                       |          |   | 5 | BSL        | 350 Kgs.      | 31-Jan-23 |
|     |   |                       |          |   | 6 | CRD        | 3000 Kgs.     | 31-Jan-23 |
| 153 | 75221028102587<br>dt.10-JUN-22 on<br>M/s.RISHAV<br>ELECTRODE PRIVATE<br>LIMITED-KOLKATA   | 2015455.1             | 77034454 | Enamel, Synthetic, Exterior<br>Finishing Black to Spec.<br>IS:8662/2004 (2nd Rev.)<br>Reaffirmed-2019 with<br>additional requirements of<br>ICF/MD/Spec-045, Issue<br>Status-02, Rev.-03 dated 14-<br>06-2007 with RDSO Amdt. | 1 | SNPD       | 9124 LTR      | 14-Sep-22 |

|     |  |                        |          |   |   |            |               |           |
|-----|--|------------------------|----------|---|---|------------|---------------|-----------|
|     | MITES-CALL   | (FP)                   |          |   | 2 | SNPD       | 9124 LTR      | 14-Dec-22 |
| 154 | 27223946102597<br>dt.13-JUN-22 on<br>M/s.AIR CONTROL<br>AND CHEMICAL ENGG<br>CO LTD-AHMEDABAD<br><br>MITES-CALL                  | 3010132.8<br><br>(FP)  | 29448013 | M.S. FABRICATED<br>IMPELLER FOR TM<br>BLOWER (TMB) OF WAG-<br>9 LOCOMOTIVE AS PER<br>CLW SPECN.NO.<br>CLW/ES/3/0019 ALT-G.  | 1 | ACL<br>BSL | 26 Nos.       | 30-Jun-23 |
|     |  |                        |          |   | 2 | AQ         | 10 Nos.       | 30-Jun-23 |
| 155 | 27221038102600<br>dt.13-JUN-22 on<br>M/s.UNIFAME<br>CORPORATION-<br>BALITIKURI HOWRAH<br><br>MITES-CALL                          | 640032<br><br>(FP)     | 23730560 | Oil Cooler or Radiator for<br>Main Transformer 25 KV AC<br>Electric Locomotive as per<br>CLW Specn. No. CLW/ES/0-<br>2, ALT-D.  | 1 | ACL<br>BSL | 2 Nos.        | 30-Sep-22 |
| 156 | 27223282102604<br>dt.13-JUN-22 on<br>M/s.PPS<br>INTERNATIONAL-<br>GAUTAM BUDH<br>NAGAR<br>MITES-CALL                             | 762280<br><br>(FP)     | 29960046 | AOH/IOH/POH Kit for<br>Secheron Contactor Type<br>BPS 15.15 C/2 & BPS<br>30.06S as per part no<br>SG201176R00020. Each<br>set consist of 8 items.10<br>nos. As per OEM manual<br>(SECHRON) page no. D-32<br>& D-33 as under: (1       | 1 | ACL<br>BSL | 34 Set        | 30-Sep-22 |
|     |  |                        |          |   | 2 | ACL<br>BSL | 34 Set        | 30-Apr-23 |
| 157 | 43224053102609<br>dt.13-JUN-22 on<br>M/s.S. P. J.<br>INDUSTRIES PRIVATE<br>LIMITED-KOLKATA<br><br>MITES-CALL                     | 1501904<br><br>(FP)    | 45180260 | 110V Brushless DC/AC<br>Universal fan 450mm<br>sweep. As per RDSO<br>specification No.<br>RDSO/PE/SPEC/TL/0021/2<br>005 Rev-3 (AMD-1) &<br>RDSO specification<br>No.RDSO/PE/SPEC/TL/005<br>0 (Rev-1) with SS guard,<br>rubber gasket, | 1 | MTN        | 15 Nos.       | 30-Jun-22 |
|     |  |                        |          |   | 2 | MTN        | 33 Nos.       | 31-Aug-22 |
|     |  |                        |          |   | 3 | VVH        | 20 Nos.       | 30-Jun-22 |
|     |  |                        |          |   | 4 | VVH        | 60 Nos.       | 31-Aug-22 |
|     |  |                        |          |   | 5 | SNPD       | 100 Nos.      | 30-Jun-22 |
|     |  |                        |          |   | 6 | SNPD       | 116 Nos.      | 31-Aug-22 |
| 158 | 38213370702646<br>dt.15-JUN-22 on<br>M/s.TIMKEN INDIA<br>LIMITED,, NEW DELHI<br><br>MITES-CALL                                   | 34602750.7<br><br>(FP) | 33500071 | UIC TAPER ROLLER<br>BEARING FOR DIA 130<br>mm AXLE JOURNAL FOR<br>FIAT BOGIE AS PER SKF<br>DRG. NO. 1639433 BC OR<br>TIMKEN DRG. NO. E48999<br>[H127746H - 90010] OR<br>EQUIVALENT<br>CONFORMING TO FIAT<br>SPECIFICATION NO. 17.56   | 1 | MTN        | 470 Nos.      | 30-Apr-22 |
|     |  |                        |          |   | 2 | MTN        | 433 Nos.      | 31-Mar-23 |
|     |  |                        |          |   | 3 | PR         | 81 Nos.       | 30-Apr-22 |
|     |  |                        |          |   | 4 | PR         | 31 Nos.       | 31-Mar-23 |
| 159 | 84221002100024<br>dt.16-JUN-22 on M/s.<br>HANDTEX INDUSTRIAL<br>CO OPERATIVE<br>FEDERATION LIMITED-<br>ALIGARH<br><br>MITES-CALL | 1417500<br><br>(FP)    | 79336644 | Third AC Pillow Cover as<br>Per Specification as under:-<br>1) Size 66 x 41 cms +<br>Border of 2.5 cms, all-four-<br>sides, with interlocking to be<br>provided, over and above<br>the basic size of 66 x 41,<br>thus resultin        | 1 | CRD        | 15000<br>Nos. | 16-Jul-22 |

|     |  |                        |          |  |   |            |          |           |
|-----|--|------------------------|----------|--|---|------------|----------|-----------|
| 160 | 38223498102700<br>dt.17-JUN-22 on<br>M/s.AVADH RAIL<br>INFRA LIMITED-<br>LUCKNOW<br>RITES-CALL           | 3221400<br><br>(FP)    | 33503527 | Air Spring Assembly (120 KN capacity) for Main Line / Rajdhani LHB Coaches for FIAT Type Bogie as per RCF List No. MPLBGASPLHB Ver-5 with RDSO Spec. No. RDSO/2020/CG-01.                                | 1 | MTN        | 21 Nos.  | 31-Dec-22 |
| 161 | 42220037102704<br>dt.17-JUN-22 on<br>M/s.VAISHNO<br>ENGINEERING AND<br>TRADERS-GHAZIABAD<br>RITES-CALL   | 508462<br><br>(FP)     | 35750250 | RUBBER SANDWICH UNIT OF M/S SIEMENS TRACTION MOTOR TYPE 1TB2022 OTA 03 AS PER DRG NO WR /MX/EL-1926-2 /AC-DC-TM269. (PL Close TPL 35320382 ) as per Drg.No. WR/MX/EL-1926-2/ AC - DC - TM 269 MAKE       | 1 | MTN        | 31 Set   | 17-Oct-22 |
| 162 | 10224908102705<br>dt.17-JUN-22 on<br>M/s.SETON<br>ELECTRICAL<br>PRODUCTS-MUMBAI<br>RITES-CALL            | 609200.96<br><br>(FP)  | 12316465 | Semi conductor fuse for Rectifier Type 170M5961 Rating - 800 Amps, 1000 Volts. Make - EATON BUSSMANN MAKE TYPE No. 170M5961-BI - 800Amp,1000V fuse.  | 1 | GPR PA     | 97 Nos.  | 17-Oct-22 |
|     |  |                        |          |  | 2 | DLS        | 67 Nos.  | 17-Oct-22 |
| 163 | 27222328102718<br>dt.20-JUN-22 on<br>M/s.RIVER<br>ENGINEERING PVT<br>LTD-GREATER NOIDA<br>RITES-CALL     | 3074962<br><br>(FP)    | 23564404 | CRANKSHAFT COMPLETE FOR N32 TAP CHANGER TO M/s REPL PT NO. A-2101 & Drg. No. AG-106705-RI OR M/s AAL PT NO. M-2101 & Drg.No-9980383805801.   | 1 | ACL<br>BSL | 8 Nos.   | 31-May-23 |
|     |  |                        |          |  | 2 | ACL        | 2 Nos.   | 30-Sep-22 |
| 164 | 27223015102727<br>dt.20-JUN-22 on<br>M/s.TRINITY HOUSE<br>(INDIA) PVT. LTD.-<br>MUMBAI<br>RITES-CALL     | 3309538.92<br><br>(FP) | 25718575 | IOH REPLECEMENT KIT (AS PER PT.NO. 5510750) FOR SINGLE BOTTLE VCB OF M/s SCHNEIDER ELECTRIC TYPE 22 CB ONE KIT COMPRISING OF 14 ITEMS AS PER ANNEXURE ATTACHED. Accepted offer: Firm's part number NPSF5 | 1 | KYN        | 17 Set   | 31-May-23 |
|     |  |                        |          |  | 2 | ACL        | 30 Set   | 31-May-23 |
|     |  |                        |          |  | 3 | AQ         | 15 Set   | 31-May-23 |
| 165 | 27222927102733<br>dt.20-JUN-22 on<br>M/s.BHARAT HEAVY<br>ELECTRICALS LIMITED-<br>BANGALORE<br>RITES-CALL | 1374995<br><br>(FP)    | 23817513 | ROOF LINE INSULATOR TO CLW SPECN.NO. CLW/ES/AC/ 1-1 ALT-H (SHEET-16) AND CLW DRG. NO:CLW/ES/SK-2/AC/I- 1 ALT-H (SHEET-14).   | 1 | KYN        | 45 Nos.  | 31-May-23 |
|     |  |                        |          |  | 2 | ACL        | 52 Nos.  | 30-Sep-22 |
|     |  |                        |          |  | 3 | ACL        | 153 Nos. | 31-May-23 |
|     |  |                        |          |  | 4 | AQ         | 29 Nos.  | 31-May-23 |
| 166 | 48221190800644<br>dt.20-JUN-22 on<br>M/s.HEAD QUARTER,<br>Gorakhpur<br>RITES-CALL                        | 872124<br><br>(PC)     | 33500010 | BALL JOINT TRACTION LEVER TO FIAT DRG.NO.C53.973. REF BRED 8403.REV.02(FF 1521728 MOD 01)TO BE READ WITH T.S.17.532 100 00, T.S.17.617.100.02 MDTs-148 REV.01.& MDTs-122 REV.03 as per Drg.No.           | 1 | PR         | 400 Nos. | 20-Jul-22 |

|     |  |                        |          |   |   |               |           |           |
|-----|--|------------------------|----------|---|---|---------------|-----------|-----------|
| 167 | 27223380102741<br>dt.20-JUN-22 on<br>M/s.FAIVELEY<br>TRANSPORT RAIL<br>TECHNOLOGIES INDIA<br>PRIVATE LIMITED-<br>HOSUR<br>RITES-CALL | 1209182.58<br><br>(FP) | 29160698 | 3/4" MANIFOLD<br>MOUNTING ISOLATING<br>COCK FOR E70 BRAKE<br>SYSTEM AS PER SWIL<br>PT.NO.006121000  | 1 | ACL<br>BSL    | 12 Nos.   | 31-May-23 |
|     |  |                        |          |   | 2 | ACL<br>BSL    | 15 Nos.   | 31-Aug-22 |
| 168 | 85221698800860<br>dt.22-JUN-22 on<br>M/s.PRINCIPAL CHIEF<br>MATERIALS<br>MANAGER,<br>CHURCHGATE<br>RITES-CALL                        | 714946.2<br><br>(PC)   | 30540264 | SEALED WINDOW GLASS<br>UNIT COMPLETE [FOR<br>WIDER WINDOW] 1220<br>mm TO RCF DRG NO.AE-<br>54107, ALT:d. (PL CLOSE<br>OLD PL 84067846 )   | 1 | MTN           | 30 Nos.   | 20-Sep-22 |
|     |  |                        | 30636188 | Stainless Steel Wash basin<br>'D' type with mounting<br>brackets, to ICF Drg. No.<br>ICF/STD-6-3-020, Alt-d/NIL.<br>MATERIAL AND<br>SPECIFICATION AS PER<br>DRAWING.  | 2 | MTN           | 25 Nos.   | 20-Sep-22 |
|     |  |                        | 33569344 | 4.5 KW Underslung type<br>constant voltage regulated<br>battery charger for LHB<br>coaches as per RDSO<br>Specification No. RDSO/<br>PE/SPEC/AC/0183-2015<br>(Rev -'01'). Note :- Material<br>to be procured f  | 3 | MTN           | 2 Nos.    | 20-Sep-22 |
|     |  |                        | 45178689 | Emergency battery charger<br>for EOG type LHB Coaches<br>as per RCF Specification<br>no. EDTS-163, REV-C,<br>Corrigendum-4. specn:<br>Specification no. EDTS-163,<br>REV-C, Corrigendum-4 or<br>latest.         | 4 | MTN           | 10 Nos.   | 20-Sep-22 |
| 169 | 38223533102794<br>dt.22-JUN-22 on<br>M/s.ANAND SALES<br>CORPORATION-<br>KOLKATA<br>RITES-CALL  | 806943<br><br>(FP)     | 38143008 | BRAKE BEAM TO RDSO<br>DRG.NO. WD-89033-S-1,<br>ALT-21. MATERIAL AND<br>SPECIFICATION AS PER<br>DRAWING.   | 1 | WAGO<br>N/BSL | 97 Nos.   | 23-Dec-22 |
| 170 | 84221007100027<br>dt.22-JUN-22 on<br>M/s.PRAPAL EXPORTS<br>LLP-BENGALURU<br>RITES-CALL   | 714000<br><br>(FP)     | 79339153 | Bed sheet mill made<br>superior quality assorted<br>with I/R Monogram in all<br>four corners with indelible<br>ink (Preferably woven).<br>Dimension Length = 229<br>cm. Width = 140 cm.<br>Construction details | 1 | GRD           | 4000 Nos. | 22-Jul-22 |

|     |  |                        |          |   |   |      |              |           |
|-----|--|------------------------|----------|---|---|------|--------------|-----------|
| 171 | 85221606800705<br>dt.01-JUN-22 on<br>M/s.ICF Headquartes,<br>Chennai<br>RITES-CALL                 | 1011471<br><br>(FC)    | 30027068 | DOUBLE ROW SELF<br>ALIGNING SPHERICAL<br>ROLLER BEARING NO<br>22326 C/C3 CONFORMING<br>TO RDSO SPECN. C-8527<br>(REV.1) WITH<br>AMENDMENT SLIP NO.<br>1&2 SUITABLE FOR 16.25<br>TONNES AND 12 TONNES                              | 1 | MTN  | 100 Nos.     | 30-Aug-22 |
| 172 | 81222032102452<br>dt.02-JUN-22 on<br>M/s.THREE STAR<br>COMPANY-MUMBAI<br>RITES-CALL                | 2366280<br><br>(FC)    | 83030682 | PAPER MAPLITHO WHITE<br>IN SIZE 61 CMS X 86 CMS,<br>60 GSM, 15.7 KGS. PER<br>REAM OF 500 SHEETS<br>WITH MINIMUM<br>BRIGHTNESS OF 80%<br>AND ABOVE WITH<br>MANUFACTURERS<br>WATERMARK  | 1 | STY  | 1500<br>Ream | 18-Jun-22 |
| 173 | 42223455102455<br>dt.02-JUN-22 on<br>M/s.ESCORTS LIMITED-<br>FARIDABAD<br>RITES-CALL               | 2098512<br><br>(FP)    | 31220125 | YOKE (SUB ASSY) FOR<br>SCHAKU COUPLER OF<br>EMU COACHES TO<br>ESCORTS DRG. NO. 40-<br>586-06-04(2) OR<br>SIMILAR.MANUFACTURER<br>S IDENTIFICATION MARK,<br>MANUFACTURING<br>MONTH AND YEAR TO BE<br>ENGRAVED AT SUITABLE<br>PLACE | 1 | MTN  | 30 Nos.      | 31-Jul-22 |
|     |  |                        |          |   | 2 | MTN  | 60 Nos.      | 31-Oct-22 |
|     |  |                        |          |   | 3 | SNPD | 25 Nos.      | 31-Jul-22 |
|     |  |                        |          |   | 4 | SNPD | 41 Nos.      | 31-Oct-22 |
| 174 | 38224304102838<br>dt.24-JUN-22 on<br>M/s.BASANT RUBBER<br>FACTORY PVT LTD-<br>MUMBAI<br>RITES-CALL | 701079.3<br><br>(FP)   | 33500058 | Rubber Pad for Longitudinal<br>Bump Stop To RCF's Drg.<br>No. LW 05109 Alt. 'c' and<br>Specification No.TS-<br>17.531.100 and TS-<br>17.617.100   | 1 | MTN  | 2445 Nos.    | 25-Aug-22 |
| 175 | 27222002102878<br>dt.27-JUN-22 on<br>M/s.INDIA TOOLS<br>CRAFTS PVT LTD-<br>KOLKATA<br>RITES-CALL   | 749418<br><br>(FP)     | 25184556 | 8"x8" AIR Brake cylinder<br>with mounting X & Z AS<br>PER CLW DRG. No.<br>01/3/19/56 ALT-10. EACH<br>UNIT SHOULD BE<br>EMBOSSSED/ENGRAVED<br>WITH MAKERS NAME,<br>MONTH, YEAR & BATCH<br>NO. OF MANUFACTURING                     | 1 | KYN  | 10 Nos.      | 31-May-23 |
|     |  |                        |          |   | 2 | ACL  | 63 Nos.      | 31-May-23 |
| 176 | 38224990102895<br>dt.27-JUN-22 on<br>M/s.SARITA<br>FORGINGS LIMITED-<br>LUDHIANA<br>RITES-CALL     | 778021.2<br><br>(FP)   | 33500230 | Anti Roll Bar to FIAT Drg.<br>No. 1267519, Ver.01 to<br>Material Spec. 51 CrMoV4,<br>DIN:17221 & T.S.17.619<br>100 00.  | 1 | MTN  | 33 Nos.      | 28-Aug-22 |
|     |  |                        |          |   | 2 | PR   | 33 Nos.      | 28-Aug-22 |
| 177 | 81221048102912<br>dt.28-JUN-22 on<br>M/s.ROTATORY<br>ELECTRICALS-<br>HARIDWAR<br>RITES-CALL        | 658440<br><br>(FP)     | 81010047 | Set of Acid resistance FRP<br>tray LH & RH for battery box<br>trolley of Siemens rake as<br>per Annexure attached.<br>SNPD SK. No. BATT/04/A<br>& SK. No. BATT/04/B .Test<br>certificate from NABL<br>(National Accreditat        | 1 | SNPD | 90 Set       | 30-Sep-22 |
| 178 | 42221451102997<br>dt.29-JUN-22 on<br>M/s.AUTOMETERS<br>ALLIANCE LTD-NOIDA<br>RITES-CALL            | 16965067.7<br><br>(FP) | 31764034 | 'Vacuum circuit breaker(AC)<br>(25KV, 50Hz, for 3 phase<br>EMU, Type VCBA 25.10 Tr.<br>Make AAL)or type BVAC<br>25.10 M07 (Make BTIPL<br>only confirming to CLW<br>Specification No.<br>CLW/ES/SK-1/C/47 Alt H.<br>Scope of supp  | 1 | MTN  | 10 Set       | 31-Dec-22 |
|     |  |                        |          |   | 2 | MTN  | 11 Set       | 15-Feb-23 |



|     |  |                        |          |   |   |               |           |           |
|-----|--|------------------------|----------|---|---|---------------|-----------|-----------|
|     |  |                        |          |   | 3 | KYN           | 4 Set     | 31-Dec-22 |
|     |  |                        |          |   | 4 | VVH           | 7 Set     | 31-Dec-22 |
|     |  |                        |          |   | 5 | VVH           | 7 Set     | 15-Mar-23 |
|     |  |                        |          |   | 6 | KALVA         | 4 Set     | 31-Dec-22 |
|     |  |                        |          |   | 7 | KALVA         | 4 Set     | 15-Mar-23 |
|     |  |                        |          |   | 8 | SNPD          | 4 Set     | 31-Dec-22 |
|     |  |                        |          |   | 9 | SNPD          | 3 Set     | 15-Mar-23 |
| 179 | 38223216103011<br>dt.30-JUN-22 on<br>M/s.SHREE BALAJI<br>IRON STORE-<br>HOWRAH<br>RITES-CALL                       | 2072608.64<br><br>(FP) | 38125225 | COUPLER ROD (FOR AIR<br>BRAKE) FOR BOXN<br>WAGON TO RDSO'S DRG.<br>NO. WD-00046-S-01, ITEM<br>NO. 1, ALT-5 MATERIAL<br>SHOULD BETO IS:2062-<br>2011, AMENDMENT NO.1<br>OF NOV.2012, GR. E 250 A                                 | 1 | WAGO<br>N/BSL | 3200 Nos. | 01-Nov-22 |
| 180 | 38221435103021<br>dt.30-JUN-22 on<br>M/s.DURABLE<br>POLYMERS-LUCKNOW<br><br>RITES-CALL                             | 1333116.8<br><br>(FP)  | 30612585 | DENSIFIED THERMAL<br>BONDED POLYESTER<br>BLOCKS FOR SINGLE<br>SEAT BACKREST AND<br>LONG BACKREST TO<br>MISC. SK.-3746, ALT-2 ,<br>ITEM NO. 4, QTY-1 NO.<br>AND ITEM NO. 5, QTY-1<br>NO. SIZE - 950 X 675 X 20                   | 1 | MTN           | 1228 Set  | 01-Oct-22 |
|     |  |                        |          |   | 2 | MTN           | 1228 Set  | 28-Feb-23 |
| 181 | 38220290102475<br>dt.06-JUN-22 on<br>M/s.PRAG RUBBER<br>INDUSTRIES PVT. LTD.-<br>LUCKNOW<br>RITES-CALL             | 561680<br><br>(FP)     | 38140093 | CABLE ASSEMBLY FOR<br>HAND BRAKE<br>ARRANGEMENT OF<br>BOXNHL / BCNHL (BMBS)<br>WAGONS TO KBI PART<br>NO. C 177846 OR<br>SIMILAR. MATERIAL AND<br>SPECIFICATION TO RDSO<br>SPECIFICATION NO. WD                                  | 1 | WAGO<br>N/BSL | 80 Nos.   | 07-Aug-22 |
| 182 | 27221020102479<br>dt.06-JUN-22 on<br>M/s.KAY PEE<br>EQUIPMENTS PVT LTD-<br>HOWRAH<br>RITES-CALL                    | 4071000<br><br>(FP)    | 23942034 | Set of Bearing brackets<br>(END SHIELDS) for TM type<br>HS-15250A, comprising of<br>02 items as per SK.NO.<br>BSL/ELW/SK.NO.6021 ALT-<br>2 [1] Bearing bracket assly.<br>PE as per Drg. No. 10Q-750-<br>245 alt-M END SHIELD [2 | 1 | KYN           | 5 Set     | 31-Dec-22 |
|     |  |                        |          |   | 2 | ACL           | 25 Set    | 31-Dec-22 |
| 183 | 41221118102501<br>dt.06-JUN-22 on<br>M/s.APAR<br>INDUSTRIES LTD. UNIT<br>- UNIFLEX CABLES-<br>MUMBAI<br>RITES-CALL | 1379892<br><br>(FP)    | 40122256 | Thin walled electron beam<br>irradiated/chemically cured<br>cross linked thin walled<br>flexible elastomeric cable<br>with copper conductor<br>working voltage above 750<br>volts and upto 1.8/3.0 KV,<br>grade size 50 Sq. m   | 1 | MTN           | 399 MTR   | 31-Aug-22 |
|     |  |                        |          |   | 2 | MTN           | 400 MTR   | 31-Dec-22 |
|     |  |                        |          |   | 3 | ACL           | 575 MTR   | 31-Aug-22 |
|     |  |                        |          |   | 4 | ACL           | 575 MTR   | 31-Dec-22 |
| 184 | 38223492102524<br>dt.07-JUN-22 on<br>M/s.MAHAVIR<br>FORGINGS-LUDHIANA<br><br>RITES-CALL                            | 738873.52<br><br>(FP)  | 33500174 | CENTERING DISC FOR<br>PRIMARY SUSPENSION<br>TO FIAT DRG. NO.<br>1902431 VER.04R1 AND<br>TECH SPEC. NO. 17.334<br>100 06/110 01 WITH<br>AMENDMENT NO. 1 OF<br>MARCH 2005, MDTs-166,<br>REV.02, IS-1865-01, SC                    | 1 | MTN           | 418 Nos.  | 08-Sep-22 |
|     |  |                        |          |   | 2 | MTN           | 418 Nos.  | 29-Apr-23 |

|     |  |                        |          |   |   |      |               |           |
|-----|--|------------------------|----------|---|---|------|---------------|-----------|
| 185 | 81223074102525<br>dt.07-JUN-22 on<br>M/s.ORDNANCE<br>FACTORY DEHU ROAD-<br>PUNE<br>RITES-CALL                  | 7192100<br><br>(FP)    | 81110078 | FOG SIGNAL (detonators)<br>DRG. NO. DG of 209 & 210<br>& SPECN NO.DG of 104.<br>DT.29.6.94  | 1 | CRD  | 11000<br>Nos. | 31-Oct-22 |
|     |  |                        |          |   | 2 | CRD  | 12000<br>Nos. | 31-Jul-23 |
| 186 | 41221443802548<br>dt.08-JUN-22 on<br>M/s.PLW/Patiala,<br>Patiala<br>RITES-CALL                                 | 4563120<br><br>(FP)    | 40301760 | WINDING WIRE FOR 3-<br>PHASE TM STATOR BARE<br>SIZE 4.0 X 2.0 MM,<br>SPECN. HIFE 650030 ALT-<br>5.  | 1 | TMW  | 3000 Kgs.     | 31-Jul-22 |
| 187 | 42221574102558<br>dt.08-JUN-22 on<br>M/s.FIBRO<br>PLASTICHEM [INDIA]<br>PRIVATE LTD.-Hooghly<br><br>RITES-CALL | 1007375.44<br><br>(FP) | 31420394 | FRP PELMET AND FRP<br>COVER SHEET (LH AND<br>RH) TO ICF DRG. NO.<br>ICF/MRVC/C-4-2-009, ALT-<br>e/NIL , ITEM NOS. 1,2 AND<br>3. MATERIAL AND<br>SPECIFICATION AS PER<br>DRAWING.  | 1 | MTN  | 102 Set       | 30-Sep-22 |
|     |  |                        |          |   | 2 | SNPD | 86 Set        | 30-Sep-22 |
| 188 | 85221626800769<br>dt.09-JUN-22 on<br>M/s.PCMM, Modern<br>Coach Factory,<br>Raebareli<br><br>RITES-CALL         | 2798580.45<br><br>(PC) | 30676782 | ARRANGEMENT OF MUG<br>IN AC COACHES to ICF/SK-<br>6-3-426 ALT-d/NIL, COL.I<br>EXCEPT ITEM 5 AND 6.<br>MATERIAL AND<br>SPECIFICATION AS PER<br>DRAWING.  | 1 | MTN  | 300 Nos.      | 07-Sep-22 |
|     |  |                        | 33500071 | UIC TAPER ROLLER<br>BEARING FOR DIA 130<br>mm AXLE JOURNAL FOR<br>FIAT BOGIE AS PER SKF<br>DRG NO. 1639433 BC OR<br>TIMKEN DRG NO. E48999<br>PART NO. H127746H<br>ASSEMBLY NO. 90010<br>CONFIRMING TO<br>SPECIFICATION NO RDSO<br>S | 2 | MTN  | 30 Nos.       | 07-Sep-22 |
|     |  |                        | 33500277 | SAFETY WIRE ROPE<br>ASSEMBLY FOR FIAT IR<br>BOGIE TO RCF'S DRG.NO.<br>LW-05105. as per Drg.No.<br>RCF.DRG.NO.LW05105<br>specn:<br>RCF.DRG.NO.LW05105  | 3 | MTN  | 200 Nos.      | 07-Sep-22 |
|     |  |                        | 33500447 | YAW DAMPER TO RCF<br>DRAWING NO. LW-05103,<br>ALT-f, CONFORMING TO<br>RDSO SPECIFICATION<br>NO. RDSO/CG-18005,<br>REV. NIL. THIS ITEM IS<br>RESTRICTED FOR<br>PROCUREMENT FROM<br>RDSO APPROVED<br>SOURCE ONLY.                     | 4 | MTN  | 25 Nos.       | 07-Sep-22 |
|     |  |                        |          |   |   |      |               |           |

|     |  |                        |          |  |   |               |           |           |
|-----|--|------------------------|----------|--|---|---------------|-----------|-----------|
|     |  |                        | 33501002 | PRIMARY VERTICAL DAMPER TO RCF DRG. NO. LW-05102, ALT-d CONFIRING TO RDSO SPECIFICATION NO. RDSO/CG-18005, Rev. Nil. This item is restricted for procurement from RDSO approved source only.             | 5 | MTN           | 250 Nos.  | 07-Sep-22 |
|     |  |                        | 33670470 | HEX NUT M12 PREVAILING TORQUE TYPE TO PROPERTY CLASS 10, DIN-6925 / DIN980V, IS:1367-2002 PT-8, 10, A3B. specn: DIN-6925 / DIN980V, IS:1367-2002 PT-8, 10, A3B.  | 6 | MTN           | 3000 Nos. | 07-Sep-22 |
|     |  |                        | 33670572 | HEX HEAD BOLT M16X70 HIGH IS: 1364-2002 PR-I, IS : 1367-2002, PT-3, PROPERTY CLASS 10.9, CE, MDTs-057. ITEM IS RESERVED FOR PROCUREMENT THROUGH RDSO APPROVED SOURCES ONLY TENSILE as per Drg.No. IS:136 | 7 | MTN           | 3000 Nos. | 07-Sep-22 |
|     |  |                        | 33671310 | HEX HEAD BOLT M16X90, IS : 1367-2002 PT-I, IS : 1367-2002 PT-3, PROPERTY CLASS 10.9, CE, MDTs-057. ITEM IS RESERVED FOR PROCUREMENT THROUGH RDSO APPROVED SOURCES ONLY. as per Drg.No. IS:1364-2002 PT-I | 8 | MTN           | 3000 Nos. | 07-Sep-22 |
| 189 | 38222167102562<br>dt.09-JUN-22 on<br>M/s.ANAND SALES<br>CORPORATION-<br>KOLKATA<br>RITES-CALL              | 3715725.6<br><br>(FP)  | 38141292 | KIT FOR EMPTY LOAD BOX ASSEMBLY CONSISTING 11 ITEMS AS PER ANNEXURE-A ATTACHED. MATERIAL AND SPECIFICATION AS PER ANNEXURE-A   | 1 | WAGO<br>N/BSL | 277 Set   | 10-Apr-23 |
|     |  |                        |          |  | 2 | KWV           | 83 Set    | 10-Apr-23 |
| 190 | 18222098102634<br>dt.14-JUN-22 on<br>M/s.TOPGRIP INDUS<br>INSTRUMENTS PVT<br>LTD-KOLKATA<br><br>RITES-CALL | 1148755.96<br><br>(FP) | 17380273 | REPAIR KIT FOR AUTO DRAIN VALVE TO EMD PART NO 40029185 CONSISTING 10 ITEMS AS UNDER 1.SEAL O RING TO EMD PT NO 8315964 QTY 01 NO KIT 2. SEAL O RING TO EMD PT NO 8242194 QTY 01 NO KIT 3. SEAL O RING   | 1 | KYN           | 15 Nos.   | 31-Oct-22 |
|     |  |                        |          |  | 2 | GPR PA        | 92 Nos.   | 31-Oct-22 |
|     |  |                        |          |  | 3 | DLS<br>KYN    | 142 Nos.  | 31-Oct-22 |
|     |  |                        |          |  | 4 | AQ            | 25 Nos.   | 31-Oct-22 |

|     |   |                        |          |  |   |                                    |           |           |
|-----|---|------------------------|----------|--|---|------------------------------------|-----------|-----------|
| 191 | 27221973102648<br>dt.15-JUN-22 on<br>M/s.MELBROW<br>ENGINEERING WORKS<br>PVT. LTD.-KOLKATA<br><br>RITES-CALL          | 1271001.6<br><br>(FP)  | 25102382 | Horn face & Axle box liner to Drg. No. RDSO SK.VL-058 ALT-1 (Raw material for the liners shall be procured from SAIL/TISCO/JINDAL only, and proof and purchase shall be furnished by the firms at the ti | 1 | ACL<br>BSL                         | 2112 Nos. | 31-May-23 |
| 192 | 27223245102649<br>dt.15-JUN-22 on<br>M/s.U A<br>ENGINEERING-<br>HOWRAH<br>RITES-CALL                                  | 2322897.85<br><br>(FP) | 29140055 | C.I. brake blocks conforming to CLW Drg. No. 03/4/19/28 Alt. 4 .   | 1 | ACL<br>BSL                         | 586 Nos.  | 30-Jun-23 |
|     |   |                        |          |  | 2 | AQ                                 | 2977 Nos. | 30-Jun-23 |
| 193 | 27222236102716<br>dt.20-JUN-22 on<br>M/s.VALLABH<br>INDUSTRIES-DADRA<br><br>RITES-CALL                                | 1433818<br><br>(FP)    | 23563618 | Arcing Chamber (CGR) OEM PT.NO.S-27 For Tap Changer Type NO.32 as per RDSO DRG.NO.SKEL.4675 ALT-1. SHEET NO:1 & 2.   | 1 | KYN                                | 1 Nos.    | 31-May-23 |
|     |   |                        |          |  | 2 | ACL                                | 25 Nos.   | 31-May-23 |
|     |   |                        |          |  | 3 | AQ                                 | 3 Nos.    | 31-May-23 |
| 194 | 27222422102723<br>dt.20-JUN-22 on<br>M/s.ATUL INDUSTRIES-<br>FARIDABAD<br><br>RITES-CALL                              | 1293561.88<br><br>(FP) | 23609930 | Separator for BA panel to ELW Drg No.ELW/BSL/3/F95.010. Set consists of 4 items, 195 Nos. as under: (1) Item No.1 = 35 Nos (2) Item No.2 = 60 Nos. (3) Item No.3 = 30 Nos. (4) Item No.4 = 70 Nos. Since | 1 | ACL<br>BSL                         | 216 Set   | 30-Sep-22 |
| 195 | 27224664102730<br>dt.20-JUN-22 on<br>M/s.ADVANCED RAIL<br>CONTROLS PRIVATE<br>LIMITED-BANGALORE<br><br>RITES-CALL     | 3027130.7<br><br>(FP)  | 29170084 | MVB based Graphical Driver Display Unit 10.4" to CLW Specification No. CLW/ES/3/0487 Alt.-C.   | 1 | AQ                                 | 11 Nos.   | 30-Dec-22 |
| 196 | 27224724102743<br>dt.20-JUN-22 on<br>M/s.INDIAN METALS<br>AND ALLOYS<br>MFG.CO.PVT.LTD.-<br>KOLKATA<br><br>RITES-CALL | 2338996<br><br>(FP)    | 29940692 | RESISTANCE RING FOR BRAZED ROTOR 3 PHASE TM TYPE 6 FXA 7059 FOR WAP-5 LOCO AS PER CLW DRG NO.4TWD.097.073 AND CLW SPECIFICATION NO.4TMS.096.064.ALT.5.   | 1 | TMW                                | 45 Nos.   | 31-May-23 |
|     |   |                        | 29XXNS   | RESISTANCE RING FOR BRAZED ROTOR 3 PHASE TM TYPE 6 FXA 7059 FOR WAP-5 LOCO AS PER CLW DRG NO.4TWD.097.073 AND CLW SPECIFICATION  | 2 | SHOP<br>SUPDT<br>T.<br>MACHI<br>NE | 8 Nos.    | 20-Oct-22 |

|     |  |                        |          |  |   |      |            |           |
|-----|--|------------------------|----------|--|---|------|------------|-----------|
| 197 | 42221570102785<br>dt.22-JUN-22 on<br>M/s.VAISHNO<br>ENGINEERING AND<br>TRADERS-GHAZIABAD<br><br>RITES-CALL | 569444.4<br><br>(FP)   | 35823306 | Piston Packing for 203.2 mm bogie mounted Air Brake Cylinder to drg. no. TQKA/24/R7  | 1 | MTN  | 798 Nos.   | 15-Oct-22 |
|     |  |                        |          |  | 2 | SNPD | 1117 Nos.  | 15-Oct-22 |
| 198 | 42221282102796<br>dt.22-JUN-22 on<br>M/s.JAINEX LIMITED-<br>MUMBAI<br>RITES-CALL                           | 1272210.01<br><br>(FP) | 31101744 | Description : SET OF S.S. DOUBLE FERRULE PIPE FITTING MR AND BP TRAIN LINE PIPE TO SIEMENS EMU COACHES TO SK. NO. EMU/MTN/POH/M/09-R3.   | 1 | MTN  | 19 Set     | 31-Oct-22 |
|     |  |                        |          |  | 2 | SNPD | 7 Set      | 31-Oct-22 |
| 199 | 42221077102839<br>dt.24-JUN-22 on<br>M/s.PRAGATI<br>INFRASTRUCTURE-<br>KOLKATA<br>RITES-CALL               | 1082744.4<br><br>(FP)  | 31617920 | LONGITUDINAL CHANNEL SUPPORT/CANTILEVER FOR DOORWAY TO DRG NO. MTN J&T MISC SK - 3031, ALT.1 MATERIAL AND SPECIFICATION AS PER DRAWING.  | 1 | MTN  | 410 Nos.   | 24-Nov-22 |
| 200 | 85221615100896<br>dt.25-JUN-22 on<br>M/s.KNORR BREMSE<br>INDIA PVT LTD-<br>PALWAL<br>RITES-CALL            | 796500<br><br>(FP)     | 31351979 | POH Kit for M/s KBIL Make leveling valve to part no. II 68831 and Duplex check valve to Part no. 1.301902 as per Sketch no. EMU/MTN/BE/17-R4. (One set consist of 21 items having 27 nos in each set,    | 1 | MTN  | 270 Set    | 24-Oct-22 |
| 201 | 79222363102428<br>dt.01-JUN-22 on<br>M/s.BANSWARA<br>SYNTEX LTD-<br>BANSWARA<br>RITES-CALL                 | 3112200<br><br>(FP)    | 79906047 | Curtain Fabric Fire Retardant, Width 120 cms conforming to RDSO Specn. No. C-9911 Rev-03 with 6 Amdts. last Amdt. No.6 issued in August-2016 and Corrigendum-1 of May-2015 to Colour Shade and           | 1 | MTN  | 6000 MTR   | 08-Jul-22 |
|     |  |                        |          |  | 2 | MTN  | 6000 MTR   | 30-Nov-22 |
| 202 | 41221004102430<br>dt.01-JUN-22 on<br>M/s.S.INTERNATIONA<br>LS-MUMBAI<br>RITES-CALL                         | 1125720<br><br>(FP)    | 40120326 | Earthing Cable Complete conforming to RCF Drg.No. LW-71249 Alt b. Material as per drawing & RCF Specification No. EDTS-101, Rev-C, Amendment- 2, Corrg.- 6, Annexure-1. Make                             | 1 | LTT  | 450 Nos.   | 15-Aug-22 |
|     |  |                        |          |  | 2 | LTT  | 450 Nos.   | 31-Dec-22 |
| 203 | 90190641702851<br>dt.27-JUN-22 on<br>M/s.STEEL<br>AUTHORITY OF INDIA<br>LIMITED-KOLKATA<br><br>RITES-CALL  | 1817200<br><br>(PX)    | 90230838 | IS Equal Angles 75 x 75x10mm in the length of 10 mtrs and above conforming to IS2062/11 E-250 GR 'BO' SEMI-KILLED or KILLED  | 1 | MMR  | 35000 Kgs. | 30-Jun-22 |
| 204 | 38224970102892<br>dt.27-JUN-22 on<br>M/s.ASHIKA<br>COMMERCIAL (PVT)<br>LTD.-KOLKATA<br><br>RITES-CALL      | 6459320<br><br>(FP)    | 33538384 | 140 KN Air spring for LHB GS coaches to RDSO STR No.RDSO/2020/CG-01. RDSO drawing no.CGK5065, alt.'b' for space envelope and RDSO drawing no.CG-18228 for base plate. Top plate diameter 700 mm and inst | 1 | PR   | 46 Nos.    | 31-Dec-22 |

|     |  |                        |          |  |   |            |           |           |
|-----|--|------------------------|----------|--|---|------------|-----------|-----------|
| 205 | 38224970102893<br>dt.27-JUN-22 on<br>M/s.AVADH RAIL<br>INFRA LIMITED-<br>LUCKNOW<br>RITES-CALL                                   | 4212600<br><br>(FP)    | 33538384 | 140 KN Air spring for LHB<br>GS coaches to RDSO STR<br>No.RDSO/2020/CG-01.<br>RDSO drawing<br>no.CGK5065, alt.'b' for<br>space envelope and RDSO<br>drawing no.CG-18228 for<br>base plate. Top plate<br>diameter 700 mm and inset      | 1 | PR         | 30 Nos.   | 31-Aug-23 |
| 206 | 43221120102961<br>dt.28-JUN-22 on<br>M/s.COIMBATORE<br>COMPRESSOR<br>ENGINEERING<br>COMPANY PVT LTD-<br>COIMBATORE<br>RITES-CALL | 3512600<br><br>(FP)    | 45215066 | WATER RAISING 3 PHASE<br>HORIZONTAL<br>CENTRIFUGAL SELF<br>PRIMPING MONO SET<br>PUMP FOR USE IN AC<br>COACHES CONFORMING<br>TO RDSO SPECN. NO.<br>RDSO/PE/SPEC/AC/0022<br>[REV-0] AMENDMENT 1<br>AND SHALL HAVE FIVE<br>TERMINAL PLATE | 1 | MTN        | 500 Nos.  | 30-Sep-22 |
|     |  |                        |          |  | 2 | WB         | 100 Nos.  | 30-Sep-22 |
|     |  |                        |          |  | 3 | PUNE       | 50 Nos.   | 30-Sep-22 |
| 207 | 38224303102977<br>dt.29-JUN-22 on<br>M/s.BONY POLYMERS<br>(P) LIMITED-<br>FARIDABAD<br>RITES-CALL                                | 1197700<br><br>(FP)    | 33500046 | Lateral Bump Stop for FIAT<br>IR Bogie to Drg. No.<br>C53973 REB BRED 8374<br>Rev.02R to be read with<br>Spec. No. TS 17.531.100.03<br>& TS 17.617.100.02 &<br>MDTS-148 Rev-1 and<br>MDTS-122 Rev-03.                                  | 1 | MTN        | 350 Nos.  | 21-Jul-22 |
|     |  |                        |          |  | 2 | PR         | 350 Nos.  | 21-Jul-22 |
| 208 | 38221651102982<br>dt.29-JUN-22 on<br>M/s.PEW<br>ENGINEERING<br>PRIVATE LIMITED-<br>HOWRAH<br>RITES-CALL                          | 1575747.81<br><br>(FP) | 30357056 | CUT OFF ANGLE COCK<br>WITH VENT TO RDSO<br>DRG. NO. WD-88123-S-01<br>ALT-2. MATERIAL AND<br>SPECIFICATION : RDSO<br>SPEC. NO. 02-ABR-2002<br>WITH AMDT. NO. 4 OF<br>SEPT. 2016, APPENDIX-D.  | 1 | MTN        | 1950 Nos. | 30-Nov-22 |
| 209 | 10221457102989<br>dt.29-JUN-22 on<br>M/s.M. M. HYDRO<br>PNEUMATICS PVT.<br>LTD.-MUMBAI<br>RITES-CALL                             | 609890.08<br><br>(FP)  | 11891798 | M-48 OVERHAULING KIT<br>FOR VAPORID MAKE AIR<br>DRYER,CONSISTING OF<br>17 ITEMS AS PER<br>ANNEXURE SHEET<br>ATTACHED. Specification -<br>RDSO SPEC.No.MP.0.01.0<br>0.06 (Rev.06) March- 2021<br>&<br>STR.No.MP.STR.BK.01.06.           | 1 | ACL<br>BSL | 14 Set    | 29-Aug-22 |
|     |  |                        |          |  | 2 | DLS        | 35 Set    | 29-Aug-22 |
|     |  |                        |          |  | 3 | GPR PA     | 4 Set     | 29-Aug-22 |
| 210 | 61222059103042<br>dt.30-JUN-22 on<br>M/s.K ENTERPRISES-<br>MUMBAI<br>RITES-CALL  | 636250.48<br><br>(FP)  | 82018856 | TRICHO LINE CITRATE0.55<br>+ SORBITIOL 7.15 SOLN<br>200 ML   | 1 | MD/BY      | 400 Nos.  | 30-Jun-23 |
|     |  |                        |          |  | 2 | DRH/N      | 500 Nos.  | 30-Jun-23 |
|     |  |                        |          |  | 3 | DRH/SU     | 1100 Nos. | 30-Jun-23 |
|     |  |                        |          |  | 4 | DRH/KY     | 1895 Nos. | 30-Jun-23 |
|     |  |                        |          |  | 5 | DRH/Pu     | 880 Nos.  | 30-Jun-23 |
|     |  |                        |          |  | 6 | DRH/BS     | 5712 Nos. | 30-Jun-23 |
| 211 | 38222234102478<br>dt.06-JUN-22 on<br>M/s.CALSTAR STEEL<br>LTD-KOLKATA<br>RITES-CALL  | 2595471.15<br><br>(FP) | 30011516 | Thermoplastic Polyester<br>Elastomer (Hytrel) Upper<br>Washer for Primary<br>Suspension to RDSO Drg.<br>No. CG-K4058 Alt-3.<br>Material & Specification :<br>RDSO Spec. No. C-K409   | 1 | MTN        | 903 Nos.  | 07-Sep-22 |
|     |  |                        |          |  | 2 | MTN        | 900 Nos.  | 28-Feb-23 |

|     |   |                        |          |  |   |            |               |           |
|-----|---|------------------------|----------|--|---|------------|---------------|-----------|
| 212 | 79223094202493<br>dt.06-JUN-22 on<br>M/s.ALTAAS TEXTILES<br>PVT. LTD.-MUMBAI<br><br>RITES-CALL                  | 1806405.39<br><br>(FP) | 79511843 | "Cotton Yarn Waste-Type -1<br>to IS: 5485 latest version".<br>Packing condition should be<br>as specified in IS -5485<br>latest version.   | 1 | ACL<br>BSL | 12000<br>Kgs. | 20-Aug-22 |
|     |   |                        |          |  | 2 | ACL        | 12000         | 20-Aug-22 |
|     |   |                        |          |  | 3 | ACL        | 14377         | 20-Oct-22 |
| 213 | 38220020102508<br>dt.07-JUN-22 on<br>M/s.DURATUF GLASS<br>INDUSTRIES PVT LTD-<br>BAHADURGARH<br><br>RITES-CALL  | 536900<br><br>(FP)     | 33560717 | HOPPER WINDOW FOR<br>LHB COACHES to RCF<br>Drg. No. MI007168 Alt-Nil.<br>MATERIAL AND<br>SPECIFICATION AS PER<br>DRAWING.  | 1 | MTN        | 100 Nos.      | 08-Sep-22 |
| 214 | 85221442100751<br>dt.07-JUN-22 on<br>M/s.GUMMI METALL<br>TECHNIK (INDIA) PVT<br>LTD-BANGALORE<br><br>RITES-CALL | 636846<br><br>(FP)     | 33500022 | Ball Joint Roll Link to FIAT<br>Drg. No. C53973 REB<br>BRED 8416 Rev - 3R (FF<br>No. 1560095.4) to be read<br>with T.S.17.531.100.03,<br>T.S.17.617.100.02 & MDTS<br>148 Rev-01 & MDTS 122<br>Rev-03.                            | 1 | MTN        | 300 Nos.      | 08-Jul-22 |
| 215 | 75222109102518<br>dt.07-JUN-22 on<br>M/s.D BACHUBHAI<br>AND BROTHERS-<br>MUMBAI<br><br>RITES-CALL               | 1089496.95<br><br>(FP) | 76010727 | Manual Metal Arc Welding<br>Electrode, Class A1, Size<br>3.15 X 350 MM Type of<br>Coating: Medium Spec:<br>IRS:M-28/2020, STR:<br>MC/STR/W/01/Rev-2. Firms<br>Offer : USHA ARC USA 19<br>Make Mfg. By M/s. Usha<br>Welds Ltd. /P | 1 | CRD        | 54000<br>MTR  | 10-Sep-22 |
|     |   |                        |          |  | 2 | ACL        | 96375         | 10-Sep-22 |
| 216 | 38224175102565<br>dt.09-JUN-22 on<br>M/s.SUNSHINE TOOLS<br>CRAFT-HOWRAH<br><br>RITES-CALL                       | 1085600<br><br>(FP)    | 30250638 | MODIFIED VESTIBULE<br>FOOT PLATE TO C.RLY<br>DRG. NO. F[C AND W]-<br>1589, ALT-NIL. ITEM NOS.<br>1 TO 8. MATERIAL AND<br>SPECIFICATION AS PER<br>DRAWING.  | 1 | MTN        | 250 Nos.      | 10-Sep-22 |
| 217 | 85221444100772<br>dt.09-JUN-22 on<br>M/s.ARYAN<br>EXPORTERS (P) LTD.-<br>LUCKNOW<br><br>RITES-CALL              | 708000<br><br>(FP)     | 33500060 | Axle Box Pivot Bush with<br>solid or hollow pin<br>construction for FIAT Bogie<br>to Drg. No. 1247488 Alt-a to<br>be read with Tech. Spec.<br>No. 17.359 100 03, 17.617<br>100 02 and MDTS-148<br>Rev.01 & MDTS-122<br>Rev.02    | 1 | MTN        | 100 Nos.      | 25-Jun-22 |
| 218 | 85221471100783<br>dt.09-JUN-22 on<br>M/s.INDIA AUTO<br>INDUSTRIES PVT. LTD.-<br>NEW DELHI<br><br>RITES-CALL     | 779242.5<br><br>(FP)   | 33509001 | Secondary Vertical Damper<br>to RCF Drg. No. LW05101<br>Alt-e Confirming to RDSO<br>Specification No. RDSO/CG-<br>18005 Rev-Nil.   | 1 | MTN        | 125 Nos.      | 10-Jul-22 |
| 219 | 41221779102581<br>dt.09-JUN-22 on<br>M/s.G R TRADERS-<br>MUMBAI<br><br>RITES-CALL                               | 1200962.7<br><br>(FP)  | 41133420 | " ANTI -TRACKING<br>VARNISH TM [EXCUDING<br>HITACHI TM]. ALKYED<br>RESIN BASED AIR<br>DRYING PIGMENTED RED<br>COLOURED VARNISH TO<br>IS-10026 PART 3 SECTION   | 1 | ACL<br>BSL | 2812 Kgs.     | 09-Sep-22 |
|     |   |                        |          |  | 2 | VVH        | 27 Kgs.       | 09-Sep-22 |

|     |  |                       |          |  |   |               |          |           |
|-----|--|-----------------------|----------|--|---|---------------|----------|-----------|
|     |  |                       |          | 3 FOR CLASS 130 FOR FINISHING COATS ON FIELD COILS AND AUXILI  | 3 | KALVA         | 106 Kgs. | 09-Sep-22 |
|     |  |                       |          |  | 4 | AQ            | 254 Kgs. | 09-Sep-22 |
|     |  |                       |          |  | 5 | SNPD          | 32 Kgs.  | 09-Sep-22 |
| 220 | 27224700102650<br>dt.15-JUN-22 on<br>M/s.ELMEC COM<br>AGENCIES-<br>MALAD(W), MUMBAI<br><br>RITES-CALL      | 2350796<br><br>(FP)   | 29945320 | SET OF ROTOR STAMPINGS FOR 3 PHASE 6 FXA 7059.EACH SET CONSISTING OF FOLLOWING ITEMS: 1 JROTOR MAIN STAMPING AS PER SPECIFICATION NO.4TMS.096.053 REV-2 ALT-8 AND DRAWING NO. 2TWD.097.002 ALT.4         | 1 | TMW           | 10 Set   | 30-Sep-22 |
|     |  |                       |          |  | 2 | TMW           | 4 Set    | 31-May-23 |
| 221 | 27221570102714<br>dt.20-JUN-22 on<br>M/s.TOPGRIP INDUS<br>INSTRUMENTS PVT<br>LTD-KOLKATA<br><br>RITES-CALL | 1091364.3<br><br>(FP) | 25168976 | Set of self-illuminated pressure gauges for all type of conventional non-crew friendly cab locos comprising of 07 items 24 Nos.as per SKETCH NO. BSL/ELW/SK.NO.9074 ALT-9.                               | 1 | ACL<br>BSL    | 45 Set   | 31-May-23 |
| 222 | 27221898102715<br>dt.20-JUN-22 on<br>M/s.VARDHMAN<br>INDUSTRIAL<br>FASTENERS-DELHI<br>RITES-CALL           | 2523312<br><br>(FP)   | 25328013 | Pin arrangement as per RDSO Drg. No. SKVL-703 ALT-2. Set consists of 03 items 56 Nos.[1] Equalizer Pin Ref.1 = 12 Nos.2] Pin Ref.2 = 16 Nos.3] Flat bended cotter Ref.10 = 28 Nos.                       | 1 | KYN           | 21 Set   | 31-May-23 |
|     |  |                       |          |  | 2 | ACL           | 23 Set   | 31-May-23 |
| 223 | 27222355102722<br>dt.20-JUN-22 on<br>M/s.D.R.STEEL AND<br>INDUSTRIES PVT LTD.-<br>KOLKATA<br>RITES-CALL    | 1850240<br><br>(FP)   | 25109250 | Set of connecting strip Assly. with modified brake hanger lever of WAP-1/4 Loco bogies.(1) Connecting strip Assembly CLW/Drg. No.03/3/19/53 Alt-5-Ref.1&3Qty=08 Nos. (2) Connecting strip Assembly CLW/D | 1 | ACL<br>BSL    | 16 Set   | 31-May-23 |
| 224 | 27222917102724<br>dt.20-JUN-22 on<br>M/s.METRO STEEL<br>INDUSTRIES-SURAT<br>RITES-CALL                     | 1285020<br><br>(FP)   | 25148746 | SET OF BRAKE GEAR FOR END (OUT SIDE) BRAKE RIGGING FOR CO-CO BOGIE (CASTED) AS PER BSL/ELW/SK.NO.7000 ALT- 5 comprising of 09 items 92 Nos.  | 1 | ACL<br>BSL    | 11 Set   | 31-May-23 |
| 225 | 38223327102780<br>dt.21-JUN-22 on<br>M/s.VIRTUE RUBBER<br>TECH-HARIDWAR<br><br>RITES-CALL                  | 911526.4<br><br>(FP)  | 38164681 | AIR BRAKE HOSE COUPLING FOR BRAKE PIPE TO RDSO DRG NO. SK-73547, ALT-14. MATERIAL AND SPECIFICATIONAS PER RDSO'S SPECIFICATION NO 02-ABR-02 AMENDMENT NO 4 OF  | 1 | WAGO<br>N/BSL | 640 Nos. | 22-Aug-22 |
| 226 | 10224927102789<br>dt.22-JUN-22 on<br>M/s.ELIXIR<br>ENGINEERING-<br>BANGALORE<br>RITES-CALL                 | 607369.6<br><br>(FP)  | 11815565 | FUEL PUMP 0.75 HP MOTOR FOR WDG3A, WDM3D LOCOS to DLW PART.No. 11815565 Alt. Nil or latest . DLW Spec.No. MISC-632 Rev."R1" or latest. Make/Brand - Elixir.  | 1 | GPR PA        | 4 Nos.   | 22-Sep-22 |



|     |  |                            |          |  |   |               |               |           |
|-----|--|----------------------------|----------|--|---|---------------|---------------|-----------|
| 227 | 85221367100876<br>dt.23-JUN-22 on<br>M/s.BALMER LAWRIE<br>AND CO. LTD.-<br>MUMBAI<br>RITES-CALL                              | 1897941.5<br><br><br>(FP)  | 80034810 | Grease for Application on<br>Axle Box Cylindrical Roller<br>Bearing of ALCo Diesel<br>Locos: SERVOGEM RR-3<br>(IOC) BALMEROL MULTI-<br>GREASE 'LL-3' (BL & CO.)/<br>MAK RR GREASE-3<br>(BPC)/Lithon-RR3(HPC)<br>Conform                | 1 | MTN           | 6370 Kgs.     | 23-Jul-22 |
| 228 | 90221043102847<br>dt.24-JUN-22 on<br>M/s.INDIAN<br>SUPERCRAFT<br>INDUSTRIES-KOLKATA<br><br>RITES-CALL                        | 1451407.08<br><br><br>(FP) | 90350704 | M.S FLATS 45 X 6 mm<br>CONFORMING TO<br>IS:2062/99 GR A SEMI<br>KILLED IN LENGTH OF 5.5<br>TO 13.5 MTRS. This items<br>is required with ISI Mark /<br>Tag  | 1 | WAGO<br>N/BSL | 21207<br>Kgs. | 31-Oct-22 |
| 229 | 38223407102854<br>dt.27-JUN-22 on<br>M/s.SRM EXOFLEX<br>PRIVATE LIMITED-<br>KOLKATA<br>RITES-CALL                            | 1343430<br><br><br>(FP)    | 33524014 | Intercar gangway mounting<br>to RCF 's drawing No.<br>110113. 0.24.100.001,<br>Alt.R2 W/o Item No.4, with<br>latest alteration and RDSO<br>Specification No.<br>RDSO/2007/CG-05<br>(Rev.01)  | 1 | PR            | 33 Set        | 28-Dec-22 |
| 230 | 27223288102884<br>dt.27-JUN-22 on<br>M/s.BOMBAY<br>LEATHER INDUSTRIES-<br>MUMBAI<br><br>RITES-CALL                           | 4099320<br><br><br>(FP)    | 29940011 | SET OF SINGLE DUCT<br>LEATHER BELLOWS WITH<br>TOP AND BOTTOM<br>PLATES AS PER RDSOs<br>MODIFICATION SHEET<br>NO.<br>RDSO/2019/EL/MS/0476<br>(REV 0) DTD.22.01.2019,<br>ONE SET CONSISTS OF 5<br>ITEMS 24 NOs AS BELOW:-<br>1. SINGLE D | 1 | ACL<br>BSL    | 17 Set        | 30-Jun-23 |
|     |  |                            |          |  | 2 | ACL<br>BSL    | 17 Set        | 30-Sep-23 |
|     |  |                            |          |  | 3 | AQ            | 13 Set        | 30-Jun-23 |
|     |  |                            |          |  | 4 | AQ            | 13 Set        | 30-Sep-23 |
| 231 | 27223589102886<br>dt.27-JUN-22 on<br>M/s.BOMBARDIER<br>TRANSPORTATION<br>INDIA PRIVATE<br>LIMITED-VADODARA<br><br>RITES-CALL | 4460400<br><br><br>(FP)    | 29720345 | Power supply gate unit<br>(GUSP) (pos no 219 type-<br>KY A924 DE01, ABB<br>document No-HUCD<br>420183 R0001.   | 1 | ACL<br>BSL    | 3 Nos.        | 30-Sep-23 |
|     |  |                            |          |  | 2 | AQ            | 1 Nos.        | 30-Sep-23 |
| 232 | 62223050102925<br>dt.28-JUN-22 on<br>M/s.OZONE INDIA-<br>MUMBAI<br>RITES-CALL  | 1096242<br><br><br>(FP)    | 82291056 | SPECIFICATIONS 1.SET<br>OF HIGHLY POROUS<br>MULTI HOLE<br>ACETABULAR CUP ONE<br>2.HIGHLY CROSSLINKED<br>POLYTHENE LINER ONE<br>3.CERAMIC HEAD ONE  | 1 | MD/BY         | 8 Nos.        | 28-Jun-23 |
| 233 | 62224055102926<br>dt.28-JUN-22 on<br>M/s.SAHIL<br>ENTERPRISES-THANE<br><br>RITES-CALL  | 2109240<br><br><br>(FP)    | 82251915 | Description : BIONIK GOLD<br>KNEE 1.BIONIC GOLD<br>FEMUR : ONE 2.BIONIC<br>TIBIAL BASE PLATE : ONE<br>3.ULTRA HIGH<br>MOLECULAR WEIGHT<br>POLYTHELENE: ONE<br>4.UNIVERSAL PATELLA:<br>ONE 5.40CM CEMENT                                | 1 | MD/BY         | 25 Nos.       | 28-Jun-23 |

|     |   |                       |          |  |   |            |          |           |
|-----|---|-----------------------|----------|--|---|------------|----------|-----------|
| 234 | 27223170102950<br>dt.28-JUN-22 on<br>M/s.STESALIT LIMITED-<br>BADDI<br>RITES-CALL | 5960740.5<br><br>(FP) | 25890013 | ELECTRO MAGNETIC<br>CONTACTOR FOR<br>AUXILIARY MOTOR DRG.<br>1TWD.291.033 Alt-9.   | 1 | KYN        | 4 Nos.   | 30-Dec-23 |
|     |   |                       |          |  | 2 | ACL<br>BCL | 139 Nos. | 30-Dec-23 |
| 235 | 62222329102998<br>dt.29-JUN-22 on<br>M/s.SAHIL<br>ENTERPRISES-THANE<br>RITES-CALL | 2957745<br><br>(FP)   | 82216052 | Description :<br>UNCEMENTED DUAL<br>MOBILITY HIP<br>REPLACEMENT IMPLANT<br>SET CONSITING OF 1)<br>UNCEMENTED POROUS<br>COATED ACETABULAR<br>SHELL WITH PEGS WITH<br>NO SCREW HOLE 2) | 1 | MD/BY      | 20 Nos.  | 29-Jun-23 |