

## CENTRAL RAILWAY

Depot : All Depots

## LIST OF PURCHASE ORDERS

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Dely.Dt
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;								
1	93225408200468 dt.04-JUL-22 on M/s.ADOR WELDING LIMITED, MUMBAI  RITES-CALL	801220  (FP)	54NS	SUBMERGED ARC WELDING MACHINE, Brand- ADOR, Model- Meastro 1201 (F) As per GeM Contract.	1	SR.S.E.[MIL L WRIGHT]	2 Nos.	09-Aug-22
2	85225262100964 dt.05-JUL-22 on M/s.BEEKAY ENGINEERING CORPORATION-BHILAI  RITES-CALL	2805568  (FP)	33XXNS	Bogie frame assembly with Air spring for LHB AC coaches as per Drg.No. LW03002, ALT-I, and MDT5- 213, Rev-03 or latest.	1	TROLLEY REPAIR SHOP	8 Nos.	19-Aug-22
3	85225295100966 dt.05-JUL-22 on M/s.SANROK ENTERPRISES- FARIDABAD RITES-CALL	4506016.44  (FP)	30XXNS	Sanrok make CBC Components to be procured based on specification no RDSO/2011/CG-03(Rev.1) as per attached Annexure A.	1	L.V.B. SHOP MTN	1 Set	18-Sep-22
4	85225339100967 dt.05-JUL-22 on M/s.RESISTOFLEX DYNAMICS PVT. LTD.- Greater Noida RITES-CALL	1840800  (FP)	33503527	AIR SPRING ASSLY. FOR MAIN LINE/RAJDHANI LHB COACHES FOR FIAT TYPE BOGIE as per MPLBGASPLHB VERSION 2 WITH RDSO STR NO.C-K 508 REV.1	1	MACHINE SHOP MTN	12 Nos.	05-Oct-22
5	96215350100264 dt.06-JUL-22 on M/s.AUTOLITE ENTERPRISE-RAJKOT  RITES-CALL	1503600  (FP)	30XXN901	Supply, erection & commissioning of Automatic computerized Axle Box Temperature measurement and wheel counting with date logging system. Make- Novius or similar. Specifications as per attached annexure	1	SENIOR SECTION ENGI	4 Nos.	04-Sep-22
6	92225196100520 dt.08-JUL-22 on M/s.BHARAT RAIL O MOTIVE CORPORATION- KOLKATA	705640	4590N01	MPCB (Motor Protection Circuit Breaker), Current rating: 3-4 A, Thermal release range: 2.5-4 A, Class: 10, Breaking Capacity: 50kA, Pole: 3 P, Voltage: 415 V AC, 1NO+1NC auxiliary contact block Confo	1	SR. SECT.ENG.[ AC/COG	520 Nos.	07-Sep-22

	MITES-CALL	(FX)						
7	85225347101014 dt.12-JUL-22 on M/s.KNORR BREMSE INDIA PVT LTD- PALWAL MITES-CALL	1367620  (FP)	31XXNS	Set of Valves [Levelling Valve Qty. 02 Nos. and Duplex Check Valve Qty. 1 No.] to KBI Levelling Valve Part No. I168831 & Duplex Check Valve Part No. I.3.1902 [One set consisting of 02 Items and 3 Nos.	1	L.V.B. SHOP MTN	61 Set	12-Nov-22
8	85225353101015 dt.12-JUL-22 on M/s.ARYAN EXPORTERS (P) LTD.- LUCKNOW MITES-CALL	752979.24  (FP)	33XXNS	Rubber spring to RCF Drg. no. LW05120, Alt. Nil and Conforming to Spec. No. T.S. 17.531.100.03, & T.S. 17.617.100.02 & MDTs-148 Rev-1 & MDTs-122 Rev-03	1	TROLLEY REPAIR SHOP	486 Nos.	10-Sep-22
9	50225064103224 dt.12-JUL-22 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI MITES-CALL	557496.9  (FP)	5604N001	Block Input Output card (BLEA Card) for Siemens make MSDAC as per RDSO specification no. RDSO/SPN/176/2013 Ver. 3.	1	CWM(S&T) WS BYCULLA	3 Nos.	13-Jan-23
10	92205647100561 dt.12-JUL-22 on M/s.TRANSTECH SYSTEMS-PUNE MITES-CALL	867300  (FP)	4290N01	5 KVA ONLINE UPS WITH SUITABLE 12V BATTERY SET AS PER RDSO SPECIFICATION NO.RDSO/PE/SPEC/PS/00 23(REV-02) AMENDMENT '4' OR LATEST WITH INSTALLATION AT SITE.	1	SR.SEC.EN G. (EL.MAIN)	3 Set	09-Nov-22
11	91215497200324 dt.12-JUL-22 on M/s.LAXMI ENTERPRISES-THANE  MITES-CALL	1263780  (FP)	25NS	Three phase motor testing facility as per specification no.PA/DM/PH42/UMBRELL A Work/DE24/21-22 attached	1	SR.DME [D] PA	1 Set	29-Aug-22
12	80225006203306 dt.13-JUL-22 on M/s.INDIAN OIL CORPORATION LTD- MUMBAI MITES-CALL	9826591.72  (PC)	9211N64	HIGH SPEED DIESEL OIL ( HSD) CONFIRMING TO IS : 1460 (LATEST REVISION ) NOTE : The supply of products will be subject to deviations/relaxations as may be authorized by MOP & NG from time to time. Howe	1	Sr. Section Engineer	148 KLTR	31-Mar-23

13	80225006203307 dt.13-JUL-22 on M/s.INDIAN OIL CORPORATION LTD- MUMBAI RITES-CALL	25562417.7  (FP)	9211N64	HIGH SPEED DIESEL OIL (HSD) CONFIRMING TO IS : 1460 (LATEST REVISION ) NOTE : The supply of products will be subject to deviations/relaxations as may be authorized by MOP & NG from time to time. Howe	1	Sr. Section Engineer	385 KLTR	31-Mar-23
14	92225534200576 dt.14-JUL-22 on M/s.ANITA MEDICAL SYSTEMS PRIVATE LIMITED-MUMBAI RITES-CALL	1092000  (FP)	92XXN01	COMPUTED RADIOGRAPHY SYSTEM FOR X RAY(Fujifilm Single Loading computed radiography System (SLCRS) (Fujifilm) Model   FCR Prima T with DryPix Smart AS PER GEM CONTRACT ATTACHED)	1	MS IGP	1 Nos.	10-Sep-22
15	43225006D03336 dt.15-JUL-22 on M/s.AMARA RAJA BATTERIES LTD- CHENNAI RITES-CALL	6721228.8  (FP)	45170113	110V/120AH CAPACITY VALVE REGULATED LEAD ACID BATTERIES FOR TL COACHES IN SETS OF 19 MODULES [6 VOLTS PER MODULE], IN CHARGED CONDITION, WITH INTER CELL CONNECTOR AS PER RDSO	1	CWM / PR	39 Set	10-Oct-22
16	92225617200583 dt.18-JUL-22 on M/s.SIDDHI VINAYAK ENTERPRISES- MUMBAI RITES-CALL	1000075.2  (FP)	92XXN1	Unbranded Tarpaulins made from High Density Polyethene (HDPE) Woven Fabrics. 7.92 mtrs X 4.87 mtrs NA (Double bull) Number of Eyelets 14.(Unbranded Tarpaulins made from High Density Polyethylene ( HDP	1	SE(WORKS) , [M] BY	890 Nos.	25-Jul-22
17	74225115100176 dt.18-JUL-22 on M/s.VIN TECH ENTERPRISES- MUMBAI RITES-CALL	530461.92  (FP)	7898N01	Working bench (500kg load capacity) for air brake section as per drawing no: SNPD / AIR BK / 01	1	SSE/ POH Maintenance	4 Nos.	16-Sep-22
			7898N02	Seating stool for air brake section as per drawing no: SNPD/AIR BK/01/A	2	SSE/ POH Maintenance	20 Nos.	16-Sep-22

18	80225016203405 dt.19-JUL-22 on M/s.RELIANCE INDUSTRIES LTD-NAVI MUMBAI RITES-CALL	6515500  (FP)	46XXN01	High Speed Oil (HSD) Confirming to IS : 1460 (Latest Revision) Note :- The supply of products will be subject to deviations/relaxations as may be authorized by MOP & NG from time to time . However, an	1	Sr. Section Engineer	100000 LTR	31-Mar-23
19	48225359100806 dt.19-JUL-22 on M/s.AVADH RAIL INFRA LIMITED- LUCKNOW RITES-CALL	2454400  (FP)	33503527	Air Spring Assembly (120 KN capacity) for Main Line / Rajdhani LHB Coaches for FIAT Type Bogie as per : MPLBGASPLHB Ver-4 with RDSO Spec. No. RDSO/2020/CG-01.	1	ELECTRIC LOCO REPAIR	16 Nos.	16-Nov-22
20	TM225006100014 dt.21-JUL-22 on M/s.AGROMACH SPARES CORPORATION- MUMBAI  RITES-CALL	712673.98  (FP)	2.03E+10	STOP COCK Part No:II50172/2A1L+A66269 SUBSTITUTE I26684 for BCM Machine Make: PLASSER HSN Code: 848180 AMC No: 2213 MAS No: 71.145	1	SSE [TMD] BSL	13 Nos.	03-Nov-22
			2.04E+10	CYLINDER PART NO: HZGB.100.045.0300.1 PART MAKE: PLASSER AMC No. 2140 HSN Code: 841290 for IOH of CSM 921 Machine	2	SSE [TMD] BSL	1 Nos.	03-Nov-22
			2.08E+10	FILTER ELEMENT Part No.: HY-S501.560.150ES for DUO 56604 DT/Exp machines. AMC No- 3231 Part Make: PLASSER [HSN Code:842199] MAS No- 65 164 WARRANTY-06	3	SSE [TMD] BSL	36 Nos.	03-Nov-22
			8.08E+10	CONNECTING PIECE PART NO. U75.14 Make:PLASSER AMC No: 2708 HSN Code: 848360 for IOH of CSM 921 Machine.	4	SSE [TMD] BSL	1 Nos.	03-Nov-22
21	48225365100725 dt.01-JUL-22 on M/s.JUNMA COMPANY-GURGAON  RITES-CALL	565479.6  (FP)	85908332	Bearing for anti roll bar to SKF Part no.SKF GE 70 TXE-2LS or equivalent to FIAT Drg.no.1268555 Ver.00 .	1	ELECTRIC LOCO REPAIR	980 Nos.	30-Aug-22

22	92225459100488 dt.04-JUL-22 on M/s.SARODA ENGINEERING CONCERN-HOWRAH RITES-CALL	1161120  (FP)	6018N1	Supply of insulated stretcher bars of F/S switch 1 in 12, 60 kg complete one set stretcher bars to RDSO Drawing No. T- 3649 to T-3656 as per IRS T-2000 & IS: 226-1362 as per RDSO drawing includes insul	1	SE(PWAY) , [STORES]	120 Set	01-Dec-22
23	93225369100470 dt.05-JUL-22 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	659620  (FP)	5646N	Supply of LED Signal Lighting Unit with built in current regulator Aspect for Main Signal, retrofittable in existing CLS units as per RDSO specifications: RDSO/SPN/199/2010, Rev.1.0 with latest amen	1	Sr. Section Engineer	1 Set	31-Oct-22
24	80225011203102 dt.05-JUL-22 on M/s.RELIANCE INDUSTRIES LTD-NAVI MUMBAI RITES-CALL	15702523.7  (FP)	8009N01	HIGH SPEED DIESEL OIL (HSD) CONFIRMING TO IS: 1460 (LATEST REVISION) NOTE: The supply of products will be subject to deviations/relaxations as may be authorized by MOP&NG from time to time. However, a	1	SR. SECT.ENG.[ AC/COG	241 KLTR	31-Mar-23
25	92215687100501 dt.06-JUL-22 on M/s.PREMIER CONTROL SYSTEMS- NAVI MUMBAI RITES-CALL	1603190.24  (FP)	92XXN73	SUPPLY, TESTING AND COMMISSIONING OF SILENT BLOCK PRESSING SYSTEM IN SPARES OF FIAT BOGIE OF LHB COACHES CAPACITY 50 TON, SPECIFICATION ATTACHED AS ANNEXURE- A. Make -	1	Sr.CDO LTT	1 Set	02-Jan-23
26	38225033D03175 dt.07-JUL-22 on M/s.GUMMI METALL TECHNIK (INDIA) PVT LTD-BANGALORE  RITES-CALL	9274063.68  (FP)	33500060	Axle Box Pivot Bush with solid or hollow pin construction for FIAT Bogie to Drg. No. 1247488 Alt-a to be read with Tech. Spec. No. 17.359 100 03, 17.617 100 02 and MDTS-148 Rev.01 & MDTS-122 Rev.03.	1	ELECTRIC LOCO REPAIR	756 Nos.	30-Oct-22
					2	ELECTRIC LOCO REPAIR	756 Nos.	30-Mar-23
27	TM225085200009 dt.08-JUL-22 on M/s.AGROMACH SPARES CORPORATION- MUMBAI	961697.64	2.04E+10	PISTON ROD WITH PISTON Part No.: HZ10.063.036.0100.1 for UNI machine. Make-PLASSER HSN- 8412 RC-2416 MAS- 72.045 Warranty: 06 months from the date of supply against any manufacturing defects	1	SSE [TMD] BSL	4 Nos.	21-Oct-22

	BITES-CALL	(FP)		any manufacturing defects.				
			2.04E+10	JOINT HEAD Part No- HZ70.01-2 For UNI Machine. Make- PLASSER HSN- 7318 RC- 2461 MAS- 72.072 Warranty: 06 months from the date of supply against any manufacturing	2	SSE [TMD] BSL	5 Nos.	21-Oct-22
			2.04E+10	PISTON ROD WITH PISTON Part No- HZ10.100.045.0520.1 For CSM Machine. Make- PLASSER HSN- 8607 RC- 3624 MAS- 72.024 Warranty: 06 months from	3	SSE [TMD] BSL	3 Nos.	21-Oct-22
			5.06E+10	BOLT Part No.: U61.104AS for DTS, UNI machines. Make- PLASSER HSN-7318 RC- 3074 MAS- 72.162 Warranty: 06 months from the date of supply against any manufacturing defects	4	SSE [TMD] BSL	16 Nos.	21-Oct-22
			6.11E+10	LOCK PLATE Part No.: DL150.63 for CSM and DUO machines. Make- PLASSER HSN- 7326 RC- 1431 MAS- 72.280 Warranty: 06 months from the date of supply against any manufacturing	5	SSE [TMD] BSL	16 Nos.	21-Oct-22
			6.11E+10	ROLLER Part No.: UD313.1000IIISP1668/1676 for UNI machine. Make- PLASSER HSN- 8607 RC- 3667 MAS- 72.184 Warranty: 06 months from the date of supply against	6	SSE [TMD] BSL	2 Nos.	21-Oct-22
			8.06E+10	CASTLE NUT Part No.: M48X1.5DIN935-6 for UNI, DTS machine. Make- PLASSER HSN- 7318 RC- 2641 MAS- 72.076 Warranty: 06 months from the date of supply against	7	SSE [TMD] BSL	16 Nos.	21-Oct-22
			8.07E+10	CLEVIS Part No- HZ60.01-9 For CSM, DUO Machine Make- PLASSER HSN- 8302 RC- 2458 MAS- 72.030 Warranty: 06 months from the date of supply against any manufacturing	8	SSE [TMD] BSL	3 Nos.	21-Oct-22
			8.08E+10	LEVER Part No.: 64.09.7138 for BCM machine Make- PLASSER HSN- 8425 RC- 951 MAS 72.159 Warranty: 06 months from the date of supply against any manufacturing	9	SSE [TMD] BSL	8 Nos.	21-Oct-22
28	96225234100284 dt.25-JUL-22 on M/s.CG POWER AND INDUSTRIAL SOLUTIONS LIMITED- MUMBAI.	926064	5630Nxx	Supply of Electric Point Machine 143 mm stroke(AC immunity 400V AC) complete with lock detector and slides for lock detector non-trailable to operate on 110 V DC rotary locking with crank handle unive	1	SIGNAL INSPECTOR KWV	12 Nos.	23-Sep-22

	MITES-CALL	(FP)						
29	38225043D03529 dt.25-JUL-22 on M/s.MGM RUBBER COMPANY-KOLKATA  MITES-CALL	10443000  (FP)	38106322	Modified Elastomeric Pad Complete TO RDSO's DRG. NO.WD-95005/S-1, ALT. NO. 7 AND RDSO's SPECN. NO. WD-20-MISC- 95 (REV-3) WITH 5 Amendments- Last Amendment No. 5 Issued In July 2013.	1	SR.SEC.EN GR/ C&W/ AJ	4000 Nos.	30-Dec-22
					2	SR.SEC.EN GR/ C&W/ AJ	2000 Nos.	30-Jan-23
30	TM225132200023 dt.28-JUL-22 on M/s.AGROMACH SPARES CORPORATION- MUMBAI  MITES-CALL	3628432.79  (FP)	2.03E+10	VALVE Part No.: HY511.07 FOR CSM, DUO, machines. Make: Plasser HSN- 8481 RC- 2200 WARRANTY: 06 months from the date of supply against any manufacturing defects.	1	SSE [TMD] BSL	5 Nos.	10-Nov-22
			2.04E+10	PISTON ROD WITH PISTON Part No.: HZ10.125.050.0500.1 for DUO machines. Make- PLASSER HSN- 8412 RC- 2434 Warranty: 06 months from the date of supply	2	SSE [TMD] BSL	4 Nos.	10-Nov-22
			2.08E+10	FILTER ELEMENT Part No.: 62.05.4000.247ES for BCM machines. Make- PLASSER HSN- 8421 RC- 622 Warranty: 06 months from the date of supply against any manufacturing defects	3	SSE [TMD] BSL	60 Nos.	10-Nov-22
			2.09E+10	PISTON GASKET Part No.: HZ01.125 for BCM, CSM, DUO, UNI, T/EXP, FRM machines. Make- PLASSER HSN Code- 8484 RC- 2404 Warranty: 06 months from the date of supply against	4	SSE [TMD] BSL	18 Nos.	10-Nov-22
			2.09E+10	Seal Ring Part No- BA110- 140-13DIN3760-NB For BCM Machine Make- PLASSER HSN Code- 4016 RC- 1234 Warranty: 06 months from the date of supply against any	5	SSE [TMD] BSL	10 Nos.	10-Nov-22
			2.09E+10	PISTON GASKET Part No. HZ01.040 for BCM machines. Make- PLASSER HSN Code- 8484 RC- 2399 Warranty: 06 months from the date of supply against	6	SSE [TMD] BSL	20 Set	10-Nov-22
			2.09E+10	SEAL RING Part No.: BA100-115-9DIN3760-NB for DTS machines. Make- PLASSER HSN Code- 4016 RC- 1234 Warranty: 06 months from the date of supply against any				

	PLASSER HSN Code- 4016 RC- 1232 Warranty: 06 months from the date of supply against any	7	SSE [TMD] BSL	16 Nos.	10-Nov-22
3.07E+10	SEAL KIT Part No.: 90345/46/DS SUBSTITUTE 90346DS for CSM, DUO machines. Make- PLASSER HSN Code- 8484 RC- 1158 Warranty: 06 months from the date of supply against	8	SSE [TMD] BSL	4 Nos.	10-Nov-22
4.02E+10	MULTI.FUNC.TIME RELAY Part No- ZR5MF011I For New FRM Machine. Make- PLASSER HSN- 9017 RC- 3770 Warranty: 06 months from the date of supply against any manufacturing	9	SSE [TMD] BSL	4 Nos.	10-Nov-22
4.03E+10	CIRCUIT BREAKER Part No- EL-T7126/10A required for replace on CSM, DUO machines. Part Make: PLASSER HSN Code- 8536 RC- 1890 WARRANTY: 06 months from the date of	10	SSE [TMD] BSL	20 Nos.	10-Nov-22
4.03E+10	CIRCUIT BREAKER Part No.: EL-T7126/5A for CSM, DTS, FRM machines. Make: PLASSER HSN Code: 8536 RC- 1896 Warranty: 06 months from the date of supply against any	11	SSE [TMD] BSL	15 Nos.	10-Nov-22
4.04E+10	VACUUM GAUGE Part No.: M070/16022 SUB. 10L350 for T/Exp, UNI machines. Make: PLASSER HSN Code: 9026 RC- 2620 Warranty: 06 months from the date of supply against	12	SSE [TMD] BSL	8 Nos.	10-Nov-22
4.05E+10	VOLTAGE REGULATOR Part No- EL-T7154.00 for DUO 8124 machine. Make- PLASSER HSN- 9032 RC- 3775 WARRANTY: 06 months from the date of supply against any	13	SSE [TMD] BSL	1 Nos.	10-Nov-22
4.08E+10	CIRCUIT BREAKER Part No.: EL-T7126/8A required for replace on BRM USP 2000, DUO, machines. Part Make: PLASSER HSN Code: 8536 RC- 1897 WARRANTY: 06 months	14	SSE [TMD] BSL	20 Nos.	10-Nov-22
5.02E+10	BOLT Part No.: WN70.1168 for CSM, DTS machines Make- PLASSER HSN- 7318 RC- 3532 Warranty: 06 months from the date of supply against any manufacturing defects	15	SSE [TMD] BSL	6 Nos.	10-Nov-22
5.09E+10	RING Part No.: UD62.2406 for CSM, UNI machines. Make- PLASSER HSN- 7318 RC- 3267 Warranty: 06 months from the date of supply against any manufacturing defects	16	SSE [TMD] BSL	10 Nos.	10-Nov-22
5.1E+10	MEGGIE FLEXIBLE WASHER Part No.: 741401MITTEL for T/Exp				



				machine. Make- PLASSER HSN- 4016 RC- 1092 Warranty: 06 months from the date of supply against	17	SSE [TMD] BSL	80 Nos.	10-Nov-22
			5.1E+10	Shock Absorber Part No.: WN63.03ZD0,5KN-A required for replace on CSM, DUO machines. Make: PLASSER HSN Code: 8607 RC- 3525 Warranty: 06 months from	18	SSE [TMD] BSL	20 Nos.	10-Nov-22
			7.08E+10	BUSH Part No.: PM5050DX SUBSTITUTE PG505550A for T/Exp, UNI machine. Make- PLASSER HSN- 8483 RC- 2755 Warranty: 06 months from the date of supply against any	19	SSE [TMD] BSL	10 Nos.	10-Nov-22
			8.07E+10	CLEVIS Part No- HZ60.01-2 for FRM, T/Exp machine. Make- PLASSER HSN- 8302 RC- 2452 WARRANTY: 06 months from the date of supply against any manufacturing	20	SSE [TMD] BSL	4 Nos.	10-Nov-22
			8.07E+10	PIN Part No.: UD67.2990-5 for UNI machine. Make- PLASSER HSN- 7318 RC- 3330 Warranty: 06 months from the date of supply against any manufacturing	21	SSE [TMD] BSL	4 Nos.	10-Nov-22
			8.08E+10	STRIP Part No.: 64.09.8242 for BCM Machine. Part Make: PLASSER RC - 971 HSN Code: 7208 MAS 72.032 WARRANTY: 06 months from the date of supply against any	22	SSE [TMD] BSL	18 Nos.	10-Nov-22
			8.171E+10	PISTON ROD Part No- JT30.06A For UNI machine Make- PLASSER HSN- 8412 RC- 2558 Warranty: 06 months from the date of supply against any	23	SSE [TMD] BSL	3 Nos.	10-Nov-22
			8.171E+10	PISTON GASKET Part No- HZ01.100 For DUO, FRM, BCM, CSM, DTS,UNI, BRM Machine Make- PLASSER HSN- 8484 RC- 2403 Warranty: 06 months from the date of supply against	24	SSE [TMD] BSL	40 Nos.	10-Nov-22
			9.05E+10	O Ring Part No- 98.02x3,53- N-DIN3771-NBR90 For BCM, DUO Machine Make- PLASSER HSN Code- 4016 RC- 1189 Warranty: 06 months from the date of supply against any	25	SSE [TMD] BSL	30 Nos.	10-Nov-22
31	95225196100257 dt.11-JUL-22 on M/s.LAKSHMI INDUSTRIES- CUDDALORE RITES-CALL	1019225  (FP)	3816N1	Air brake components and fittings for Retro-fitment of Twin Pipe of BOXN wagons as per Annexure-B. MAKE OWN MAKE	1	SR.SEC.EN GR/ C&W/ AJ	50 Set	10-Oct-22

32	03225042100087 dt.12-JUL-22 on M/s.GLOW RAIL POWER-KOLKATA RITES-CALL	2383600  (FP)	0101N4	Supply of Electrical Point Machine, Non-trailable type, Conforming to RDSO Spec. No. IRS.S.24/2002, amendment no.1 or latest with the following parts:- (a) 220mm Throw with interlocking for Operation	1	Sr. Section Engineer	20 Nos.	12-Jan-23
33	92225111100567 dt.13-JUL-22 on M/s.NARAYAN ADVANCE TECHNOLOGY-RAIGAD  RITES-CALL	1172409.06  (FP)	7298N01	Battery operated contact wire cutter, as per specn.	1	Sr. Section Engineer	1 Nos.	10-Nov-22
34	50215015103278 dt.13-JUL-22 on M/s.MAXCON INDUSTRIES-PUNE RITES-CALL	2080603.14  (FP)	5630N01	Clamp point lock 60 Kg. (with ZUI-60) Thick web switch for B.G. As per RDSO drg no.S-3395A Make : MAX	1	CWM(S&T) WS BYCULLA	77 Nos.	24-Dec-22
35	80225006203308 dt.13-JUL-22 on M/s.INDIAN OIL CORPORATION LTD- MUMBAI RITES-CALL	5710046.54  (PC)	9211N64	HIGH SPEED DIESEL OIL ( HSD) CONFIRMING TO IS : 1460 (LATEST REVISION ) NOTE : The supply of products will be subject to deviations/relaxations as may be authorized by MOP & NG from time to time. Howe	1	SSE (Diesel Loco CRI	86 KLTR	31-Mar-23
36	48225382100772 dt.14-JUL-22 on M/s.PACKING HOUSE- MUMBAI RITES-CALL	1679383.08  (FP)	33572124	BOTTLE HOLDER FOR AC-2 TIER SLEEPER COACHES LHB TYPE TO RCF DRG NO LW-64125, ALT NIL & MD46271 DT.12.11.2003.	1	ELECTRIC LOCO REPAIR	18604 Nos.	14-Nov-22
37	43225006D03337 dt.15-JUL-22 on M/s.EXIDE INDUSTRIES LIMITED.-KOLKATA  RITES-CALL	9995673.6  (FP)	45170113	110V/120AH CAPACITY VALVE REGULATED LEAD ACID BATTERIES FOR TL COACHES IN SETS OF 19 MODULES [6 VOLTS PER MODULE], IN CHARGED CONDITION, WITH INTER CELL CONNECTOR AS PER RDSO	1	CWM / PR	58 Set	10-Oct-22
38	50225020103379 dt.18-JUL-22 on M/s.JMW INDIA PVT LTD-DELHI RITES-CALL	238194267  (FP)	5611N001	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of Size of 12 Core x 1.5 sq.mm conforming to RDSO Specification No. IRS: S-63/2014(Rev 4.0) Make:	1	SIGNAL INSPECTOR KVV	215.04 KM	19-Apr-23

			5611N003	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of	2	S.S.E./RRI/A JNI.	96.96 KM	19-Apr-23
			5611N004	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of	3	Sr. Section Engineer	72 KM	19-Apr-23
			5611N008	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of	4	"SSE(SIG) (C) SUR SO	416 KM	19-Apr-23
			5611N009	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of	5	CSI [C] Pune	256 KM	19-Apr-23
39	50225020103380 dt.18-JUL-22 on M/s.MYCO ELECTRICALS P LTD- SIRMOUR RITES-CALL	33540320  (FP)	5611N002	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of Size of 12 Core x 1.5 sq.mm conforming to RDSO Specification No. IRS: S- 63/2014 (Rev 4.0) Make: MYCO	1	SIGNAL INSPECTOR NGP	101.6 KM	19-Apr-23
			5611N005	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of	2	Sr.Section Engineer(	48 KM	19-Apr-23
40	50225029103382 dt.18-JUL-22 on M/s.HBL POWER SYSTEMS LTD- HYDERABAD RITES-CALL	5790169.14  (FP)	5646N001	Supply, checking of installation, testing and commissioning of SMPS based Integrated Power Supply confirming to RDSO specification RDSO/SPN/165/2012 version 3.0 for LC gates as per Central Rly Drg. No	1	Sr. Section Engineer	2 Set	16-Dec-22
			5646N003	Supply, checking of installation. Commissioning and testing of SMPS based integrated power supply	2	SIGNAL INSPECTOR WR	1 Set	16-Dec-22
			5646N004	Supply, Checking of Installation, Commissioning and Testing of SMPS Based Integrated Power Supply	3	Sr. Section Engineer	2 Set	16-Dec-22
41	85225254100943 dt.01-JUL-22 on M/s.SHREE SHAKTI WELDTECH PRIVATE LIMITED-THANE RITES-CALL	1462592.3  (FP)	31XXNXX	EMU Bogie Frame Arrangement for Motor Coaches, Phase-1, as per Drg. No. ICF/MRVC/M-0-3- 001, Alt. d, Col.1, Sheet 1 & 2,	1	SSE/Trolley/ SNPD POH	5 Nos.	01-Nov-22

42	56225430100728 dt.05-JUL-22 on M/s.NARAYAN ADVANCE TECHNOLOGY-RAIGAD  RITES-CALL	1294884.8  (FP)	25XXNS	Battery Powered Electro Mechanical crimping Tool, Crimping force - 15kN. Crimping Range - 0.14 to 50 sqmm. No. of crimp - about 300 for 10sqmm Cu/charge. Battery capacity - 1.5Ah. Charging Time - 40 m	1	CWM/ELW/B SL	8 Nos.	04-Oct-22
43	80225012203134 dt.06-JUL-22 on M/s.INDIAN OIL CORPORATION LTD- MUMBAI RITES-CALL	1593501.36  (FC)	92XXN1	HIGH SPEED DIESEL OIL (HSD) CONFIRMING TO IS: 1460 (LATEST REVISION) NOTE: The supply of products will be subject to deviations/relaxations as may be authorized by MOP&NG from time to time. However, a	1	Sr. Section Engineer	24 KLTR	31-Mar-23
44	85225244101013 dt.12-JUL-22 on M/s.BIMCO ENGINEERING ENTERPRISE- LUDHIANA RITES-CALL	1896307.2  (FP)	73XXNXX	Set of Siemens Traction Motor socket head cap screw and hex head bolt as per specification and annexure attached.	1	SSE/ POH (Electrical)	576 Set	12-Oct-22
45	50225065103225 dt.12-JUL-22 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	549974.4  (FP)	5604N01	Processing and monitoring board (VAU CARD) for Siemens make Multi Section Digital Axle Counter as per RDSO specification No. RDSO/SPN/176/2013 ver.3.	1	CWM(S&T) WS BYCULLA	4 Nos.	09-Jan-23
46	93225353100488 dt.18-JUL-22 on M/s.REGENT ENGINEERING ENTERPRISE-KOLKATA  RITES-CALL	887747.04  (FP)	9379N01	Retro reflective OHE structure number plate (125mm size) as per RDSOs Drg No. ETI/OHE/P/7503 Ref. E and RDSO spec. no. ETI/OHE/33A (12/97) Rev 8 or latest (Note - Number plate list attached herewith)	1	Sr. Section Engineer	2187 Nos.	27-Aug-22
47	92225513100594 dt.19-JUL-22 on M/s.KMT TRAKS INDIA- BAHADURGARH  RITES-CALL	2112200  (FP)	6032N4	Powered material trolley as per RDSO specification No.TM/SM/33 dtd 06.06.1996. Two years onsite warranty and onsite training to be provided.	1	SE(PWAY) , [STORES]	10 Nos.	16-Dec-22

48	50225042103424 dt.20-JUL-22 on M/s.GLOW RAIL POWER-KOLKATA RITES-CALL	2371800  (FP)	5613N001	Supply of Block proving by Digital Axle Counter as per RDSO/SPN/188/2004 using UFSBI for Single line BPAC working, RDSO SPN RDSO/S-32016 complete as per RDSO spec. IRS S:105/2012 (Ver.0) One pair co	1	SIGNAL INSPECTOR KWV	2 Pairs	20-Nov-22
49	93225337100499 dt.20-JUL-22 on M/s.MHAVEERA ENTERPRISES-RAIPUR  RITES-CALL	603298.6  (FP)	9379N01	Stranded Jumper wire, Annealed Copper conductor 160 Sq. mm, 19/7/1.25 mm Dia. as per RDSO Specification no. TI/SPC/OHE/JMP/0941 or latest. Firms offer make / brand- Chandra Metals Ltd	1	Sr. Section Engineer	410 MTR	17-Nov-22
50	93225138100524 dt.27-JUL-22 on M/s.SANCHAR COMMUNICATION SYSTEMS-NEW DELHI  RITES-CALL	4403288  (FP)	9379N	Analog 5 Watt VHF Set as per RDSO specification RDSO/SPN/TC/107/2018 Rev 0.0. With battery charger and spare battery. 1) Spot Frequency: 162.100 MHz 2) Required Technical Parameter: As per Clause 5(A)	1	Sr. Section Engineer	380 Nos.	31-Dec-22
51	80225006203313 dt.13-JUL-22 on M/s.HINDUSTAN PETROLEUM CORPORATION LIMITED-MUMBAI RITES-CALL	114834704  (FP)	9211N64	HIGH SPEED DIESEL OIL ( HSD) CONFIRMING TO IS : 1460 (LATEST REVISION ) NOTE : The supply of products will be subject to deviations/relaxations as may be authorized by MOP & NG from time to time. Howe	1	Sr. Loco Inspector(F	1722 KLTR	31-Mar-23
52	56225564100760 dt.18-JUL-22 on M/s.PIONEER GEARS AND EQUIPMENTS- HOWRAH  RITES-CALL	863760  (FP)	25XXNS	MODIFIED TOP SLACK ADJUSTER FOR WAG7/P7 LOCO BOGIE AS PER RDSO DRAWING No. SKVL-189 ALT-1 & SKVL-190 ALT-1 (THIS ITEM IS RESRVED FOR CLW APPROVED SOURCES ONLY)	1	BOGIE AC LOCO W/SHOP	244 Nos.	15-Jan-23
53	48225359100807 dt.19-JUL-22 on M/s.RESISTOFLEX DYNAMICS PVT. LTD.- Greater Noida RITES-CALL	2454400  (FP)	33503527	Air Spring Assembly (120 KN capacity) for Main Line / Rajdhani LHB Coaches for FIAT Type Bogie as per : MPLBGASPLHB Ver-4 with RDSO Spec. No. RDSO/2020/CG-01.	1	ELECTRIC LOCO REPAIR	16 Nos.	11-Oct-22

54	48225366100808 dt.19-JUL-22 on M/s.BASANT RUBBER FACTORY PVT LTD- MUMBAI RITES-CALL	1375130.7  (FP)	33500046	Lateral Bump Stop for FIAT IR Bogie to RCF Drg. No. LW05104, Alt-d and Spec. No. TS 17.531.100.03 & TS 17.617.100.02 & MDTS-148 Rev-1 and MDTS-122 Rev- 03.	1	ELECTRIC LOCO REPAIR	893 Nos.	02-Sep-22
55	TM225003100013 dt.21-JUL-22 on M/s.AGROMACH SPARES CORPORATION- MUMBAI  RITES-CALL	726084.68  (FP)	4.01E+10	PRINTED CIRCUIT BOARD CPL. Part No: EK-120V-00 Part Make: PLASSER for UNI Machines. AMC No: 1245 MAS No: 51.436 HSN Code:853890	1	SSE [TMD] BSL	2 Nos.	03-Nov-22
			4.08E+10	BRACKET Part No:EL- T953K Make: PLASSER for BCM, DUO Machines. AMC No. 1639 MAS No: 64.244 HSN Code:853890	2	SSE [TMD] BSL	15 Nos.	03-Nov-22
			5.04E+10	BEARING HOUSING Part No: UD75.12 Make: PLASSER for IOH of CSM 921 Machine. AMC No: 2962 HSN Code:848320	3	SSE [TMD] BSL	1 Nos.	03-Nov-22
			8.17E+10	LEVER Part No: UD73.415 Part Make: PLASSER for IOH of CSM 921 Machine. AMC No: 2959 MAS No: 69.102 HSN Code:842519	4	SSE [TMD] BSL	1 Nos.	03-Nov-22
			8.17E+10	FLANGE Part No.: UD73.405 Make: PLASSER for IOH of CSM 921 Machine. AMC No: 2958 HSN Code:730290	5	SSE [TMD] BSL	1 Nos.	03-Nov-22
			56	85225294101128 dt.23-JUL-22 on M/s.SANROK ENTERPRISES- FARIDABAD RITES-CALL	9956875.4  (FP)	30XXNS	Sanrok make CBC Components to be procured based on specification no RDSO/2011/CG-03(Rev.1) as per attached Annexure B. Accepted Make/Brand: SANROK	1

57	92225763100626 dt.26-JUL-22 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED- HOSUR RITES-CALL	587752.1  (FP)	33XXN211	Power Supply G2+VD 72-110/24 as per FTRITIL No. FT0027545-100.	1	Sr.CDO LTT	5 Nos.	22-Jan-23
58	56225578100787 dt.26-JUL-22 on M/s.SONATA INDUSTRIAL ELECTRONICS- MUMBAI RITES-CALL	625329.2  (FP)	25XXNS	SET OF CREW FRIENDLY CAB METERS AS PER CLW SPECIFICATION NO. CLW/ES/I-26. ONE SET CONSISTS OF 03 ITEMS 08 NOS. AS PER ANNEXURE A. (TO BE PROCURED FROM CLW APPROVED SOURCES ONLY.) ACCEPTED: FIRMS OFF	1	SR.SEC.EN G.(PROGRES SS	20 Set	25-Sep-22
59	03225017100091 dt.28-JUL-22 on M/s.ATLANTIC TRADEENGINEERS LLP- LUCKNOW RITES-CALL	4181760  (FP)	5615N01	SEALED MAINTENANCE FREE VRLA BATTERY SET OF 60 CELLS (STACKABLE) IN COMBINATION OF 55+5 CELLS FOR SMPS BASED INTEGRATED POWER SUPPLY SYSTEM, EACH CELL OF 2 VOLT/300AH	1	CSI [C] Kalyan	3 Set	28-Jan-23
			96XXN177	SEALED MAINTENANCE FREE VRLA BATTERY SET OF 60 CELLS (STACKABLE), IN COMBINATION OF 55+5	2	"SSE(SIG) (C) SUR SO	8 Set	28-Jan-23
60	48225423100863 dt.29-JUL-22 on M/s.RESPONSIVE INDUSTRIES LTD- MUMBAI RITES-CALL	3877871.76  (FP)	75NS	Flexible Poly Vinyle Chloride (PVC) Flooring Sheet Size :14000 MM Length x 1620 MM Width x 2 MM Thickness, As Per RDSO SPECN. NO. RDSO/2006/CG-12 REV[1] AUGUST 2008 WITH AMENDMENT NO.5 OF AUGUST 2016	1	ELECTRIC LOCO REPAIR	210 Nos.	27-Sep-22
61	95225095100251 dt.04-JUL-22 on M/s.SNT ENGINEERS- GAUTAM BUDHH NAGAR RITES-CALL	1210680  (FP)	5604N01	Amended Description : Supply of single section Digital Axle Counter (SSDAC) with two detection point with reset arrangement and vital relay box as per RDSO/SPN/177/2012 Ver. 03 or Latest. Each set con	1	CHIEF SIG.INSPEC TOR	2 Set	02-Nov-22
62	56225575100725 dt.05-JUL-22 on M/s.MELBROW ENGINEERING WORKS PVT. LTD.-KOLKATA	1598475.2  (FP)	25XXNS	HORN FACE LINER OF 5 MM THICKNESS FOR CONVENTIONAL LOCO BOGIES AS PER RDSO DRG. NO. SKVL-058 EXCEPT THICKNESS 5MM INSTEAD OF 6MM.(ITEM IS RESERVED FOR CLW APPROVED SOURCES)	1	BOGIE AC LOCO W/SHOP	2419 Nos.	03-Nov-22

	MITRAN RITES-CALL	(FP)		(APPROVED SOURCES)				
63	56225585100726 dt.05-JUL-22 on M/s.NANDRATAN FOUNDRY AND ENGINEERING WORKS PVT LTD-MUMBAI  RITES-CALL	842123.52  (FP)	25XXNS	HORN FACE LINER OF 4 MM THICKNESS FOR CONVENTIONAL LOCO BOGIES AS PER RDSO DRG. No. SKVL-058 EXCEPT THICKNESS 4MM INSTEAD OF 6MM (ITEM RESERVED FOR CLW APPROVED SOURCES).	1	BOGIE AC LOCO W/SHOP	1512 Nos.	03-Nov-22
64	56225296100727 dt.05-JUL-22 on M/s.LEGRIS INDIA PVT.LTD-GAUTAM BUDH NAGAR RITES-CALL	985831  (FP)	25XXNS	3/8" ISOLATING COCK WITHOUT VENT AS PER FTRTIPL PART NO. 023004000 OR LEGRIS PART NO. 04021017.(PURCHASE CERTIFICATE FROM OEM IS REQUIRED).	1	PNEUMATIC AC LOCO W/	434 Nos.	04-Sep-22
65	85225262100965 dt.05-JUL-22 on M/s.SANTO ENGINEERING COMPANY PRIVATE LIMITED-VALSAD RITES-CALL	701392  (FP)	33XXNS	Bogie frame assembly with Air spring for LHB AC coaches as per Drg.No. LW03002, ALT-I, and MDTs- 213, Rev-03 or latest.	1	TROLLEY REPAIR SHOP	2 Nos.	03-Oct-22
66	85225310100971 dt.05-JUL-22 on M/s.ESCORTS LIMITED- FARIDABAD  RITES-CALL	4297839.73  (FP)	30XXNS	Escorts make CBC Components to be procured based on specification no RDSO/2011/CG-03(Rev.1) as per attached Annexure E.	1	L.V.B. SHOP MTN	1 Set	03-Sep-22
67	95225236100276 dt.29-JUL-22 on M/s.DIGITAL WEIGHING SYSTEMS (P) LTD.-BILASPUR RITES-CALL	653720  (FP)	6590NNS	Set of Track Switches and Control Panel Cards as per Annexure-A for Repair of Electronic in Motion Weigh Bridge located at TAE of Make M/s. Digital Weighing System (P) Ltd. Bilaspur (C.G.). MAKE	1	SR.SEC.EN GR/ C&W/ AJ	1 Set	29-Aug-22
68	92225685100655 dt.29-JUL-22 on M/s.TEJAS ENTERPRISES-THANE	1043592	5604N01	Wheel Sensor with protection tube of Frauscher make MSDAC type RSR 180 (With BBIK- M 12 GS02 fixing), along with cable length of 10 Meters.	1	Sr. Section Engineer	8 Nos.	26-Dec-22



	MITES-CALL	(FP)						
69	92225682100656 dt.29-JUL-22 on M/s.TEJAS ENTERPRISES-THANE  MITES-CALL	1104008  (FP)	5604N01	Wheel Sensors RSR 180 with 15 Meters cable and Protection tube 14.8 Mtr length for Frauscher make MSDAC.	1	Sr. Section Engineer	8 Nos.	26-Dec-22
70	92225681100657 dt.29-JUL-22 on M/s.TEJAS ENTERPRISES-THANE  MITES-CALL	1050318  (FP)	5604N01	Wheel Sensor with protection tube of Frauscher make MSDAC type RSR 180 (With BBIK- M 12 GS02 fixing), along with cable length of 5 Meters.	1	Sr. Section Engineer	9 Nos.	26-Dec-22
71	50205029103126 dt.06-JUL-22 on M/s.A.H INTERNATIONAL- LUDHIANA MITES-CALL	3512706.6  (FP)	5630N01	Clamp point lock 60 Kg. (with ZYUL-60) Thick web switch for B.G. As per RDSO drg no.3395A Make : AHI	1	CWM(S&T) WS BYCULLA	65 Nos.	20-Nov-22
					2	CWM(S&T) WS BYCULLA	65 Nos.	20-Nov-22
72	38225028D03174 dt.07-JUL-22 on M/s.GUMMI METALL TECHNIK (INDIA) PVT LTD-BANGALORE  MITES-CALL	5299464.96  (FP)	33500060	Axle Box Pivot Bush with solid or hollow pin construction for FIAT Bogie to Drg. No. 1247488 Alt-a to be read with Tech. Spec. No. 17.359 100 03, 17.617 100 02 and MDTS-148 Rev.01 & MDTS-122 Rev.03.	1	TROLLEY REPAIR SHOP	864 Nos.	30-Dec-22
73	56215531100753 dt.12-JUL-22 on M/s.INDORE NITRIDERS-INDORE MITES-CALL	1897440  (FP)	25XXNS	MOTOR SUSPENSION UNIT CAT NO.R/9/0107 C&D NO.T201/091 DRG.NO.1209-01.111-004 ALT-5 1209-01.011-018 ALT-9 SPEC:CLW SPEC.NO.CLW/MS/3/201 ALT.2. (ITEM IS	1	WHEEL SETS AC LOCO W	8 Set	10-Nov-22

74	56225405100754 dt.12-JUL-22 on M/s.TELEMA ELECTRICALS PRIVATE LIMITED-BADDI  RITES-CALL	6269340  (FP)	25XXNS	DBR (VERTICAL) FITTED WITH AC MVRF FOR ELECTRIC LOCOS AS PER RDSO SPEC.NO.ELRS/SPEC/DB R/0028 REV.O OF SEPT - 2003 WITH AMENDMENT NO.3. (ITEM IS RESERVED FOR CLW APPROVED SOURCES ONLY)	1	RECTIFIER	7 Nos.	08-Feb-23
75	50225067103227 dt.12-JUL-22 on M/s.G.K ENTERPRISES- AGRA RITES-CALL	902643.36  (FP)	5604N01	ISDN Card for Eldyne Multi Section Digital Axle Counter (MSDAC) as per RDSO/SPN/176/2005 make Thales C/o Eldyne. Make Eldyne Electro System Pvt. Ltd.	1	CWM(S&T) WS BYCULLA	4 Nos.	13-Jan-23
76	80225006203305 dt.13-JUL-22 on M/s.INDIAN OIL CORPORATION LTD- MUMBAI RITES-CALL	164312053  (FP)	9211N64	HIGH SPEED DIESEL OIL ( HSD) CONFIRMING TO IS : 1460 (LATEST REVISION ) NOTE : The supply of products will be subject to deviations/relaxations as may be authorized by MOP & NG from time to time. Howe	1	Sr. Loco Inspector (	2513 KLTR	31-Mar-23
77	80225006203309 dt.13-JUL-22 on M/s.RELIANCE INDUSTRIES LTD-NAVI MUMBAI RITES-CALL	307056160  (FP)	9211N64	HIGH SPEED DIESEL OIL ( HSD) CONFIRMING TO IS : 1460 (LATEST REVISION ) NOTE : The supply of products will be subject to deviations/relaxations as may be authorized by MOP & NG from time to time. Howe	1	CHIEF CREW CONTROLL E	4784 KLTR	31-Mar-23
78	80225006203312 dt.13-JUL-22 on M/s.RELIANCE INDUSTRIES LTD-NAVI MUMBAI RITES-CALL	181810693  (FP)	9211N64	HIGH SPEED DIESEL OIL ( HSD) CONFIRMING TO IS : 1460 (LATEST REVISION ) NOTE : The supply of products will be subject to deviations/relaxations as may be authorized by MOP & NG from time to time. Howe	1	CHIEF CREW CONTROLL E	2833 KLTR	31-Mar-23
79	79225008203316 dt.14-JUL-22 on M/s.PROVIDENCE TEXTILES-LUDHIANA RITES-CALL	505190  (FP)	7907N01	Serge Woolen for Trouser - Cloth Serge Olive-Khakhi 01 no Packet (1.46 Mtrs) ( GEM OFFER PROVIDENCE TEXTILES Cloth Serge Olive-Khakhi ( for MHA specn) (PROVIDENCE TEXTILES) Model   PROVIDENCE TEXTILES	1	CSC/RPF/C STM	2062 MTR	06-Sep-22

80	TM225096200011 dt.14-JUL-22 on M/s.AGROMACH SPARES CORPORATION- MUMBAI  RITES-CALL	2750856.12	4.05E+10	TAMPING DEPTH TRANSDUCER Part No.: ELT-903-00001-U/1000 for DT/Exp 56739, DT/Exp 56845, DUO 56604 machines. Make- PLASSER HSN- 9032 RC- 3695 MAS 70.151 Warranty- 06 months from the date of supply aga	1	SSE [TMD] BSL	2 Nos.	27-Oct-22	
			(FP)	4.09E+10	HEAD LIGHT WITHOUT BULB Part No.: 1A7003099- 011 for Track machines. Make- PLASSER HSN- 8512 RC- 166 MAS- 79.086 Warranty- 06 months from the date of supply against	2	SSE [TMD] BSL	20 Nos.	27-Oct-22
			8.08E+10	PLATE Part No.: 64.08.8291 for BCM 398, BCM 376 machine. Make- PLASSER HSN- 7326 RC- 909 Warranty: 06 months from the date of supply against any manufacturing defects	3	SSE [TMD] BSL	2 Nos.	27-Oct-22	
			8.08E+10	GUARD PLATE Part No.: 64.08.8323 for BCM 398, BCM 376 machine. Make- PLASSER HSN- 7326 RC- 917 Warranty: 06 months from the date of supply against any manufacturing	4	SSE [TMD] BSL	2 Nos.	27-Oct-22	
			9.03E+10	EXCAVATING CONVEYOR BELT Part No.: RE20.725 for FRM 56409, FRM 56795 machine. Size- 19215 X 500 X 6 mm Make- PLASSER HSN- 4010 RC- 2873 Warranty: 06 months from	5	SSE [TMD] BSL	2 Nos.	27-Oct-22	
			9.03E+10	CONVEYOR BELT Part No.: RE20.580 for FRM 56409, FRM 56795 machine. Size- 10460 X 640 X 8 mm Make- PLASSER HSN- 4010 RC- 2869 for FRM 56409, FRM 56795 machine. Warranty:	6	SSE [TMD] BSL	2 Nos.	27-Oct-22	
81	56225470100761 dt.18-JUL-22 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED- HOSUR RITES-CALL	987780.36	25XXNS	POTENTIOMETER FOR DRIVERS BRAKE CONTROL (DBC) TO FTRTIPL PART NO. 034106000A. ACCEPTED: FIRMS OFFER POTENTIO METER to FTRTIPL Part Number 034106000A	1	PNEUMATIC AC LOCO W/	14 Nos.	22-Nov-22	
82	56225563100762 dt.18-JUL-22 on M/s.JAYSHREE ENTERPRISES-Kolkata  RITES-CALL	1001112	25XXNS	SAND BOX ASSEMBLY FOR WAG-7 LOCOMOTIVE AS PER CLW Drg. No. 06/1/60/32 ALT-6 OR LATEST.01 SET CONSISTS OF 02 ITEMS: 01 No. LEFT HAND SIDE & 01 No. RIGHT HAND SIDE.(THIS ITEM IS	1	BOGIE AC LOCO W/SHOP	202 Set	16-Nov-22	

83	92225688100585 dt.18-JUL-22 on M/s.G.K ENTERPRISES- AGRA RITES-CALL	525100  (FP)	5604N01	Mother Board for MSDAC Part No-3CR01838AAAA make Eldyne.	1	Sr. Section Engineer	10 Nos.	15-Jan-23
84	96225143200273 dt.18-JUL-22 on M/s. HANDTEX INDUSTRIAL CO OPERATIVE FEDERATION LIMITED- ALIGARH  RITES-CALL	3950000  (FP)	7933N780	Item Description - Product Name : HICFL 229 X 140 cm Handloom Cotton Bed Sheets, Brand : HICFL, Brand Type : Registered Brand, Catalogue Status : OEM verified catalogue, Selling As : OEM, Category Nam	1	SENIOR SECTION ENGI	10000 Nos.	01-Sep-22
85	50225029103383 dt.18-JUL-22 on M/s.STATCON ENERGIAA PRIVATE LIMITED-GAUTAM BUDH NAGAR RITES-CALL	1027780  (FP)	5646N002	Supply, Checking of Installation, Commissioning and Testing of SMPS Based Integrated Power Supply System without MFVRLA battery set Confirming to RDSO/SPN/165/2012 Version 3.0 for LC Gates, as per C	1	Sr. Section Engineer	1 Set	16-Dec-22
86	48225356100800 dt.18-JUL-22 on M/s.GUMMI METALL TECHNIK (INDIA) PVT LTD-BANGALORE  RITES-CALL	2848680.48  (FP)	33500022	Ball Joint Roll Link to FIAT Drg. No. C53973 REB BRED 8416 Rev - 3R (FF No. 1560095.4) to be read with T.S.17.531.100.03, T.S.17.617.100.02 & MDTS 148 Rev-01 & MDTS 122 Rev-03.	1	ELECTRIC LOCO REPAIR	1464 Nos.	01-Sep-22
87	93225316100505 dt.21-JUL-22 on M/s.SUNLIT ENTERPRISES- FARIDABAD RITES-CALL	1713360  (FP)	5604N	Supply of Single section Digital axle counter with two detection points with reset arrangement and vital relays QN1K as per RDSO specification No. RDSO/SPN/177/2012 Ver 03 or latest. Accessories as fo	1	Sr. Section Engineer	3 Set	19-Oct-22
88	03225035100090 dt.25-JUL-22 on M/s.HBL POWER SYSTEMS LTD- HYDERABAD RITES-CALL	1855959.46  (FP)	5646N08	Supply, Installation, Testing And Commissioning of SMPS based Integrated power supply confirming to RDSO Specification RDSO/SPN/165/2012 Version 3.0 for PI station up to 6 lines as per Central railway	1	CSI [C] Kalyan	1 Set	25-Nov-22

89	48225334100843 dt.25-JUL-22 on M/s.KUMRA ELECTRIC STORE-KAPURTHALA  RITES-CALL	1102356  (FP)	43010453	Voltage phase control (MMR- Measuring Monitoring Relay) NET 1 & 2, 3AC, 1000 V AUX. Voltage 110 V AC/DC confirming to RDSO/PE/SPEC/AC/0184- 2015 (REV 1). As per RDSO Letter No. EL/7.1.108/MSSBC/17.09.2 1	1	CWM / PR	180 Nos.	08-Sep-22
90	48225420100844 dt.25-JUL-22 on M/s.AUTOMETERS ALLIANCE LTD-NOIDA  RITES-CALL	1624860  (FP)	33569344	4.5 KW Underslung type constant voltage regulated battery charger cum Emergency battery charger for LHB coaches as per RDSO Specification No. RDSO/ PE/SPEC/AC/0183(Rev-1) 2018. Note:This item is reser	1	CWM / PR	9 Nos.	22-Nov-22
91	85225241100944 dt.01-JUL-22 on M/s.B. KHANDELWAL METAL CORPORATION- MUMBAI  RITES-CALL	2794004  (FP)	43XXNXX	Supply, Erection, Testing and Commissioning of Automatic OHE AC power ON/OFF Indication at EMU inspection lines, at POH SNPD as per Schedule of work and Scope of work	1	SSE/ POH (Electrical)	1 Set	01-Mar-23
92	92225524100487 dt.04-JUL-22 on M/s.SHRADDHA ENTERPRISES-THANE  RITES-CALL	1624104.8  (FP)	4204N01	GSM Alert system (4G) with Web/Mobile for escalators installed in Mumbai Division, Central Railway as per annexure attached. MAKE: KHYATEE.	1	Sr. Section Engineer	76 Nos.	01-Nov-22
93	95225095100252 dt.04-JUL-22 on M/s.HBL POWER SYSTEMS LTD- HYDERABAD RITES-CALL	967597.64  (FP)	5604N01	Amended Description : Supply of single section Digital Axle Counter (SSDAC) with two detection point with reset arrangement and vital relay box as per RDSO/SPN/177/2012 Ver. 03 or Latest. Each set con	1	CHIEF SIG.INSPEC TOR	2 Set	03-Oct-22
94	93225327100469 dt.04-JUL-22 on M/s.EASTERN FABRITECH PVT LTD- RAIPUR RITES-CALL	861936.9  (FP)	54NS	M. S. ANGLE 200 X 200 X 12 MM X 5 TO 5.5 MTR LENGTH TO IS: 2062/11 E 250 BR/B0 SEMI KILLED/KILLED. QUANTITY TOLERANCE +/- 5%	1	SSS TAMPLATE SHOP MM	11 MT	15-Sep-22

95	48225438100730 dt.05-JUL-22 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.- MUMBAI RITES-CALL	912103.73  (FP)	31NS	ELGI MAKE REPAIR KIT FOR COMPRESSOR RR 15070 DEMU DPC 1600 HP TO ELGI PART NO. 072420209 AS PER ANNEXURE. MATERIAL TO BE PROCURED FROM OEM OR THEIR AUTHORIZED DEALER /	1	CWM / PR	7 Set	05-Dec-22
96	38225014103165 dt.07-JUL-22 on M/s.CRG INDUSTRIES- BADDI RITES-CALL	8383199.75  (FP)	3350N001	BOGIE FRAME ASSLY. FOR AIR SPRING LHB NAC COACHES, as per Drawing: LG03001 ALT.'d' & MDTS 213 REV.04.	1	ELECTRIC LOCO REPAIR	6 Nos.	08-Nov-22
			3350N002	BOGIE FRAME ASSLY. FOR AIR SPRING LHB COACHES, as per Drawing: LW03002 ALT.'i' & MDTS 213 REV.04.	2	ELECTRIC LOCO REPAIR	18 Nos.	08-Nov-22
97	48225504100737 dt.09-JUL-22 on M/s.ESCORTS LIMITED- FARIDABAD  RITES-CALL	973500  (FP)	33NS	SPHEROLASTIC SILENT BLOCK TO ESCORTS PART NO. SK-1532 FOR CBC OF LHB COACHES. RDSO SPEC.NO. RDSO/2011/CG-03 REV.1 Make: ESCORTS Only. (Note: Material to be Purchased form OEM or Authorized Dealer of O	1	ELECTRIC LOCO REPAIR	50 Nos.	07-Oct-22
98	56225431100785 dt.26-JUL-22 on M/s.NARAYAN ADVANCE TECHNOLOGY-RAIGAD  RITES-CALL	2815418.64  (FP)	25XXNS	Supply and commissioning of battery operated hydraulic die less crimping tool. Crimping Capacity: 100kN(Min.). Crimping Range: 35-500 mm2. ACCEPTED: FIRMS OFFER MAKE KLAUKE MODEL NO EK120IDL	1	CWM/ELW/B SL	6 Nos.	25-Sep-22
99	60215036103582 dt.27-JUL-22 on M/s.POOJA INTERNATIONAL.. ...- MUMBAI RITES-CALL	1837555  (FP)	4790N1	Supply, installation and commissioning of handling device for mounting and dismounting of loco buffers as per specification No. KYN/RS/L-1/2021 Specn. attached with NIT.	1	SR.DEE, [TRS] KYN	1 Nos.	29-Nov-22
100	03215012100093 dt.29-JUL-22 on M/s.KMG WIRES PVT LTD-VALSAD RITES-CALL	25850351.8  (FP)	4601N005	Joint-less Grooved Copper Contact Wire, 107 sq.mm., made out of Continuous Cast Copper (CCC) Wire Rod, as per RDSO Specification No. : TI SPC OHE CW 0971, STR: TI STR 017 Rev 02.	1	SR. SECT. ENGG./ T D	28.35 KM	30-Jan-23

101	50215044103195 dt.11-JUL-22 on M/s.MAXXCAB WIRES AND CABLES PRIVATE LIMITED-HOWRAH  RITES-CALL	79834048.6       (FP)	5611N0001	PVC insulated Armored Unscreened Copper Conductor Underground Railway Signaling cable of size 12 core x 1.5 sq.mm conforming to RDSO Specification No. IRS: S- 63/2014 (Rev.4.0) . Make : MAXX	1	SIGNAL INSPECTOR KVV	206 KM	11-Nov-22
			5611N0002	PVC insulated Armored Unscreened Copper Conductor Underground Railway Signaling cable of	2	SIGNAL INSPECTOR NGP	11 KM	11-Nov-22
			5611N0003	PVC insulated Armored Unscreened Copper Conductor Underground Railway Signaling cable of	3	SIGNAL INSPECTOR NGP	3 KM	11-Nov-22
			5611N0004	PVC insulated Armored Unscreened Copper Conductor Underground Railway Signaling cable of	4	S.S.E./RRI/A JNI.	29 KM	11-Nov-22
			5611N0005	PVC insulated Armored Unscreened Copper Conductor Underground Railway Signaling cable of	5	Sr. Section Engineer	42 KM	11-Nov-22
			5611N0006	PVC insulated Armored Unscreened Copper Conductor Underground Railway Signaling cable of	6	SIGNAL INSPECTOR PA	46 KM	11-Nov-22
			5611N0007	PVC insulated Armored Unscreened Copper Conductor Underground Railway Signaling cable of	7	SIGNAL INSPECTOR PA	9.6 KM	11-Nov-22
102	48225376100767 dt.13-JUL-22 on M/s.GABRIEL INDIA LIMITED-PUNE RITES-CALL	536221.5       (FP)	33500459	SECONDARY LATERAL DAMPER TO RCF DRG.NO.LW-05100 ALT-.e. CONFIRMING TO RDSO SPECIFICATION NO. RDSO/CG-18005 Rev. Nil. THIS ITEM IS RESTRICTED FOR PROCUREMENT FROM	1	ELECTRIC LOCO REPAIR	83 Nos.	27-Aug-22
103	48225461100779 dt.15-JUL-22 on M/s.SKf INDIA LTD- GURGAON RITES-CALL	700660.4       (FP)	12 NS	Cylindrical roller Bearing NU 328 for BHEL Type 4303 and CGL Type C1005 Traction Motor 1400 HHP DEMU DPC. Make Schaeffler India Ltd/ SKF Technologies (India) Pvt. Ltd or SKF / FAG (Germany/Italy) As p	1	CWM / PR	22 Nos.	29-Aug-22
104	56225567100759 dt.18-JUL-22 on M/s.SAMADHAN SYSTEMS-KOLKATA RITES-CALL	899160       (FP)	25XXNS	SET OF SAMADHAN SYSTEM MAKE DISPLAY UNIT AND CONTROL CUM POWER SUPPLY UNIT FOR OHE POWER PRESENCE/ABSENCE INDICATOR USED FOR 25KV ELECTRIC	1	SR.SEC.EN G.(PROGRE SS	60 Set	17-Oct-22

105	41225066203367 dt.18-JUL-22 on M/s.ICON INFOTECH PRIVATE LIMITED- MUMBAI RITES-CALL	1737740  (FP)	4390N01	Core i3 10100/AMD R3 3200G, 4 GB RAM, 500 GB HDD, DVD RW with 21.5" monitor, OS- Windows/Linux(Entry Level )as per Railway Board File No.A-15013(12)11/2020- RBCC, Dtd:- 04.01.2022	1	GM CSTM	38 Nos.	12-Oct-22
106	91225344100343 dt.18-JUL-22 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI RITES-CALL	950950.2  (FP)	5.398E+11	Track magnet complete with track magnet clamp bolts, rubber bushes, nuts, type s- 25-432-M1-A1 (India) fitted with F1,F2,F3,F4&F5 track oscillators for Siemens make AWS.	1	SIGNAL INSPECTOR PA	6 Set	18-Mar-23
107	48225371100805 dt.19-JUL-22 on M/s.K- LITE INDUSTRIES- CHENNAI RITES-CALL	1076824  (FP)	42119030	LED LIGHT FITTING FOR LAVATORY / MIRROR, TYPE D, 9 WATT AS PER RCF DRAWING NO. LW76092, CONFORMING TO RDSO SPECN. NO. RDSO/PE/SPEC/TL/2291- 2016 (REV-1) NOTE - PURCHASE FROM ICF/RCF OR ANY	1	CWM / PR	469 Nos.	02-Sep-22
108	38225006103427 dt.20-JUL-22 on M/s.CHAITANYA ELECTRICALS PVT LTD- JALGAON RITES-CALL	11411780  (FP)	3369N001	Supply, Installation, Commissioning and Maintenance of Automatic Fire detection cum suppression System, for LWLRM Coaches to Drg. No. 1 11012.0.75.100.002, Alt. - C, As per RDSO spec: RDSO/2013/CG-0	1	ELECTRIC LOCO REPAIR	19 Set	21-Jul-23
109	90225006703497 dt.22-JUL-22 on M/s.STEEL AUTHORITY OF INDIA LIMITED- KOLKATA RITES-CALL	11836344  (FP)	90421048	Mild Steel Chequered Plates 6 x 1250 x 2500 mm to the Specification IS: 3502: 2009 Type -AWT.	1	STRUCTUR AL SHOP PR	200000 Kgs.	31-Mar-23
110	92225697100620 dt.25-JUL-22 on M/s. AMTEK RAIL EQUIPMENTS- GHAZIABAD RITES-CALL	756268.24  (FP)	46XXN01	Lead Acid Battery set, 400 AH capacity at 10Hrs, 110V DC (per set consisting of 56 cell with Electrode supplied separately in non returnable plastic containers) with all accessories confirming to RDSO	1	SR SE/TD/NEU	1 Set	24-Sep-22



111	85225287100945 dt.01-JUL-22 on M/s.SANROK ENTERPRISES- FARIDABAD RITES-CALL	4289665.8  (FP)	86XXNS	Upgradation of existing sanrok make Manual Fire Suppression system to Automatic Fire Suppression system in LHB Pantry cars already fitted with fire detection and suppression system. Details as per "A	1	FITTING SHOP MTN	21 Set	30-Aug-22
112	50205028103073 dt.04-JUL-22 on M/s.S.R.ELECTRONICS- MUMBAI RITES-CALL	3171840  (FP)	5611N01	Brass Lug for ALSTOM/SIEMENS AFTC as per drg no. F279. Chemical test to be done for tube as per IS: 407/1981 & Brass Flat as per IS: 410/1977. NABL accredited lab test certificate required at the time	1	CWM(S&T) WS BYCULLA	4000 Nos.	04-Oct-22
113	80225006203310 dt.13-JUL-22 on M/s.RELIANCE INDUSTRIES LTD-NAVI MUMBAI RITES-CALL	140883836  (FP)	9211N64	HIGH SPEED DIESEL OIL ( HSD) CONFIRMING TO IS : 1460 (LATEST REVISION ) NOTE : The supply of products will be subject to deviations/relaxations as may be authorized by MOP & NG from time to time. Howe	1	Sr. Section Engineer	2195 KLTR	31-Mar-23
114	80225006203311 dt.13-JUL-22 on M/s.RELIANCE INDUSTRIES LTD-NAVI MUMBAI RITES-CALL	1026816.48  (FP)	9211N64	HIGH SPEED DIESEL OIL ( HSD) CONFIRMING TO IS : 1460 (LATEST REVISION ) NOTE : The supply of products will be subject to deviations/relaxations as may be authorized by MOP & NG from time to time. Howe	1	Sr. Section Engineer	16 KLTR	31-Mar-23
115	TM225090200010 dt.14-JUL-22 on M/s.AGROMACH SPARES CORPORATION- MUMBAI  RITES-CALL	1406777.12  (FP)	2.08E+10	FILTER ELEMENT Part No- 62.05.1000.424 For BCM Machine Make- PLASSER HSN- 8421 RC- 569 Warranty: 06 months from the date of supply against any manufacturing defects.	1	SSE [TMD] BSL	35 Nos.	27-Oct-22
			2.08E+10	FILTER ELEMENT Part No.: 62.05.2000.95ES for BCM machines. Make- PLASSER HSN- 8421 RC- 590 Warranty: 06 months from the date of supply against any manufacturing defects.	2	SSE [TMD] BSL	24 Nos.	27-Oct-22
			2.09E+10	SEAL SET Part No.: HZ22.100.063 SUBSTITUTE HZ02.100.063 FOR BCM machine. Make- Plasser HSN- 8484 RC- 2447 Warranty: 06 months from	3	SSE [TMD] BSL	30 Nos.	27-Oct-22
			2.09E+10	PISTON GASKET Part No- HZ01.063 For BCM, UNI, T/Exp, FRM Machine Part				

				Make: PLASSER HSN Code: 8484 RC- 2401 Warranty: 06 months from the date of supply against	4	SSE [TMD] BSL	40 Nos.	27-Oct-22
			2.09E+10	SEAL SET Part No.: HZ22.063.036 SUBSTITUTE HZ22.063.036 required for replace on BCM, FRM, T/Exp, UNI machines Part Make: PLASSER HSN	5	SSE [TMD] BSL	50 Nos.	27-Oct-22
			4.04E+10	MOVING COIL INSTRUMENT Part No.: EL- T80.00E/A SUBSTITUTE EL-T80.00E FOR CSM, DUO, UNI machines. Make: Plasser HSN- 9030 RC- 4026 WARRANTY: 06	6	SSE [TMD] BSL	3 Nos.	27-Oct-22
			4.04E+10	PRESSURE GAUGE (0- 25BAR) Part No.: EL- T1001.00B SUBSTITUTE ELT1001.00A/ERSATZ required for replace on CSM, DTS, DUO, machines. Part Make: PLASSER HSN	7	SSE [TMD] BSL	8 Nos.	27-Oct-22
			8.14E+10	SPRING Part No- UD313.3850-8 For UNI Machine. Part Make: PLASSER HSN Code: 4016 RC- 3225 Warranty: 06 months from the date of supply against any	8	SSE [TMD] BSL	8 Nos.	27-Oct-22
116	50225020103381 dt.18-JUL-22 on M/s.KRISHNA UDYOG.- PAONTA SAHIB  RITES-CALL	159292978  (FP)	5611N001	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of Size of 12 Core x 1.5 sq.mm conforming to RDSO Specification No. IRS: S- 63/2014(Rev 4.0) Make: KRISHNA UDYOG	1	SIGNAL INSPECTOR KWV	322.56 KM	19-Apr-23
			5611N009	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of Size of 12 Core x 1.5 sq.mm conforming to RDSO Specification No. IRS: S- 63/2014(Rev 4.0) Make: KRISHNA UDYOG	2	CSI [C] Pune	384 KM	19-Apr-23
117	93225253100486 dt.18-JUL-22 on M/s.HBL POWER SYSTEMS LTD- HYDERABAD RITES-CALL	988840  (FP)	5604N01	Supply of Single section Digital axle counter with two detection points with reset arrangement and vital relays QN1K as per RDSO specification No. RDSO/SPN/177/2012 Ver 03 or latest. Accessories as fo	1	Sr. Section Engineer	2 Set	16-Oct-22
118	56225561100794 dt.27-JUL-22 on M/s.HIND ENTERPRISES- MUMBAI RITES-CALL	603485.04  (FP)	25XXNS	MCB FOR MAIN COMPRESSOR CONSISTING OF (1) POWER CIRCUIT BREAKER TYPE QX3 40A AH6569 230/400V, 50KA, 690 VAC (2) AUXILIARY CONTACT TYPE QHK SS FOR WAP-7 CLASS OF LOCOMOTIVE. AS PER	1	CWM(ELW) BSL	68 Nos.	26-Oct-22

119	TM225051100022 dt.28-JUL-22 on M/s.AGROMACH SPARES CORPORATION- MUMBAI  RITES-CALL	776591.98   (FP)	2.01E+10	Hyd pump Plasser Part No.: 62.05.4000.252 Equivalent Rexroth Part No. AA10V045DFR1/ 31RPSC62K02+ or AA10V028DFR1/31R- PSC62N00 or A10V045DFR1/ 31R+A10V028DFR1/31R or R902159695 Part Make: PLASSER/BOS	1	SSE [TMD] BSL	2 Nos.	28-Sep-22
120	03215012100094 dt.29-JUL-22 on M/s.VICTOR CABLES CORPORATION LIMITED-ALWAR RITES-CALL	20634690   (FP)	4601N005	Joint-less Grooved Copper Contact Wire, 107 sq.mm., made out of Continuous Cast Copper (CCC) Wire Rod, as per RDSO Specification No. : TI SPC OHE CW 0971, STR: TI STR 017 Rev 02. Make/Brand: VCCL	1	SR. SECT. ENGG./ T D	22.63 KM	30-Jan-23
121	27205026103081 dt.05-JUL-22 on M/s.CG POWER AND INDUSTRIAL SOLUTIONS LIMITED- MUMBAI. RITES-CALL	36887980   (FP)	25XXNS	SUPPLY, INSTALLATION, TESTING & COMMISSIONING OF TRACTION ENGINE AND ELECTRICS FOR 8- WHEELER DIESEL ELECTRIC TOWER CAR WITH UNDERSLUNG ELECTRIC TRANSMISSION TO ICF SPECIFICATION	1	ERECTION NO.2	1 Set	05-Nov-22
122	92225427100495 dt.05-JUL-22 on M/s.ROHAN MACHINERY SPARES- Kalyan RITES-CALL	1184425   (FP)	4790N1	Supply, installation and commissioning of Electronic torque wrench for electric locomotives as per Specification No. ELS/KYN/RS/L-2/2022.	1	SR.DEE, [TRS] KYN	1 Nos.	02-Nov-22
123	85225339100968 dt.05-JUL-22 on M/s.AVADH RAIL INFRA LIMITED- LUCKNOW RITES-CALL	1994200   (FP)	33503527	AIR SPRING ASSLY. FOR MAIN LINE/RAJDHANI LHB COACHES FOR FIAT TYPE BOGIE as per MPLBGASPLHB VERSION 2 WITH RDSO STR NO.C-K 508 REV.1	1	MACHINE SHOP MTN	13 Nos.	05-Oct-22
124	50225039D03423 dt.20-JUL-22 on M/s.MYCO ELECTRICALS P LTD- SIRMOUR RITES-CALL	5325694   (FP)	5611N0003	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of Size of 12 Core x 1.5 sq.mm conforming to RDSO Specification No. IRS: S- 63/2014(Rev 4.0) or Latest amendment.	1	S.S.E./RRI/A JNI.	24.2 KM	19-Oct-22

125	38225030103523 dt.25-JUL-22 on M/s.GABRIEL INDIA LIMITED-PUNE RITES-CALL	3041021.66  (FP)	33500447	YAW DAMPER TO DRAWING NO. RDSO/CG/DRG/21048, Alt- 1, CONFORMING TO RDSO SPECIFICATION NO. RDSO/CG-18005, REV. Nil	1	MACHINE SHOP MTN	263 Nos.	25-Sep-22
126	92215514200616 dt.25-JUL-22 on M/s.TRANSASIA BIO MEDICALS LTD- ANDHERI EAST MUMBAI RITES-CALL	998000  (FP)	8279N001	FULLY AUTOMATIC COAGULATION ANALYZER OPEN SYSTEM . 5 years warranty ( Five years warranty )ERBA MANHEIM FULLY AUTOMATED COAGULATION ANAYSER OPEN SYSTEM TYPE   ERBA MANHEIM	1	Chief Medical Superi	1 Nos.	17-Nov-22
127	92225604100621 dt.25-JUL-22 on M/s.JAIN POLYMER COMPANY-ROHTAK RITES-CALL	826000  (FP)	4090N01	6.6 kV 3 core, 185 sq.mm Al.standard & compacted with extruded conductor screening insulation screening PVC inner sheated, XLPE insulated, galvanised steel round wire armoured PVC cable as per IS 709	1	Sr. Section Engineer	500 MTR	24-Oct-22
128	56225566100786 dt.26-JUL-22 on M/s.VISHWANATH INDUSTRIES-JHANSI RITES-CALL	520280.88  (FP)	25XXNS	AXIAL FAN FOR STESALIT MAKE OIL COOLING BLOWER(OCB) UNIT OF WAP-5/WAP-7 LOCOMOTIVE SUITABLE FOR 30 KW LHP MAKE MOTOR.	1	AUXILIARY BLOWER	14 Nos.	25-Oct-22
129	92225764100628 dt.26-JUL-22 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED- HOSUR RITES-CALL	680287.7  (FP)	33XXN212	AO_I Board as per FTRITIL Part No. FT0109242-100.	1	Sr.CDO LTT	5 Nos.	22-Jan-23
130	03215012100092 dt.29-JUL-22 on M/s.J K CABLES LIMITED- NOIDA RITES-CALL	38883922.9  (FP)	4601N001	Joint-less Grooved Copper Contact Wire, 107 sq.mm., made out of Continuous Cast Copper (CCC) Wire Rod, as per RDSO Specification No. : TI SPC OHE CW 0971, STR: TI STR 017 Rev 02.	1	SR. SECT. ENGG./ T D	3 KM	30-Jan-23
			4601N002	Joint-less Grooved Copper Contact Wire, 107 sq.mm., made out of Continuous Cast Copper (CCC) Wire Rod, as per RDSO Specification No. : TI SPC OHE CW 0971, STR: TI STR 017 Rev 02.	2	SR. SECT. ENGG./ T D	8 KM	30-Jan-23
			4601N004	Joint-less Grooved Copper Contact Wire, 107 sq.mm., made out of Continuous Cast Copper (CCC) Wire Rod, as per RDSO Specification No. : TI SPC OHE CW 0971, STR: TI STR 017 Rev 02.		SR.SE		

				made out of Continuous Cast Copper (CCC) Wire	3	ELE.(C) MTP(RI)	12 KM	30-Jan-23
			4601N005	Joint-less Grooved Copper Contact Wire, 107 sq.mm., made out of Continuous Cast Copper (CCC) Wire	4	SR. SECT. ENGG./ T D	19.52 KM	30-Jan-23
131	80225013203133 dt.06-JUL-22 on M/s.INDIAN OIL CORPORATION LTD- MUMBAI RITES-CALL	14607095.8  (PC)	92XXN1	HIGH SPEED DIESEL OIL (HSD) CONFIRMING TO IS: 1460 (LATEST REVISION) NOTE: The supply of products will be subject to deviations/relaxations as may be authorized by MOP&NG from time to time. However, a	1	Sr. Section Engineer	220 KLTR	31-Mar-23
132	92215390200551 dt.09-JUL-22 on M/s.AKSHAR MARKETING-VASAI (WEST) RITES-CALL	990000  (FP)	8279N001	12 Channel ECG Machine ( GEM OFFER MAKE bpl cardiart 12 ChannelsECG Machine AS PER GEM CONTRACT ATTACHD )	1	Chief Medical Superi	9 Nos.	24-Jul-22
133	56225279100752 dt.12-JUL-22 on M/s.KNORR BREMSE INDIA PVT LTD- PALWAL RITES-CALL	1024240  (FP)	2501NXX	Set of overhauling kit for control portion valves of electric CCB. Qty- 2 sets, Each set consists of :- (1) Overhauling kit for Control Portion 16-Pipe of Part No. (787556-1994) of CCB electric as pe	1	SSE(Pneum atic)ELS BS	2 Set	10-Nov-22
134	93225296100472 dt.13-JUL-22 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED- HOSUR RITES-CALL	3426745.96  (FP)	03XXN006	Supply and testing of Pneumatic system comprising of main air compressor (Oil free) along with modular mounting frame assembled with 3 phase induction motor, filters, and pressure switches, control &	1	Sr. Section Engineer	2 Nos.	31-Dec-22
135	92225666100572 dt.14-JUL-22 on M/s.RATIONAL BUSINESS CORPORATION PVT LTD-SONIPAT RITES-CALL	1692799.68  (FP)	92NSN1	BARCODE LABEL, DESMAT SELF ADHESIVE LABEL STICKER 500 LABELS IN A ROLL. AS PER SPECIFICATION ATTACHED.	1	SR DIVL COMMERCIAL M	6270 Rolls	12-Sep-22

136	92215066200575 dt.14-JUL-22 on M/s.SHREE BHAGAWATI CABLES, DELHI RITES-CALL	4222500  (FP)	4229N1	4 core 400 sq.mm cross linked polyethylene XLPE insulated PVC outer sheathed cable with AL conductor galvanized steel sheet armoured cable suitable for rated voltage at 1100 volts grade & confirming	1	Sr Section Engineer	2500 Nos.	01-Aug-22
137	85225252101033 dt.15-JUL-22 on M/s.VISHNU FORGE INDUSTRIES LIMITED- BANGALORE RITES-CALL	1424850  (FP)	29XXNS	Set of Rotor shaft with dummy pinion for Siemens AG Rotor TM type 1 TB 2022 OTA 03 as per Drg. No. Siemens AG/(2) E 44010-P5666-TM919. Material to be procured from CLW approved sources only.	1	S.S.I. [EMU] MTN	25 Nos.	13-Oct-22
138	91215255100342 dt.16-JUL-22 on M/s.DANTECH ENGINEERS PVT LTD.- GURUGRAM RITES-CALL	1032500  (FP)	25NS	FERROUS DEBRIS MONITOR MODEL ANALEX FDM PLUS (AS PER RDSO SPECIAL MAINTENANCE INSTRUCTION No. RDSO /2018/EL/SMI/0324 DTD.24- 08-2018 )IN A CARRY CASE WITH THE CALIBRATION AND CHECK STANDARDS,	1	SR.DME [D] PA	1 Nos.	13-Nov-22
139	92225164100586 dt.18-JUL-22 on M/s.PAUL AND CO.- NEW DELHI RITES-CALL	537372  (FP)	6032N3	Mechanical toe load measuring device as per RDSO specification No. TM/SM/14 (Rev 01 of 2005). Each individual MAIN SPRING shall be pre- calibrated by RDSO & Test certificate of RDSO is required along	1	SE(PWAY) , [STORES]	9 Nos.	16-Dec-22
140	10225003103396 dt.19-JUL-22 on M/s.KNORR BREMSE INDIA PVT LTD- PALWAL RITES-CALL	1852600  (FP)	1000NS99	Set of CCB II valves and EVB required for loco no.70358 as per attached annexure C"Condition based main assembly" (Sr. No 2,3,4,5,6,7) SET OF SPARES OF CCB-II SYSTEM CONSISTING OF 06 ITEMS. ITEM DET	1	Sr. Section Engineer	1 Nos.	31-May-23
141	92225418100489 dt.05-JUL-22 on M/s.PRIMESYS TECHNOLOGIES LLP- AMRAVATI RITES-CALL	1543487.2  (FP)	60XXN1	Supply, activating and commissioning of GPS based tracking devices with pre-installed SIM for monitoring of track patrolling along with mapping, customization in software, software installation. Andro	1	SE(PWAY) , [STORES]	424 Set	03-Sep-22

142	85225349100969 dt.05-JUL-22 on M/s.BONY POLYMERS (P) LIMITED- FARIDABAD  RITES-CALL	1757907.36  (FP)	33XXNS	BALL JOINT TRACTION LEVER TO FIAT DRG.NO. C53.973. REF BRED 8403. REV.02 (FF 1521728 MOD 01) TO BE READ WITH T.S.17.532 100 00, T.S.17.617 100.02, MDTs- 148 REV.01 & MDTs -122 REV 03.	1	TROLLEY REPAIR SHOP	0 Nos.	05-Nov-22
					2	TROLLEY REPAIR SHOP	600 Nos.	06-Sep-22
					3	TROLLEY REPAIR SHOP	696 Nos.	05-Nov-22
143	60225017103107 dt.05-JUL-22 on M/s.JD HEALTHCARE- MUMBAI RITES-CALL	8406000.01  (FP)	8225N01	SURGICAL ENT OPERATING MICROSCOPE WITH HD CAMERA FOR ENT DEPARTMENT OF DR. B.A.M.HOSPITAL, BYCULLA,CENTRAL RAILWAY. Specification attached with NIT	1	MD BY	1 Nos.	03-Nov-22
144	92225470100500 dt.06-JUL-22 on M/s.SANTOSHI HYVOLT ELECTRICALS PRIVATE LIMITED- GAUTAM BUDH NAGAR  RITES-CALL	2597593.59  (FP)	46XXN01	65 sq.mm un-insulated cadmium copper catenary wire (19/2. 10mm) as per RDSO Specification No.TI/SPC/OHE/CAT(Cu- Cd)/0971or latest.	1	Sr. Section Engineer	4.5 KM	03-Nov-22
145	38225014103166 dt.07-JUL-22 on M/s.SANTO ENGINEERING COMPANY PRIVATE LIMITED-VALSAD RITES-CALL	5588799.83  (FP)	3350N001	BOGIE FRAME ASSLY. FOR AIR SPRING LHB NAC COACHES, as per Drawing: LG03001 ALT.'d' & MDTS 213 REV.04.	1	ELECTRIC LOCO REPAIR	16 Nos.	08-Jan-23
146	85225525800982 dt.08-JUL-22 on M/s.ICF Headquartes, Chennai	3438965.08	31XXNXX	Complete One no. wheel set of motor coach of BHEL Air Condition EMU Rake consists of (1) Wheel and Axle with complete MSU ASSEMBLY & Gear of IM3601AZ for 3 phse AC	1	SSE/ Wheel /SNPD POH	4 Set	06-Oct-22

	RITES-CALL	(FP)		EMU Motor Coaches to ICF Drg. EMU/DMC				
147	50215038D03422 dt.20-JUL-22 on M/s.SPM POWER AND TELECOM PRIVATE LIMITED-HYDERABAD  RITES-CALL	3167467.51  (FP)	5611N0006	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of Size of 12 Core x 1.5 sq.mm conforming to RDSO Specification No. IRS: S- 63/2014(Rev 4.0) or Latest amendment.	1	Sr. Section Engineer	14.393 KM	20-Oct-22
148	92225683100610 dt.22-JUL-22 on M/s.TEJAS ENTERPRISES-THANE  RITES-CALL	778800  (FP)	5604N01	Axle counting Board ACB 120 type for Frauscher MSDAC system.	1	Sr. Section Engineer	5 Nos.	20-Dec-22
149	95225197100267 dt.26-JUL-22 on M/s.R.N. ENGINEERING ENTERPRISE-ASANSOL  RITES-CALL	1821094  (FP)	76XXN01	Abrasive rail cutter to RDSO specification no. TM/SM/1 Rev 01 of 2012. MAKE OWN MAKE OF R.N. ENGINEERING ENTERPRISE	1	SE(PWAY) , [STORES]	46 Nos.	25-Sep-22
150	56225510100791 dt.26-JUL-22 on M/s.NATIONAL ENGINEERING CO.- KOLKATA RITES-CALL	750657  (FP)	25XXNS	BRACKET FOR SMOOTHING REACTOR SL-30 AS PER DRAWING NO. ELW/BSL/1/F.72.119 ALT-1. (ITEM RESERVED FOR CLW APPROVED SOURCE OR PAST SUPPLIERS OF SAME ITEM SUBJECT TO SUBMISSION OF R-NOTE	1	SL SJ / BATTERY	150 Nos.	25-Sep-22
151	92225349200574 dt.14-JUL-22 on M/s.TATER INTERNATIONAL IMPEX-MUMBAI RITES-CALL	515350  (FP)	4290N01	Supply of 1.5 TR. Capacity SPLIT AC as per specification 1) Type of AIR CONDITIONER = High Wall SPLIT AC Green AC 1.5 TR. 2) Technology of AC = Inverter ( v	1	SEE(A C) CSTM	11 Nos.	08-Jun-22
152	92215234200580 dt.15-JUL-22 on M/s.SRISHTI ENTERPRISES, DELHI RITES-CALL	995601  (FP)	4290N01	Supply of 1.5 TR. capacity SPLIT AC as per specification. 1) TYPE OF AIR CONDITIONER = HIGH WALL SPLIT AC 2) TECHNOLOGY OF AC= INVERTER ( variable speed ) 3) Nominal cooling	1	SEE(A C) CSTM	23 Nos.	19-Jul-22



153	50225020103378 dt.18-JUL-22 on M/s.S. PAL ENTERPRISES PVT LTD-ALWAR  RITES-CALL	166226246  (FP)	5611N003	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of Size of 12 Core x 1.5 sq.mm conforming to RDSO Specification No. IRS: S- 63/2014 (Rev 4.0) Make : TRUECAB	1	S.S.E./RRI/A JNI.	64.64 KM	19-Apr-23
			5611N004	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of	2	Sr. Section Engineer	48 KM	19-Apr-23
			5611N008	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of	3	"SSE(SIG) (C) SUR SO	624 KM	19-Apr-23
154	93225253100487 dt.18-JUL-22 on M/s.SNT ENGINEERS- GAUTAM BUDHH NAGAR RITES-CALL	3462120  (FP)	5604N01	Supply of Single section Digital axle counter with two detection points with reset arrangement and vital relays QN1K as per RDSO specification No. RDSO/SPN/177/2012 Ver 03 or latest. Accessories as fo	1	Sr. Section Engineer	6 Set	16-Oct-22
155	93225376100489 dt.18-JUL-22 on M/s.PRANAV INDUSTRIAL CORPORATION-THANE  RITES-CALL	1229493.92  (FP)	9379N01	PROCUREMENT OF SPARE PARTS FOR USFD MACHINES 06 NOS. MODEL NO. DS 322 AT DWT OF EECI MAKE IN THE DIVISION. DETAILS AS PER ANNEXURE ATTACHED FIRMS OFFER BRAND:- EECI MAKE IS ACCEPTED.	1	DRM [W] BSL	1 Set	16-Oct-22
156	48215760200820 dt.21-JUL-22 on M/s.P P Enterprise, DELHI  RITES-CALL	885600  (FP)	5701N1	All in One Personal Computer with preloaded windows operating system make Dell or HP or Lenovo (as per specification attached) with three years OEM on site warranty	1	DY.CME [OFFICE] PR	20 Nos.	12-Oct-22
157	48225374100830 dt.23-JUL-22 on M/s.ITT CORPORATION INDIA PRIVATE LIMITED- VADODARA  RITES-CALL	580925.8  (FP)	33509001	SECONDARY VERTICAL DAMPER TO RCF DRG. NO. LW-05101 ALT - e, CONFIRMING TO RDSO SPECIFICATION NO. RDSO/CG-18005, Rev. Nil. This item is restricted for procurement from RDSO approved source only.	1	ELECTRIC LOCO REPAIR	91 Nos.	15-Oct-22

158	38225030103524 dt.25-JUL-22 on M/s.INDIA AUTO INDUSTRIES PVT. LTD.- NEW DELHI RITES-CALL	1005965.34  (FP)	33500447	YAW DAMPER TO DRAWING NO. RDSO/CG/DRG/21048, Alt- 1, CONFORMING TO RDSO SPECIFICATION NO. RDSO/CG-18005, REV. Nil	1	MACHINE SHOP MTN	87 Nos.	25-Sep-22
159	80225015203527 dt.25-JUL-22 on M/s.INDIAN OIL CORPORATION LTD- MUMBAI RITES-CALL	21512268.4  (PC)	9211N1	HIGH SPEED DIESEL OIL ( HSD) CONFIRMING TO IS : 1460 (LATEST REVISION ) NOTE : The supply of products will be subject to deviations/relaxations as may be authorized by MOP & NG from time to time. Howe	1	SSE(LT/AC) BPQ	324 KLTR	31-Mar-23
160	80225014203528 dt.25-JUL-22 on M/s.INDIAN OIL CORPORATION LTD- MUMBAI RITES-CALL	23902520.4  (FP)	9211N1	HIGH SPEED DIESEL OIL ( HSD) CONFIRMING TO IS : 1460 (LATEST REVISION ) NOTE : The supply of products will be subject to deviations/relaxations as may be authorized by MOP & NG from time to time. Howe	1	SR.SECTIO N ENGG (TL/	360 KLTR	31-Mar-23
161	50225009103570 dt.27-JUL-22 on M/s.MICROMAP ELECTRONIC SYSTEMS PVT. LTD.-LUCKNOW  RITES-CALL	2935840  (FP)	5606N001	Supply and Configuration of Trans-receiver Hand Held 5 Watt Digital VHF Set along with two OEM approved rechargeable battery including one as spare, Quick Battery Charger, Helical Antenna and Belt cli	1	Sr. Section Engineer	98 Set	27-Feb-23
			5606N002	Supply and Configuration of Trans-receiver Hand Held 5 Watt Digital VHF Set along with two OEM approved	2	Sr. Section Engineer	62 Set	27-Feb-23
162	93225367100522 dt.27-JUL-22 on M/s.GLOW RAIL POWER-KOLKATA RITES-CALL	973500  (FP)	5646N	Supply of 110 V DC Point Motors with gearbox IP-67 type (Complete motor should be waterproof) 160 V AC immunity for IRS type electric point Machines as per IRS S-37/82.5 . Firms offer Make / Brand- G	1	Sr. Section Engineer	33 Nos.	05-Sep-22
163	92225762100639 dt.27-JUL-22 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED- HOSUR	805833.8	33XXN209	Dump Valve W/Mounting Bracket as per FTRITIL FT0051572-A00.	1	Sr.CDO LTT	10 Nos.	23-Jan-23

	RITES-CALL	(FP)						
--	------------	------	--	--	--	--	--	--