

DETAIL OF AVAILABILITY OF MINIMUM ESSENTIAL AMENITIES AT VARIOUS STATIONS AS ON 31.12.2023

Category NSG-2

Sr No.	Station	Drinking water/ Hand Pump (1)		Waiting hall (2)		Seating arrangement (3)		Platform shelters (4)		Urinals (5)		Latrines (6)		Plat form (7)	Light ing (8)	Fans (9)	Foot over bridge (10)	Time table dis play (11)	Clocks (12)	Water coolers (13)	PA system/ PC based Announ (14).	Parking /circula area with lights (15)	Electr. train indi. baord. (16)	signages (17)	Dustbins (18)
	Minimum essential	20 taps on each PF		250 sq. m.		150 on each PF		500 sq. m..on each PF		12 Nos		12 Nos		High level			1 with cover			2 nos					
		Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.	Ava.											
1	SolapurPF-1	44	0	452	0	800	0	5407	0	11	0	13	0	HL	Y	Y	2	1	1	4	Y	Y	Y	Y	34
	PF 2&3	76	0	N	0	450	0	4903	0	4	0	2	0	HL	Y	Y	connected	N	1	3	Y	N	Y	Y	23
	PF 4&5	52	0	N	0	550	0	5302		4	0	2	0	HL	Y	Y	connected	N	1	2	Y	N	Y	Y	22

Remark

Category NSG-3

Sr No.	Station	Drinking water/ Hand Pump (1)		Waiting hall (2)		Seating arrangement (3)		Platform shelters (4)		Urinals (5)		Latrines (6)		Platform (7)	Light ing (8)	Fans (9)	Foot over bridge (10)	Time table dis play (11)	Clocks (12)	Water coolers (13)	PA system/ PC based Announ (14).	Parking /circula area with lights (15)	Electr. train indi. baord. (16)	signages (17)	Dustbins (18)
	Minimum essential	20 taps on each PF		125 sq. m.		125 on each PF		400 sq. m..on each PF		10 Nos		10 Nos		High level			1 with cover			2 on each PF				Yes	Yes
		Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.	Ava.											
1	Kalaburagi PF-1	25	0	250	0	363	0	3290	0	8	0	10	0	HL	180	34	2	4	4	3	Y	Y	Y	Y	Y
	PF 2&3	20	0	0	0	227	0	3200	0	2	0	3	0	HL	145	24	connected	0	3	2	Y	N	Y	Y	Y
	PF-4	20	0	0	0	155	0	400	0	2	0	2	0	HL	90	18	connected	0	1	0	Y	N	Y	Y	Y
2	Ahmednagar																								
	PF 1	26	Nil	185	Nil	460	Nil	3670	Nil	6	4	14	Nil	Ava.	200	34	Ava	Ava	Ava	Ava	Ava	Ava	Ava	Ava	Ava
	PF 2	18		Nil	Nil	310	Nil	1710	Nil	2	8	4	Nil	Ava.	22	5	Ava	Nil	Ava	Nil	Ava	Ava	Ava	Ava	Ava
3	Daund																								
	PF 1&4	14		N/A		80		200		0	10	0		High level	24	4					Available	-	No	Available	Available
	PF 2&3	60	0	126		192	-	2289	-	4	6	8		High level	207	37	02 (with cover)	Yes	2	4	Available	-	2	Available	Available
	PF 5&6	54	0	N/A		193	-	627	-	0	10	2		High level	262	17	02 (with cover)	Yes	2	2	Available	-	2	Available	Available
4	Kopergaon PF1	31	-	136		84		1088		6		12		available	normal	5	1	yes	1	1	yes	1410sq. m	yes	yes	19
	PF 2	24	-			69		624		0		0		available	normal	5			1	1					7
5	Shirdi PF 1	20		123		675		4275		12	0	15	0	available	normal	19	2	yes	1	3	yes	5000	yes	yes	20
	PF 2&3	46				705		3136		0		0				20		No	1	2	yes	No			10

Category NSG-4

Sr No.	Station	Drinking water/ Hand Pump (1)		Waiting hall (2)		Seating arrangement (3)		Platform shelters (4)		Urinals (5)		Latrines (6)		Plat form (7)	Light ing (8)	Fans (9)	Foot over bridge (10)	Time table dis play (11)	Clocks (12)	Water coolers (13)	PA system/ PC based Announ (14).	Parking /circula area with lights (15)	Electr. train indi. baord. (16)	signages (17)	Dustbins (18)
	Minimum essential	20 taps on each PF		75 sq. m.		100 on each PF		200 sq. m. on each PF		06 Nos		06 Nos		High level			1			1 on each PF				Yes	Yes
		Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.										
1	Kurduwadi PF1/2	44		80		200		580	0	3		8		HL	190	12	Y	Y	2	2	Y	Y	Y	Yes	26
	PF 3&4	45		N		150		575	0	3		5		HL	166	17	Y	N	2	1	Y	..	Y	Yes	16
2	Latur PF-1	36	0	193	0	340	0	1125	0	4		9	0	HL	Y	Y	Y	Y	Y	2	Y	Y	Y	Y	Y
	PF 2	4		NA		50		198	0	0		0		HL	Y	Y		Y	Y	1		Y	Y	Y	Y
3	Wadi 1&2	42	0	146	0	455	0	2100	0	3		5	0	HL	84	16	Y	Y	1	2	Y	Y	Y	Y	Y
	PF 3&4	42	0	0	0	220	0	1520	0	1	0	2	0	HL	69	9	Y	Y	1	1	Y	Y	Y	Y	Y
4	Pandharpur PF1	15		1540		53		13730	0	3		15		HL	115	7	YES	YES 2	YES 1	YES 1	YES	NO	YES 1	NO	YES 12
	PF 2 &3	9				24		630	0					HL	46				YES 1	YES 1	YES	NO			YES 8

Remark

Category NSG-5

Sr No.	Station	Drinking water/ Hand Pump (1)		Waiting hall (2)		Seating arrangement (3)		Platform shelters (4)		Urinals (5)		Latrines (6)		Plat form (7)	Light ing (8)	Fans (9)	Foot over bridge (10)	Time table dis play (11)	Clocks (12)	Water coolers (13)	PA system/ PC based Announ (14).	Parking /circula area with lights (15)	Electr. train indi. baord. (16)		Dustbins (18)
	Minimum essential	08 taps on each PF		30 sq. m.		50 on each PF		50+ sq. m. on each PF		04 Nos		04 Nos		High level			1			1 on main PF					Yes
		Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.			Ava.	short.	Ava.	short.										
1	Shahabad PF1	12	0	50	0	130	0	1800	0	5	0	6	0	HL	46	6	Y	1	1	1	Y	Y			Y
	PF 2&3	26	0	0	0	110	0	1520	0	1	0	1	0	HL	31	3	Y	1	1	1	0	0			Y
2	Belapur PF1	20		173		33		408		5		8		available	normal	3	1	1	1	2	yes	1480	yes		7
	PF 2	24				15		774		0		0				0			1	0					3
3	GangapurRd PF1	12	0	160	0	150	0	350	0	2	2	4	0	HL	37	5	Y	1	1	1	Y	N			Y
4	Dudhani PF1	12	0	63	0	70	0	350	0	4	0	4	0	HL	Y	Y	Y	1	1	1	1	1			6
5	Akkalkot Rd PF1	10	0	64	0	60	0	350	0	2	2	2	2	HL	Y	Y	Y	Y	Y	Y	Y	Y			6
	PF2	8	0	0	0	40	0	66	0	0	4	0	4	ML	Y	N	Y	Y	N	N	Y	N			Y
6	Jeur PF1	11	0	60	0	100	0	88	0	2	2	3	1	ML	16	11	Y	Y	Y	Y	Y	Y	Y		10
	PF2	8	0	60	0	58	0	88	0	2	2	4	0	HL	16	Y	Y	Y	Y	Y	Y	Y	Y		6
7	Osmanabad PF1	20	0	56.38	0	125	0	1600	0	4	0	5	0	HL	Y	Y	Y	Y	Y	Y	Y	Y	N		Y
	PF 2	8	0	NA		50	0	66	0	0	4	0	4	HL	Y	N			N	N					Y
8	Hotgi P/F-1&2	10	0	58	0	60	0	400	0	4	0	4	0	HL	Y	Y	Y	Y	Y	Y	Y	Y			8
9	Barsi town	14	0	56.38	0	125	0	927	0	4	0	4	0	HL	Y	Y	N	Y	Y	Y	Y	Y	N		Y
	PF-2	4		NA		50	0	88	0	0	4	0	4	HL	Y	N			N	N					Y

Remark

Category NSG-6

Sr No.	Station	Drinking water/ Hand Pump (1)		Waiting hall (2)		Seating arrangement (3)		Platform shelters (4)		Urinals (5)		Latrines (6)		Plat form (7)	Light ing (8)	Fans (9)	Foot over bridge (10)	Time table dis play (11)	Clocks (12)	Water coolers (13)	PA system/ PC based Announ (14).	Parking /circula area with lights (15)	Electr. train indi. baord. (16)		Dustbins (18)
--------	---------	-------------------------------	--	------------------	--	-------------------------	--	-----------------------	--	-------------	--	--------------	--	---------------	---------------	----------	-----------------------	--------------------------	-------------	--------------------	----------------------------------	--	---------------------------------	--	---------------

	Minimum	02 taps on		15 sq. m.		10 on each PF		50+ sq. m..on		1 Nos		1 Nos		High			1									Yes
		Ava.	short.	Ava.	short.	Ava.	short.	Ava.	short.			Ava.	short.	Ava.	short.											
1	Martur PF-1	2	0	50	0	15	0	0	50	2	0	2	0	RL	10	0	Y	1	1							YES
2	Hirenanduru PF-1	1	1	28	0	20	0	0	50	2	0	2	0	RL	10	0	Y	1	1							YES
3	Bablad	1	1	12	3	15	0	0	50	2	0	2	0	RL	8	0	N	1	1							YES
4	Savalgi PF-1	4	0	100	0	12	0	0	50	2	0	2	0	RL	6	0	N	1	1							YES
5	Hunsihadgil	2	0	10	5	12	0	0	50	2	0	2	0	RL	11	0	N	1	1							YES
6	Gaudgaon	2	0	31	0	25	0	0	50	2	0	2	0	RL	5	0	N	1	1							YES
7	Kulali PF-1	2	0	50	0	30	0	0	50	2	0	2	0	RL	10	0	N	1	1							YES
8	Boroti PF-1	2	0	48	0	10	0	0	50	1	0	1	0	HL	7	0	N	1	0							YES
9	Nagansur PF-1	4	0	10	0	10	0	0	50	1	0	1	0	HL	7	0	N	1	0							YES
10	Tilati PF-1	8	0	29	0	14	0	0	50	2	0	2	0	HL	40	1	N	1	0							YES
11	Tikekarvadi PF-1	4	0	47	0	15	0	0	50	1	0	1	0	HL	20	1	Y	1	0							YES
	PF 2	4	0	0	0	10	0	0	50	0	0	0	1	HL	7	0	Y	N	0							YES
12	Bale PF-1	6	0	49	0	18	0	0	50	2	0	2	0	RL	14	1	N	1	0							YES
	PF 2	2	0	0	0	10	0	0	50	0	0	0	0	HL	12	0	N	N	0							YES
13	Pakni PF-1	2	0	26	0	16	0	0	50	1	0	1	0	RL	12	1	N	1	0							YES
	PF 2	0	2	4	0	0	0	0	50	0	0	0	1	HL	16	0	N	N	0							YES
14	Mundhewadi	2	0	49	0	10	0	0	50	2	0	2	0	ML	10	0	N	1	0							YES
	PF 2	0	2	0	0	10	0	0	50	0	0	0	1	HL	10	0	N	N	0							YES
15	Mohol PF-1	8	0	132	0	30	0	0	0	2	0	2	0	HL	20	0	Y	1	1							YES
	PF 2	2	0	0	0	15	0	0	0	0	0	0	1	HL	21	0	Y	N	0							YES
16	Malikpeth	5		15Sqm	0	24	0	N	0	2	0	4		ML	15	1	N	Y	N							YES
17	Angar	6		20Sqm	0	15	0	N	0	2	0	4		ML	21	N	N	Y	N							YES
18	Vakav	5		15Sqm	0	36	0	N	0	2	0	4		ML	26	1	N	Y	N							YES
19	Madha PF-1	7	0	15 Sqm	0	88	0	88	0	2	0	4	0	ML	30	2	Y	Y	N							YES
	PF-2	5	0	0	0	89	0	88	0	4	0	0	1	ML	21	0	Y	Y	N							YES
20	Wadsinge	4		15 Sqm		36		N		N		2		ML	25	N	N	Y	N							YES
21	Dhavalas	18		15 Sms		21		N		N		3		ML	30	N	N	Y	N							YES
22	Kem	16		15 Sqm		30		N		N		4		ML	18	2	Y	Y	N							YES
23	Bhalvani	16		15 Sqm		36		N		N		3		ML	35	4	N	Y	N							YES
24	Pophalaj	5		15 Sqm		22		N		N		2		RL	8	N	N	Y	N							YES
25	Washimbe	3		15 Sqm		30		N		N		2		ML	5	N	N	Y	N							YES
26	Parewadi PF-1	Available	-	Available	-	Available	-	-	-	-	-	Available	-	Available	Available	-	-	-	Available							YES
	PF 2	-	-	-	-	-	-	-	-	-	-	-	-	Available	Available	-	-	-	-							YES
27	Jinti road	Available	-	Available	-	Available	-	-	-	-	-	Available	-	-	Available	-	-	-	-							YES
28	Bhigwan PF-1	Available	-	Available	-	Available	-	Available	-	Available	-	Available	-	Available	Available	Available	Available	Available	Available							YES
	PF 2	Available	-	-	-	Available	-	Available	-	Available	-	Available	-	Available	Available	-	Available	-	-							YES
29	Malthan PF-1	Available	-	Available	-	Available	-	-	-	-	-	Available	-	-	Available	-	-	Available	Available							YES
	PF 2	Available	-	-	-	Available	-	-	-	-	-	-	-	-	Available	-	-	Available	-							YES
30	Boribail PF-1	Available	-	Available	-	Available	-	-	-	Available	-	Available	-	-	Available	-	-	-	Available							YES
	PF 2	-	-	-	-	Available	-	-	-	-	-	-	-	-	Available	-	-	-	-							YES
31	Kashti PF-1	Available	-	Available	-	Available	-	Available	-	Available	-	Available	-	-	-	-	-	-	Available							YES
32	Shrigonda road	Available	-	Available	-	Available	-	-	-	Available	-	Available	-	Available	Available	Available	-	-	Available							YES
33	Belwandi	1	1	50	-	100	-	80	-	1	-	1	-	Available	Available	Available	Nil	Available	Available							YES
34	Visapur	1	1	50	-	80	-	60	-	1	-	1	-	Available	Available	Available	Nil	Available	Available							YES
35	Ranjangaon road	2	Nil	15	Nil	30	Nil	71	short.	Nil	Short	2	Nil	G.level	8	1	Nil	Ava.	Ava.							YES
36	Sarola	2	Nil	48	Nil	110	Nil	72	short.	Nil	Short	8	Nil	Ava.	7	1	Nil	Ava.	Ava.							YES
37	Akolner	2	Nil	34	Nil	115	Nil	54	short.	Nil	Short	3	Nil	Ava.	8	1	Nil	Ava.	Ava.							YES

38	Vilad	7	Nil	27	Nil	50	Nil	108	short.	1	Short	6	Nil	G.level	7	1	Nil	Ava.	Ava.						YES
39	Vambori	3	Nil	48	Nil	130	Nil	54	short.	Nil	Short	3	Nil	G.level	8	1	Nil	Ava.	Ava.						YES
40	Rahuri PF-1	4	Nil	90.4	4	Nil	140	Nil	90	short.	Nil	Short	6	Nil	Ava.	8	1	Nil	Ava.	Ava.					YES
	PF 2	Nil	short.	Nil	short.	20	Nil	18	Nil	Nil	Nil	NIL	NIL	Ava.	5	Nil	Nil	NIL	Ava.						YES
41	Padhegaon	7		47		41		54		1		8		yes	normal	0	0	0	0						YES
42	Chitali	4		42		21		54		1		8		yes	normal	0	0	0	0						YES
43	Puntamba PF 1	26		167		88		847		6		8		yes	normal		1	1	1						YES
	P/F-2	26				46		459		2		4													YES
44	Kanhegaon																								YES
	PF 1	2		46		32		256		1		4		yes	normal	0	0	0	1						YES
	PF 2	0		0		0		0		0		0													YES
45	Yeola	12		103		90		296		2		5		yes	normal	2	0	0	0						YES
46	Modlimb	YES		YES 47		YES 29				YES 2		YES 4		NO	YES 23	YES 2			YES 1						YES
47	Salgare	YES 4		YES 30		YES 38		YES		2		4		YES	24	4			1						YES
48	Jath Road	YES 4		YES 56		YES 26		YES		2		4		YES	24	2			1						YES
49	Arag	YES 7		YES 30		YES 25		YES		2		5		YES	28	2			1						YES
50	Dhalgaon	YES 4		YES 56		YES 24		YES		2		4		YES	21	3			1						YES
51	Sangola	YES 5		YES 56		YES 54		YES		4		4		YES	51	6	YES		1						YES
52	K Mahankal	YES 9		YES 30		YES 31		YES		2		5		YES	47	2			1						YES
53	Pangri	2	0	56.38	0	30	0	182	0	4	0	4	0	ML	Y	Y		Y	Y						YES
54	Yedshi	2	0	56.38	0	100	0	22		4	0	4	0	HL	Y	Y		Y	Y						YES
55	Dhoki	2	0	56.38	0	30	0	22		4	0	4	0	ML	Y	Y		Y	Y						YES
56	Ausa road	2	0	56.38	0	30	0	22		4	0	4	0	ML	Y	Y		Y	Y						YES
57	Shendri	2	0	56.38	0	30	0	248	0	0	1	2	0	HL	Y	Y		Y	Y						YES

Category HG-3										
Sr No.	Station	Drinking water/ Hand Pump (1)		Platform (2)	Light ing (3)	Fans (4)	Foot over bridge (5)	Time table display (6)	Clocks (7)	Dustbins (8)
	Minimum essential	Appropriate		High level						
		Ava.	short.							
1	Belanki	1	0	HL	N	N	N	N	N	N
2	Harangul	1	0	ML	Y	N	N	Y	N	N
3	Javale	1	0	HL	N	N	N	N	N	N
4	Kalamb road	1	0	ML	Y	N	N	Y	N	N
5	Langarpet	1	0	HL	N	N	N	N	N	N
6	M dongargaon	1	0	HL	N	N	N	N	N	N
7	Murud	1	0	ML	Y	N	N	Y	N	N
8	Nippani-vadgaon	2	0	RL	N	N	N	N	N	N
9	Wasud	0	1	HL	N	N	N	N	N	N