

7	5623595080194 3 dt.06-DEC-23 on M/s.PLW/Patiala , Patiala	849288.7 (FP)	316700090018	SUPPLY AND COMMISSIONING OF CLOSED CIRCUIT TELEVISION (CCTV) SYSTEM (OBSERVATION/SURVEILLANCE) FOR DETC AS PER ICF SPEC.NO.ICF/EL EC/OHE/009 Rev-01 CS-00 Dtd:14.10.2019.	1	CR:SSE EREC 1/ELW/B SL	84928.87	10 Set	04-Apr-24
8	3823503510664 6 dt.06-DEC-23 on M/s.LAKHOTIA ENGINEERING CO-HOWRAH	876504 (FP)	300800230027	Pocket for stacking ramp RH (Qty. 200 Nos.) & LH (Qty. 200 Nos.) as per Drg.: RDSO/CG/DRG/21013.	1	CR:FITTING SHOP MTN	2191.26	400 Nos.	06-Mar-24
9	9223629910115 3 dt.06-DEC-23 on M/s.S.M.SHAH AND CO- MUMBAI	1343855 (FP)	144300110014	Complete speed sensor assembly without PGR for IGBT based locos with 5 plus 3 pin connector of M/S Bombardier Transport item no. 000010 and part no. 3EYP401277R0001 or Lenord & Bauer type 2477Y032B wi	1	CR:TRACTION FOREMAN,[DC	149317.2	9 Nos.	06-Apr-24

10	5223543010676 7 dt.12-DEC-23 on M/s.GMMCO LTD-RAIGAD	1278867 (FP)	10800013206	Part No.: 6N7135 VEE BELT for DT/Exp, FRM machines. Make: CATERPILLAR, HSN- 40103999	1	CR:SSE [TMD] BSL	6005.03	12 Nos.	10-Feb-24
			10800041016	Part No.: 1R0749 FILTER AS-FU for D T/Exp, FRM machines. Make: CATERPILLAR, HSN- 8421	2	CR:SSE [TMD] BSL	4175.82	70 Nos.	10-Feb-24
			10800981156	Part No.: 4401616 COMPRESSOR G for D T/Exp, FRM machines. Make: CATERPILLAR, HSN- 84144090	3	CR:SSE [TMD] BSL	914499.4	1 Nos.	10-Feb-24
11	8523622610225 9 dt.14-DEC-23 on M/s.SHRI SATGURU ELECTRIC AND TRADING CO- MUMBAI	1324078 (FP)	316700580010	Transformer Radiator /Heat exchanger for 1250 KVA Siemens make EMU Transformer as per Siemens type No.- N311886-17 FO 01 (Only Heat exchanger excluding cooling fan unit, protection grill, hinges etc.)	1	CR:Sr. Section Engineer	132407.8	10 Nos.	14-May-24

12	4823581910107 3 dt.15-DEC-23 on M/s.DINANATH ELECTRODES PRIVATE LIMITED- HOWRAH	602980 (FP)	7611N001	0.8 mm diameter Solid MIG/MAG Welding Filler wire, Class-IV to IRS: M-46/2020, Grade ER80S-G as per AWS: A 5.28/A5. Weight of wire spool- approx. 12.5 kg. Item to be procured from ICF approved sources	1	CR:STR UCTURA L SHOP PR	430.7	1400 Kgs.	29-Jan-24
13	9523553010061 8 dt.15-DEC-23 on M/s.ELECTRONIC AND ENGINEERING COMPANY INDIA PVT LTD-DADRA AND NAGAR HAVELI	4124100 (FP)	76XXN01	Digital Ultrasonic Single Rail Tester with 9 Probes , colored signals & real A-scan pulse echo with continuous recording of B- Scan storage of each probes along with data set up including all standa	1	CR:SE(P WAY) , [STORE S]	1374700	3 Nos.	14-Apr-24

16	8523644010236 0 dt.26-DEC-23 on M/s.STESALIT LIMITED-BADDI	566400 (FP)	45210317	Fresh Air filter, Size: 260 mm x 230 mm x 60 mm, for RMPU type AC coach, as per RDSO's Spec. No. RDSO/PE/SPEC/ AC/0055-2003 (Rev-2)-2014 and RDSO's Drg. no. RDSO/PE/SK/AC/ 0057-2003, Rev- 2, sheet 1 of 2	1	CR:SHO P SUPDT. AIR CONDI	944	600 Nos.	24-Feb-24
17	9223642510122 8 dt.26-DEC-23 on M/s.YOUNG INDIA PRESTRESS PVT. LTD.-KOLKATA	1410100 (FX)	601605510010	(A) Manufacturing & supply of Non Standard composite Grooved Rubber Sole Plate for sleepers of Narrow Gauge as per IRS specification No. RDSO/M&C/RP- 198/2006(Provisio n) with latest alteration upto dat	1	CR:SE(P WAY) , [STORE S]	31.27	0 Nos.	24-Feb-24

			601605520014	(B)Manufacturing & supply of Non Standard composite Grooved Rubber Sole Plate for sleepers of Narrow Gauge as per IRS specification No. RDSO/M&C/RP-198/2006(Provision) with latest alteration upto date						
					2	CR:SE(PWAY) , [STORE S]	54.87	0 Nos.	24-Feb-24	
18	50235060107010 dt.28-DEC-23 on M/s.SRIRAM CABLES PRIVATE LIMITED-ALWAR	1.64E+08	5611N003	Underground Jelly Filled 6 Quad, 0.9 mm Dia Copper Conductor Cable for Railway Signal and Telecom installations conforming to RDSO Specification No. IRS:TC-30/2005 (Ver-1) with Amendment Nos.1 to 5. M	1	CR:Sr. Section Engineer	303728.8	74.5 KM		
		(FP)			2	CR:Sr. Section Engineer	303728.8	74.5 KM	27-Apr-24	
					3	CR:Sr. Section Engineer	303728.8	74.33 KM	26-Jun-24	
			5611N006	Underground Jelly Filled 6 Quad, 0.9 mm Dia Copper Conductor Cable for Railway Signal and Telecom installations conforming to RDSO Specification No. IRS:TC-30/2005 (Ver-1) with Amendment Nos.1 to 5. M	4	CR:"SSE (SIG) (C) SUR SO	304337.5	52.8 KM	27-Feb-24	

			5	CR:"SSE (SIG) (C) SUR SO	304337.5	52.8 KM	27-Apr-24
			6	CR:"SSE (SIG) (C) SUR SO	304337.5	52.8 KM	26-Jun-24
	5611N007	Underground Jelly Filled 6 Quad, 0.9 mm Dia Copper Conductor Cable for Railway Signal and Telecom installations conforming to RDSO Specification No. IRS:TC-30/2005 (Ver-1) with Amendment Nos.1 to 5. M	7	CR:CSI [C] Kalyan	303728.7	20 KM	27-Feb-24
			8	CR:CSI [C] Kalyan	303728.7	20 KM	27-Apr-24
			9	CR:CSI [C] Kalyan	303728.7	20 KM	26-Jun-24
	5611N008	Underground Jelly Filled 6 Quad, 0.9 mm Dia Copper Conductor Cable for Railway Signal and Telecom installations conforming to RDSO Specification No. IRS:TC-30/2005 (Ver-1) with Amendment Nos.1 to 5. M	10	CR:CSI [C] Pune	304337.5	32.6 KM	27-Feb-24
			11	CR:CSI [C] Pune	304337.5	32.6 KM	27-Apr-24
			12	CR:CSI [C] Pune	304337.5	32.6 KM	26-Jun-24

539885530106	Unbranded Tarpaulins made from High Density Polyethylene (HDPE) Woven Fabrics 7.31 mtrs X 6.4 mtrs (double bull)	2	CR:SE(WORKS) , [M] BY	1298	260 Nos.	30-Jan-24
539885530120	Tarpaulins made from High Density Polyethylene (HDPE) of 200 GSM woven Fabrics 5.18 mtrs X 3.35 mtrs	3	CR:SE(WORKS) , [M] BY	483.8	400 Nos.	30-Jan-24
759900350025	Unbranded Tarpaulins made from High Density Polyethylene (HDPE) Woven Fabrics 7.92 mtrs X 4.87 mtrs (double bull)	4	CR:SE(WORKS) , [M] BY	1062	300 Nos.	30-Jan-24

		(FP)							
29	TF235021D0003 0 dt.19-DEC-23 on M/s.RAGHAVEN DRA RAIL LINES PRIVATE LIMITED- HYDERABAD	1.92E+08	601605560012	Supply of fittings used for Wider PSC Sleeper with stricter tolerance to drawing no. RDSO/T-9007 such as i. Glass Filled Nylon - 66 Insulating Liner to Drg. No. RDSO/T-9008, ii. Elastic Rail Clip Mar	1	CR:SSE/ PWAY/K ASHTI	542.17	4150 0 Set	19-Aug-24
		(FP)							
			60190139	Supply of Wider PSC Sleeper with stricter tolerance, for 25KM track length in Central Railway for 25t axle load for 60kg/60E1 Rails to drawing no. RDSO/T-9007 & IRS Specification as mentioned.					
					2	CR:SSE/ PWAY/K ASHTI	4083.78	4150 0 Nos.	19-Aug-24

30	2723501010686 8 dt.19-DEC-23 on M/s.MEDHA SERVO DRIVES PRIVATE LIMITED- HYDERABAD	11800000 (FP)	2501NXX	Single Phase to Three Phase 2 x 130 KVA Converter (SIV) for conventional locomotives as per RDSO Specification No. RDSO/2018/EL/S PEC/0140 Rev-1. Make - MEDHA	1	CR:SSE(Electronics) ELS	2950000	4 Nos.	19-Apr-24
31	9623567810066 3 dt.06-DEC-23 on M/s.VERMA ENTERPRISES- PUNE	1307000 (FP)	7890Nxx	Supply & installation of Pradhan Mantri Bhartiya Janaushadhi Kendras(PMBJKs) at Solapur railway stations of Solapur Div. Design,specificati on,Material and fitting as per NID Document attached. Make/Br	1	CR:DRM [C] SUR	1307000	1 Nos.	27-Dec-23

32	4123509410668 9 dt.08-DEC-23 on M/s.NICCO EASTERN PRIVATE LIMITED- KOLKATA	1281698	166101350011	4 SQ.MM BLACK COLOUR, ELECTRON BEAM IRRADIATION CURING PROCESS OR CHEMICAL CURING PROCESS WITH COPPER CONDUCTOR RDSO/SPEC.NO. ELRS/SPEC/ELC/ 0019,REV.4, FEB- 2018,1.8 KV GRADE. NOTE:1) E-BEAM IRRADIATED	1	CR:SSE EREC 1/ELW/B SL	62.54	300 MTR	08-Mar-24
			(FP)	166101360016		CR:SSE EREC 1/ELW/B SL	1211.86	340 MTR	08-Mar-24
				95 SQ.MM BLACK COLOUR,ELECT RON-BEAM IRRADIATION CURING PROCESS OR CHEMICAL CURING PROCESS THIN WALLED FLEXIBLE ELASTOMERIC CABLE WITH COPPER CONDUCTOR SUITABLE FOR ROLLING STOCK APPLICATION CONFORMING	2				

166101370010	120 SQ.MM BLACK COLOUR, ELECTRON BEAM IRRADIATION CURING PROCESS OR CHEMICAL CURING PROCESS THIN WALLED FLEXIBLE ELASTOMERIC CABLE WITH COPPER CONDUCTOR SUITABLE FOR ROLLING STOCK APPLICATION CONFORMI	3	CR:SSE EREC 1/ELW/B SL	1400.01	300 MTR	08-Mar-24
401200530024	2.5 SQ.MM, BLACK COLOUR, E-BEAM CABLE WITH COPPER CONDUCTOR SUITABLE FOR ROLLING STOCK APPLICATION CONFORMING TO RDSO/SPEC.NO. ELRS/SPEC/ELC/ 0019,REV.4, FEB- 2018,1.8 KV GRADE .NOTE:1) E-BEAM IRRADIATE	4	CR:SSE EREC 1/ELW/B SL	40.95	3100 MTR	08-Mar-24

			40124307	19 CORE x 2.5 SQ.MM, BLACK COLOUR,E-BEAM CABLE WITH COPPER CONDUCTOR SUITABLE FOR ROLLING STOCK APPLICATION CONFORMING TO RDSO SPEC. NO. ELRS/SPEC /ELC/0019 REV.4 FEB2018,1.8 KV GRADE. NOTE: CABLES SH					
					5	CR:SSE EREC 1/ELW/B SL	949.9	320 MTR	08-Mar-24
33	9323576510097 9 dt.11-DEC-23 on M/s.VANDHANA INTERNATIONAL PRIVATE LIMITED-NEW DELHI	1305835	81801882101	Diethylene Glycol Hydraulic Fluid, ISO 46, (Each bucket contains 5 gallons), Description: Fluid Hydraulic Water/Glycol and Part No. IS 103196 for RGM machine. Make: LORAM. Note: 1 Box = 1 Bucket = 5	1	CR:SSE [TMD] BSL	24638.4	53 Boxes	11-Jun-24
		(FP)							

40	9223642510123 7 dt.28-DEC-23 on M/s.YOUNG INDIA PRESTRESS PVT. LTD.-KOLKATA	1410100	601605510010	(A) Manufacturing & supply of Non Standard composite Grooved Rubber Sole Plate for sleepers of Narrow Gauge as per IRS specification No. RDSO/M&C/RP-198/2006(Provision) with latest alteration upto dat	1	CR:SE(PWAY) , [STORES]	31.27	1000 0 Nos.	26-Feb-24
			(FP)	601605520014	(B)Manufacturing & supply of Non Standard composite Grooved Rubber Sole Plate for sleepers of Narrow Gauge as per IRS specification No. RDSO/M&C/RP-198/2006(Provision) with latest alteration upto date				
					2	CR:SE(PWAY) , [STORES]	54.87	2000 0 Nos.	26-Feb-24

41	6223501610677 2 dt.13-DEC-23 on M/s.SUN MEDICAL SYSTEMS- MUMBAI	657216 (FP)	8240N215	Abbott Potassium Reagent.20000 tests of Abbott Potassium in one pack containing R1(10 x 93ml) & R2(10x54ml). MAKE / BRAND : Abbott Potassium Reagent.20000 tests	1	CR:MD BY	219072	3 Nos.	12-Feb-24
42	9123564110064 8 dt.13-DEC-23 on M/s.3RD EYE TECHNO SOLUTIONS PRIVATE LIMITED-NEW DELHI	1909948 (FP)	57XXN1	Oxygen forensics detective with cable set with 3 years warranty	1	CR:INSP ECTOR R.P.F	1909948	1 Nos.	12-Mar-24
43	9523553310061 4 dt.13-DEC-23 on M/s.MALIKA INTERNATIONAL- NOIDA	735137.6 (FP)	45150497	Battery operated led based flashing Tail Lamp for Railway Vehicles, confirming to IS RDSO LKO,s No.RDSO/SPN/20 0/2010 Revision : 2.0 (draft)	1	CR:SR DOS [M] NGP	881.46	834 Nos.	13-Mar-24

44	8523539210225 7 dt.14-DEC-23 on M/s.CEMCON RAILWAY INDUSTRIES- SONIPAT	3869810 (FP)	33XXNS	INTER-COACH GANGWAY WITH FLEXIBLE INTERIOR SYSTEM FURNISHING (INCLUDING VESTIBULE FOOT PLATE) FOR LHB COACHES. (REF: MD46131/46421 DT. 27.09.2014) AS PER DRAWING MDTs- 22266 REV-01	1	CR:FITTING SHOP MTN	552830	7 Set	12-Feb-24
45	8523578010226 1 dt.14-DEC-23 on M/s.ASCO INDUSTRIES- MUMBAI	3502618 (FP)	301500140032	Materials for Modification in End wall except item No. 6,7,14,16 & 17 as per Drg:RDSO/CG/D RG/21042.	1	CR:STEEL COACH RECONDIT	21891.36	160 Set	12-Apr-24
46	9523553210061 7 dt.15-DEC-23 on M/s.STATCON ELECTRONICS INDIA LIMITED- NOIDA	1074815	569033210015	Supply, checking of installation, testing and commissioning of SMPS based integrated power supply conforming to RDSO Specifications RDSO/SPN/165/2 012 Version 3.0 amendments for Panel Interlocked stat	1	CR:SIGN AL INSPECTOR AMF	1074815	1 Set	13-Feb-24

		(FP)							
47	9623560510069 7 dt.15-DEC-23 on M/s.EL TRONICS-JAIPUR	1150500	560616480010	Signal Maintainer Tool kit as per specification attached. Each tool kit consist of 4 items that are follows:-1. Digital Insulation and continuity tester. 2. Smart AC/DC leakage clamp meter. 3. Digital	1	CR:SIGN AL INSPEC TOR KWV	46020	25 Nos.	13-Feb-24
		(FP)							
48	9623560310069 8 dt.15-DEC-23 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI	884716.8	564500050042	Supply of Green Aspect LED signal Lamp for main colour light signal, retrofitable in existing CLS housing with integrated CRU and compatible with AC LED ECR as per RDSO spec. No. RDSO/SPN/199/2 010 Rev	1	CR:SIGN AL INSPEC TOR KWV	10053.6	88 Nos.	14-Mar-24
		(FP)							

49	9323582920099 8 dt.18-DEC-23 on M/s.KIRAN FURNITURE- BHUSAWAL	1306430 (FP)	390219240040	DINING CHAIR Brand: NA (Detailed Description/Specif ication as per Product # 1 of GeM Contract No. GEMC- 51168771211864 3 dt.14/12/2023)	1	CR:ASO BSL	2478	50 Nos.	23-Jan-24
			603235800056	Mess UTENSILS Brand: NA (Detailed Description/Specif ication as per Product # 2 of GeM Contract No. GEMC- 51168771211864 3 dt.14/12/2023)	2	CR:ASO BSL	159870	2 Nos.	23-Jan-24
			781010960151	DINING TABLE Brand: NA (Detailed Description/Specif ication as per Product # 3 of GeM Contract No. GEMC- 51168771211864 3 dt.14/12/2023)	3	CR:ASO BSL	17880	10 Nos.	23-Jan-24
			781506180093	STEEL COT Brand: NA (Detailed Description/Specif ication as per Product # 4 of GeM Contract No. GEMC- 51168771211864 3 dt.14/12/2023)					

					4	CR:ASO BSL	6380	50 Nos.	23-Jan-24
			781520830733	Almirah Steel Brand: NA (Detailed Description/Specif ication as per Product # 5 of GeM Contract No. GEMC- 51168771211864 3 dt.14/12/2023)					
					5	CR:ASO BSL	7458	30 Nos.	23-Jan-24
			793398662749	Bed Mattresses Brand: NA (Detailed Description/Specif ication as per Product # 6 of GeM Contract No. GEMC- 51168771211864 3 dt.14/12/2023)					
					6	CR:ASO BSL	2825	50 Nos.	23-Jan-24
50	0323509510014 7 dt.18-DEC-23 on M/s.J K CABLES LIMITED- NOIDA	2095621 (FP)	46XXN002	Joint-less Grooved Copper Contact Wire, size 107 sq mm made out of Continuous Cast Copper Wire Rods as per RDSO Specn.No. TI/SPC/OHE/CW/ 0971 & STR: TI/STR/017 (Rev.02)	1	CR:Sr. Section Engineer	873175.4	2.4 KM	18-Jun-24

55	8523613510234 5 dt.23-DEC-23 on M/s.D BACHUBHAI AND BROTHERS- MUMBAI	2370157 (FP)	359900550010	Set of Siemens traction motor socket head cap screw and hex head bolt as per specification and annexure attached. Materials should be procured from only authorized distributors, OEM/NABL TC & GC requ	1	CR:SSE/ POH (Electrica l	3527.02	672 Set	21-Apr-24
56	9223597010122 7 dt.25-DEC-23 on M/s.FLUISSYS TECHNOLOGIES- GHAZIABAD	1338120 (FP)	834700521037	Self Propelled Scissor lift. As per specification attached.	1	CR:Sr.C DO LTT	669060	2 Nos.	24-Mar-24
57	8523588710235 8 dt.26-DEC-23 on M/s.MONARCH ENTERPRISES- MUMBAI	1493880 (FP)	479025410010	DESIGN, SUPPLY, ERECTION, INSTALLATION, TESTING AND COMMISSIONIN G OF OF 10 PASSENGER CAPACITY ELEVATOR WITH 4 STOPS (G+3), WITHOUT MACHINE ROOM AS PER ANNEXURE 'A'.	1	CR:SR. SECT. ENGG.,S /S,	1493880	1 Nos.	09-Feb-24

58	5023526810696 4 dt.26-DEC-23 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI	536699.4 (FP)	5604N01	SIRIUS CARD for Multi Section Digital Axle Counter of Siemens make RDSO specification No. RDSO/SPN/176/2 013 Ver.3 Make: SIEMENS. Warranty Period :30 Months after the date of delivery	1	CR:CWM (S&T) WS BYCULL A	178899.8	3 Nos.	27-Aug-24
59	8523602010239 2 dt.29-DEC-23 on M/s.CHANDEL ENGINEERING PVT. LTD.- KANPUR	2359811 (FP)	303200270011	Side buffer arrangement with face plate revitted to Drg. No ICF/STD -2-2-009 col 1 ALT J	1	CR:L.V.B . SHOP MTN	29497.64	80 Nos.	27-Feb-24
60	8523645310239 6 dt.29-DEC-23 on M/s.FRONTIER ALLOY STEELS LTD-KANPUR	2144317 (FP)	339901190013	Balance Draft Gear Assembly to Drawing No. FASL/BDG/0879 to RDSO Specn. No RDSO/2011/CG- 03 (Rev-1)	1	CR:L.V.B . SHOP MTN	164947.5	13 Nos.	29-May-24
61	9223628510115 1 dt.05-DEC-23 on M/s.TEK MEASURE- KOLKATA	1177640	657930940014	Supply , installation and Commissioning of Portable Dissolve Gas analyzer along with accessories as per Annexure 'A'.	1	CR:SR.D EE, [TRS] KYN	1177640	1 Set	03-Apr-24

		(FP)							
62	TF235013D0002 9 dt.05-DEC-23 on M/s.GANPATI INDUSTRIAL PVT. LTD.-RAIPUR	34836722 (FP)	600500161702	Manufacture and supply of Improved Switch Expansion Joint to RDSO Drg No. T-6922 with latest alterations for 60 kg (UIC)/60/E1 rail with all fittings complete excluding GRSP, confirming to IRS specifi	1	CR:SE(P WAY) , [STORE S]	159071.8	7 Set	05-Jun-24
					2	CR:SE(P WAY) , [STORE S]	159071.8	44 Set	05-Jun-24
					3	CR:SE(P WAY) , [STORE S]	159071.8	42 Set	05-Jun-24
					4	CR:SE(P WAY) , [P.WAY DE	159071.8	2 Set	05-Jun-24
					5	CR:SE(P WAY) , [P.WAY DE	159071.8	22 Set	05-Jun-24
					6	CR:SE(P WAY) , [STORE S]	159071.8	102 Set	05-Jun-24
63	5623623180194 4 dt.06-DEC-23 on M/s.Principal Chief Materials Manager, CLW, Chittaranjan	857007.3 (FP)	230211020013	SS PIPE FITTINGS (53 ITEMS) FOR WAP-5 FOR E70 BRAKE SYSTEM Spec:CLW/MS/10 /15	1	CR:ERE CTION NO.3	428503.6	2 Set	04-Apr-24
64	3623503410665 9 dt.07-DEC-23 on M/s.VMV INDUSTRIES- GHAZIABAD	632852.9 (FP)	409007580016	Catenary wire of standard hard drawn copper conductor of size 242 sq.mm (0.375 sq. inch) 37/2.92 MM (37/0.115") confirming to Central Railway Specn. No. D-89/IRS-E-20/54	1	CR:Sr. Section Engineer	2531412	.25 KM	20-Feb-24

65	9323576210097 7 dt.11-DEC-23 on M/s.AURACAB INDUSTRIES LLP- SONIPAT	4602000 (FP)	465508940101	Jointless Grooved Copper Contact Wire 107 sq.mm. made out of Continuous Cast Copper wire rods, conforming to RDSO Specification no. TI/SPC/OHE/CW/ 0971 or latest FIRM OFFER BRAND:- AURACAB MAKE IS ACC	1	CR:Sr. Section Engineer	920.4	5000 MTR	27-Jan-24
66	9223595420116 4 dt.11-DEC-23 on M/s.LAXMI ENTERPRISES- THANE	2036106 (FP)	420431650013	Dc traction Motor run test Brand: Laxmi (Detailed Description/Specif ication as per Product # 1 of GeM Contract No. GEMC- 51168774800712 1 dt.06/11/2023)	2	CR:SR.D EE, [TRS] KYN	1696755	1 Set	05-Jan-24
			4742N1	ICT charges for D C TRACTION MOTOR Brand: NA (Detailed Description/Specif ication as per Product # 2 of GeM Contract No. GEMC- 51168774800712 1 dt.06/11/2023)	1	CR:SR.D EE, [TRS] KYN	339351	1 Nos.	16-Dec-23

67	6223501110677 1 dt.13-DEC-23 on M/s.SUN MEDICAL SYSTEMS- MUMBAI	657216 (FP)	8240N214	Abbott Sodium Reagent.20000 tests of Abbott Sodium in one pack containing R1(10 x 93ml) & R2(10x54ml). MAKE / BRAND : Abbott Sodium Reagent.20000 tests	1	CR:MD BY	219072	3 Nos.	12-Feb-24
68	0323518320014 4 dt.14-DEC-23 on M/s.VISHNU CABLE INDUSTRIES- DELHI	2301000 (FP)	400703560017	AVERCAB 01 185 4 Aluminium Armoured cable Brand: AVERCAB (Detailed Description/Specif ication as per Product # 1 of GeM Contract No. GEMC- 51168775567126 6 dt.22/11/2023)	1	CR:SEC TION ENG.(CO NST)E	767	3000 MTR	05-Feb-24
69	0323518620014 6 dt.14-DEC-23 on M/s.VISHNU CABLE INDUSTRIES- DELHI	2293920 (FP)	40XXN01	AVERCAB 01 185 2 Aluminium Armoured cable Brand: AVERCAB (Detailed Description/Specif ication as per Product # 1 of GeM Contract No. GEMC- 51168777322634 9 dt.22/11/2023)	1	CR:SR. SECT. ENGG.(C ONS	382.32	6000 MTR	20-Feb-24

70	8523623510226 0 dt.14-DEC-23 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI	1713950 (FP)	319200440013	Rotary Shaft lip type seal DIN 3760-193A X 223 X 15-FKM of M/s. Siemens Part No. 23.24	1	CR:CWM WHEEL SHOP MTN	17139.5	100 Nos.	14-Jul-24
71	9323581410099 2 dt.15-DEC-23 on M/s.PAUL AND CO.-NEW DELHI	926064 (FP)	602301680065	TOE LOAD MEASURING DEVICE (MECHANICAL) (NO.TM/SM/14 REV. 01 of 2005) Third revision, 2022.	1	CR:SE(P WAY) , [STORE S]	51448	18 Nos.	14-Jan-24
72	9623572710070 2 dt.18-DEC-23 on M/s.S.S. TECHNOLOOP INDIA-NOIDA	631005 (FP)	43250099	BATTERY OPERATED LED BASED FLASHING TAIL LAMP FOR RAILWAY VEHICLES AS PER RDSO SPECIFICATION NO. RDSO/SPN/200/2 010 REV.2.0. MAKE/BRAND:SS TI	1	CR:DOS SUR	814.2	775 Nos.	16-Feb-24
73	9223624110119 5 dt.19-DEC-23 on M/s.D K STEELS- .KOLKATA	944000	60XXN1	Nylon cord reinforced GRSP for crossing portion of 1 in 12 Turnout RDSO Drg No T-7014- 7021 Turnout, Specification No RDSO/M&C/RP- 201/2020 (Revision- 1.0).	1	CR:SE(P WAY) , [STORE S]	4720	200 Set	17-Feb-24

		(FP)							
74	9223620210119 9 dt.19-DEC-23 on M/s.R.V. RAIL PRODUCTS PVT. LTD.-RAIPUR	1391220	600600260507	Partial fitting of TWS 1 in 8.5, 60 kg T-6280 One complete set of (1)Slide chair to RDSO drg. No. T- 6288= 20 Nos (2) Leaf spring to RDSO Drg. No. T- 6304=22 Nos (3)Wedge to RDSO drg. No. T- 6305 = 2	1	CR:SE(P WAY) , [STORE S]	46374	30 Set	17-Feb-24
		(FP)							
75	9223639210120 3 dt.19-DEC-23 on M/s.TK ENTERPRISES- AGRA	2448016	789010110018	Supply of OSOP Mobile Trolley with installation on 18 stations of Mumbai Division". as per NID design specification enclosed as per Annexure- A., Material specification as Annexure- B., and list of	1	CR:COS Store,DR M(W)BB	136000.9	18 Nos.	02-Feb-24
		(FP)							

76	9223635710120 8 dt.20-DEC-23 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI	816324	564600590010	DESCRIPTION : CALLING ON LED SIGNAL LIGHTING UNIT WITH BUILT IN CURRENT REGULATOR RETROFITTABLE IN EXISTING CLS UNITS AS PER RDSO SPECIFICATION RDSO/SPN/153/2 011.REV.4.1. (INSPECTION AGENCY-RDSO)	1	CR:Sr. Section Engineer	7257	12 Nos.	18-Apr-24
(FP)			564681680016	DESCRIPTION : SUPPLY OF LED SIGNAL LIGHTING UNIT WITH BUILD IN CURRENT REGULATOR RETROFITTABLE IN EXISTING CLS UNITS AS RDSO SPECIFICATION NO RDSO/SPN/153/2 011/REV.4.1 WITH LATEST AMENDMENT FOR ROUTE	2	CR:Sr. Section Engineer	6077	96 Nos.	18-Apr-24

			569021150018	DESCRIPTION : LED SIGNAL LIGHTING UNIT WITH BUILT IN CURRENT REGULATOR, RETROFITTABLE IN EXISTING CLS UNITS AS PER RDSO SPECIFICATION (RDSO/SPN/153/2 011 REV.4.1. WITH LATEST AMENDMENT FOR MAIN LED SI					
					3	CR:Sr. Section Engineer	6077	24 Nos.	18-Apr-24
77	9223635110120 9 dt.20-DEC-23 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI	2106772	564600040010	LED SIGNAL LIGHTING UNIT WITH BUILT IN CURRENT REGULATOR RETROFITTABLE IN EXISTING CLS UNITS AS PER RDSO SPECN.RDSO/SP N/199/2010 REV.1.1 FOR MAIN SIGNAL LIGHTING UNITS : GREEN (INSPECTION AGENCY-RDSO	1	CR:Sr. Section Engineer	10089	64 Nos.	18-Apr-24

(FP)

		569014070013	SUPPLY OF LED SIGNAL LIGHTING UNIT WITH BUILD IN CURRENT REGULATOR RETROFITTABLE IN EXISTING CLS UNIT AS PER RDSO SPECIFICATION NO :RDSO/SPN/199/ 2010 WITH LATEST AMENDMENT FOR MAIN SIGNAL RED (2	CR:Sr. Section Engineer	8909	56 Nos.	18-Apr-24
		569014750012	SUPPLY OF LED SIGNAL LIGHTING UNIT BUILD IN CURRENT REGULATOR RATROFITTABLE IN EXISTING CLS UNIT AS PER RDSO SPECIFICATION NO.RDSO/SPN/1 99/2010 WITH LATEST AMMENDMENT FOR MAIN SIGNAL YELLOW (INSPECTI	3	CR:Sr. Section Engineer	8909	108 Nos.	18-Apr-24

78	5023526610696 2 dt.26-DEC-23 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI	568223.1 (FP)	5604N01	Wheel detection sensor with 10 meter cable for Siemens MSDAC as per RDSO/SPN/176/2 013 ver. 3. Siemens make.	1	CR:CWM (S&T) WS BYCULL A	189407.7	3 Nos.	27-Aug-24
79	6223501010697 2 dt.27-DEC-23 on M/s.SUN MEDICAL SYSTEMS- MUMBAI	1251936 (FP)	8240N218	Abbott HDL Reagent.1440 tests of Abbott HDL in one pack containing R1(4 x 84ml) & R2(4x32ml). Make/brand: Abbott HDL Reagent.1440test s.	1	CR:MD BY	27820.8	20 Nos.	31-Mar-24
					2	CR:MD BY	27820.8	25 Nos.	31-May-24
80	9223615910123 5 dt.28-DEC-23 on M/s.BANSAL INDUSTRIES- NORTH WEST	2212500 (FP)	4090N01	2 Core 70 Sq.mm XLPE Aluminium conductor Armoured Cable. ZODEX. 2 X 70 SQ. MM, XLPE INSULATED, PVC SHEATHED, 1100 VOLTS GRADE, HEAVY DUTY ALUMINIUM CONDUCTOR, ARMOURED, POWER CABLE CONFORMING TO IS: 7	1	CR:SR.S E.TD.SS. KALYAN	174.64	5000 MTR	26-Feb-24

			469084990011	1100V, 2 core, 300 sqmm stranded Aluminum conductor cross link polyethylene and XLPE insulated PVC sheathed, wire strip Armoured, PVC outer sheathed cable as per IS 7098 part-I 1988 with amendment No	2	CR: Sr. Section Engineer	535.72	500 MTR	26-Feb-24
			46XXN01	1100V, 2 core, 300 sq mm stranded Aluminum conductor cross link polyethylene and XLPE insulated PVC sheathed, wire strip Armoured, PVC outer sheathed cable as per IS 7098 part-I 1988 with amendment No	3	CR: SR SE/TD/N EU	535.72	2000 MTR	26-Feb-24
81	9323581010095 1 dt.01-DEC-23 on M/s.KIRAN FURNITURE-BHUSAWAL	1297860 (FP)	789010440237	Pradhan Mantri Bhartiya Janaushadhi Kendras (PMBJKs) at railway stations. Type-I one side open -outdoor type along with all civil works	1	CR: DRM [C] BSL	1297860	1 Nos.	31-Dec-23

82	9522529610059 3 dt.04-DEC-23 on M/s.SHREE SHIV SAMARTH ELECTRICALS- THANE.	955800 (FP)	619003850015	Installation And Commissioning Of Porta Cabin. (Cement Fiber Board) size 9000 x 3050 x 2550) Specification as per annexure A and Drawing Attached. Porta cabins will required to assembled at site whe	1	CR:SR.S EC.ENG R/ C&W/ AJ	477900	2 Nos.	02-Jun-24
83	8523620410212 3 dt.05-DEC-23 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED-HOSUR	1184248 (FP)	31351153	MAINTENANCE KIT FOR LEVELLING VALVE [M/S FTIL MAKE] TO PART NO 790038105 AS PER SKETCH NO EMU/MTN/BE/33.	1	CR:L.V.B . SHOP MTN	2960.62	400 Set	01-Aug-24

84	5623596810193 5 dt.06-DEC-23 on M/s.KSHAMA SURGICAL PVT LTD- SABARKANTHA	1358311 (FP)	839007050032	Supply, Installation, testing and commissioning of portable Dissolve Gas Analyzer including concomitant accessories and spare as per specification No: COFMOW/IR/DG A/2018 or Latest.	1	CR:CMS C & M LAB/EL W/BS	1358311	1 Nos.	04-Feb-24
85	0323516720014 3 dt.07-DEC-23 on M/s.PLAZA WIRES LIMITED, DELHI	723700 (FP)	43XXN01	Plaza 01 25 4 Aluminium Armoured cable Brand: Plaza (Detailed Description/Specif ication as per Product # 1 of GeM Contract No. GEMC- 51168771286450 9 dt.06/12/2023)	1	CR:SR.S E ELE.(C) MTP(RI	144.74	5000 MTR	19-Feb-24

86	5623614210195 4 dt.08-DEC-23 on M/s.SKF INDIA LTD- GURGAON	867300	290500170024	AXLE BOX BEARING (TAPPER ROLLER BEARING UNIT TBU-150, SKF NO 1639457A) AS PER ABB DRG.NO.1A 016- 01494 REV-2 FOR WAP5 LOCO.(ITEM RESERVED FOR RDSO APPROVED SOURCES ONLY) Accepted make/brand:SKF, TAPERED	1	CR:WHE EL SETS AC LOCO W	86730	10 Nos.	08-Aug-24
		(FP)							
87	7123503910675 1 dt.12-DEC-23 on M/s.PACKING HOUSE-MUMBAI	2157040	6505N01	Electric Driven Rotary Screw Air Compressor - 500 cfm. Make:- ELGI / Godrej / Atlas / Kirloskar Make- Kirloskar.	1	CR:SR.S .E.[MILL WRIGHT]	2157040	1 Nos.	31-Mar-24
		(FP)							

88	8523594410226 2 dt.14-DEC-23 on M/s.TRIPCON ENGINEERING PRIVATE LIMITED.- ANAND	3006050 (FP)	659801560016	Design, Supply, Installation, Testing and Commissioning of Test Bench for different makes of Pressure limiting valves, Stabilizing valve, Triple valve, Safety valves and other Misc. valves as per anne	1	CR:SHO P SUPDTT [ELEC] I	3006050	1 Set	13-Mar-24
89	9623564810072 7 dt.28-DEC-23 on M/s.INDISAS- NEW DELHI	743400 (FP)	727927710018	Videoscope Set with specifications - 1) Camera probe lens: 5.5mm to 5.8mm, 2) Probe length: 10m (SS braided), 3) Removable monitor: 4.3 inch TFT LCD, 4) Tip articulations: 4- way, greater than or equal	1	CR:SSE/ C&W)DD	371700	2 Set	26-Feb-24

90	9623560110072 8 dt.29-DEC-23 on M/s.HINDUSTAN COMPOSITES LIMITED- MUMBAI	973500 (FP)	381402660010	Non Asbestos K Type Brake Block for Freight Stock for wheel diameter 840mm as per drawing no WD-15023 S-01 and as per RDSO specification no.- WD-14-ABR-2019 MAKE/ BRAND- COMPO	1	CR:SSE/ C&W)DD	885	1100 Nos.	27-Feb-24
91	5023517810656 7 dt.01-DEC-23 on M/s.POWER TECHNOLOGIES CORPORATION- DEHRADUN	1989834 (FP)	56468015	Led Signal Lighting Units for Subsidiary Colour Light Signals Shunt for Railway Signalling to Specification No. RDSO/SPN/153/2 023 Revision 5.0 MAKE / BRAND : PTC	1	CR:CRD	6029.8	15 Nos.	31-Jan-24
					2	CR:CRD	6029.8	15 Nos.	30-May-24
					3	CR:NGP	6029.8	44 Nos.	31-Jan-24
					4	CR:NGP	6029.8	42 Nos.	30-May-24
					5	CR:NGP	6029.8	42 Nos.	27-Sep-24
					6	CR:PUN E	6029.8	28 Nos.	31-Jan-24
					7	CR:PUN E	6029.8	26 Nos.	30-May-24
					8	CR:PUN E	6029.8	26 Nos.	27-Sep-24
					9	CR:BSL	6029.8	18 Nos.	31-Jan-24
					10	CR:BSL	6029.8	16 Nos.	30-May-24

5646N001	Led Signal Lighting Units for Subsidiary Colour Light Signals Shunt for Railway Signalling to Specification No. RDSO/SPN/153/2023 Revision 5.0	11	CR:SIGN AL INSPEC TOR WR	6029.8	24 Nos.	01-Mar-24
5646N002	Led Signal Lighting Units for Subsidiary Colour Light Signals Shunt for Railway Signalling to Specification No. RDSO/SPN/153/2023 Revision 5.0	12	CR:SIGN AL INSPEC TOR WR	6029.8	11 Nos.	01-Mar-24
5646N003	Led Signal Lighting Units for Subsidiary Colour Light Signals Shunt for Railway Signalling to Specification No. RDSO/SPN/153/2023 Revision 5.0	13	CR:SIGN AL INSPEC TOR WR	6029.8	7 Nos.	01-Mar-24

		5646N004	Led Signal Lighting Units for Subsidiary Colour Light Signals Shunt for Railway Signalling to Specification No. RDSO/SPN/153/2023 Revision 5.0	14	CR:SIGN AL INSPEC TOR AMF	6029.8	12 Nos.	01-Mar-24
		5647N005	Led Signal Lighting Units for Subsidiary Colour Light Signals Shunt for Railway Signalling to Specification No. RDSO/SPN/153/2023 Revision 5.0	15	CR:CHIEF SIG.INS PECTOR	6029.8	4 Nos.	01-Mar-24

92	5623616610194 0 dt.06-DEC-23 on M/s.NIKE ENERGY MANUFACTURIN G PRIVATE LIMITED- VARANASI	585280 (FP)	230501260021	PANTOGRAPH TYPE AM-12 (WITHOUT PANTO MOUNTING INSULATORS) AS PER RDSO SPEC. NO. RDSO/2008/EL/S PEC/0066 REV. 0 DTD. 20.6.2008 AND AMEND. NO. 1 DTD. 21.12.2008 OR LATEST ALONG WITH METALIZED CARBON STRI	1	CR:AUXI LIARY PANTO	146320	4 Nos.	04-Feb-24
93	8023503720665 7 dt.07-DEC-23 on M/s.RELIANCE INDUSTRIES LTD- NAVI MUMBAI	5929169 (FP)	921100480028	HIGH SPEED DIESEL OIL (HSD) CONFIRMING TO IS: 1460 (LATEST REVISION) NOTE: The supply of products will be subject to deviations/relaxati ons as may be authorized by MOP&NG from time to time. However, a	1	CR:SR. SECT.E NG.[AC/ COG	65155.7	91 KLTR	31-Mar-24

94	9623558910069 5 dt.15-DEC-23 on M/s.GENERAL STORES AND ENGINEERING CO.PVT.LTD.- KOLKATA	535720 (FP)	38140615	Slack Adjuster Type IRSA 750 for BOXNHL Wagon as per RDSO Drg. No. WD-93061-S-01, Alt.-01; RDSO Specification. No. 19-ABR-07 with 3 Amendments: Last Amendment No.3 issued in Sept. 2016. Make/Brand- SE	1	CR:SSE/ C&W)DD	13393	40 Nos.	13-Feb-24
95	9223604910119 2 dt.18-DEC-23 on M/s.CG POWER AND INDUSTRIAL SOLUTIONS LIMITED- MUMBAI.	3343495 (FP)	563046480045	Electrical Point Machine, Non- trailable type, Conforming to RDSO Spec no. IRS.S.24/2002,am endmentno.1 with the following parts:- (a) 220 mm Throw with interlocking for Operation of the point as per RD	1	CR:Sr. Section Engineer	111449.8	20 Nos.	16-Feb-24

			563046480045A	Supply of Electrical Point Machine, Non-trailable type, Conforming to RDSO Spec no. IRS.S.24/2002, amendment no.1 or later with the following parts:- (a) 220 mm Throw with interlocking for Operation o						
					2	CR:Sr. Section Engineer	111449.8	10 Nos.	16-Feb-24	
96	2723501010687 0 dt.19-DEC-23 on M/s.HIND RECTIFIERS LIMITED-MUMBAI	5900000 (FP)	2501NXX	Single Phase to Three Phase 2 x 130 KVA Converter (SIV) for conventional locomotives as per RDSO Specification No. RDSO/2018/EL/SPEC/0140 Rev-1.	1	CR:SSE(Electronics)ELS	2950000	2 Nos.	19-Apr-24	
97	9523544720062 0 dt.20-DEC-23 on M/s.SHREE ENTERPRISES, NAGPUR	1580000	823004540018	OVAL SHAPE WHOLE BODY UV THERAPY UNIT Brand: HEALKEREN (Detailed Description/Specification as per Product # 1 of GeM Contract No. GEMC-51168773998158 4 dt.06/12/2023)	1	CR:MS NGP	1580000	1 Nos.	04-Feb-24	

		(FP)							
98	5023506010700 7 dt.28-DEC-23 on M/s.VINDHYA TELELINKS LIMITED-REWA	11686554 (FP)	5611N009	Underground Jelly Filled 6 Quad, 0.9 mm Dia Copper Conductor Cable for Railway Signal and Telecom installations conforming to RDSO Specification No. IRS:TC-30/2005 (Ver-1) with Amendment Nos.1 to 5. M	1	CR:SI, [C] Nagpur	304337.3	12.8 KM	27-Feb-24
					2	CR:SI, [C] Nagpur	304337.3	12.8 KM	27-Apr-24
					3	CR:SI, [C] Nagpur	304337.3	12.8 KM	26-Jun-24
99	9223644310123 8 dt.28-DEC-23 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI	1022228 (FP)	560411570012	External Band Pass Filter Card suitable for Siemens make multi section digital axle counter. Make: M/s Siemens.	1	CR:Sr. Section Engineer	113580.9	9 Nos.	28-Aug-24
100	9223637710124 0 dt.29-DEC-23 on M/s.TRI PARULEX FIRE PROTECTION SYSTEMS- GHAZIABAD	605340	869063230019	Upgradation of Automatic Fire Detection & Manual Supression system to Automatic Fire detection & Automatic Suppression System In Power cars (Ref. RDSO Specification No. RDSO/2013/CG-06 Rev.2)	1	CR:HEA D STORE KEEPER WA	201780	3 Nos.	27-Feb-24

		(FP)							
101	9323576310097 8 dt.11-DEC-23 on M/s.J K CABLES LIMITED- NOIDA	4063920	469039161220	Un-insulated Cadmium Copper Catenary wire 65 mm? (19/2.10 mm) conforming to RDSO spec. no. TI SPC OHE CAT Cu-Cd 0971 or latest FIRM OFFER BRAND:- J K MAKE IS ACCEPTED.	1	CR:Sr. Section Engineer	580.56	7000 MTR	09-Feb-24
		(FP)							
102	7523510920674 2 dt.11-DEC-23 on M/s.MIDMARK INDIA PRIVATE LIMITED- Mumbai	1582920	7831N01	Midmark Electro- Mechanical (Motorized) ICU Bed Brand: Midmark (Detailed Description/Specif ication as per Product # 1 of GeM Contract No. GEMC- 51168776065166 0 dt.08/12/2023)	1	CR:MD BY	131910	12 Nos.	08-Jan-24
		(FP)							
103	6223501710677 3 dt.13-DEC-23 on M/s.SUN MEDICAL SYSTEMS- MUMBAI	657216	8240N216	Abbott Chloride Reagent.20000 tests of Abbott Chloride in one pack containing R1(10 x 93ml) & R2(10x54ml). MAKE / BRAND : Abbott Chloride Reagent.20000 tests	1	CR:MD BY	219072	3 Nos.	12-Feb-24

		(FP)							
104	9223627920117 5 dt.14-DEC-23 on M/s.M/s.NEENU TECH PRIVATE LIMITED,, Delhi	997688	433098980295	neenu tech-- NEENU TECH PRIVATE LIMITED LED 3 Brand: neenu tech- -NEENU TECH PRIVATE LIMITED (Detailed Description/Specif ication as per Product # 1 of GeM Contract No. GEMC- 51168776620227 7 dt.24/11/2023	1	CR:SE(P WAY) , [STORE S]	802	1244 Nos.	23-Jan-24
		(FP)							
105	8523534380227 0 dt.15-DEC-23 on M/s.Controller of Stores, JAIPUR	3002364	7933N1	Fire Retardant Upholstery Cloth, width 157+/- 2cm for LH AC CHAIR CAR Specification. Complying to all conditions as mentioned as per Clause 5.12.1 of RCF Spec. No. MDTS-219, (Rev.3) dt.0403.2020 Speci	1	CR:TRIM MING SHOP MTN	3335.96	900 MTR	14-Mar-24
		(FP)							

166101350011	4 SQ.MM BLACK COLOUR, ELECTRON BEAM IRRADIATION CURING PROCESS OR CHEMICAL CURING PROCESS WITH COPPER CONDUCTOR RDSO/SPEC.NO. ELRS/SPEC/ELC/0019,REV.4, FEB-2018,1.8 KV GRADE. NOTE:1) E-BEAM IRRADIATED	2	CR:SSE EREC 1/ELW/B SL	81.42	720 MTR	08-Mar-24
166101360016	95 SQ.MM BLACK COLOUR,ELECTRON-BEAM IRRADIATION CURING PROCESS OR CHEMICAL CURING PROCESS THIN WALLED FLEXIBLE ELASTOMERIC CABLE WITH COPPER CONDUCTOR SUITABLE FOR ROLLING STOCK APPLICATION CONFORMING	3	CR:SSE EREC 1/ELW/B SL	1211.86	816 MTR	08-Mar-24

		401200530024	2.5 SQ.MM, BLACK COLOUR, E-BEAM CABLE WITH COPPER CONDUCTOR SUITABLE FOR ROLLING STOCK APPLICATION CONFORMING TO RDSO/SPEC.NO. ELRS/SPEC/ELC/ 0019,REV.4, FEB- 2018,1.8 KV GRADE .NOTE:1) E-BEAM IRRADIATE	4	CR:SSE EREC 1/ELW/B SL	48.97	7440 MTR	08-Mar-24
		40124307	19 CORE x 2.5 SQ.MM, BLACK COLOUR,E- BEAM CABLE WITH COPPER CONDUCTOR SUITABLE FOR ROLLING STOCK APPLICATION CONFORMING TO RDSO SPEC. NO. ELRS/SPEC /ELC/0019 REV.4 FEB2018,1.8 KV GRADE. NOTE: CABLES SH	5	CR:SSE EREC 1/ELW/B SL	949.9	768 MTR	08-Mar-24

113	4123509410668 7 dt.08-DEC-23 on M/s.THERMO CABLES LIMITED- HYDERABAD	2192690	166101350011	4 SQ.MM BLACK COLOUR, ELECTRON BEAM IRRADIATION CURING PROCESS OR CHEMICAL CURING PROCESS WITH COPPER CONDUCTOR RDSO/SPEC.NO. ELRS/SPEC/ELC/ 0019,REV.4, FEB- 2018,1.8 KV GRADE. NOTE:1) E-BEAM IRRADIATED	1	CR:SSE EREC 1/ELW/B SL	81.42	480 MTR	08-Mar-24
		(FP)	166101360016	95 SQ.MM BLACK COLOUR,ELECT RON-BEAM IRRADIATION CURING PROCESS OR CHEMICAL CURING PROCESS THIN WALLED FLEXIBLE ELASTOMERIC CABLE WITH COPPER CONDUCTOR SUITABLE FOR ROLLING STOCK APPLICATION CONFORMING	2	CR:SSE EREC 1/ELW/B SL	1211.86	544 MTR	08-Mar-24

166101370010	120 SQ.MM BLACK COLOUR, ELECTRON BEAM IRRADIATION CURING PROCESS OR CHEMICAL CURING PROCESS THIN WALLED FLEXIBLE ELASTOMERIC CABLE WITH COPPER CONDUCTOR SUITABLE FOR ROLLING STOCK APPLICATION CONFORMI	3	CR:SSE EREC 1/ELW/B SL	1400.01	720 MTR	08-Mar-24
40124307	19 CORE x 2.5 SQ.MM, BLACK COLOUR,E- BEAM CABLE WITH COPPER CONDUCTOR SUITABLE FOR ROLLING STOCK APPLICATION CONFORMING TO RDSO SPEC. NO. ELRS/SPEC /ELC/0019 REV.4 FEB2018,1.8 KV GRADE. NOTE: CABLES SH		CR:SSE EREC			

					4	1/ELW/B SL	949.9	512 MTR	08-Mar-24
114	4123509410668 8 dt.08-DEC-23 on M/s.QUADRANT FUTURE TEK LIMITED- MOHALI	920367.9	166101370010	120 SQ.MM BLACK COLOUR, ELECTRON BEAM IRRADIATION CURING PROCESS OR CHEMICAL CURING PROCESS THIN WALLED FLEXIBLE ELASTOMERIC CABLE WITH COPPER CONDUCTOR SUITABLE FOR ROLLING STOCK APPLICATION CONFORMI	1	CR:SSE EREC 1/ELW/B SL	1411.41	480 MTR	08-Mar-24
		(FP)	401200530024	2.5 SQ.MM, BLACK COLOUR, E-BEAM CABLE WITH COPPER CONDUCTOR SUITABLE FOR ROLLING STOCK APPLICATION CONFORMING TO RDSO/SPEC.NO. ELRS/SPEC/ELC/ 0019,REV.4, FEB- 2018,1.8 KV GRADE .NOTE:1) E-BEAM IRRADIATE					
						CR:SSE EREC			

		4	INSPECTOR PA	304947.4	22 KM	27-Feb-24
		5	CR: SIGNAL INSPECTOR PA	304947.4	22.5 KM	27-Apr-24
		6	CR: SIGNAL INSPECTOR PA	304947.4	22.5 KM	26-Jun-24
5611N006	Underground Jelly Filled 6 Quad, 0.9 mm Dia Copper Conductor Cable for Railway Signal and Telecom installations conforming to RDSO Specification No. IRS:TC-30/2005 (Ver-1) with Amendment Nos.1 to 5. M	7	CR:"SSE (SIG) (C) SUR SO	304337.5	35.2 KM	27-Feb-24
		8	CR:"SSE (SIG) (C) SUR SO	304337.5	35.2 KM	27-Apr-24
		9	CR:"SSE (SIG) (C) SUR SO	304337.5	35.2 KM	26-Jun-24
5611N008	Underground Jelly Filled 6 Quad, 0.9 mm Dia Copper Conductor Cable for Railway Signal and Telecom installations conforming to RDSO Specification No. IRS:TC-30/2005 (Ver-1) with Amendment Nos.1 to 5. M	10	CR:CSI [C] Pune	304337.5	22 KM	27-Feb-24
		11	CR:CSI [C] Pune	304337.5	22 KM	27-Apr-24
		12	CR:CSI [C] Pune	304337.5	21.2 KM	26-Jun-24

			5611N009	Underground Jelly Filled 6 Quad, 0.9 mm Dia Copper Conductor Cable for Railway Signal and Telecom installations conforming to RDSO Specification No. IRS:TC-30/2005 (Ver-1) with Amendment Nos.1 to 5. M	13	CR:SI, [C] Nagpur	304337.3	12.8 KM	28-Mar-24
					14	CR:SI, [C] Nagpur	304337.3	12.8 KM	26-Jun-24
			5611N010	Underground Jelly Filled 6 Quad, 0.9 mm Dia Copper Conductor Cable for Railway Signal and Telecom installations conforming to RDSO Specification No. IRS:TC-30/2005 (Ver-1) with Amendment Nos.1 to 5. M	15	CR:Sr. Section Engineer	304947.4	12 KM	28-Mar-24
					16	CR:Sr. Section Engineer	304947.4	12 KM	26-Jun-24
119	8523565710239 1 dt.29-DEC-23 on M/s.BLOWTECH ENGINEERS PRIVATE LIMITED- PALGHAR	1178000 (FP)	479024750019	DESIGN, ERECTION, SUPPLY & COMMISSIONING OF CENTRAL EXHAUST BLOWER WITH CYCLONE DUST COLLECTOR SYSTEM	1	CR:Sr. Section Engineer	1178000	1 Nos.	28-Mar-24

120	9223627210123 9 dt.29-DEC-23 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.- MUMBAI	692875.2	100003310013	High-Pressure Cylinder to ELGI Part No. 070304230 for ELGI makes water-cooled air compressor Model No. RR66101W of HHP locomotives. Note: To be procured from OEM or authorized dealer of OEM only.	1	CR:Sr. Section Engineer	34120.86	5 Nos.	29-Jun-24
			(FP)	100003410019	LP Cylinder to ELGI Part No. 070304210 for ELGI make water cooled air compressor Model No. RR66101W of HHP locomotives. Note: To be procured from OEM or authorized dealer of OEM only.	2	CR:Sr. Section Engineer	45138.61	4 Nos.

		10003500010	High-pressure Cylinder head to ELGI part No. 070311480 for ELGI make water-cooled air compressor Model No. RR66101W of HHP locomotives. Note: To be procured from OEM or authorized dealer of OEM only.	3	CR:Sr. Section Engineer	37453.63	4 Nos.	29-Jun-24
		10003580016	TAPER ROLLER BEARING TO ELGI PT. NO. 070404200 FOR ELGI MAKE WATER-COOLED AIR COMPRESSOR MODEL NO. RR66101W OF HHP LOCOMOTIVES. Note: To be procured from OEM OR Authorised Dealer of OEM only.	4	CR:Sr. Section Engineer	23987.75	8 Nos.	29-Jun-24

121	9123563910064 7 dt.13-DEC-23 on M/s.NEXTECHNO GEN PRIVATE LIMITED-DELHI	2473868 (FP)	57XXN1	UFED 4PC ULTIMATE WITH 3 YEARS SUBSCRIPTION	1	CR:INSPECTOR R.P.F	2473868	1 Nos.	12-Mar-24
122	9323546610098 5 dt.13-DEC-23 on M/s.ARYAN EXPORTERS (P) LTD.-LUCKNOW	1497373 (FP)	38106516	PU lining top & bottom to drg. no. AAL-021101 Alt-8 or latest, item-4. Matl.&Spec. As per RDSO Spec. WD-38-MISC-2004 Rev.1, Amndt. 2 FIRM OFFER BRAND:- ARYAN MAKE IS ACCEPTED.	1	CR:Sr. Section Engineer	1336.94	1120 Nos.	12-Jan-24
123	8523620210225 8 dt.14-DEC-23 on M/s.KAMAL AUTOMATION SYSTEMS PVT. LTD-MUMBAI	1763299	6526750	SUPPLY, DESIGN, MANUFACTURING, TESTING AND COMMISSIONING OF PORTABLE TESTING UNIT FOR LHB TYPE EOG NON AC COACHES, CAPACITY 15 KVA, INPUT VOLTAGE 415 V AC, OUTPUT 750 V AC AS PER DETAILED SCOPE OF WOR	1	CR:SR. SECT. ENGINEER,	587766.3	3 Nos.	12-Apr-24

		(FP)							
124	5623614910197 7 dt.14-DEC-23 on M/s.BRITE METALLOY PVT. LTD.-KOLKATA	590000	290105730028	Supply and installation of Waterless Urinal in Electric Locomotive (WAG- 9/9H/9HC) as per FRS No. RDSO/2023/EL/F RS/0034 (Rev.0) issued in February 2023.	1	CR:SSE(DEV)ELS BSL	295000	2 Nos.	12-Feb-24
		(FP)							
125	9623509410069 9 dt.15-DEC-23 on M/s.JYOTECH ENGINEERING AND MARKETING CONSULTANTS- GAUTAM BUDH NAGAR	839570	30XXN413	INFLATABLE AIR BAG (RECTANGULAR TYPE) WITH ALL ATTACHMENT, CAPACITY 55 TONNE (AS PER RDSO SPECIFICATION NO. MP- 0.08.00.55(REV- 03) JUNE 2013. Detail specification is attached annexure. Commissioning sh	1	CR:SENI OR SECTIO N ENGI	839570	1 Set	14-Mar-24
		(FP)							

126	4823596810107 6 dt.16-DEC-23 on M/s.BMC METALCAST LIMITED- JAMSHEDPUR	778800 (FP)	38NS	ADAPTER [NARROW JAW] CLASS 'E' 6 INCH X 11 INCH TO RDSO'S DRG. NO. WD- 89067 - S/9 ALT.NO.8 OR LATEST. TO RDSO SPECIFICATION NO AB/RB-39- 2002 REV.4 OF FEB-2018 OR LATEST. THIS ITEM IS RESERVED FOR PROC	1	CR:CWM / PR	1622.5	480 Nos.	14-Feb-24
127	6923543780048 4 dt.18-DEC-23 on M/s.Principal Chief Materials Manager, CLW, Chittaranjan	880995 (FP)	29600212	SINGLE CORE CABLE 9 GW- AX120, 4000 V, BK, AS PER CLW'S SPECN. NO. CLW/ES/3/0458	1	CR:SR.S EC.ENG. (STORE S)	1761.99	500 MTR	17-Feb-24
128	9223629710119 4 dt.19-DEC-23 on M/s.COMPAIR EQUIPMENTS CO.-MUMBAI	2183000	729020010021	Supply, Installation and commissioning of Equipment with Tooling, Tugger, Fixturing and Handling arrangement for on-rake replacement of coach vestibule at LTT coaching depot.	1	CR:Sr.C DO LTT	2183000	1 Set	18-Mar-24

		(FP)							
129	9223631210119 6 dt.19-DEC-23 on M/s.PACHERIA CASTINGS PVT. LTD.-HOWRAH	3193552	601701450015	Fabrication and supply of set of C. l. Check block (IS:210-2020) with bolt (IRS-T23 2021), Nut (IS:1363 part 3 2002) and M.S Washer for NRL - MAE Section NG Line as per drawing attached (One set is con	1	CR:SE(P WAY) , [STORE S]	469.64	6800 Set	17-Feb-24
		(FP)							
130	9523545210061 9 dt.19-DEC-23 on M/s.PREMIER INDIA AGENCIES- VISAKHAPATNA M	696318	602590561769	ROCLAMP Long 68.05 (rail clamp long with nut locking plate) for Fish Plate T-5916 ,02 Clamps will be required to install on 01 Fish plate of length 01 mtr long.	1	CR:SE(P WAY) , [STORE S]	116053	6 Nos.	29-Mar-24
		(FP)							
131	5023517810656 8 dt.01-DEC-23 on M/s.CLS INDUSTRIES- NEW DELHI	2990781	56468015	Led Signal Lighting Units for Subsidiary Colour Light Signals Shunt for Railway Signalling to Specification No. RDSO/SPN/153/2023 Revision 5.0 MAKE / BRAND : Self	1	CR:CRD	6029.8	23 Nos.	31-Jan-24
		(FP)			2	CR:CRD	6029.8	22 Nos.	30-May-24
					3	CR:NGP	6029.8	64 Nos.	31-Jan-24
					4	CR:NGP	6029.8	64 Nos.	30-May-24
					5	CR:NGP	6029.8	63 Nos.	27-Sep-24
					6	CR:PUN E	6029.8	40 Nos.	31-Jan-24

		7	CR:PUNE	6029.8	40 Nos.	30-May-24
		8	CR:PUNE	6029.8	41 Nos.	27-Sep-24
		9	CR:BSL	6029.8	26 Nos.	31-Jan-24
		10	CR:BSL	6029.8	25 Nos.	30-May-24
5646N001	Led Signal Lighting Units for Subsidiary Colour Light Signals Shunt for Railway Signalling to Specification No. RDSO/SPN/153/2023 Revision 5.0 MAKE / BRAND : Self					
		11	CR:SIGNAL INSPECTOR WR	6029.8	36 Nos.	01-Mar-24
5646N002	Led Signal Lighting Units for Subsidiary Colour Light Signals Shunt for Railway Signalling to Specification No. RDSO/SPN/153/2023 Revision 5.0 MAKE / BRAND : Self					
		12	CR:SIGNAL INSPECTOR WR	6029.8	17 Nos.	01-Mar-24
5646N003	Led Signal Lighting Units for Subsidiary Colour Light Signals Shunt for Railway Signalling to Specification No. RDSO/SPN/153/2023 Revision 5.0 MAKE / BRAND : Self					
			CR:SIGNAL			

					13	INSPEC TOR WR	6029.8	11 Nos.	01-Mar-24
			5646N004	Led Signal Lighting Units for Subsidiary Colour Light Signals Shunt for Railway Signalling to Specification No. RDSO/SPN/153/2 023 Revision 5.0 MAKE / BRAND : Self					
					14	CR:SIGN AL INSPEC TOR AMF	6029.8	18 Nos.	01-Mar-24
			5647N005	Led Signal Lighting Units for Subsidiary Colour Light Signals Shunt for Railway Signalling to Specification No. RDSO/SPN/153/2 023 Revision 5.0 MAKE / BRAND : Self					
					15	CR:CHIE F SIG.INS PECTOR	6029.8	6 Nos.	01-Mar-24
132	9323568420095 0 dt.01-DEC-23 on M/s.GENSET POWER POINT- JALGAON	1504330	937900530081	BATTERY OPERATED RAIL CHAMFERING MACHINE Brand: EIBENSTOCK POSITRON (Detailed Description/Specif ication as per Product # 1 of GeM Contract No. GEMC- 51168771915464 5 dt.01/12/2023)	1	CR:SE(P WAY) , [STORE S]	88490	17 Nos.	15-Jan-24

		(FP)							
133	9623540210066 4 dt.06-DEC-23 on M/s.A. S. GROUP- BARDHAMAN	1115520 (FP)	6035N001	Battery Operated Motor Trolley for Track Inspection. Detailed Specification is as per Annexure-A enclosed. Make/Brand- M/s A S GROUP	1	CR:SE(P WAY) , [P.WAY DE	557760	2 Nos.	04-Feb-24
134	5623623080194 2 dt.06-DEC-23 on M/s.Principal Chief Materials Manager, CLW, Chittaranjan	2210297 (FP)	230211080010	RESISTOR HARMONIC FILTER FOR WAP-5 AS PER CLWS SPECN.NO.CLW/ ES/3/0307/A	1	CR:REC TIFIER	245588.6	9 Nos.	04-Apr-24
135	9223640410119 3 dt.19-DEC-23 on M/s.AUTOMETE RS ALLIANCE LTD- NOIDA	1166406 (FP)	461500470010	Replacement kit (Festo make PRV to Bechofen) for VCB to M/s.AAL part no. 4300007100/66 consisting of following items (i)Connector assembly for Bechofen PRV as per AAL part no.4300007100/6 9, Qty.-01 no	1	CR:Sr. Section Engineer	29160.16	40 Set	17-May-24

136	9523517120062 1 dt.20-DEC-23 on M/s.CHETAN REFRIGERATION- AMRAVATI	2273860 (FC)	432200360257	usha Drinking Water Cooler 150 litres / hour 150 litres Brand: usha (Detailed Description/Specif ication as per Product # 1 of GeM Contract No. GEMC- 51168778024921 0 dt.08/12/2023)	1	CR:SSE (ELECT. AC) NGP	55460	41 Nos.	06-Feb-24
137	9523540220062 2 dt.20-DEC-23 on M/s.ELECTRO EQUIPMENTS, ROORKEE,HARD WAR	4187300 (FP)	470200015507	Koel Green Electro Power Generator- DG set of 500 AMF Control Panel Brand: Koel Green Electro (Detailed Description/Specif ication as per Product # 1 of GeM Contract No. GEMC- 51168779089654 0 dt.08/12/2	1	CR:SR. S.E.(ELE CT MAINT	4187300	1 Nos.	07-Jan-24

			Nagpur			
5611N003	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of Size 12 Core x 1.5 sq.mm conforming to RDSO Specification No. IRS: S- 63/2014 (Rev 4.0)	6	CR:CSI [C] Kalyan	222234.2	15 KM	19-Jun-24
5611N004	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of Size 12 Core x 1.5 sq.mm conforming to RDSO Specification No. IRS: S- 63/2014 (Rev 4.0)	7	CR:Sr. Section Engineer	221958	31 KM	21-Mar-24
		8	CR:Sr. Section Engineer	221958	31.5 KM	19-Jun-24
5611N005	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of Size 12 Core x 1.5 sq.mm conforming to RDSO Specification No. IRS: S- 63/2014 (Rev 4.0)	9	CR:SIGN AL INSPEC TOR WR	221789.7	12.14 KM	21-Mar-24
		10	CR:SIGN AL	221789.7	12.14 KM	19-Jun-24

			INSPEC TOR WR			
5611N006	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of Size 12 Core x 1.5 sq.mm conforming to RDSO Specification No. IRS: S- 63/2014 (Rev 4.0)	11	CR:Sr. Section Engineer	221514.1	13.75 KM	21-Mar-24
		12	CR:Sr. Section Engineer	221514.1	14 KM	19-Jun-24
5611N007	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of Size 12 Core x 1.5 sq.mm conforming to RDSO Specification No. IRS: S- 63/2014 (Rev 4.0)	13	CR:SIGN AL INSPEC TOR PA	223572.9	23.25 KM	19-Jun-24
5611N008	PVC Insulated Armoured Unscreened Copper Conductor Underground Railway Signaling Cable of Size 12 Core x 1.5 sq.mm conforming to RDSO Specification No. IRS: S- 63/2014 (Rev 4.0)		CR:Sr.Se ction			

					14	Enginner (227637.8	4.88 KM	19-Jun-24
140	5023506010700 8 dt.28-DEC-23 on M/s.DELTON CABLES LTD.- FARIDABAD	95334390	5611N003	Underground Jelly Filled 6 Quad, 0.9 mm Dia Copper Conductor Cable for Railway Signal and Telecom installations conforming to RDSO Specification No. IRS:TC-30/2005 (Ver-1) with Amendment Nos.1 to 5. M	1	CR:Sr. Section Engineer	303728.8	50 KM	27-Feb-24
		(FP)			2	CR:Sr. Section Engineer	303728.8	50 KM	27-Apr-24
					3	CR:Sr. Section Engineer	303728.8	48.88 KM	26-Jun-24
			5611N005	Underground Jelly Filled 6 Quad, 0.9 mm Dia Copper Conductor Cable for Railway Signal and Telecom installations conforming to RDSO Specification No. IRS:TC-30/2005 (Ver-1) with Amendment Nos.1 to 5. M					
					4	CR:Sr. Section Engineer	303728.8	35 KM	27-Feb-24
					5	CR:Sr. Section Engineer	303728.8	45 KM	27-Apr-24
					6	CR:Sr. Section Engineer	303728.8	45 KM	26-Jun-24

			5611N007	Underground Jelly Filled 6 Quad, 0.9 mm Dia Copper Conductor Cable for Railway Signal and Telecom installations conforming to RDSO Specification No. IRS:TC-30/2005 (Ver-1) with Amendment Nos.1 to 5. M					
					7	CR:CSI [C] Kalyan	303728.7	14 KM	27-Feb-24
					8	CR:CSI [C] Kalyan	303728.7	13 KM	27-Apr-24
					9	CR:CSI [C] Kalyan	303728.7	13 KM	26-Jun-24
141	3623503410675 3 dt.12-DEC-23 on M/s.SANTOSHI HYVOLT ELECTRICALS PRIVATE LIMITED- GAUTAM BUDH NAGAR	1898559	409007580016	Catenary wire of standard hard drawn copper conductor of size 242 sq.mm (0.375 sq. inch) 37/2.92 MM (37/0.115") confirming to Central Railway Specn. No. D-89/IRS-E-20/54	1	CR:Sr. Section Engineer	2531412	.75 KM	12-Jun-24
		(FP)							
142	9523549610060 6 dt.12-DEC-23 on M/s.URMILA TECHNO PRIVATE LIMITED- SISAMAU	1699200	673501520019	Universal light weight towing trolley set (Trolley for seized roller bearing of wheels of rolling stock / wheel skate) to specification as per Annexure A.	1	CR:SR.S EC.ENG R/ C&W/ AJ	566400	3 Set	11-Feb-24

		(FP)							
143	9523554510061 5 dt.13-DEC-23 on M/s.NIRMALA CABLE- HOOGHLY	1789470 (FP)	400906550018	ISI Marked Cable size 2 core x 185 Sq. MM.. Alluminium stranded conductor, XLPE insulated ,Galvanized steel wire/ strip , armoured, PVC outer sheathed, suitable for 1100 V grade and confirming to IS s	1	CR:Sr. Section Engineer	397.66	4500 MTR	28-Jan-24
144	0323517920014 5 dt.14-DEC-23 on M/s.VISHNU CABLE INDUSTRIES- DELHI	3211488 (FP)	400904220015	AVERCAB 01 185 2 Aluminium Armoured cable Brand: AVERCAB (Detailed Description/Specif ication as per Product # 1 of GeM Contract No. GEMC- 51168779856089 9 dt.22/11/2023)	1	CR:SEC TION ENG.(CO NST)E	382.32	8400 MTR	20-Feb-24
145	8522559510225 2 dt.14-DEC-23 on M/s.MIKA ENGINEERING INDIA PRIVATE LIMITED- MUMBAI	930902 (FP)	33571235	Foot Step Complete as per RCF Drg. No. CC24112 Alt-b Material and Specification as per drawing.(Time Preference clause shall be applicable)	1	CR:L.V.B . SHOP MTN	5782	161 Nos.	13-Mar-24

146	8523552010225 3 dt.14-DEC-23 on M/s.RAD HYDROMATIC SOLUTIONS- UDUPI	982940 (FP)	4790NNS	Cordless Torque multiplier for Range 400-2000NM as per enclosed specification . Each set consist of 01No. Torque multiplier, 02Nos.Lithium battery, 01 No. charger and 01 no. anti damaging cover. All t	1	CR:TRO LLEY REPAIR SHOP	491470	2 Set	13-Mar-24
147	9223604610117 1 dt.14-DEC-23 on M/s.KRANE MFG INDIA PVT LTD- AMBERNATH	13820160 (FP)	659004940012	Supply, Installation and commissioning of EOT CRANE 25/5 TON.	1	CR:SSE/ C&W/W ADIBUN DER	6910080	2 Nos.	26-Jul-24
148	8023503620679 5 dt.14-DEC-23 on M/s.INDIAN OIL CORPORATION LTD-MUMBAI	55208678 (PC)	921100050060	High Speed Diesel (HSD) Oil confirming to IS: 1460 (Latest Revision), Note : The supply of the products will be subject to deviations/relaxations as may be authorized by MOP & NG from time to time. Ho	1	CR:Sr. Section Engineer	122686	450 KLTR	31-Mar-24

149	9523554810061 6 dt.14-DEC-23 on M/s.RETCO INDIA-JAIPUR	1015272 (FP)	400302490016	: STANDARD ANNEALED COPPER CABLE HIGH CONDUCTIVITY SOLID CONDUCTOR 2CORE X 2.5 SQMM, PVC INSULATED, PVC SHEATHED, UNARMOURED CABLE CONFIRMING TO IS: 1554 (PART- I) /1988 , ELECTRIC CONTROL CABLE FOR	1	CR:Sr. Section Engineer	50.76	2000 0 MTR	13-Feb-24
150	9323573310099 3 dt.15-DEC-23 on M/s.NILE TRADING CORPORATION- NAGPUR	661980 (FP)	20601862064	HYDRAULIC HOSE Part No.: GH 466.20 WP 420 Bar for Plasser Track Machines. Part Make: EATON/AEROQU IP/PARKER/MAR KWEL FIRM OFFER BRAND:- Eaton EC640-20 by danfoss make is accepted.	1	CR:SSE [TMD] BSL	2206.6	300 MTR	14-Jan-24

153	8523645910231 8 dt.20-DEC-23 on M/s.ADVANCE PAINTS PRIVATE LIMITED- MUMBAI	778800 (FP)	771600740013	PEARL LIGHT GREY METALLIC FINISH CONFIRMING TO RDSO SPEC. NO. M&C/PCN/100/20 13 OR Latest. RAL-9022 Note : Time preference clause is applicable	1	CR:PAIN T SHOP MTN	295	2640 LTR	03-Feb-24
154	5223543110689 6 dt.21-DEC-23 on M/s.AGROMACH SPARES CORPORATION- MUMBAI	1443626 (FP)	40402411064	Distance Measuring Wheel Part No.: EL- T2105.00-KPL for CSM 981 machine. Part Make: PLASSER, HSN: 9015	1	CR:SSE [TMD] BSL	1443626	1 Nos.	18-Jun-24
155	9223642610123 3 dt.27-DEC-23 on M/s.DELTON CABLES LTD.- FARIDABAD	1972960	561100210010	DESCRIPTION : PVC INSULATED ARMOURED UNSCREENED COPPER CONDUCTOR UNDERGROUND RAILWAY SIGNALLING CABLE OF SIZE OF 12 CORE X 1.5 SQ MM CONFORMING TO RDSO SPECIFICATION NO.IRS :S- 63/2014(REV.4.0) (INSPECT	1	CR:Sr. Section Engineer	246620	8 KM	25-Feb-24

		(FP)							
156	5623578310205 0 dt.29-DEC-23 on M/s.TIMKEN INDIA LIMITED- NEW DELHI	743400	290500300023	SET OF MAIN GEAR BEARING FOR WAP-5 , AS PER CLW DRG. NO: - 1210- 01.311-021. EACH SET CONSISTS OF TWO ITEMS. (1) L 558548 CONE QTY. = 1 NO (2) L 558510 CUP QTY. = 01 NO (ITEM RESERVED FOR RDSO APPROVED	1	CR:WHE EL SETS AC LOCO W	247800	3 Set	29-Jun-24
		(FP)							
157	9223644610124 2 dt.29-DEC-23 on M/s.TEJAS ENTERPRISES- THANE	992580.6	560408420023	Wheel Sensor RSR 180 with 15 meters cable and protection tube 14.8 mtr. length for Frauscher make MSDAC. Make Frauscher.	1	CR:Sr. Section Engineer	165430.1	6 Nos.	27-Feb-24
		(FP)							