

Depot : All Depots

Section : ALL

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	PO Sr.	Consignee	A.I.Rate	PO Qty	Dely.Dt
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;									
1	62252165101200 dt.03-MAR-25 on M/s.VM ENTERPRISE- MUMBAI	1410853.5	82216056	UNCEMENTED TOTAL HIP REPLACEMENT TRILOCK SYSTEM WITH DELTA CERAMIC INSERT AND HEAD Specifications - 1. Should supply all implants and instrumentation at the time of surgery 2. Firm should be reputed	1	CR:MD /BY	141085.4	10 Nos.	03-May-25
		(FP)							
2	42244280101205 dt.03-MAR-25 on M/s.CORE SUN POWER ENGINEERING PRIVATE LIMITED- FARIDABAD	857718.4	31220113	REAR PLATE FOR SCHAKU COUPLER OF EMU COACHES TO ESCORTS DRG. NO. 40-586-06-3(4) OR EQUIVALENT.	1	CR:MT N	2227.84	232 Nos.	31-Aug-25
		(FP)			2	CR:SN PD	2227.84	153 Nos.	31-Aug-25

3	80242233101207 dt.03-MAR-25 on M/s.PRABHAT CHEMICAL INDUSTRIES-AGRA	955348.29	80014884	Oil Hydraulic to IS-10522/83 Reaffirmed 2019 (Antiwear) with Aniline Point 90 Degree Centigrade Min. in place of Seal Compatibility Test and Min. Pass Load of 9th Stage in FRZ Niemann Test, Gr. VG-68	1	CR:MT N	92.84	3570 LTR	30-Apr-25
		(FP)			2	CR:KY N	92.84	1260 LTR	30-Apr-25
					3	CR:PR	92.84	3570 LTR	30-Apr-25
					4	CR:AC L BSL	92.84	1260 LTR	30-Apr-25
					5	CR:SN PD	92.84	630 LTR	30-Apr-25
4	38244975101218 dt.03-MAR-25 on M/s.ELECTRONIC EQUIPMENT COMPANY PVT.LTD.-KOLKATA	2258048	33569344	4.5 KW Underslung type constant voltage regulated battery charger for LHB coaches as per RDSO Specification No. RDSO/PE/SPEC/AC/0183 (Rev 1) 2018.	1	CR:MT N	282256	4 Nos.	03-Sep-25
		(FP)			2	CR:MT N	282256	4 Nos.	30-Jun-25

[illegible]

		(FP)			2	CR:KY N	493.48	40 Set	04-Jun-25
					3	CR:AC L BSL	493.48	298 Set	04-Jun-25
					4	CR:KA LVA	493.48	24 Set	04-Jun-25
					5	CR:SN PD	493.48	119 Set	04-Jun-25
8	74251002100161 dt.05-MAR-25 on M/s.SOLID INDUSTRIES WORLD-MUMBAI	526752	31547540	LOOK OUT GLASS MADE OF SILICON HARD COATED POLYCARBONATE SHEET AS PER ICF STR NO. ICF/MD/SPEC.159 REV. NO. 01. DATED 05-08-2004 WITH AMENDMENT SLIP NO. 02 DATED 09-11- 2011 AND SIZE OF SHEET IS 1	1	CR:SN PD	17558.4	30 Nos.	19-Apr-25
		(FP)							
9	38243057101288 dt.06-MAR-25 on M/s.R R METAL INDUSTRIES-DELHI	2373452	30636267	Push type flushing valve to ICF Drg. no ICF/SK-6-3-425 alt.- m/7, COL-II. Material and specification as per drawing.	1	CR:MT N	266.68	3000 Nos.	07-Jun-25
		(FP)			2	CR:MT N	266.68	2000 Nos.	30-Aug-25
					3	CR:MT N	266.68	2000 Nos.	31-Dec-25
					4	CR:WB	266.68	1000 Nos.	07-Jun-25
					5	CR:PU NE	266.68	900 Nos.	07-Jun-25

10	42241219101289 dt.06-MAR-25 on M/s.ESCORTS KUBOTA LIMITED- FARIDABAD	2273756.2 (FP)	31352066	POH KIT FOR M/S ESCORTS MAKE EP UNIT TO DRG.NO. 2EP 6325 AS PER SKETCH NO. EMU/MTN/BE/37-R2. [ONE SET CONSISTS OF 38 ITEMS HAVING 44 Nos]	1	CR:MT N	3927.04	111 Set	07-Jun-25
					2	CR:MT N	3927.04	167 Set	31-Oct-25
					3	CR:KA LVA	3927.04	8 Set	07-Jun-25
					4	CR:KA LVA	3927.04	13 Set	31-Oct-25
					5	CR:SN PD	3927.04	112 Set	07-Jun-25
					6	CR:SN PD	3927.04	168 Set	31-Oct-25
11	42251337101330 dt.07-MAR-25 on M/s.ESCORTS KUBOTA LIMITED- FARIDABAD	1211860 (FP)	35390116	Set of items (condition basis) for POH of M/s. Escorts make EP unit to Drg 2EP 6325 as per Sketch No. EMU/MTN/BE/05-R4 (one set consisting of 12 items having total 140 Nos. per set)	1	CR:MT N	46610	14 Set	08-Jun-25
					2	CR:SN PD	46610	12 Set	08-Jun-25

12	18253652101335 dt.07-MAR-25 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.-MUMBAI	761156.64 (FP)	17333064	KIT FOR MODIFIED LP SUCTION VALVE to ELGI Pt.No.072496359 for ELGI make Water Cooled Air Compressor Model No. RR 66101W Firm offer:ELGI MAKE KIT FOR MODIFIED LP SUCTION VALVE PART NO. 072496359 FOR RR	1	CR:DL S KYN	15223.13	50 Nos.	03-Sep-25
13	42253668101345 dt.07-MAR-25 on M/s.SETH TRADERS PRIVATE LIMITED- MUMBAI	2557384.5 (FP)	35880090	5/2 WAY VALVE to M/s PARKER HANNIFIN INDIA PVT.LTD MAKE TO PART No.P2LBX512EEHDDN along with operating coil (110 V DC) and plug in connectors OR M/s SCHUNK PART No. 909010007800 AND SCHUNK DRAWING No.	1	CR:MT N	46497.9	55 Nos.	08-Jun-25

14	38244301101349 dt.07-MAR-25 on M/s.INDIAN RUBBER PRODUCTS- HARIDWAR	964402.2	33500010	Ball Joint Traction Lever to FIAT Drg. No. C53 973 REF BRED 8403 Rev 02 (FF 1521728 MOD 01) to be read with Technical Specification No. 17 532 100 00 Amendment no.1 of June 2019, 17 617 100 02, MDTs-1	1	CR:MT N	955.8	504 Nos.	07-Jun-25
		(FP)			2	CR:MT N	955.8	505 Nos.	30-Aug-25
15	18242127101390 dt.10-MAR-25 on M/s.M/S INSPROS ENGINEERS LIMITED- MANDIDEEP	1899800	17050455	CONTROLLER ASSLY FOR DYNAMIC BRAKE DLW DRG.No.40055299 Alt."Ac" (DLW Pt.No.17050455) Along With All Part Drgs (At CP-3-97) SPEC:- As per drg.	1	CR:GP R PA	237475	4 Nos.	08-Jul-25
		(FP)			2	CR:DL S KYN	237475	4 Nos.	08-Jul-25

[illegible]

[illegible]

20	42251258101480 dt.17-MAR-25 on M/s.ESCORTS KUBOTA LIMITED- FARIDABAD	562724.3	31351529	SET OF RUBBER COMPONENT OF M/s. ESCORTS KUBOTA LIMITED-FARIDABAD Make EP UNIT CONSISTING OF 4 ITEMS FOR PRESSURE LIMITING TO drg. no. 2A-81335 [1] Flat sealing ring 5A - 31340/3- 1 SET [2]DIAPHRAGAM-4	1	CR:VV H	886.18	475 Set	15-Jun-25
		(FP)			2	CR:SN PD	886.18	160 Set	15-Jun-25
21	43251011101478 dt.17-MAR-25 on M/s.PROCONS ENTERPRISE- KOLKATA	1025810.6	45127268	TENSIONING DEVICE ASSEMBLY FOR 25KW TRANSOM MOUNTED ALTERNATOR AS PER RDSO DRG. NO. SKEL- 3940, SHEET-I, ALT-5 AND SHEET-II, ALT-5. THE LENGTH OF ITEM NO.9 I.E. INDICATION PLATE SHALL BE 250MM AND I	1	CR:NG P	3501.06	20 Nos.	18-Jul-25

		(FP)			2	CR:MT N	3501.06	273 Nos.	18-Jul-25
22	27251825101522 dt.18-MAR-25 on M/s.UNITED MOTOR AGENCY - DELHI	669875.38	25100269	Piston assly.for bolster friction device of WAP- 1 and WAP-4 Locos bogie to RDSO drg.no.29.04.06,ALT.6, Ref. no.1. .	1	CR:AC L BSL	2925.22	229 Nos.	31-Oct-25
		(FP)							
23	81243411101540 dt.19-MAR-25 on M/s.R K ENGINEERING CORPORATION- MUMBAI	713664	85011915	Single row deep groove ball bearing No. 6316 with C3 clearance. NOTE:- This item is strictly reserved for procurement from RDSO approved sources only.	1	CR:KY N	3717	72 Nos.	19-Aug-25
		(FP)			2	CR:AC L BSL	3717	120 Nos.	19-Aug-25
24	85251291800508 dt.21-MAR-25 on M/s.NORTHERN RAILWAY HEADQUARTERS,	1203278	33500400	Secondary Spring Outer for Generator Car Side-2 to FIAT Drg. No.1268836 Ver.01R and conforming to RDSO Specification No. RDSO/2017/CG-01 Rev-02 of February 2023 along with RDSO Letter No. SV.FIAT. Spr	1	CR:MT N	57826.9	20 Nos.	29-Jun-25

		(FP)	33504179	SECURITY PLATE FOR CONTROL ARM FITMENT IN FIAT BOGIES AS PER FIAT DRG. NO. 1356259 VER.05. ACCEPTABLE MATERIAL IS AS PER IS SPECF. NO. IS: 6911-1992, GRADE X04Cr19Ni9, ISS 304 S1. specn: FIAT DRG. NO.	2	CR:MT N	23.37	2000 Nos.	29-Jun-25
25	42251593101593 dt.21-MAR-25 on M/s.ADITYA INDUSTRIES-MIRA BHAYANDAR	1071381	31351396	SET OF FITTING ITEMS FOR MR AND BP HOSE PIPES COMPRISING OF : [1] NIPPLE UNION FOR MR HOSE PIPE TO DRG. NO. TEKA/218, QTY-48 NOS. [2] NIPPLE UNION FOR BP HOSE PIPE TO DRG. NO. TEKA/313. QTY-48 NOS. [3]	1	CR:MT N	21427.62	27 Set	21-Jun-25
		(FP)			2	CR:SN PD	21427.62	23 Set	21-Jun-25

26	26251086101607 dt.21-MAR-25 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.-MUMBAI	1362900	27700100	SET OF PROGRAMME SWITCHES OF SIEMENS MAKE. ONE SET COINSISTING OF 13 ITEMS - 13 NOS AS FOLLOWS:[1] HRTPR Switch for H-L transformer. Two positions [0,1] - 3LAO- 250-6YW-013W- 01No. [2] HPH - Oil pump s	1	CR:KY N	136290	10 Set	21-Jun-25
27	56251070800244 dt.21-MAR-25 on M/s.HEAD QUARTER, Gorakhpur	513254.84	11230058	BG LOCO WHEEL 'S' SHAPED TO DRG.NO.D/WL-5060/R (TPL CLOSED 11020374) as per Drg.No. DRG.NO.D/WL- 5060/R	1	CR:AC L BSL	128313.7	4 Nos.	19-Jun-25

[illegible]

		(FP)			2	CR:PR	88.46	3100 Nos.	30-Jun-25
31	38244344101641 dt.24-MAR-25 on M/s.PIONEER NUTS AND BOLTS PVT. LTD.- LUDHIANA	1189440	33670626	Hex. Nut M16 Prevailing Torque Type conforming to Specification DIN6925/DIN980V, IS 1367 : 2020 : Part 8, 10, A3B. This Item should be procured from TVS, TUFF, DFL, UNBRAKO and RDSO approved vendors f	1	CR:MT N	7.93	5000 0 Nos.	25-Jun-25
		(FP)			2	CR:MT N	7.93	5000 0 Nos.	30-Sep-25
					3	CR:LT T	7.93	2500 0 Nos.	25-Jun-25
					4	CR:LT T	7.93	2500 0 Nos.	30-Sep-25
32	38242304101658 dt.25-MAR-25 on M/s.GLOBAL CASTINGS PVT LTD- KOLKATA	25830988	38106401	Narrow jaw adapter for Class E 6 inch x 11 inch CTRB used on freight stock to RDSO Drg. no. WD-89067- S/9, Alt. - 11. Material as per drawing other technical requirements confirming to RDSO specificat	1	CR:WA GON/B SL	1467.92	2129 Nos.	30-Jun-26
		(FP)			2	CR:KW V	1467.92	2642 Nos.	26-Jun-25
					3	CR:KW V	1467.92	2642 Nos.	31-Oct-25
					4	CR:KW V	1467.92	2642 Nos.	28-Feb-26
					5	CR:KW V	1467.92	2642 Nos.	30-Jun-26
					6	CR:BD	1467.92	1200 Nos.	26-Jun-25

					7	CR:BD	1467.92	1200 Nos.	31-Oct-25
					8	CR:SS E/C&W)DD	1467.92	2500 Nos.	26-Jun-25
33	38243382101660 dt.25-MAR-25 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED-HOSUR	11732032	33501427	Standardized Brake Disc for Axle Mounted Disc Brake System for LHB FIAT Bogie to RDSO Drawing No. CG- 15066, Alt.1 and conforming to RDSO Specification No. RDSO/2017/CG-02, Rev.2, corrigendum 1 of June	1	CR:MT N	28202	72 Nos.	26-Jun-25
		(FP)			2	CR:MT N	28202	72 Nos.	30-Sep-25
					3	CR:MT N	28202	48 Nos.	31-Dec-25
					4	CR:MT N	28202	48 Nos.	31-Mar-26
					5	CR:C WM WHEEL SHOP	28202	88 Nos.	31-Dec-25
					6	CR:C WM WHEEL SHOP	28202	88 Nos.	31-Mar-26
34	38244335101663 dt.25-MAR-25 on M/s.YASHODA INDUSTRIES- AHMEDNAGAR	1148564.8	33577791	Snack table with bottle holder for LHB AC-2 tier and AC-3 tier coaches to RCF Drg. no. LW64218, Alt-g, colour of snack table & bottle holder should be blue. Material and specification as per drawing.	1	CR:MT N	1248.44	280 Nos.	26-Aug-25

		(FP)			2	CR:LT T	1248.44	640 Nos.	26-Aug-25
35	38253431101667 dt.25-MAR-25 on M/s.M S CHAIN INDUSTRIES- HOWRAH	791780	30051022	Pin for Bolster Spring Suspension to ICF Drg. No. T-0-5-637, Alt.p/12 & C.Rly. Alt-A. Material and Specification as per drawing.	1	CR:MT N	197.95	4000 Nos.	25-Aug-25
		(FP)							
36	27243107101668 dt.25-MAR-25 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.-MUMBAI	2044314.6	29718247	AOH REPLACEMENT KIT (AS PER PT.NO. 5510740) FOR SINGLE BOTTLE VCB OF M/S. SCHNEIDER ELECTRIC TYPE 22 CB ONE KIT COMPRISING OF 15 ITEMS AS PER ANNEXURE attached. Accepted offer: AOH REPLACEMENT KIT FOR	1	CR:KY N	25877.4	32 Set	30-Jun-25
		(FP)			2	CR:AC L BSL	25877.4	47 Set	30-Jun-25

37	18252218101671 dt.25-MAR-25 on M/s.PIONEER FIL- MED PVT LTD-NEW DELHI	768593.4	16240390	Spin-on Fuel Filter to RDSO DRG. No. SK. DP- 3676 Alt."2" Along with all part drgs, (EMD No.8423132) RDSO SPEC. No.MP.0.2600.19 (Rev.02) JAN -2022 ,Testing of Filter Paper as per MP.TP.23 (Rev.00) Ju	1	CR:GP R PA	3713.01	155 Nos.	25-Jun-25
		(FP)			2	CR:DL S KYN	3713.01	52 Nos.	25-Jun-25
38	42251458101679 dt.25-MAR-25 on M/s.ALVIND INDUSTRIES- CHANDIGARH	571415	31101630	Bogie Bolster for AC/DC EMU Air Suspension Coaches to ICF Drg. No. DMU/DPC10-0-4-001 sheet-1 and 2, Alt-h/Nil. Material and specification: RDSO Spec. No. C-9202 Rev.2	1	CR:MT N	114283	5 Nos.	31-Oct-25
		(FP)							

39	41241009101701 dt.27-MAR-25 on M/s.B. KHANDELWAL METAL CORPORATION- MUMBAI	3214792 (FP)	43010489	Disconnecting and earthing device, 8 pole, 2 way, without OFF, ON LOAD 125A 1000V AC, 2 NO +2NC and with heavy-duty handle, & pad locking arrangement in off position, mounted in a stainless steel encl	1	CR:MT N	57407	28 Nos.	30-Jun-25
					2	CR:MT N	57407	28 Nos.	30-Nov-25
40	27253964101723 dt.27-MAR-25 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED-HOSUR	61348200 (FP)	29185014	DISC BRAKE ARRANGEMENT COMPLETE, WHEEL MOUNTED BRAKE DISCS FOR WAP-5, DRG. NO.IA011-00154 SHEET NO.1 & 2 ALT-4, IA011-00203 ALT-1. Accepted offer as per firms offer:DISC BRAKE ARRANGEMENT COMPLETE, WH	1	CR:AC L BSL	6134820	4 Set	27-Jun-25
					2	CR:AC L BSL	6134820	3 Set	30-Sep-25
					3	CR:AC L BSL	6134820	3 Set	30-Nov-25

[illegible]

43	42240001101221 dt.03-MAR-25 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI	8928175	31902273	BEARING SHIELD DE SIDE (END SHIELD) FOR SIEMENS MAKE TRACTION MOTOR TYPE 1 TB-2022- 0TA03. AS PER SIEMENS HAND BOOK PART NO. 4.10, MATERIAL NO.A5E00305175A/ A5E00305175.	1	CR:MT N	178563.5	25 Nos.	03-Aug-25
		(FP)			2	CR:MT N	178563.5	25 Nos.	31-Dec-25
44	41241009101702 dt.27-MAR-25 on M/s.TECHNOTREN DZ SOLUTIONS PRIVATE LIMITED- FARIDABAD	1033326	43010489	Disconnecting and earthing device, 8 pole, 2 way, without OFF, ON LOAD 125A 1000V AC, 2 NO +2NC and with heavy-duty handle, & pad locking arrangement in off position, mounted in a stainless steel encl	1	CR:MT N	57407	18 Nos.	30-Nov-25
		(FP)							

45	63251012800060 dt.27-MAR-25 on M/s.PLW/Patiala, Patiala	1724972 (FP)	41091103	SILICON IMPREGNATING RESIN WACKER SILRES H62C OR EQUIVALENT. as per Drg.No. NIL specn: NIL	1	CR:TM W	4312.43	400 Kgs.	26-May-25
46	27244585101711 dt.27-MAR-25 on M/s.BLACKSTONE DIESEL-JODHPUR	1822215 (FP)	25160436	M-12/AOH KIT (AS 882) FOR AIR DRYER OF M/S. TRIDENT MAKE USED IN AC LOCOS. AIR DRYER MODEL NO. LD 2000122 ONE SET CONSIST OF 06 ITEMS 06 NOS. AS PER ANNEXURE ATTACHED	1	CR:AC L BSL	20945	27 Set	31-Aug-25
					2	CR:GP R PA	20945	20 Set	31-Aug-25
					3	CR:AQ	20945	40 Set	31-Aug-25
47	27253231101727 dt.27-MAR-25 on M/s.CONTRANSYS PRIVATE LIMITED- KOLKATA	20402200 (FP)	25880068	PANTOGRAPH FOR 3 PHASE LOCOMOTIVES ALONG WITH SERVO MOTOR AND ACCESSORIES AS PER CLW SPECIFICATION NO. CLW/ES/P-5 ALT-F. Accepted offer: Pantograph Type IR- 03H to Contransys Drawing No.C03H001 Rev.4 f	1	CR:KY N	392350	5 Nos.	27-Jun-25
					2	CR:KY N	392350	5 Nos.	30-Sep-25

[illegible]

50	41241497101751 dt.30-MAR-25 on M/s.VENUS ELECTRONICS AND CONTROLS PVT LTD-MUMBAI	3708886.3	40206828	POLYIMIDE COVERED COPPER CONDUCTOR DIMENSION OF BARE COPPER SIZE 1.4 plus/minus 0.03MM X 5.50 plus/minus 0.04MM AND CORNER RADIUS 0.60 plus/minus 0.10MM, DIMENSION OVER 1/2 POSITIVE LAP [51 PERCENT TO	1	CR:TM W	3780.72	490 Kgs.	31-May-25
		(FP)			2	CR:TM W	3780.72	491 Kgs.	30-Nov-25
51	61241075101272 dt.05-MAR-25 on M/s.K ENTERPRISES- MUMBAI	6448624 (PC)	82028760	INJ SECUKINUMAB 150 MG/ML (SCAPHO) MAKE / BRAND : Scapho Inj 150mg	1	CR:MD /BY	15652	155 Nos.	06-Mar-26
					2	CR:DR H/BSL	15652	20 Nos.	06-Mar-26
					3	CR:DR H/Pune	15652	12 Nos.	06-Mar-26
					4	CR:DR H/KYN	15652	210 Nos.	06-Mar-26
					5	CR:DR H/SUR	15652	15 Nos.	06-Mar-26
52	70253421101285 dt.05-MAR-25 on M/s.BALAJI INDUSTRIES- KOLKATA	704991 (FP)	73324395	PIN SPLIT COTTER STEEL 10 MM X LENGTH 112 MM TO IS:549/2005. firm offer:- Make/Brand :BI	1	CR:CR D	413	93 HDS	03-Jun-25
					2	CR:MT N	413	888 HDS	03-Jun-25
					3	CR:VV H	413	51 HDS	03-Jun-25
					4	CR:WB	413	454 HDS	03-Jun-25
					5	CR:SN PD	413	28 HDS	03-Jun-25
					6	CR:PU NE	413	45 HDS	03-Jun-25

					7	CR:NG P	413	148 HDS	03-Jun-25
53	42253665101290 dt.06-MAR-25 on M/s.ESCORTS KUBOTA LIMITED- FARIDABAD	2449014.5	31356813	SET OF VALVES FOR M/s ESCORTS MAKE EP UNIT FITTED IN SIEMENS/BT/MEDHA/ AC BHEL/MEMU RAKES. COMPRISING OF: 1- PRESSURE LIMITING VALVE (ADDITIONAL LIMITING VALVE SET AT 1.2 KG/CM2) TO M/s ESCORTS DRG No.	1	CR:MT N	111318.8	22 Set	05-Jun-25
		(FP)							
54	61241961101299 dt.06-MAR-25 on M/s.SPAN ENTERPRISES- MUMBAI	980194.2	82010559	TAB ENTERIC COATED ACETYL SALICYLIC ACID 150 MG MAKE / BRAND : Ecosprin 150mg - LL mfg	1	CR:MD /BY	0.69	3500 0 Nos.	06-May-25
		(FP)			2	CR:MD /BY	0.69	3500 0 Nos.	03-Sep-25
					3	CR:DR H/BSL	0.69	3000 00 Nos.	06-May-25
					4	CR:DR H/BSL	0.69	3000 00 Nos.	03-Sep-25
					5	CR:DR H/Pune	0.69	5000 0 Nos.	06-May-25
					6	CR:DR H/Pune	0.69	5000 0 Nos.	03-Sep-25
					7	CR:DR H/KYN	0.69	1750 00 Nos.	06-May-25
					8	CR:DR H/KYN	0.69	1750 00 Nos.	03-Sep-25
					9	CR:DR H/SUR	0.69	7078 5 Nos.	06-May-25

					10	CR:DR H/SUR	0.69	7078 5 Nos.	03-Sep-25
					11	CR:DR H/NGP	0.69	7500 0 Nos.	06-May-25
					12	CR:DR H/NGP	0.69	7500 0 Nos.	03-Sep-25
55	41243977101327 dt.06-MAR-25 on M/s.S.M.SHAH AND CO-MUMBAI	3498493.5	47060013	Traction Motor speed sensor fitted with cable having operating temperature: 0 degree C to + 120 degree C, Supply voltage : 15VDC (+/- 5%) Current consumption: 80mA, Protection class IP68, As per JAQU	1	CR:MT N	139939.7	4 Nos.	07-Sep-25
		(FP)			2	CR:VV H	139939.7	21 Nos.	07-Sep-25
56	38251859101415 dt.12-MAR-25 on M/s.AND HITECH INDUSTRIES LIMITED-KOLKATA	37717035	33501889	Non-Asbestos Based Organic Brake Pad, 400 sq.cm. and 35 mm thickness in two halves (one RH & one LH) of 200 sq.cm. each for LHB coaches as per RDSO Specification No. RDSO/2013/CG- 01, Rev-01 of April 2	1	CR:MT N	1990.66	2000 Set	13-Jun-25
		(FP)			2	CR:MT N	1990.66	1369 Set	31-May-25
					3	CR:LT T	1990.66	2578 Set	13-Jun-25
					4	CR:PU NE	1990.66	3000 Set	13-Jun-25

					5	CR:PU NE	1990.66	1000 Set	30-Sep-25
					6	CR:PU NE	1990.66	1000 Set	31-Mar-26
					7	CR:BS L	1990.66	2000 Set	13-Jun-25
					8	CR:NG P	1990.66	2000 Set	13-Jun-25
					9	CR:SU R	1990.66	2000 Set	13-Jun-25
					10	CR:SU R	1990.66	1200 Set	30-Sep-25
					11	CR:SU R	1990.66	800 Set	31-Mar-26
57	27253721101436 dt.12-MAR-25 on M/s.ELIXIR ENGINEERING- BANGALORE	2124000 (FP)	29695028	PRIMARY VOLTAGE TRANSFORMER AS PER CLW SPECN. NO. CLW/ES/3/0009 ALT-C.	1	CR:KY N	265500	1 Nos.	15-Mar-25
					2	CR:AC L BSL	265500	1 Nos.	15-Mar-25
					3	CR:AC L BSL	265500	2 Nos.	30-Sep-25
					4	CR:GP R PA	265500	2 Nos.	12-Jun-25
					5	CR:AQ	265500	2 Nos.	12-Jun-25
58	75252120101503 dt.17-MAR-25 on M/s.SHREE RUBBER WORKS- THANE	1522709.8 (FP)	75324337	Neoprene Rubber sheets width 1 meter (one meter) x thickness 1.5mm, running length as per CLW Specification No.CLW/ES/R-24/D	1	CR:KY N	207.68	790 Kgs.	18-May-25
					2	CR:AC L BSL	207.68	6542 Kgs.	18-May-25

59	38253533101518 dt.18-MAR-25 on M/s.MELBROW ENGINEERING WORKS PVT. LTD.- KOLKATA	2382361	38143008	Brake Beam complete to RDSO Drg. no. WD-89033-S-01, Alt. 24. Material and specification confirming to RDSO specification WD-21-CASNUB-22NLB Bogie-93, Rev. 02 of July 2002, read with all amendments, la	1	CR:WAGON/B SL	8791	90 Nos.	17-Apr-25
		(FP)			2	CR:WAGON/B SL	8791	181 Nos.	29-Nov-25
60	38253185101519 dt.18-MAR-25 on M/s.S A AIR INDUSTRIES- THANE	1407426.1	30566680	Grill Arrangement to ICF Drg. No. ICF/STD-5-6-015, Alt-h/Nil, Col-I. Material and Specification as per drawing.	1	CR:MTN	474.36	1484 Nos.	19-Jul-25
		(FP)			2	CR:MTN	474.36	1483 Nos.	30-Oct-25
61	18253489101583 dt.20-MAR-25 on M/s.MACO CORPORATION INDIA PRIVATE LTD- Kolkata	670617.6	17480140	Gasket cover plate for GD Make Water Cooled Air Compressor Model No. WLNABB to GD part No.321 WLN 715 EMD Pt.No.40050778 Firm offer:GARDNER DENVER USA make	1	CR:GP R PA	9062.4	30 Nos.	02-Jun-25

		(FP)			2	CR:DL S KYN	9062.4	44 Nos.	02-Jun-25
62	62244710101587 dt.20-MAR-25 on M/s.SUN MEDICAL SYSTEMS-MUMBAI	862444.8	82471472	Abbott HDL Reagent.1440 tests of Abbott HDL MAKE / BRAND : Abbott	1	CR:MD /BY	27820.8	31 Nos.	21-Mar-26
		(FP)							
63	62254711101588 dt.21-MAR-25 on M/s.SUN MEDICAL SYSTEMS-MUMBAI	643125	82471307	Abbott Vitamin B12 Reagent .500 tests of Abbott Vitamin B12 in one pack MAKE / BRAND : Abbott	1	CR:MD /BY	32156.25	20 Nos.	22-Mar-26
		(FP)							
64	27251902101627 dt.24-MAR-25 on M/s.VERSATILE- HOWRAH	1835785	25128024	CENTRE BLOCK FOR WAG-7 LOCO. AS PER RDSO DRG. NO: SK.VL294 REF. NO:3.	1	CR:KY N	14455	20 Nos.	24-Jun-25
		(FP)			2	CR:AC L BSL	14455	107 Nos.	24-Jun-25

65	62253872101654 dt.25-MAR-25 on M/s.PARSHVA MEDICARE PRIVATE LIMITED-MUMBAI	864517.5 (FP)	82269078	Titanium mesh cage expandable 12mm SPECIFICATIONS:- - USFDA/CE/BIS approved for thoracic fixation -Must be compatible with computer navigation - Company should provide tubular system for minimally i	1	CR:MD /BY	57634.5	10 Nos.	25-May-25
					2	CR:DR H/Pune	57634.5	5 Nos.	25-May-25
66	38253511101664 dt.25-MAR-25 on M/s.V.T. COTTAGE INDUSTRIES-JALANDHAR	4071811.5 (FP)	30020724	Collar for Direct Mounted Roller Bearing Arrangement to ICF Drg. No. T-0-2-628 Alt-f/4. Material and Specification as per drawing.	1	CR:MT N	582.44	3496 Nos.	26-Jun-25
					2	CR:MT N	582.44	3495 Nos.	31-Aug-25

[illegible]

69	62253733101705 dt.27-MAR-25 on M/s.SHRI NIJANANDI DISTRIBUTORS- JALGAON	515660 (FP)	82241067	KIT REACTION MODULES FOR CLIA MAGLUMI 800 (SNIBE) MAKE / BRAND : SNIBE	1	CR:DR H/BSL	10313.2	30 Nos.	27-May-25
					2	CR:DR H/Pune	10313.2	20 Nos.	27-May-25
70	80243261701749 dt.28-MAR-25 on M/s.INDIAN OIL CORPORATION LTD- MUMBAI	806382.5 (FP)	80030130	AAR approved/RDSO approved Grease for cartridge Taper Roller Bearings of Freight stock conforming to RDSO specification No. WD-24-Misc.2003 (Revision-1) Exxon Arapen RB-320 of M/s Exxon Mobil Shell EP	1	CR:KW V	418.9	1925 Kgs.	31-Mar-26
71	61241756101196 dt.01-MAR-25 on M/s.SPAN ENTERPRISES- MUMBAI	902040.32 (FP)	82027043	PNEUMOCOCCAL POLYSACCHARIDE CONJUGATE VACCINE 13 VALENT ABSORBED INJ Make / Brand : PREVENAR 13 PFS	1	CR:MD /BY	3006.8	75 Nos.	01-May-25
					2	CR:MD /BY	3006.8	75 Nos.	29-Aug-25
					3	CR:DR H/BSL	3006.8	15 Nos.	01-May-25
					4	CR:DR H/BSL	3006.8	15 Nos.	29-Aug-25
					5	CR:DR H/Pune	3006.8	13 Nos.	01-May-25
					6	CR:DR H/Pune	3006.8	12 Nos.	29-Aug-25
					7	CR:DR H/KYN	3006.8	38 Nos.	01-May-25

					8	CR:DR H/KYN	3006.8	37 Nos.	29-Aug-25
					9	CR:DR H/NGP	3006.8	10 Nos.	01-May-25
					10	CR:DR H/NGP	3006.8	10 Nos.	29-Aug-25
72	38243778101203 dt.03-MAR-25 on M/s.MAGOO ENGINEERING SERVICES-MUMBAI	1109803.5 (FP)	30646005	Stainless steel swivel type coat hook (Three pronged) to ICF Drg. no. ICF/STD-6-4-010, Alt. - r/2. Material and specification as per drawing.	1	CR:MT N	76.16	1457 2 Nos.	31-Oct-25
73	10241580101226 dt.03-MAR-25 on M/s.ATUL ENGINEERING UDYOG PRIVATE LIMITED-AGRA	9698184 (FP)	11663236	LONG LIFE LOCO SIDE BUFFER ASSLY. (CAPACITY 30 Kj Minimum) to RDSO. DRG. No. SK.DL. 4748 Alt. "1" (Along with all part drgs) RDSO.Spec.No.MP.0.4 1.00.03 (Rev.02) AUG.2022	1	CR:KY N	53878.8	8 Nos.	30-May-25
					2	CR:AC L BSL	53878.8	61 Nos.	30-May-25
					3	CR:AC L BSL	53878.8	61 Nos.	30-Aug-25
					4	CR:CL A	53878.8	1 Nos.	30-May-25
					5	CR:GP R PA	53878.8	19 Nos.	30-May-25
					6	CR:DL S KYN	53878.8	23 Nos.	30-May-25
					7	CR:AQ	53878.8	7 Nos.	30-May-25

74	38244309101238 dt.04-MAR-25 on M/s.G.B. SPRINGS PRIVATE LIMITED- DEHRADUN	11114420 (FP)	33500691	Secondary Spring (Outer) for LHB Non- AC Coaches to RCF Drg. No. LG05101, Alt- c and conforming to RDSO Spec. No. RDSO/2017/CG-01 Rev. 02 of February 2023. RDSO L. No. SV.FIAT. Spring dated 11-06-2019.	1	CR:MT N	55572.1	50 Nos.	05-Jun-25
					2	CR:MT N	55572.1	50 Nos.	31-May-25
					3	CR:LT T	55572.1	50 Nos.	05-Jun-25
					4	CR:LT T	55572.1	50 Nos.	31-May-25
75	42253453101331 dt.07-MAR-25 on M/s.HARI NARAYAN BIHANI- JAIPUR	1279205 (FP)	31010349	GUIDE BUSH FOR AXLE BOX GUIDE ARRANGEMENT MOTOR BOGIE DRG. NO. RDSO SK 85242 ALT-1. ITEM NO. 1. MATERIAL AND SPECIFICATION AS PER DRAWING.	1	CR:MT N	228.92	1871 Nos.	30-May-25
					2	CR:SN PD	228.92	3717 Nos.	30-May-25

78	93251013200290 dt.11-MAR-25 on M/s.ASIAN SALES CORPORATION- NASHIK	999900	79315604	BUFFER Safety Footwear Class I (Footwear made from leather and other materials, excluding all- rubber or all-polymeric footwear) for Men Brand: BUFFER (Detailed Description/Specificatio n as per Product	1	CR:BS L	1111	900 Pairs	25-Mar-25
79	62244079101424 dt.12-MAR-25 on M/s.PARESH PHARMACEUTICAL DISTRIBUTORS- THANE	712314.4 (FP)	82122933	DISPOSABLE - I.V.SETS STERILE MAKE / BRAND : Mfg.Savhar Surgical Pvt Ltd	1	CR:MD /BY	4.58	6000 0 Nos.	12-May-25
					2	CR:DR H/BSL	4.58	3000 0 Nos.	12-May-25
					3	CR:DR H/Pune	4.58	9000 Nos.	12-May-25
					4	CR:DR H/KYN	4.58	2000 0 Nos.	12-May-25
					5	CR:DR H/SUR	4.58	2000 0 Nos.	12-May-25
					6	CR:DR H/NGP	4.58	1650 0 Nos.	12-May-25
80	18252172101475 dt.13-MAR-25 on M/s.V FLEX BELLOWS PVT.LTD- VADODARA	758268	16240777	EXPANSION JOINT ASSLY. To BLW DRG. No. 8408985 Alt. "jf" (DLW Pt.No.16240777) Along with part drgs. ALL DRGS: SPEC: AS PER DRG.	1	CR:DL S KYN	42126	9 Nos.	11-Jun-25

		(FP)			2	CR:GP R PA	42126	9 Nos.	11-Jun-25
81	48241143100276 dt.15-MAR-25 on M/s.NJR INGENIUM PRIVATE LIMITED- EAST DELHI	1116752	80036028	EXXON ARPEN RB- 320 GREASE FOR SUSPENSION TUBE BEARINGS OF GM/EMD LOCOMOTIVES. EXXON ARPEN RB- 320 GREASE, Make ExxonMob	1	CR:PR	767	1456 Kgs.	14-Apr-25
		(FP)							
82	27252750101486 dt.17-MAR-25 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED-HOSUR	2031138.7	25168034	C-3W Distributor Valve complete without pipe bracket control reservoir and isolating cock to RDSO Drg. No. SKDP 4162 & Spec. No.MP.0.01.00.15 Rev- 03 April 2024. Each unit should be embossed/engraved w	1	CR:KY N	112841	1 Nos.	31-Aug-25
		(FP)			2	CR:AC L BSL	112841	17 Nos.	31-Aug-25

83	27244793101490 dt.17-MAR-25 on M/s.HIND RECTIFIERS LIMITED-MUMBAI	1036800	29811028	ROOF MOUNTED AIR CONDITIONING SYSTEM WITHOUT TROUGH TO SPECN NO. RDSO/2007/EL/SPEC/0055 REV 2. Warranty Period: 30 Months after the date of delivery.	1	CR:AC L BSL	207360	2 Nos.	17-Jun-25
		(FP)			2	CR:AC L BSL	207360	3 Nos.	31-Aug-25
84	62244091101492 dt.17-MAR-25 on M/s.SYS MEDTECH INTERNATIONAL PRIVATE LIMITED-MUMBAI.	617400	82128080	DISTAL ANTEROLATERAL PERIATICULAR LOCKING TIBIAL PLATE 3.5MM ANY LENGTH L/R WITH REQUIRE LOCKING AND NON LOCKING SCREWS MAKE / BRAND : AOSYS PVT LTD	1	CR:MD /BY	29400	5 Nos.	17-May-25
		(FP)			2	CR:MD /BY	29400	5 Nos.	13-Nov-25
					3	CR:DR H/Pune	29400	3 Nos.	17-May-25
					4	CR:DR H/Pune	29400	2 Nos.	13-Nov-25
					5	CR:DR H/KYN	29400	3 Nos.	17-May-25
					6	CR:DR H/KYN	29400	3 Nos.	13-Nov-25
85	38254314101505 dt.18-MAR-25 on M/s.SHASWAT STEEL WORKS PRIVATE LIMITED-MUMBAI	2207486.2	33524026	Gang Way Bridge Mounting Assembly to Alstom Drg. No1.10113.0.24.120.00 1 alt-'B'. Material And Specification As Per Drawing.	1	CR:MT N	4423.82	127 Nos.	19-May-25
		(FP)			2	CR:MT N	4423.82	127 Nos.	31-Jul-25

					3	CR:LT T	4423.82	99 Nos.	19-May-25
					4	CR:LT T	4423.82	98 Nos.	31-Jul-25
					5	CR:WB	4423.82	24 Nos.	19-May-25
					6	CR:WB	4423.82	24 Nos.	31-Jul-25
86	38250340101520 dt.18-MAR-25 on M/s.INDO RAIL ENGINEERING SYSTEMS PVT.LTD.- MOHALI	1497951	33640580	FEEDER JUNCTION BOX FOR LHB EOG AC/Non AC Coaches with Bio Toilet confirming to RCF Specification EDTS 328, Rev C, Corr 5, AM 7. Scope of Supply as per Annexure A for TYPE 2 LHB Coaches with Bio Toile	1	CR:MT N	71331	3 Nos.	19-May-25
		(FP)			2	CR:MT N	71331	3 Nos.	31-Jul-25
					3	CR:LT T	71331	8 Nos.	19-May-25
					4	CR:LT T	71331	7 Nos.	31-Jul-25
87	42243696101579 dt.20-MAR-25 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.-MUMBAI	4166049.6	31934304	IOH KIT FOR ELGI MAKE COMPRESSOR TYPE RR15070. ELGI PART NO.07240209 AS PER ANNEXURE ENCLOSED EACH KIT CONSISTS OF 34 ITEMS, 73 NOS.	1	CR:MT N	143656.9	13 Set	21-Sep-25

		(FP)	3.508E+11	IOH kit for ELGI Make compressor type RR15070 ELGI Part no: 072420209. As per annexure enclosed. Each kit consisting of 34 items 73 Nos. [Material TC required from OEM/NABL approved Lab & WC required					
					2	CR:SS E/ POH Maintenance	143656.9	16 Set	21-Sep-25
88	18242147101582 dt.20-MAR-25 on M/s.B K ENGINEERING WORKS-HOWRAH	523920	17020580	SLACK ADJUSTER ASSLY. to EMD DRG. No. 40059286, Alt. "c" (DLW PT. No.17020580) (Sh 1 of 3), Consisting of 08 Parts as following:- DRGS:- Attached At CP. 3-11 1)Tube Asm.1764 to EMD Pt. No. 40059286 (	1	CR:GP R PA	14160	9 Nos.	19-May-25
		(FP)			2	CR:DL S KYN	14160	28 Nos.	19-May-25

89	62244086101620 dt.24-MAR-25 on M/s.SAHIL ENTERPRISES- THANE	1087800	82251253	TITANIUM LCP distal radius 2.4MM VARIABLE ANGLE VOLAR plate SET OF 1 PLATE + 6 LOCKING SCREWS - IMPORTED, INTERCHANGEABLE SIZE (OR AS PER SPECIFICATION) Make: Meril	1	CR:MD /BY	29400	10 Nos.	25-Mar-26
		(FP)			2	CR:DR H/BSL	29400	2 Nos.	25-Mar-26
					3	CR:DR H/Pune	29400	10 Nos.	25-Mar-26
					4	CR:DR H/KYN	29400	15 Nos.	25-Mar-26
90	10251334101655 dt.25-MAR-25 on M/s.SURESH SYNTH CHEM INDUSTRIES PRIVATE LIMITED- MUMBAI	990545.1	11328472	AIR BRAKE HOSE COUPLING FOR FEED PIPE DLW DRG. No. TPL- 0687 Alt. "j" (DLW Pt.No.11328472) (For item No. 6, "Thread protection cap" thickness shall be 3.5 mm to 4.0 mm and red in colour.)	1	CR:PR	1728.7	10 Nos.	31-May-25
		(FP)			2	CR:CL A	1728.7	60 Nos.	31-May-25
					3	CR:GP R PA	1728.7	318 Nos.	31-May-25
					4	CR:DL S KYN	1728.7	185 Nos.	31-May-25

91	27254700101214 dt.03-MAR-25 on M/s.PEARL ENGINEERING CO.- NEW DELHI	1073800	29945320	SET OF ROTOR STAMPINGS FOR 3 PHASE 6 FXA 7059.EACH SET CONSISTING OF FOLLOWING ITEMS. 1]ROTOR MAIN STAMPING AS PER SPECIFICATION NO..4TMS.096.053 REV-2 ALT-11 AND DRAWING NO.2TWD.097.002 ALT.5 REF.1 Q	1	CR:TM W	82600	13 Set	03-Sep-25
		(FP)							
92	38244975101216 dt.03-MAR-25 on M/s.IC ELECTRICALS COMPANY PRIVATE LIMITED- NEW DELHI	3387072	33569344	4.5 KW Underslung type constant voltage regulated battery charger for LHB coaches as per RDSO Specification No. RDSO/ PE/SPEC/AC/0183 (Rev 1) 2018.	1	CR:MT N	282256	6 Nos.	30-Jun-25
		(FP)			2	CR:MT N	282256	6 Nos.	03-Sep-25

93	43251015101291 dt.06-MAR-25 on M/s.ORIENTAL INSULATORS- FARIDABAD	1293870	45138643	BATTERY CHARGING SOCKET AND FUSE BOX COMPLETE WITH ITEM NO. 1 & 3 TO 9 OF ICF DRG. NO. WFC-2-7.1-205 AND ITEM NO. 2 (FUSE ARRANGEMENT) AS PER DY. CEE [G] MTN DRG. NO. ETL-456 R2. FUSE SHOULD BE M/s.	1	CR:MT N	3044.4	425 Nos.	06-Jul-25
		(FP)							
94	61241280101300 dt.06-MAR-25 on M/s.SMPL LIFE SCIENCES PRIVATE LIMITED-NEW DELHI	863938.88	82011369	TAB PANTOPRAZOLE 40 MG MAKE/BRAND: PPP.GENRIC	1	CR:MD /BY	0.92	2000 00 Nos.	06-May-25
		(FP)			2	CR:MD /BY	0.92	2000 00 Nos.	03-Sep-25
					3	CR:DR H/BSL	0.92	2500 0 Nos.	06-May-25
					4	CR:DR H/BSL	0.92	2500 0 Nos.	03-Sep-25
					5	CR:DR H/Pune	0.92	1500 0 Nos.	06-May-25
					6	CR:DR H/Pune	0.92	1500 0 Nos.	03-Sep-25
					7	CR:DR H/KYN	0.92	1550 00 Nos.	06-May-25
					8	CR:DR H/KYN	0.92	1550 00 Nos.	03-Sep-25
					9	CR:DR H/SUR	0.92	1535 0 Nos.	06-May-25
					10	CR:DR H/SUR	0.92	1535 0 Nos.	03-Sep-25

					11	CR:DR H/NGP	0.92	6000 0 Nos.	06-May-25
					12	CR:DR H/NGP	0.92	6000 0 Nos.	03-Sep-25
95	38251246101334 dt.07-MAR-25 on M/s.ADITYA INDUSTRIES-MIRA BHAYANDAR	1780018.2 (FP)	30427617	Body Side Panel Plate to MTN MISC-SK-2952, Alt-6, Ref-1. Material and specification as per drawing.	1	CR:MT N	1603.62	555 Nos.	08-Jun-25
					2	CR:MT N	1603.62	555 Nos.	30-Nov-25
96	18243672101346 dt.07-MAR-25 on M/s.VENUS ENTERPRISES- GHAZIABAD	695019.77 (FP)	18311192	Switch Rotary 50 Amp. C32IN1493-601EF, for Classification Light Switch in Siemens Controlled HHP Locomotives to Siemens Part No.104494776 or to Kraus & Naimer Part No. C32IN1493-601EF Firm offer:KRAU	1	CR:GP R PA	36579.99	4 Nos.	07-Jul-25
					2	CR:DL S KYN	36579.99	15 Nos.	07-Jul-25

97	85251013100567 dt.26-MAR-25 on M/s.SUJAN INDUSTRIES- PALGHAR	2874480	33500060	Axle Box Pivot Bush with solid or hollow pin construction for FIAT Bogie to Drg. No. 1247488 Alt-a R1 to be read with Tech. Spec. No. 17.359 100 03, 17.617 100 02 and MDTS-148 Rev.01 & MDTS-122 Rev.03	1	CR:MT N	5133	560 Nos.	25-Apr-25
		(FP)							
98	27253277101714 dt.27-MAR-25 on M/s.KRISHNA ENGINEERING WORKS-KOLKATA	4336962.6	29700085	FOOT SWITCH SPRING LOAD FOR SANDING,VIGILANCE AND RELEASE OF INDEP. BRAKE (POS NO.192.1.235.262) AS PER CLW SPECN No. CLW/ES/3/0032 ALT- G. CLW DRG.NO.CLW/ES/3/SK- 1/32/G AND CLW/ES/3/SK1/32/G. (ABB PRO	1	CR:KY N	2765.92	193 Nos.	30-Nov-25
		(FP)			2	CR:AC L BSL	2765.92	1184 Nos.	30-Nov-25
					3	CR:GP R PA	2765.92	60 Nos.	30-Nov-25
					4	CR:AQ	2765.92	131 Nos.	30-Nov-25

99	27253007101729 dt.27-MAR-25 on M/s.PIONEER GEARS AND EQUIPMENTS- HOWRAH	3717000 (FP)	25148989	SET OF BRAKE GEAR PARTS FOR WAP-1 AND WAP-4 LOCO BOGIE. COMPRISING OF 25 ITEMS 196 NOS. AS PER SKETCH NO. ELW/BSL/SK.NO. 7035 ALT-3 .	1	CR:AC L BSL	413000	4 Set	27-Jun-25
					2	CR:AC L BSL	413000	3 Set	30-Sep-25
					3	CR:AC L BSL	413000	2 Set	30-Nov-25
100	81251018101748 dt.28-MAR-25 on M/s.DEVHARSH INFOTECH PVT. LTD.-MUMBAI	3960375 (FP)	83040420	Ticket unreserved, computerized, pre- printed, pre-perforated for computerized unreserved ticketing system of size 103 MM x 64 MM in continuous stationery of 500 tickets per Fan-Fold set to be printed	1	CR:ST Y	52.81	7500 0 Nos.	29-May-25

101	27251531101392 dt.11-MAR-25 on M/s.SETON ELECTRICAL PRODUCTS- MUMBAI	620709.5	25788164	TRIP INDICATION FUSE (TALE-TELL FUSE)FOR RSI BLOCK OF ELCTRIC LOCO, MAKE GSL2000 OF M/s General Electric or TI- 2000 OF M/s ENGLISH ELECTRICAL OR TI- 2000 OF M/s BUSSMAN. Accepted Make/Brand: EATON BUS	1	CR:KY N	468.46	113 Nos.	11-Jun-25
		(FP)			2	CR:AC L BSL	468.46	1212 Nos.	11-Jun-25
102	62243828101425 dt.12-MAR-25 on M/s.NIYATI SURGICAL- MUMBAI	561344	82243018	2- OCTYLCYANOACRYL ATE, TOPICAL SKIN ADHESIVE APPLICATOR, SELF ADHESIVE POLYESTER Formulation: Mesh, Highly purified 2-OCA monomer ADHESIVE VOLUME - 2.9ml and 3.8ml. with microbial barrier. MAKE / B	1	CR:MD /BY	16038.4	35 Nos.	12-May-25
		(FP)							

103	65251047800123 dt.12-MAR-25 on M/s.Principal Chief Materials Manager, CLW, Chittaranjan	507765 (FP)	29610047	Fire detection equipment along with connector (Pos No- 212) as per CLW Specn. No. CLW/ES/3/0057 and ABB document No:- 3EHP 590451 R0002 .	1	CR:GP R PA	101553	5 Nos.	11-Jun-25
104	27254665101457 dt.13-MAR-25 on M/s.CONTRANSYS PRIVATE LIMITED- KOLKATA	7322490 (FP)	25888080	BOW ASSEMBLY FOR PANTOGRAPH TYPE IR-03 H M/s. CONTRANSYS PART No. C 0H1600.	1	CR:KY N	116230	10 Nos.	13-Jun-25
					2	CR:KY N	116230	13 Nos.	30-Sep-25
					3	CR:AC L BSL	116230	16 Nos.	13-Jun-25
					4	CR:AC L BSL	116230	20 Nos.	30-Sep-25
					5	CR:GP R PA	116230	4 Nos.	13-Jun-25
105	38242234101466 dt.13-MAR-25 on M/s.JAI POLYPAN PVT LTD-JAIPUR	1400896 (FP)	30011516	Thermoplastic Polyester Elastomer (Hytrel) Upper Washer for Primary Suspension to RDSO Drg. No. CG- K4058 Alt-3. Material and Specification conforming to RDSO Spec. No. C-K409 Rev.2 with Amdt. No. 4 o	1	CR:MT N	1652	424 Nos.	13-Jun-25
					2	CR:MT N	1652	424 Nos.	30-Sep-25

106	42253196101481 dt.17-MAR-25 on M/s.AMEX ENGINEERING WORKS-HOWRAH	791990.04 (FP)	31321501	PINS ELECTROPLATED FOR AC-DC/MRVC COACHES. TO ICF DRG. NO. EMU/M-3-2- 065, ALT-a/NIL, ITEM NO.7. MATERIAL AND SPECIFICATION AS PER DRAWING	1	CR:MT N	197.06	3750 Nos.	30-Jun-25
					2	CR:SN PD	207.09	256 Nos.	30-Jun-25
107	27252692101484 dt.17-MAR-25 on M/s.FLOWTECH PUMPS AND MOTORS- BANGALORE	693840 (FP)	25530057	TRANSFORMER OIL PUMP WITH MOTOR AS PER RDSO SPECN. NO. E/10/03/08 REVISED SEPT. 1995 WITH AMENDMENT NO. 1 & 2 AND PUMP AS PER CLW SPECN. NO. CLW/ES/O.1/ALT-L.	1	CR:AC L BSL	49560	14 Nos.	17-Jun-25
108	27253930101487 dt.17-MAR-25 on M/s.VARDHMAN INDUSTRIAL FASTNERS-DELHI	2649244	29038042	SET OF HARDWARE FOR GEAR CASE, FOR WAG-9 LOCO SET CONSISTING OF 09 ITEMS IN 648 NOS. PER SET AS PER SKETCH NO. ELS/AQ/WAG- 9/SK.No.0026, Rev-4.	1	CR:KY N	14167.08	61 Set	24-Jun-25

		(FP)			2	CR:AC L BSL	14167.08	39 Set	24-Jun-25
					3	CR:AC L BSL	14167.08	35 Set	31-Jan-26
					4	CR:TM W	14167.08	40 Set	31-Jan-26
					5	CR:GP R PA	14167.08	12 Set	31-Jan-26
109	27244793101489 dt.17-MAR-25 on M/s.AMIT ENGINEERS-BADDI	4825800.4	29811028	ROOF MOUNTED AIR CONDITIONING SYSTEM WITHOUT TROUGH TO SPECN NO. RDSO/2007/EL/SPEC/ 0055 REV 2. Warranty Period : 30 Months after the date of delivery.	1	CR:AC L BSL	229800	11 Nos.	17-Jun-25
		(FP)			2	CR:AC L BSL	229800	10 Nos.	31-Aug-25
110	56251043100229 dt.19-MAR-25 on M/s.RAJESH HARDWARE PRODUCTS- MUMBAI	702808	41134760	SILICONE RUBBER COMPOUND OF BRAND KE-45 RTV-R OF SHIN-ETSU/JAPAN OR ANABOND-685 OF ANABOND AS PER CLW SPECIFICATION NO. A-0113 ALT-A. NOTE:- Only CLW approved sources will be considered for placement	1	CR:AC L BSL	702.81	1000 Nos.	18-May-25

		(FP)							
111	56251071800245 dt.21-MAR-25 on M/s.HEAD QUARTER, Gorakhpur	513254.84	11230058	BG LOCO WHEEL 'S' SHAPED TO DRG.NO.D/WL-5060/R (TPL CLOSED 11020374) as per Drg.No. DRG.NO.D/WL- 5060/R	1	CR:AC L BSL	128313.7	4 Nos.	19-Jun-25
		(FC)							
112	62253495101621 dt.24-MAR-25 on M/s.PRABHUS MEDITEC PRIVATE LIMITED-MUMBAI	1488375	82216032	PEEK CAGE WITH CALCIUM HYDROXYAPATITE FILLING FOR CERVICAL SPINE ANY SIZE IMPLANT LCP WITH FOUR LOCKING SCREWS. SPECIFICATION: PEEK CAGE WITH CALCIUM HYDROXYAPATITE FILLING FOR CERVICAL SPINE ANY SIZ	1	CR:MD /BY	42525	25 Nos.	24-May-25
		(FP)			2	CR:DR H/Pune	42525	10 Nos.	24-May-25

[illegible]

115	62244417101653 dt.24-MAR-25 on M/s.NIYATI SURGICAL- MUMBAI	868224	82119030	GYNECARE TVT OBTURATOR SYSTEM. Specification- TOT OBTURATOR SYSTEM. 1.FREEDOM TRANS OBTURATOR NEEDLE WITH SLING SYSTEM. MAKE / BRAND : ETHICON	1	CR:MD /BY	21705.6	20 Nos.	24-May-25
		(FP)			2	CR:MD /BY	21705.6	20 Nos.	19-Jan-26
116	27243286101669 dt.25-MAR-25 on M/s.INDUS ENGINEERING SOLUTION- SINGRAULI	1731060	29960083	MAINTENANCE KIT FOR CONTACTOR FOR FILTER ON-OFF ADAPTATION TYPE BPS 30.06S CONSISTING OF 11 ITEMS 01 No EACH AS PER ANNEXURE. Accepted offer: MAINTENANCE KIT FOR CONTACTOR FOR FILTER ON-PFF ADAPTATION	1	CR:AC L BSL	288510	6 Set	25-Jun-25
		(FP)							

117	18252068101706 dt.27-MAR-25 on M/s.ELIXIR ENGINEERING- BANGALORE	814200	16020571	DETECTOR REPAIR INCLUDE CRANKCASE & LOW WATER KIT to BLW DRG. No.9535869 Alt. "Cb" (BLW Pt.No.16020571) Specs:- As per drg. Firm offer:ELIXIR make	1	CR:GP R PA	27140	17 Nos.	05-Jun-25
		(FP)			2	CR:DL S KYN	27140	13 Nos.	05-Jun-25
118	27251831101713 dt.27-MAR-25 on M/s.TANCO ENGINEERING- NOIDA	1316437.5	25378648	Set of Mn. bushes for WAM4/WAG5 locomotive comprising of 24 items 552 Nos. as per Sketch No. BSL/ELW/SK.NO.7019 ALT-9.	1	CR:KY N	77437.5	1 Set	31-Oct-25
		(FP)			2	CR:AC L BSL	77437.5	16 Set	31-Oct-25

119	56251006100262 dt.27-MAR-25 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.-MUMBAI	720036.85	25878300	MAGNET VALVE FOR VCB TYPE 20 CB & 22 CB OF M/S. AREVA DRG. NO. LSC.124 CODE 5260000. FIRM'S OFFER MAKE/BRAND:ROTEX VALVE MODEL 3486-5- SB -S2+III-110VDC28- H MARKETING BY SEIL UNDER PART CODE VDRM00150-	1	CR:AC L BSL	60003.07	12 Nos.	27-Aug-25
120	27253198101724 dt.27-MAR-25 on M/s.FIBROTECH INDUSTRIES INDIA- KOLKATA	3368026.8	23929017	Hood for Smoothing Reactor to CLW DRG.NO.05/1/50/440 ALT-7 & CLW SPECN.NO. M/EL/20/TS/1.	1	CR:AC L BSL	33346.8	101 Nos.	27-Jun-25
121	80243133201215 dt.03-MAR-25 on M/s.PRABHAT CHEMICAL INDUSTRIES-AGRA	27671263	80010155	RAFTAR VG-100 General Purpose Machinery Oil Brand: RAFTAR (Detailed Description/Specificatio n as per Product # 2 of GeM Contract No. GEMC- 511687731171840 dt.24/02/2025)	1	CR:NG P	79.57	6930 LTR	25-May-25
					2	CR:NG P	79.57	6930 LTR	21-Nov-25
					3	CR:PR	79.57	6720 LTR	25-May-25
					4	CR:PR	79.57	6510 LTR	21-Nov-25
					5	CR:WB	79.57	2919 0 LTR	25-May-25

					6	CR:WB	79.57	2919 0 LTR	21-Nov-25
					7	CR:SN PD	79.57	7980 LTR	21-Nov-25
					8	CR:MT N	79.57	3423 0 LTR	25-May-25
					9	CR:MT N	79.57	3444 0 LTR	21-Nov-25
					10	CR:PU NE	79.57	8967 0 LTR	25-May-25
					11	CR:PU NE	79.57	8967 0 LTR	21-Nov-25
					12	CR:WA GON/B SL	79.57	6300 LTR	21-Nov-25
122	38244975101217 dt.03-MAR-25 on M/s.MBCOM POWERTECH PRIVATE LIMITED- HOWRAH	601741 (FP)	33569344	4.5 KW Underslung type constant voltage regulated battery charger for LHB coaches as per RDSO Specification No. RDSO/ PE/SPEC/AC/0183 (Rev 1) 2018.	1	CR:MT N	120348.2	5 Nos.	03-Sep-25

123	18250064101227 dt.03-MAR-25 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.-MUMBAI	761216.82	17333088	KIT for Modified LP DISCHARGE VALVE for ELGI Water Cooled Air Compressor, Model No. RR 66101W, to ELGI Pt.No.072410459 firm offer:ELGI MAKE KIT LP DISCHARGE VALVE PART NO. 072496369 SUITABLE FOR MODIF	1	CR:DL S KYN	15224.34	50 Nos.	03-Sep-25
124	80243151101305 dt.06-MAR-25 on M/s.GANDHAR OIL REFINERY INDIA LTD-MUMBAI	3057298.8 (FP)	80090308	Transformer Oil confirming to Specification IEC- 60296 and CLW Specn.No. CLW/ES/3/0172 or Latest.	1	CR:AQ	146.32	3762 LTR	30-Jul-25
					2	CR:AQ	146.32	3762 LTR	30-Oct-25
					3	CR:AC L BSL	139.71	7001 LTR	30-Jul-25
					4	CR:AC L BSL	139.71	7002 LTR	30-Oct-25

125	90240684701306 dt.06-MAR-25 on M/s.STEEL AUTHORITY OF INDIA LIMITED-KOLKATA	11147460 (FC)	90412126	Mild Steel Plates 25 x 2500 x 12500 to the Specification IS:2062:2011 E 250 B0 Furnace Normalised With UST as per ASTM A435/A 435 M-90.	1	CR:MM R	7431.64	1500 QTL.	10-Jun-25
126	62252331101328 dt.06-MAR-25 on M/s.SAHIL ENTERPRISES-THANE	1827000 (PC)	82216057	UNCEMENTED BIPOLER IMPLANT FEMORAL STEM, FEMORAL HEAD, LINER & SHELL (UNCEMENTED PROXIMALLY COATED STEM AND SELF CENTERIC (METALIC) BIPOLER HEAD ALONG WITH LINER & SHELL) Make: Meril	1	CR:MD /BY	45675	25 Nos.	06-May-25
					2	CR:DR H/Pune	45675	5 Nos.	06-May-25
					3	CR:DR H/KYN	45675	10 Nos.	06-May-25

[illegible]

					3	CR:AQ	13863.82	139 Set	31-Jul-25
129	18252237101704 dt.27-MAR-25 on M/s.S V S FILTRATION ENGINEERS AND CONSULTANTS PRIVATE LIMITED- ALWAR	1548254.4	17453057	FILTER ELEMENT, FIBRE GLASS (ECC) For HHP Locomotives DLW DRG. No. 8402068, alt. "Bb" (DLW Pt. No. 17453057) Accepted firms Part No. part number SAF2322.	1	CR:GP R PA	908.6	1067 Nos.	27-Jun-25
		(FP)			2	CR:DL S KYN	908.6	637 Nos.	27-Jun-25
130	18252128101720 dt.27-MAR-25 on M/s.MANISHA RUBBER ENTERPRISES- MUMBAI	2431272	17031904	T.M.AIR DUCT ASSLY. to DLW DRG. No. 40058521 Alt."h" (DLW Pt.No.17031904) Along with all part drgs. ALL DRGS:-	1	CR:GP R PA	35754	18 Nos.	26-May-25
		(FP)			2	CR:DL S KYN	35754	50 Nos.	26-May-25
131	26251025101366 dt.10-MAR-25 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED-HOSUR	1619075.6	27160180	Set of general maintenance kit for C2w relay valve comprising of 14 items 30 Nos as per annexure A Accepted offer: Kit for C2W Relay Valve to FTRTIPL Part # FT0051409-K93.	1	CR:KY N	11014.12	11 Set	31-Jul-25

		(FP)			2	CR:AC L BSL	11014.12	136 Set	31-Jul-25
132	38251859101416 dt.12-MAR-25 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED- GURUGRAM	25144026	33501889	Non-Asbestos Based Organic Brake Pad, 400 sq.cm. and 35 mm thickness in two halves (one RH & one LH) of 200 sq.cm. each for LHB coaches as per RDSO Specification No. RDSO/2013/CG- 01, Rev-01 of April 2	1	CR:MT N	1990.66	2000 Set	13-Jun-25
		(FP)			2	CR:MT N	1990.66	631 Set	31-Mar-26
					3	CR:LT T	1990.66	3000 Set	13-Jun-25
					4	CR:LT T	1990.66	3000 Set	31-Jul-25
					5	CR:WB	1990.66	4000 Set	13-Jun-25
133	27253295101427 dt.12-MAR-25 on M/s.A B ELASTO PRODUCTS PVT LTD-KOLKATA	2085060	29230068	SET OF NEOPRENE HOSE AS PER SPECN.NO.CLW/ES/3/ 0094 ALT-E CONSIST OF 12 ITEMS AS PER ANNEX.	1	CR:AC L BSL	36580	37 Set	31-Oct-25
		(FP)			2	CR:AC L BSL	36580	20 Set	12-Jun-25

134	65251044800122 dt.12-MAR-25 on M/s.Principal Chief Materials Manager, CLW, Chittaranjan	657035.65	29660014	EARTH FAULT RELAY FOR AUX.CONVERTOR 415/110V CKT.HARMONIC FILTER AND CONTORL CIRCUIT (POS NO.89.2.89.5.89.6 AND 89.7) 150 MA 43 OHM- 36/110 VOLT AS PER ABB DOCUMENT NO.HBVW 400011R0001 AND CLW SPECN.N	1	CR:GP R PA	3295.46	80 Nos.	11-Jun-25
			(FP) 29660026	MINIMUM VOLTAGE RELAY(POS NO 86) AS PER CLW SPECN.NO.CLW/ES/3/ 0060 ALT-A AND ABB DOCUMENT NO.3EHP585821R020 2 . as per Drg.No. NA specn: CLW SPECN.NO.CLW/ES/3/ 0060 ALT-A.	2	CR:GP R PA	15340	20 Nos.	11-Jun-25
			29700127	Key switch simulation (Pos no 179) as per CLW spec no- CLW/ES/3/0079 and ABB Document No- 3EHP585704r2222 . , CLW Drg No CLW/ES/3/SK1/0079 as per Drg.No. CLW DRG.NO.CLW/ES/3/SK 1/0079. specn: CLW spec	3	CR:GP R PA	17319.77	5 Nos.	11-Jun-25
135	42241270101479 dt.17-MAR-25 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED-HOSUR	9855010.8	35390153	16" Electro-pneumatic Brake unit complete for 3 Phase EMU/MEMU Motor coach with in built 02 nos 1/2" ports for Brake blending sensors, 2nd stage PRV for Brake Cylinder set at 1.6 Kg/cm2, 1st stage saf	1	CR:VV H	136875.2	5 Nos.	18-Jun-25
					2	CR:MT N	136875.2	5 Nos.	18-Jun-25
					3	CR:MT N	136875.2	8 Nos.	31-May-25

[illegible]

138	38253719101534 dt.18-MAR-25 on M/s.SARA ENTERPRISE- HOWRAH	966420	38141139	SHAFT BEARING WITH SIGN PLATE TO IRS as per Drg.No. W/ BG- 6186 ALT. 4.	1	CR:BS L	322.14	1500 Nos.	18-Jun-25
		(FP)			2	CR:BS L	322.14	1500 Nos.	31-Dec-25
139	42254266101612 dt.21-MAR-25 on M/s.CASTCON- HOWRAH	1062442.5	31050130	Wearing Piece for Side Bearer on Bolster Suspension to ICF Drg. No. EMU/M-0-5-010 Alt- I /3. Material and specification as per drawing.	1	CR:MT N	10118.5	105 Nos.	30-Jun-25
		(FP)							
140	62253785101622 dt.24-MAR-25 on M/s.R K MEDISOLUTION- MUMBAI	1012480	82241138	White Diff.One pack contains 01 Lit. of white Diff solution. Make: HORIBA INDIA	1	CR:MD /BY	12656	80 Nos.	25-Mar-26
		(FP)							

141	62243498101195 dt.01-MAR-25 on M/s.PRABHUS MEDITEC PRIVATE LIMITED-MUMBAI	551302.5	82216040	CANNULATED CEMENTED AUGMENTED PEDICAL SCREWS. 1.SHOULD ALLOW CEMENT AUGMENTATION USING MIS CANNULATED SCREW 2. CORTICAL FIX FENESTRATED SCREWS WITH 1.6 & 1.75 MM DIFFERENTIAL FENESTRATIONS, 3. 5.0 MM	1	CR:MD /BY	11026.05	25 Nos.	01-May-25
		(FP)			2	CR:MD /BY	11026.05	25 Nos.	28-Oct-25
142	42240013101220 dt.03-MAR-25 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI	5757972.8	31720675	LABYRINTH SEALING RING FOR SIEMENS MAKE TRACTION MOTOR TYPE 1TB 2022- 0TA03 AS PER SIEMENS HAND BOOK PART No. 5.20 MATERIAL No. A5E00334201 A / A5E 00334201 [MAKE SIEMENS].	1	CR:MT N	33283.08	50 Nos.	03-Aug-25
		(FP)			2	CR:SN PD	33283.08	123 Nos.	03-Aug-25

143	38253307101250 dt.04-MAR-25 on M/s.ANNAPURNA ENGINEERING WORKS-HOWRAH	963018.8	38140949	Brake shoe key to IRS Drg. no. W BG-6150, Alt-2 Material and specification confirming to IS 3885 (Part -11) : 1992 (Re-affirmed - 2022), read with all amendments, latest amendment no. 2 of Jul 2024,	1	CR:WA GON/B SL	49.55	7087 Nos.	05-Jun-25
		(FP)			2	CR:WA GON/B SL	49.55	1180 9 Nos.	30-Sep-25
					3	CR:BD	49.55	270 Nos.	05-Jun-25
					4	CR:BD	49.55	270 Nos.	30-Sep-25
144	42251447101259 dt.04-MAR-25 on M/s.SETH TRADERS PRIVATE LIMITED- MUMBAI	957184.14	31758551	Apex tube to M/s Schunk part No. 909010019800	1	CR:MT N	20365.62	29 Nos.	04-Sep-25
		(FP)			2	CR:SN PD	20365.62	18 Nos.	04-Sep-25
145	27253951101311 dt.06-MAR-25 on M/s.GLOBAL ELMECH- JALANDHAR	600384	29470080	CREW FAN FOR WAG- 9 LOCO AS PER CLW SPESN.NO.CLW/ES/3/ 0110 ALT-E.	1	CR:AC L BSL	6254	96 Nos.	31-May-26
		(FP)							

146	70251240101639 dt.24-MAR-25 on M/s.D BACHUBHAI AND BROTHERS- MUMBAI	1107198.7 (FP)	73156980	SS Nyloc Nut M16 A2- 70 to IS:1367 (Part- 14/Sec.2) 2023 & IS: 7002- 2018/ISO 7040 to RCF Drg No MI005854, Alt-j, item- 3. Make: UNBRAKO, TVS & TUFF.	1	CR:MT N	19.22	5760 0 Nos.	24-Jul-25
147	80243002101659 dt.25-MAR-25 on M/s.INDIAN OIL CORPORATION LTD- MUMBAI	1250280 (FP)	92113011	MOTOR SPIRIT PETROL TO CONFORMING IS:2796/1971 WITH DEVIATION/RELAXATI ON AUTHORISED BY MINISTRY OF P&C FROM TIME TO TIME.	1	CR:PR	104.19	1200 0 LTR	31-Mar-26

151	38244303101344 dt.07-MAR-25 on M/s.BALAJI RUBBER FACTORY- MUMBAI	647820 (FP)	33500046	Lateral Bump Stop for FIAT IR Bogie to RCF Drg. No. LW05104, Alt- d to be read with Technical Specification No. 17 531 100 03 Amendment no.1 of June 2019, 17 617 100 02, MDTs-148 Rev.01 and MDTs-122 Re	1	CR:MT N	1079.7	600 Nos.	25-Jun-25
152	48251006100245 dt.08-MAR-25 on M/s.BASANT RUBBER FACTORY PVT LTD-MUMBAI	509760 (FP)	33524014	Intercar gangway mounting to RCFs drawing No. 110113.0.24.100.001, Alt.R2 or latest (without Item No.4) conforming to RDSO Specification No. RDSO/2007/CG- 05, Rev. 01 of Nov.2018 make - BASANT	1	CR:PR	63720	8 Set	22-Apr-25

153	90253218101360 dt.10-MAR-25 on M/s.GARG ENTERPRISES- BULANDSHAHAR	581385 (FP)	93412629	PLYWOOD FOR GENERAL PURPOSE TO IS 303/89 GRADE MR TYPE 'AA; SIZE 1800 X 1200 X 16MM X 9 PLY. Firm offer:PIPA make	1	CR:MT N	1695	343 Nos.	09-Jun-25
154	75251003101447 dt.13-MAR-25 on M/s.NETAI ENGINEERING WORKS-HOWRAH	876669.2 (FP)	77032070	Enamel Synthetic Exterior Brushing Finishing Air Craft Blue to ICF specification: ICF/MD/Spec-045 issue status - 02, Rev. - 03 and IS 8662 : 2024, (Rev. - 3) except clause C-3, with RDSO Amendment no.	1	CR:SN PD	116.82	140 LTR	15-May-25
					2	CR:SN PD	116.82	140 LTR	15-May-26
					3	CR:PR	116.82	240 LTR	15-May-25
					4	CR:PR	116.82	260 LTR	15-May-26
					5	CR:MT N	105.02	3740 LTR	15-May-25
					6	CR:MT N	105.02	3740 LTR	15-May-26

[illegible]

[illegible]

159	27254641101493 dt.17-MAR-25 on M/s.SUNDEEP ENGINEERING CORPORATION- LUCKNOW	795379	29050170	SET OF HARDWARE FOR WAG9/WAP7 LOCOS SUSPENSION TUBES (ONE SET CONSISTING OF 5 ITEMS 100 NOs) AS UNDER: 1) SOCKET HEAD CAP SCREW SIZE M12 X 30 FULL THREADED AS PER DIN 7984, PROPERTY CLASS 8.8 to ABB D	1	CR:AC L BSL	719.8	725 Set	30-Sep-25
		(FP)			2	CR:TM W	719.8	380 Set	30-Sep-25
160	18253649101535 dt.18-MAR-25 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.-MUMBAI	603098	17380110	LOW PRESSURE SUCTION VALVE ASSLY for GD and ELGI make Water Cooled Air Compressor to GD Pt. No. 203VEH306A / EMD Pt. 9319947 OR ELGI Pt. No. B013901070006 Firm offer:ELGI MAKE SUCTION VALVE LOW PRESSU	1	CR:GP R PA	31742	4 Nos.	18-Sep-25

		(FP)			2	CR:DL S KYN	31742	15 Nos.	18-Sep-25
161	38244303101521 dt.18-MAR-25 on M/s.BASANT RUBBER FACTORY PVT LTD-MUMBAI	2931120	33500046	Lateral Bump Stop for FIAT IR Bogie to RCF Drg. No. LW05104, Alt- d to be read with Technical Specification No. 17 531 100 03 Amendment no.1 of June 2019, 17 617 100 02, MDTs-148 Rev.01 and MDTs-122 Re	1	CR:MT N	1221.3	900 Nos.	19-Jun-25
		(FP)			2	CR:MT N	1221.3	1500 Nos.	30-Sep-25
162	81254095201537 dt.19-MAR-25 on M/s.AMTEX SAFETY SYSTEMS- DELHI	954000	86014511	Amtex Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure =19 bar) Powder Based (as per IS 4308) Class -A Brand: Amtex (Detailed Description/Specificatio n a	1	CR:CR D	2120	450 Nos.	01-Apr-25
		(FC)							

[illegible]

165	27254727101610 dt.21-MAR-25 on M/s.PERFECT GEARS-MUMBAI	18500040 (FP)	29030122	CROWN GEAR COUPLING (HURTH COUPLING) FOR WAP-5 TO RDSO DRG/SPECN No. RDSO/2010/EL/SPEC/ 0107 (REV-1), IA011- 00234 ALT-4.	1	CR:AC L BSL	711540	19 Nos.	31-May-25
					2	CR:AC L BSL	711540	7 Nos.	31-Jul-25
166	27251918101628 dt.24-MAR-25 on M/s.ELECTROVOLT EQUIPMENTS PVT LTD-HOWRAH	3264706 (FP)	25108037	COMPENSATING BEAM FOR WAG-7 LOCO BOGIE AS PER CLW DRG. NO 06/2/15/68.	1	CR:KY N	44722	6 Nos.	24-Jun-25
					2	CR:AC L BSL	44722	30 Nos.	24-Jun-25
					3	CR:AC L BSL	44722	37 Nos.	30-Nov-25
167	27252810101630 dt.24-MAR-25 on M/s.NATIONAL ENGINEERING INDUSTRIES LTD.- JAIPUR	1826050	25018048	END AXLE BOX WITH HASLER SPM END COVER WITH BEARING RB5020 FOR WAG7 LOCO AS PER CLW DRG.NO. 06/1/11/4 ALT.7 NEI DRG.NO. X-171.. Accepted Offer : AXLE BOX COMPLETE (WITH HASLER SPM END COVER) TO NEI DR	1	CR:KY N	73042	14 Nos.	24-Jul-25

		(FP)			2	CR:AC L BSL	73042	11 Nos.	24-Jul-25
168	42250038101637 dt.24-MAR-25 on M/s.ROYAL ACCESS INDIA LOGIC- MUMBAI	898310.4	35900118	Look out glass made of silicone hard coated poly carbonate sheet as per ICF. STR NO. ICF / M.D. Specification 159. Rev-1. Amendments slip No. 3 Dt. 27.11.2020 or Latest. As per Drg. No: ICF /MRVC/D/BT	1	CR:MT N	14726.4	51 Nos.	31-Jul-25
		(FP)			2	CR:VV H	14726.4	10 Nos.	31-Jul-25
169	18243476101650 dt.24-MAR-25 on M/s.KKIPOWER DRIVES PRIVATE LIMITED-VARANASI	675550	18310679	CIRCUIT BREAKER 30 Amps. EMD DRG.No. 40083994/ DLW Pt.No.18310679, (Refer Circuit Breaker Chart DRG No.40073928, DLW Pt.No.18311088 Alt. Bb) Firm offer : KKI make	1	CR:GP R PA	5404.4	12 Nos.	02-Jun-25
		(FP)			2	CR:DL S KYN	5404.4	38 Nos.	24-May-25
					3	CR:DL S KYN	5404.4	75 Nos.	02-Jun-25

170	36252107101651 dt.24-MAR-25 on M/s.NANDRATAN FOUNDRY AND ENGINEERING WORKS PVT LTD- MUMBAI	688459.2	46060078	P G Clamp for 129 sq.mm Catenary/ 105 sq.mm Jumper/ 150 sq.mm feeder to 129 sq.mm Catenary/ 105 sq.mm Jumper/ 150 sq.mm feeder, as per C. RLY.ELECT/TRD drg. No.FM/DC-AC/22 Firm offer: Self make	1	CR:CR D	920.4	598 Nos.	24-Jul-25
		(FP)			2	CR:PU NE	920.4	150 Nos.	24-Jul-25
171	38253533101201 dt.03-MAR-25 on M/s.AB ENGINEERS AND FABRICATORS- MEERUT	632867.04	38143008	Brake Beam complete to RDSO Drg. no. WD- 89033-S-01, Alt. 24. Material and specification confirming to RDSO specification WD-21-CASNUB- 22NLB Bogie-93, Rev. 02 of July 2002, read with all amendments, la	1	CR:WA GON/B SL	8789.82	72 Nos.	17-Apr-25
		(FP)							

172	27252612101222 dt.03-MAR-25 on M/s.CENTRAL GASKET COMPANY- MUMBAI	531679.68 (FP)	25011704	CONICAL RUBBER THRUST PAD FOR AXLE BOX TO DRG. NO. SKDL-2308 ALT-1, SKDL-2309 & RDSO SPECN. NO: R 63-76(4 SHEET)	1	CR:KY N	223.02	1085 Nos.	30-Jun-25
					2	CR:AC L BSL	223.02	1299 Nos.	30-Jun-25
173	27253819101692 dt.26-MAR-25 on M/s.PPS INTERNATIONAL- GAUTAM BUDH NAGAR	3062100 (FP)	29890044	Contactor auxiliaries with Auxiliaries contact block (Pos no 52 and 52.5) as CLW Spec No CLW/ ES/3/0201 Alt D and as per ABB document No. 3EHE428074R0001.	1	CR:KY N	17700	9 Nos.	31-Dec-25
					2	CR:AC L BSL	17700	155 Nos.	31-Dec-25
					3	CR:GP R PA	17700	9 Nos.	31-Dec-25
174	62242893101700 dt.27-MAR-25 on M/s.NIYATI SURGICAL- MUMBAI	990080 (FP)	82243001	43001 - ABSORBABLE STRAP FIXATION DEVICE,5mm single use device with 25 absorbable straps. MAKE/BRAND: ETHICON	1	CR:MD /BY	19040	50 Nos.	27-May-25
					2	CR:DR H/Pune	19040	2 Nos.	27-May-25
175	61241577101718 dt.27-MAR-25 on M/s.K ENTERPRISES- MUMBAI	852836.1 (FP)	82010330	LIQ SEVOFLURANE 250 ml MAKE / BRAND : Sevotroy 250ml	1	CR:MD /BY	3966.68	80 Nos.	27-May-25
					2	CR:MD /BY	3966.68	75 Nos.	24-Sep-25
					3	CR:DR H/BSL	3966.68	5 Nos.	27-May-25

					4	CR:DR H/BSL	3966.68	5 Nos.	24-Sep-25
					5	CR:DR H/Pune	3966.68	15 Nos.	27-May-25
					6	CR:DR H/Pune	3966.68	15 Nos.	24-Sep-25
					7	CR:DR H/KYN	3966.68	5 Nos.	27-May-25
					8	CR:DR H/KYN	3966.68	5 Nos.	24-Sep-25
					9	CR:DR H/NGP	3966.68	5 Nos.	27-May-25
					10	CR:DR H/NGP	3966.68	5 Nos.	24-Sep-25
176	27253231101726 dt.27-MAR-25 on M/s.NIKE ENERGY MANUFACTURING PRIVATE LIMITED- VARANASI	2919650.4 (FP)	25880068	PANTOGRAPH FOR 3 PHASE LOCOMOTIVES ALONG WITH SERVO MOTOR AND ACCESSORIES AS PER CLW SPECIFICATION NO. CLW/ES/P-5 ALT-F.	1	CR:AC L BSL	324405.6	9 Nos.	30-Sep-25

177	80250017101732 dt.27-MAR-25 on M/s.GMMCO LTD- RAIGAD	641165.08 (FP)	80010131	CATERPILLAR DIESEL ENGINE OIL PAIL, Oil for CATERPILLAR to Pt. No. 3E9848, one no. PAIL contain 20 Liters of Oil, Spec: Engine : CATERPILLAR Model no.: 3306B Firm offer:CAT make	1	CR:CL A	8905.07	72 Nos.	25-Jun-25
178	38253423101739 dt.28-MAR-25 on M/s.RR DUDHANI POLYTECH PRIVATE LIMITED-JAIPUR	623554.01 (FP)	30010470	Acetal Guide Ring for BG coaches to RDSO drg. No. SK-91025, alt- 3. Material and specification conforming to RDSO STR no. C-8215 Rev-2 and Amdt-2 of august- 2019.	1	CR:MT N	12.72	3782 0 Nos.	31-Dec-25
					2	CR:SN PD	12.72	1120 0 Nos.	31-Dec-25
179	62243040101752 dt.30-MAR-25 on M/s.NIYATI SURGICAL- MUMBAI	1837684.8 (FP)	82280307	GAUZE SURGICAL LOOSE WOVEN- 90 CMS X 18 MTS -IN THAN, F-II	1	CR:MD /BY	178.42	7000 Nos.	31-Jul-25
					2	CR:DR H/BSL	178.42	400 Nos.	31-Jul-25
					3	CR:DR H/Pune	178.42	200 Nos.	31-Jul-25
					4	CR:DR H/KYN	178.42	800 Nos.	31-Jul-25

					5	CR:DR H/SUR	178.42	1000 Nos.	31-Jul-25
					6	CR:DR H/NGP	178.42	900 Nos.	31-Jul-25
180	62243878101753 dt.30-MAR-25 on M/s.PRABHUS MEDITEC PRIVATE LIMITED-MUMBAI	2677500	82269138	GUIDE WIRELESS MINIMALLY INVASIVE SCREWS (PEDICAL) 1.MINIMALY INVASIVE SCREWS WITHOUT GUIDE WIRE. 2.DIAMETER SIZE SHOULD HAVE OF 4.5 MM, 5.0 MM, 6.0 MM, 7.0 MM, 7.5 MM. 3.LENGTH SHOULD BE 30 MM, 35	1	CR:MD /BY	26775	60 Nos.	30-Sep-25
		(FP)			2	CR:DR H/Pune	26775	40 Nos.	30-Sep-25
181	18240045101197 dt.03-MAR-25 on M/s.NATIONAL ENGINEERING INDUSTRIES LTD.- JAIPUR	4524120	18080133	Bearings, Traction Motor- TM Non Drive End (DIN 43283-6326- M/C5-VA309) PL No: 18080133, Spec: FRS No.MP.0.2402.27 Rev - "01" April 2022 Accepted - NBC MAKE BALL BEARING 6326 MCS146ZC2 TO NEI DRG. NO	1	CR:GP R PA	83780	54 Nos.	30-Aug-25

		(FP)							
182	42241270101237 dt.04-MAR-25 on M/s.WESTINGHOUSE SAXBY FARMER LIMITED-KOLKATA	2463752.7	35390153	16" Electro-pneumatic Brake unit complete for 3 Phase EMU/MEMU Motor coach with in built 02 nos 1/2" ports for Brake blending sensors, 2nd stage PRV for Brake Cylinder set at 1.6 Kg/cm2, 1st stage saf	1	CR:MT N	136875.2	6 Nos.	31-May-25
		(FP)			2	CR:KA LVA	136875.2	5 Nos.	05-Jun-25
					3	CR:SN PD	136875.2	7 Nos.	31-Aug-25
183	80240016101264 dt.05-MAR-25 on M/s.SHRI RAM ENTERPRISES-DELHI	524628	80012887	Synthetic oil combination base oil with Lithium/Calcium thicker, denomination according to DIN 51502: MPFE 00 G- 35 Standard for wheel flange lubrication system, Biodegradable as per OECD 301 B . Make	1	CR:KY N	613.6	221 Kgs.	31-Aug-25
		(FP)			2	CR:KA LVA	613.6	209 Kgs.	31-Aug-25
					3	CR:SN PD	613.6	425 Kgs.	31-Aug-25
184	61244703101292 dt.06-MAR-25 on M/s.SAIMS PHARMA-MUMBAI	949586.18	82110332	TAB LOSARTAN 50 + HYDROCHLOROTHZIDE 12.5 MG MAKE/BRAND: Lorpen H/ Losarpen H /Losarfine H	1	CR:MD /BY	0.75	1571 20 Nos.	06-May-25
		(FP)			2	CR:MD /BY	0.75	1571 20 Nos.	03-Sep-25

					3	CR:DR H/BSL	0.75	1500 00 Nos.	06-May-25
					4	CR:DR H/BSL	0.75	1500 00 Nos.	03-Sep-25
					5	CR:DR H/Pune	0.75	9500 0 Nos.	06-May-25
					6	CR:DR H/Pune	0.75	9500 0 Nos.	03-Sep-25
					7	CR:DR H/KYN	0.75	1475 00 Nos.	06-May-25
					8	CR:DR H/KYN	0.75	1475 00 Nos.	03-Sep-25
					9	CR:DR H/SUR	0.75	7810 0 Nos.	06-May-25
					10	CR:DR H/SUR	0.75	7810 0 Nos.	03-Sep-25
					11	CR:DR H/NGP	0.75	5000 Nos.	06-May-25
					12	CR:DR H/NGP	0.75	5000 Nos.	03-Sep-25
185	61243029101301 dt.06-MAR-25 on M/s.K ENTERPRISES- MUMBAI	996502.5 (FP)	82023270	INJ ANTI-RABIES VACCINE MAKE/BRAND:HBI/Abh ayrab	1	CR:MD /BY	233.1	105 Nos.	06-May-25
					2	CR:MD /BY	233.1	105 Nos.	03-Sep-25
					3	CR:DR H/BSL	233.1	600 Nos.	06-May-25
					4	CR:DR H/BSL	233.1	600 Nos.	03-Sep-25
					5	CR:DR H/Pune	233.1	188 Nos.	06-May-25
					6	CR:DR H/Pune	233.1	187 Nos.	03-Sep-25
					7	CR:DR H/KYN	233.1	750 Nos.	06-May-25
					8	CR:DR H/KYN	233.1	750 Nos.	03-Sep-25
					9	CR:DR H/SUR	233.1	120 Nos.	06-May-25
					10	CR:DR H/SUR	233.1	120 Nos.	03-Sep-25

					11	CR:DR H/NGP	233.1	375 Nos.	06-May-25
					12	CR:DR H/NGP	233.1	375 Nos.	03-Sep-25
186	62254444101303 dt.06-MAR-25 on M/s.IMPEX INTERNATIONAL- MUMBAI.	854672 (PC)	82116600	GLUCOSE STRIPS WITH GLUCOMETER MAKE/BRAND:EVOLV E FL By Yasee Medical	1	CR:MD /BY	3.64	8000 0 Nos.	07-Mar-26
					2	CR:DR H/BSL	3.64	3000 0 Nos.	07-Mar-26
					3	CR:DR H/Pune	3.64	1350 0 Nos.	07-Mar-26
					4	CR:DR H/KYN	3.64	6000 0 Nos.	07-Mar-26
					5	CR:DR H/SUR	3.64	1280 0 Nos.	07-Mar-26
					6	CR:DR H/NGP	3.64	3850 0 Nos.	07-Mar-26
187	27242458101347 dt.07-MAR-25 on M/s.SIGNOTRON (INDIA) PVT.LTD.- KOLKATA	3699300 (FP)	23618000	Set of LED Based Twin- Beam Head Light for Conventional electric locomotives as per RDSO specification No. RDSO/2017/EL/SPEC/ 0134 (Rev-3). One loco set consists of 02 Nos. of Headlight.	1	CR:KY N	67260	10 Set	07-Jun-25
					2	CR:AC L BSL	67260	25 Set	07-Jun-25
					3	CR:AC L BSL	67260	20 Set	31-Aug-25
188	61244847101354 dt.10-MAR-25 on M/s.KEPSPHARMA- MUMBAI	581532 (PC)	82112054	12054 - INJ INSULIN - HUMAN MIXTARD 70/30 100 IU/10 ML MAKE / BRAND : Insugen 30/70 100 IU/ML	1	CR:MD /BY	193.2	100 Nos.	10-May-25
					2	CR:MD /BY	193.2	100 Nos.	07-Sep-25
					3	CR:DR H/BSL	193.2	250 Nos.	10-May-25
					4	CR:DR H/BSL	193.2	250 Nos.	07-Sep-25

[illegible]

190	27251815101393 dt.11-MAR-25 on M/s.SHREE RUBBER WORKS- THANE	771838	23395308	CELLUAR RUBBER PACKING 40 MM WIDE THK 6 mm IN RUNNING LENGTH OF 10 MTRS TO IS 1741 WITH SHORE HARDNESS A-25 TO 30. EACH UNIT SHOULD BE EMBOSS/ENGRAVED WITH MAKERS NAME, MONTH, YEAR & BATCH NO. OF MANU	1	CR:AC L BSL	497.96	1300 Nos.	31-Aug-25
		(FP)			2	CR:GP R PA	497.96	250 Nos.	11-Jun-25
191	27251905101394 dt.11-MAR-25 on M/s.AARDEE ENTERPRISE- HOWRAH	621860	25108645	Set of Spares for Suspension arrangement for WAG- 7 LOCO BOGIE Comprising of 05 ITEMS=19 NOS AS PER SKETCH NO.BSL/ELW/SK.NO.9 109 ALT.4 as under. Sr.No. Description CLW/ELW Drg. No Qty/Set 1 Equalizer S	1	CR:AC L BSL	36580	17 Set	31-Aug-25
		(FP)							

192	61241175101412 dt.11-MAR-25 on M/s.SHREE PHARMA-MUMBAI	2498300 (FP)	82016835	TAB NICORANDIL 5 MG K-COR-5	1	CR:MD /BY	2.8	1500 00 Nos.	12-Sep-25
					2	CR:DR H/BSL	2.8	1500 00 Nos.	12-Sep-25
					3	CR:DR H/Pune	2.8	6950 0 Nos.	12-Sep-25
					4	CR:DR H/KYN	2.8	1900 00 Nos.	12-Sep-25
					5	CR:DR H/SUR	2.8	2427 50 Nos.	12-Sep-25
					6	CR:DR H/NGP	2.8	9000 0 Nos.	12-Sep-25
193	61241692101423 dt.12-MAR-25 on M/s.S S PHARMA AGENCY-MUMBAI	519160.32 (PC)	82052244	INJ Romiplostim 250mcg/0.5 ml	1	CR:DR H/BSL	1989.12	15 Nos.	12-May-25
					2	CR:DR H/BSL	1989.12	15 Nos.	09-Sep-25
					3	CR:DR H/Pune	1989.12	26 Nos.	12-May-25
					4	CR:DR H/Pune	1989.12	25 Nos.	09-Sep-25
					5	CR:DR H/KYN	1989.12	90 Nos.	12-May-25
					6	CR:DR H/KYN	1989.12	90 Nos.	09-Sep-25
194	27253721101437 dt.12-MAR-25 on M/s.CG POWER AND INDUSTRIAL SOLUTIONS LIMITED-MUMBAI	1057280 (FP)	29695028	PRIMARY VOLTAGE TRANSFORMER AS PER CLW SPECN. NO. CLW/ES/3/0009 ALT-C.	1	CR:AC L BSL	264320	3 Nos.	31-Aug-25
					2	CR:GP R PA	264320	1 Nos.	31-Aug-25

195	81251093101445 dt.12-MAR-25 on M/s.SKf INDIA LTD- GURGAON	740745	85011873	SINGLE ROW DEEP GROOVE BALL BEARING NO. 6312 WITH C3 CLEARANCE. NOTE:- This item is strictly reserved for procurement from RDSO approved firms only. Firm offer:SKF make	1	CR:AC L BSL	955.8	390 Nos.	19-May-25
		(FP)			2	CR:AC L BSL	955.8	385 Nos.	30-Sep-25
196	18242034101446 dt.13-MAR-25 on M/s.MACO CORPORATION INDIA PRIVATE LTD- Kolkata	929840	17454682	CYLINDER HEAD HIGH PRESSURE For GD make Water Cooled Air Compressor, Model No. WLNA9BB to GD Part. No. 3WBE7/EMD Part. No. 8347435. Firm offer:GARDNER DENVER USA	1	CR:GP R PA	116230	2 Nos.	13-May-25
		(FP)			2	CR:DL S KYN	116230	6 Nos.	13-May-25

[illegible]

199	55251003100006 dt.17-MAR-25 on M/s.SIENA ENGINEERING PVT. LTD.-INDORE	533360 (FP)	38100587	BOGIE CENTER PIVOT BOTTOM FOR CASNUB 22 HS BOGIES TO RDSO DRG. NO. WD-97049-S-3, ALT-8, ITEM NO. 1. MATERIAL AND SPECIFICATION AS PER DRAWING. as per Drg.No. DRG. NO. WD-97049-S-3, ALT-8, ITEM NO. 1.	1	CR:WAGON/B SL	6667	80 Nos.	15-Jun-25
200	62244253101504 dt.17-MAR-25 on M/s.JAINAM PHARMA INDIA PRIVATE LIMITED-MUMBAI	1324960 (FP)	82117792	HB A1C with Calibarator(2x15 ml./2x5 ml./5.05ml./2.44ml.)ER BA System. Make: Mfg by - Transasia	1	CR:DR H/BSL	14560	20 Nos.	17-May-25
					2	CR:DR H/Pune	14560	20 Nos.	17-May-25
					3	CR:DR H/KYN	14560	40 Nos.	17-May-25
					4	CR:DR H/SUR	14560	2 Nos.	17-May-25
					5	CR:DR H/NGP	14560	9 Nos.	17-May-25

201	43241076101495 dt.17-MAR-25 on M/s.SARIA INDUSTRIES CORPORATION- HOWRAH	742456	45180337	400 MM SWEEP 140V 60 WATTS CAPACITOR TYPE. VOLTAGE RANGE 98/168 VOLTS AC. FIXED TYPE RAILWAY CARRAIGE FAN WITH TWO BALL BEARINGS, CRASHWORTHY STAINLESS STEEL FAN GAURDS AS PER ICF DRG.NO. ICF/SK-7- 6-1	1	CR:MT N	3569.5	77 Nos.	17-Jun-25
		(FP)			2	CR:KA LVA	3569.5	105 Nos.	17-Jun-25
					3	CR:NG P	3569.5	26 Nos.	17-Jun-25
202	85251260800504 dt.19-MAR-25 on M/s.PRINCIPAL CHIEF MATERIALS MANAGER, CHURCHGATE	626279	30256550	UIC TYPE RUBBER VESTIBULE UPPER FLANGE COMPLETE, TO RDSO DRG. NO. SK-99056 ALT-3..ITEM NO. 2. MATERIAL AND SPECIFICATION TO RDSO STR NO. RDSO/2007/CG-05, WITH CORRIGENDUM NO. 2 OF JUNE 2015 AND AMENDM	1	CR:MT N	62627.9	10 Set	27-Jun-25

		(FP)							
203	42251424101558 dt.20-MAR-25 on M/s.AUTOMETERS ALLIANCE LTD- NOIDA	1327861.1	31437023	ANNAUL OVERHAULING REPLACEMENT KIT FOR SINGLE BOTTLE VCB OF AAL TYPE VCBA25.10Tr PART NO. 4300007100/30 AS PER ANNEXURE ATTACHED. (ONE SET CONSISTS OF 05 ITEMS HAVING 23 NOS.) (Warranty Period : Upto	1	CR:MT N	10538.58	63 Set	21-Jun-25
		(FP)			2	CR:MT N	10538.58	63 Set	31-Jan-26
204	27241939101608 dt.21-MAR-25 on M/s.MICA MOLD- JAMSHEDPUR	1546545.8	25948696	Brush holder spring for Hitachi TM type HS- 15250 A to drg. no. ELW/BSL/3/WAG- 5HB/150.034/Alt.1 to item no.1 to 5.	1	CR:KY N	217.12	595 Nos.	21-Jun-25
		(FP)			2	CR:AC L BSL	217.12	6528 Nos.	21-Jun-25

205	27243848101609 dt.21-MAR-25 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED-HOSUR	1561635.6 (FP)	29160078	KIT FOR DRIVERS BRAKE CONTROLLER AS PER M/S. FTIL PT.NO. 790034101 AND D&M PT.NO. RK AB 489-T10. ONE SET CONSISTS OF 03 ITEMS IN 03 NOS. AS PER (1) SEALING STRIP- 12.7 WD X 6 MM THICK, AS PER FTIL PT.	1	CR:KY N	5699.4	60 Set	31-Jul-25
					2	CR:GP R PA	5699.4	20 Set	31-Jul-25
					3	CR:AQ	5699.4	100 Set	31-Jul-25
					4	CR:AC L BSL	5699.4	94 Set	31-Jul-25
206	18253487101617 dt.21-MAR-25 on M/s.UNITED ENGINEERING COMPANY-GHAZIABAD	573480 (FP)	16171615	KIT GASKET for TURBO CHARGER to DLW DRG. No. 40069484 Alt. "Nil" (DLW Pt. No. 16171615) Consisting 13 Items ALL DRGS: SPECS:- Firm offer:Self make	1	CR:GP R PA	15930	21 Nos.	21-May-25
					2	CR:DL S KYN	15930	15 Nos.	21-May-25

207	43251097101645 dt.24-MAR-25 on M/s.BHASIN PACKARD ELECTRONICS PVT. LTD.-MOHALI	538127.2 (FP)	45123962	Solid state Over Voltage Relay (OVR) for Transformer Rectifier (200A) DC Circuit as per ICF specification No. [ICF/ELEC/897.] (Warranty Period : Upto 30 months from the date of delivery.)	1	CR:MTN	5174.3	104 Nos.	25-Jun-25
208	38254962101656 dt.25-MAR-25 on M/s.MERICO ENGINEERING-HOWRAH	1648224 (FP)	30020657	Axle End Locking Plate for Direct Mounted Roller Bearing Axle Box to C. Rly Drg. No. CR/LB-317 Alt-1. Material and specification as per drawing..	1	CR:MTN	28.32	10850 Nos.	31-May-25
					2	CR:MTN	28.32	10850 Nos.	31-Dec-25
					3	CR:KALVA	28.32	4550 Nos.	31-May-25
					4	CR:KALVA	28.32	4550 Nos.	31-Dec-25
					5	CR:PR	28.32	5700 Nos.	31-May-25
					6	CR:PR	28.32	5700 Nos.	31-Dec-25
					7	CR:SNPD	28.32	200 Nos.	31-May-25
					8	CR:SNPD	28.32	200 Nos.	31-Dec-25
					9	CR:VVH	28.32	7800 Nos.	31-May-25
					10	CR:VVH	28.32	7800 Nos.	31-Dec-25

[illegible]

211	18250062101223 dt.03-MAR-25 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.-MUMBAI	515369.48 (FP)	17333039	Kit for Modified HP Suction Valve for ELGI Make Water Cooled Air Compressor, Model No. RR 66101W to ELGI Pt No.072496379. Firm offer:ELGI MAKE KIT FOR MODIFIED HP SUCTION VALVE PART NO. 072496379 FOR	1	CR:DL S KYN	14724.84	35 Nos.	03-Aug-25
212	36252160101302 dt.06-MAR-25 on M/s.NANDRATAN FOUNDRY AND ENGINEERING WORKS PVT LTD- MUMBAI	608691.2 (FP)	46110057	Parallel clamp for 242 Sq.mm Catenary to 129 sq.mm Catenary OR 105 sq.mm Jumper OR 150 sq.mm Feeder, as per drg. No.CW/TD/DC-AC/P/010 Firm offer:OWN MAKE	1	CR:CR D	1170.56	520 Nos.	03-Aug-25
213	80243151101304 dt.06-MAR-25 on M/s.SAVITA OIL TECHNOLOGIES LIMITED-MUMBAI	1956387.1	80090308	Transformer Oil confirming to Specification IEC-60296 and CLW Specn.No. CLW/ES/3/0172 or Latest.	1	CR:AC L BSL	139.71	7001 LTR	30-Jul-25

		(FP)			2	CR:AC L BSL	139.71	7002 LTR	30-Oct-25
214	80242237101329 dt.07-MAR-25 on M/s.NATIONAL ENGINEERING INDUSTRIES LTD.- JAIPUR	1080691.2	80031390	Shell Gadus S3 V220 C2 (in real pack of 18 Kg in each) lubricating grease for Traction motor NDE and nose suspension tube bearing of M/s.Shell India Pvt Ltd make PAC to M/s.Shell India Markets Pvt Ltd	1	CR:VV H	1132.8	72 Kgs.	08-May-25
		(FP)			2	CR:VV H	1132.8	54 Kgs.	31-Oct-25
					3	CR:KA LVA	1132.8	126 Kgs.	08-May-25
					4	CR:KA LVA	1132.8	108 Kgs.	31-Oct-25
					5	CR:SN PD	1132.8	306 Kgs.	08-May-25
					6	CR:SN PD	1132.8	288 Kgs.	31-Oct-25
215	27242458101352 dt.07-MAR-25 on M/s.POWER TECHNOLOGIES CORPORATION- DEHRADUN	1546980	23618000	Set of LED Based Twin- Beam Head Light for electric locomotives as per RDSO specification No. RDSO/2017/EL/SPEC/ 0134 (Rev-3). One loco set consists of 02 Nos. of Headlight.	1	CR:AC L BSL	67260	13 Set	31-Aug-25
		(FP)			2	CR:AC L BSL	67260	10 Set	07-Jun-25

216	62254055101413 dt.11-MAR-25 on M/s.SAHIL ENTERPRISES- THANE	1531309.5	82251915	BIONIK GOLD KNEE 1.BIONIC GOLD FEMUR-ONE WITH OPTION OF CR AND PS. 2.BIONIC TIBIAL BASE PLATE-ONE 3.ULTRA HIGH MOLECULAR WEIGHT VITAMINE-E CONTAINING POLYTHELENE-ONE 4.UNIVERSAL PATELLA-ONE 5.40GM	1	CR:MD /BY	102087.3	15 Nos.	12-Mar-26
		(FP)							
217	38253282101468 dt.13-MAR-25 on M/s.ANNAPURNA ENGINEERING WORKS-HOWRAH	779105.66	38143069	BRAKE WEAR PLATE FOR CASNUB BOGIES TO RDSO DRG. NO. SK-69597, ALT-41, ITEM NO.9, MATERIAL AND SPECIFICATION CONFIRMING TO RDSO SPECIFICATION NO. WD-21- CASNUB22NLB- BOGIE-93, REV.2 OF JULY 2002, READ WI	1	CR:WA GON/B SL	269.03	615 Nos.	03-Dec-25

		(FP)			2	CR:KW V	269.03	1516 Nos.	03-Dec-25
					3	CR:BD	269.03	765 Nos.	03-Dec-25
218	36252141101477 dt.15-MAR-25 on M/s.SP ASSOCIATES- RANCHI	751424	46010087	Hard Drawn Copper Conductor 7 mm dia for solid Dropper as per IS:282/1982 or latest (as on date of tender opening) Firm offer:GSJ Alloys make	1	CR:CR D	1174.1	640 Kgs.	15-May-25
		(FP)							
219	27244732101712 dt.27-MAR-25 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED-HOSUR	1261108.5	29619907	Vigilance control equipment for WAP-5 locos type 150829/V99- T6, FTIL Part No. 025001000 for 3-phase locomotive. Accepted offer :FTRTIPL Part no FT0051618-100. [Warranty Period: 30 Months after the da	1	CR:AQ	630554.2	2 Nos.	27-Jul-25
		(FP)							
220	61241736101750 dt.29-MAR-25 on M/s.K ENTERPRISES- MUMBAI	739200	82029829	SAROGLITAZAR 4 MG ORAL TABLET Make / Brand : SAROGLITAZAR 4 MG (LIPAGLYN 4MG)	1	CR:MD /BY	36.96	5000 Nos.	29-May-25
		(FP)			2	CR:MD /BY	36.96	5000 Nos.	26-Sep-25
					3	CR:DR H/BSL	36.96	2000 Nos.	29-May-25
					4	CR:DR H/KYN	36.96	3000 Nos.	29-May-25

					5	CR:DR H/KYN	36.96	3000 Nos.	26-Sep-25
					6	CR:DR H/SUR	36.96	2000 Nos.	29-May-25
221	48251003100277 dt.15-MAR-25 on M/s.GLOBAL ELMECH- JALANDHAR	3313440 (FP)	30020451	REAR COVER FOR AXLE BOX [FINISHED MACHINED] TO DRG NO. T-0-2-603 ALT- G/14, ITEM NO. 2. MTRL AND SPECN: AS PER DRG. make - KIND	1	CR:PR	1656.72	2000 Nos.	29-Apr-25
222	38242177101508 dt.18-MAR-25 on M/s.CENTRAL GASKET COMPANY- MUMBAI	4774960.9 (FP)	37550226	KIT FOR JOINTS(BTPN)CONSI STING 6 ITEMS. [1] MAN HOLE JOINTING TO DRG. NO. WD- 86081-S/61 ALT-13, ITEM NO. 4. QUANTITY 10 NOS. [2] FILLING PIPE JOINTING TO DRG. NO. WD-86081-S/61 ALT-13, ITEM NO. 6 QUAN	1	CR:WA GON/B SL	38820.82	123 Set	19-Jun-25
223	80242244101543 dt.19-MAR-25 on M/s.NATIONAL ENGINEERING INDUSTRIES LTD.- JAIPUR	12037428 (FP)	80011147	SHELL GADUS S5 V 42 P 2.5 FOR WAG-9 & WAP-7 LOCO AXLE BOX BEARING. mAKE : SHELL	1	CR:KY N	2112.2	474 Kgs.	20-May-25
					2	CR:KY N	2112.2	473 Kgs.	31-Aug-25

					3	CR:AC L BSL	2112.2	397 Kgs.	20-May-25
					4	CR:AC L BSL	2112.2	397 Kgs.	31-Aug-25
					5	CR:GP R PA	2112.2	680 Kgs.	20-May-25
					6	CR:AQ	2112.2	1639 Kgs.	20-May-25
					7	CR:AQ	2112.2	1639 Kgs.	31-Aug-25
224	80240016101560 dt.20-MAR-25 on M/s.MRO ENGINEERS- MUMBAI	2329263.4	80012887	Synthetic oil combination base oil with Lithium/Calcium thicker, denomination according to DIN 51502: MPFE 00 G- 35 Standard for wheel flange lubrication system, Biodegradable as per OECD 301 B . Make	1	CR:KA LVA	679.68	419 Kgs.	20-May-25
		(FP)			2	CR:KA LVA	679.68	419 Kgs.	30-Aug-25
					3	CR:KY N	679.68	443 Kgs.	20-May-25
					4	CR:KY N	679.68	444 Kgs.	30-Aug-25
					5	CR:SN PD	679.68	851 Kgs.	20-May-25
					6	CR:SN PD	679.68	851 Kgs.	30-Aug-25
225	85251281800506 dt.20-MAR-25 on M/s.PRINCIPAL CHIEF MATERIALS MANAGER, CHURCHGATE	564237	30020451	REAR COVER FOR AXLE BOX [FINISHED MACHINED] TO DRG NO. T-0-2-603 ALT- G/14, ITEM NO. 2. MTRL AND SPECN: AS PER DRG.	1	CR:MT N	1532.9	200 Nos.	28-Jun-25

(PC)

30020724	Collar for Direct Mounted Roller Bearing Arrangement to ICF Drg. No. T-0-2-628 Alt-f/4. MATERIAL AND SPECIFICATION AS PER DRAWING.	2	CR:MT N	571.39	300 Nos.	28-Jun-25
33500423	PRIMARY BUMP STOP FOR FLAT IR BOGIE DRAWING NO.:LW 01102, ALT - 'D', AND SPECIFICATION NO. TS-17.531.100 AND TS-17.617.100 as per Drg.No. RCF.DRG.NO. LW01102, ALT.'D' specn: RCF.DRG.NO. LW01102, ALT.'	3	CR:MT N	162.9	100 Nos.	28-Jun-25
73777092	Disc lock washer M16 in pairs. Part No. 107.01 of M/s Disc International USA or Lock rite washer as per drawing no. IIS-TR-15753 Rev - 7 size : 5/8 inch (M16) (OD-25.4 mm x ID-17mm x thick - 3.4 mm) s	4	CR:MT N	13.99	5000 Pairs	28-Jun-25

226	38254987101578 dt.20-MAR-25 on M/s.HMTD ENGINEERING PVT. LTD.-NAVI MUMBAI	542800	33625086	9 KVA 750V / 415V / 190V AC, 3-PHASE, STAR-STAR-STAR, DRY TYPE, AIR COOLED POWER DISTRIBUTION TRANSFORMER FOR LHB TYPE COACHES. CONFIRMING TO RDSO SPECIFICATION NO. RDSO/PE/SPEC//TL/01 58-2010, REV-1,	1	CR:MT N	108560	5 Nos.	21-Jun-25
		(FP)							
227	38253124101592 dt.21-MAR-25 on M/s.SURLON DUREL SPRINGS PVT. LTD-NEW DELHI	521088	37134012	Buffer Recoil spring to ICF Drg. no. ICF/STD-2- 2-015 Alt.-a/nil, item no. 6. Material and specification as per ICF/MD/Spec-353 Amendment no.1 of 2019.	1	CR:MT N	2265.6	230 Set	22-Jun-25
		(FP)							

228	56251072800246 dt.21-MAR-25 on M/s.HEAD QUARTER, Gorakhpur	513254.84 (FC)	11230058	BG LOCO WHEEL 'S' SHAPED TO DRG.NO.D/WL-5060/R (TPL CLOSED 11020374) as per Drg.No. DRG.NO.D/WL- 5060/R	1	CR:AC L BSL	128313.7	4 Nos.	19-Jun-25
229	42250037101613 dt.21-MAR-25 on M/s.ELASTOMECH- KOLKATA	1617449.6 (FP)	35750250	RUBBER SANDWICH UNIT OF M/S SIEMENS TRACTION MOTOR TYPE 1TB2022 OTA 03 AS PER DRG NO WR /MX/EL-1926-2 /AC-DC- TM269	1	CR:MT N	15552.4	53 Set	22-Jun-25
					2	CR:SN PD	15552.4	51 Set	30-Nov-25
230	81243135101635 dt.24-MAR-25 on M/s.V.M.ENTERPRI SE-MUMBAI	1250101.4 (FP)	81903364	Sealant of Gear case Assly. of EMD Locos.DC 3-0100 RTV Silicone sealant (DOW SIL/Dow Corning) or Loctite 5910 (Loctite), As per RDSO. Inst. Bulletin No.MP.IB.EN.02.06.09 (Rev.02) dt.26.04.2019 or Ia	1	CR:DL S KYN	1189.44	332 Nos.	25-Jun-25
					2	CR:GP R PA	1189.44	719 Nos.	25-Jun-25

[illegible]

233	27254781101633 dt.24-MAR-25 on M/s.KNORR- BREMSE INDIA PVT. LTD.-PALWAL	3422000	29162804	OVERHAULING KIT FOR CONTROL PORTION BP (787321- 1994), AS PER KBIL KIT NO XKI/KIT/01579 OF M/S. KNORR BREMSE MAKE CCB PANEL FOR BRAKING SYSTEM OF 3- PHASE LOCOMOTIVE. SET CONSISTS OF 60 ITEMS IN 77 NOS	1	CR:GP R PA	136880	10 Set	24-Jun-25
					2	CR:AQ	136880	15 Set	24-Jun-25

234	38240345101657 dt.25-MAR-25 on M/s.POWER ENGINEERING AND MACHINERY COMPANY- MUMBAI	1585920	33643611	AUTOMATIC VOLTAGE REGULATOR (AVR IEVR)WITH FEMALE CONNECTOR SUITABLE FOR KIRLOSKAR MAKE 500 KVA 750V, 50HZ, 3PHASE 385AMPS BRUSHLESS ALTERNATOR TO BE PROCURED FROM OEM OR ITS AUTHORIZED DEALER WITH	1	CR:LT T	132160	12 Nos.	26-Jun-25
		(FP)							
235	18252218101672 dt.25-MAR-25 on M/s.AUTO INDUSTRIES- GREATER NOIDA	772306.41	16240390	Spin-on Fuel Filter to RDSO DRG. No. SK. DP- 3676 Alt."2" Along with all part drgs, (EMD No.8423132) RDSO SPEC. No.MP.0.2600.19 (Rev.02) JAN -2022 ,Testing of Filter Paper as per MP.TP.23 (Rev.00) Ju	1	CR:GP R PA	3713.01	156 Nos.	25-Sep-25
		(FP)			2	CR:DL S KYN	3713.01	52 Nos.	25-Sep-25

236	27253721101677 dt.25-MAR-25 on M/s.ARIHANT ELECTRICALS-NEW DELHI	3982500 (FP)	29695028	PRIMARY VOLTAGE TRANSFORMER AS PER CLW SPECN. NO. CLW/ES/3/0009 ALT-C. [Warranty Period: 30 Months after the date of delivery].	1	CR:AQ	265500	2 Nos.	25-Jun-25
					2	CR:GP R PA	265500	2 Nos.	25-Jun-25
					3	CR:KY N	265500	2 Nos.	25-Jun-25
					4	CR:AC L BSL	265500	5 Nos.	25-Jun-25
					5	CR:AC L BSL	265500	4 Nos.	30-Sep-25
237	27242439101710 dt.27-MAR-25 on M/s.MICA MOLD- JAMSHEDPUR	1576435.4 (FP)	25948301	BRUSH HOLDER SUPPORT ASSLY. FOR Traction Motor TAO-659 A1 TO CLW DRG. NO. 3TWD.092.210 ALT.- 1,3TWD.092.466A,3T WD.092.465.	1	CR:AC L BSL	6595.96	239 Nos.	27-Jun-25
238	56251030100263 dt.27-MAR-25 on M/s.MICA MOLD- JAMSHEDPUR	542800 (FP)	25948696	Brush holder spring for Hitachi TM type HS- 15250 A to drg. no. ELW/BSL/3/WAG- 5HB/150.034/Alt.1 to item no.1 to 5. FIRM'S OFFER MAKE/BRAND:SELF Only	1	CR:AC L BSL	217.12	2500 Nos.	26-May-25
