

CENTRAL RAILWAY

Depot : All Depots

LIST OF PURCHASE ORDERS

Section : ALL

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	PO Sr.	Consignee	A.I.Rate	PO Qty	Dely.Dt
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;									
1	27253956103283 dt.01-JUL-25 on M/s.INTERNATIO NAL SWITCHGEARS PVT LTD-MOHALI	877920 (FP)	29100010	Elastic Ring for 3 phase locomotives as per RDSO Specn. No. RDSO/2007/EL/ SPEC/0053 Rev- 2 June 2021.	1	CR:ACL BSL	28320	31 Nos.	30-Apr-26
2	27251856103312 dt.02-JUL-25 on M/s.R.P.MACHINE TOOLS-GAZIABAD	1016857.9 (FP)	23448763	Impeller for T.M. Blower type MLBR 42-5-1-44 VMT (FLAKT make) as per drg. no. ELW/BSL/WAM 4/3/124.274 ALT- 1.	1	CR:ACL BSL	26073.28	39 Nos.	30-Apr-26

3	27251869103317 dt.02-JUL-25 on M/s.SONATA INDUSTRIAL ELECTRONICS- MUMBAI	1386205	23508530	EDGEWISE SCALED ILLUMINATED DIAL TRACTION MOTOR AMMETER (EXTERNAL SHUNT TYPE BUT SUPPLIED WITHOUT SHUNT) AS PER FIGURE I & II TO CLW SPECN. NO. CLW/ES/I-2 ALT- O) TYPE = MOVING COIL, 2) RANGE = 1500-0-	1	CR:ACL BSL	5544.82	180 Nos.	31-Dec-25
		(FP)			2	CR:KYN	5544.82	70 Nos.	31-Dec-25
4	41252523203367 dt.04-JUL-25 on M/s.M/s KATYAAYANI SALES & SERVICES PRIVATE LIMITED, NOIDA	1531673	41158969	ELECTO Industrial Grade Silicone sealant, Size 300 milliliter in Cartridge Brand: ELECTO (Detailed Description/Spe cification as per Product # 1 of GeM Contract No. GEMC- 5116877563263 33 dt.22/06/2025)	1	CR:GPR PA	143	88 Nos.	21-Aug-25
		(PC)			2	CR:AQ	143	7498 Nos.	21-Aug-25
					3	CR:KYN	143	231 Nos.	21-Aug-25
					4	CR:ACL BSL	143	2894 Nos.	21-Aug-25

5	85251670801381 dt.07-JUL-25 on M/s.Principal Chief Materials Manager, Jabalpur	699301.32	33500400	Secondary Spring Outer for Generator Car Side-2 to FIAT Drg. No.1268836 Ver.01R and conforming to RDSO Specification No. RDSO/2017/CG- 01 Rev-02 of February 2023 along with RDSO Letter No. SV.FIAT. Spr	1	CR:MTN	58275.11	12 Nos.	15-Oct-25
		(FP)							
6	27253251103408 dt.07-JUL-25 on M/s.NATIONAL ENGINEERING INDUSTRIES LTD.- KOLKATA	21746023	29010020	Cylindrical Roller Axle Box Bearing unit for WAP-7/WAG-9 loco, CRU-150 OR RB-5080 with greasing hole arrangement. Accepted offer as per firms offer: CYLINDRICAL ROLLER BEARING RB5080D TO NEI DRG. NO.	1	CR:KYN	25857.34	7 Nos.	07-Oct-25
		(FP)			2	CR:ACL BSL	25857.34	210 Nos.	07-Oct-25
					3	CR:ACL BSL	25857.34	210 Nos.	31-Oct-25
					4	CR:ACL BSL	25857.34	202 Nos.	30-Apr-26
					5	CR:TMW	25857.34	72 Nos.	07-Oct-25
					6	CR:GPR PA	25857.34	55 Nos.	07-Oct-25
					7	CR:GPR PA	25857.34	50 Nos.	31-Oct-25
					8	CR:AQ	25857.34	35 Nos.	07-Oct-25

7	38254970103422 dt.07-JUL-25 on M/s.TAYAL AND CO-MOHALI	2531100 (FP)	33538384	Air Spring Assembly (140 KN Capacity) for mainline LHB GS Coaches for FIAT type Bogies to RDSO specification no. RDSO/CG/S/23 002 Rev. nil of April 2023 or latest.	1	CR:MTN	194700	13 Nos.	07-Oct-25
8	43254023103448 dt.08-JUL-25 on M/s.S.INTERNA TIONALS-MUMBAI	6264199.9 (FP)	45029738	Rachet assembly for coupling socket assembly as per RCF Drg. No LW71330 Alt. 'A' and confirming to RDSO/PE/SPEC /AC/0177 Rev. 1-2013.	1	CR:NGP	15939.44	2 Nos.	09-Oct-25
					2	CR:NGP	15939.44	2 Nos.	30-Apr-26
					3	CR:MTN	15939.44	172 Nos.	09-Oct-25
					4	CR:MTN	15939.44	77 Nos.	30-Apr-26
					5	CR:MTN	15939.44	140 Nos.	31-Jul-26
9	27254594103459 dt.08-JUL-25 on M/s.ESCORTS KUBOTA LIMITED-FARIDABAD	24013000 (FP)	2.901E+11	SET OF DAMPERS (SHOCK ABSORBERS) FOR WAP-7 LOCO AS PER CLW SPECN NO. CLW/MS/3/SPEC/ELDO-BOGIE/002 (REV. NIL) AND CLW DRG. NO. 1209-01.215-014, ALT-2 COMPRISING OF :- (1) AXLE DAMPER, QTY-08 NOS, (2)	1	CR:Sr. Section Engineer	324500	4 Set	08-Oct-25
					2	CR:SR.D ME [D] PA	324500	2 Set	08-Oct-25

					3	CR:Bogie(HR)	324500	4 Set	08-Oct-25
			29048333	SET OF DAMPERS (SHOCK ABSORBERS) FOR WAP-7 LOCO AS PER CLW SPECN NO. CLW/MS/3/SPE C/ELDO- BOGIE/002 (REV. NIL) AND CLW DRG. NO. 1209-01.215- 014, ALT-2 COMPRISING OF :- (1) AXLE DAMPER, QTY- 08 NOS, (2)	4	CR:KYN	324500	20 Set	08-Oct-25
					5	CR:KYN	324500	7 Set	08-Dec-25
					6	CR:ACL BSL	324500	12 Set	08-Oct-25
					7	CR:ACL BSL	324500	6 Set	08-Dec-25
					8	CR:GPR PA	324500	10 Set	08-Oct-25
					9	CR:AQ	324500	9 Set	08-Oct-25
10	27252661103484 dt.09-JUL-25 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED-HOSUR	3160058.9	25160072	A-9 Automatic brake valve assly.to WABCO PT.NO. 564140.each unit should be embossed/engra ved with makers name, month, year & batch no. of manufacturing at a conspicuous place. Accepted Offer: FTRTIPL	1	CR:ACL BSL	49375.92	64 Nos.	30-Apr-26

		(FP)							
11	27251900103512 dt.10-JUL-25 on M/s.AVADH RAIL INFRA LIMITED- Lucknow	1347711	25108013	Side Bearer (RUBBER SPRING) for WAG-7 Loco as per RDSO Drg. No SKVL-127 ALT-10.	1	CR:KYN	4954.82	26 Nos.	10-Jan-26
		(FP)			2	CR:ACL BSL	4954.82	246 Nos.	10-Jan-26
12	38250001103518 dt.10-JUL-25 on M/s.FRONTIER SPRINGS LIMITED- KANPUR DEHAT	4020328.4	33500666	Primary Spring for LHB Non-AC Coaches (Inner) to FIAT Drg. No. LG 01101 Alt-b and conforming to RDSO Spec. No. RDSO/2017/CG- 01 Rev.02 of February-2023 along with RDSO L. No. SV.FIAT.Spring, Dated 11/1	1	CR:PR	7016.28	460 Nos.	31-Dec-25
		(FP)			2	CR:MTN	7016.28	113 Nos.	31-Dec-25
13	90250692703571 dt.14-JUL-25 on M/s.STEEL AUTHORITY OF INDIA LIMITED- KOLKATA	3805500	90516310	MILD STEEL SHEET PLAIN 1.6 mm THICK X 1250 X 2500 mm TO IS:513/2008 GRADE CR1/CR2D.	1	CR:ACL BSL	7611	500 QTL.	16-Oct-25
		(FP)							
14	42251600103595 dt.15-JUL-25 on M/s.YASH CREATION- MUMBAI	2373776.5	31617347	FRP seat cum backrest pressing three seater as per Drg No WR/M/SK/CR/- 580 Item no.1	1	CR:MTN	1417.18	424 Nos.	16-Oct-25

		(FP)			2	CR:MTN	1417.18	424 Nos.	31-Dec-25
					3	CR:SNPD	1417.18	414 Nos.	16-Oct-25
					4	CR:SNPD	1417.18	413 Nos.	31-Dec-25
15	75251025103609 dt.16-JUL-25 on M/s.GANESA ENTERPRISES- CHENNAI	762280	77030904	Paint Enamel, interior, finishing, white to IS 133 : 2023 (sixth Revision) along with additional requirements ICF/MD/Spec - 052, issue status 02, Rev 01 dtd 26-05- 2006 under RDSO Amendment no. 1A (Rev	1	CR:PUNE	112.1	1090 LTR	15-Sep-25
		(FP)			2	CR:PUNE	112.1	1090 LTR	01-Jun-26
					3	CR:BB	112.1	860 LTR	15-Sep-25
					4	CR:BB	112.1	860 LTR	01-Jun-26
					5	CR:BSL	112.1	1450 LTR	15-Sep-25
					6	CR:BSL	112.1	1450 LTR	01-Jun-26
16	38252578103610 dt.16-JUL-25 on M/s.BALAJI RUBBER FACTORY- MUMBAI	754020	30076134	Silent Block for Anchor Link to RDSO Drg. No. SK-94101, Alt.2, TYPE-B conforming to RDSO Specn. No.C-9406 (Rev.II) with Amend No.2 of August-2016.	1	CR:MTN	837.8	900 Nos.	16-Aug-25
		(FP)							

17	27252927103617 dt.17-JUL-25 on M/s.SIDDHIVINAY AK ENTERPRISERS- BHUBANESWAR	2901990.5	23817513	ROOF LINE INSULATOR TO CLW SPECN.NO. CLW/ES/AC/ 1- 1 ALT-K AND CLW DRG. NO: CLW/ES/SK- 2/AC/I-1 ALT-K. Accepted Make : MIL	1	CR:ACL BSL	10146.82	238 Nos.	17-Dec-25
		(FP)			2	CR:GPR PA	10146.82	48 Nos.	17-Dec-25
18	38233370703623 dt.17-JUL-25 on M/s.NATIONAL ENGINEERING INDUSTRIES LIMITED-KOLKATA	11829618	33500071	UIC TAPER ROLLER BEARING FOR DIA 130 MM AXLE JOURNAL FOR FIAT BOGIE AS PER SKF DRG. NO. 1639433 CB OR TIMKEN DRG. NO. E48999 (H127746H- 90010) OR EQUIVALENT CONFORMING TO FIAT SPECIFICATIO N NO. 17.56	1	CR:MTN	27966	423 Nos.	17-Oct-25
		(FP)							

19	38253509103627 dt.17-JUL-25 on M/s.RAUSHEENA UDYOG LIMITED- GUWAHATI	15281694 (FP)	38130713	Coupler body with shank wear plate (welded) for non- transition CBC to RDSO Drg. no. SK-62724, Alt.-31, item no. 1 & 10.Material and specification confirming to RDSO STR no. WD-70-BD-2010 (Rev. 04 of N	1	CR:KWV	39284.56	130 Nos.	18-Oct-25
					2	CR:KWV	39284.56	130 Nos.	15-Jan-26
					3	CR:KWV	39284.56	129 Nos.	31-May-26
20	38253509103629 dt.17-JUL-25 on M/s.ATUL ENGINEERING UDYOG PRIVATE LIMITED-AGRA	22678656 (FP)	38130713	Coupler body with shank wear plate (welded) for non- transition CBC to RDSO Drg. no. SK-62724, Alt.-31, item no. 1 & 10.Material and specification confirming to RDSO STR no. WD-70-BD-2010 (Rev. 04 of N	1	CR:KWV	41536	182 Nos.	15-Jan-26
					2	CR:KWV	41536	182 Nos.	18-Oct-25
					3	CR:KWV	41536	182 Nos.	30-May-26

21	38250288103615 dt.17-JUL-25 on M/s.DEKON INDIA- HOWRAH	1858500 (FP)	38130853	Striker casting wear plate for BOXNHL / BCNHL Wagons to RDSO Drg. no. WD-87056- S-1, Alt-4. Material and specification confirming to IS 3885 : Part 1 : 1992 (Re- affirmed-2022), read with all amendments	1	CR:BSL	265.5	3500 Nos.	18-Oct-25
					2	CR:BSL	265.5	3500 Nos.	31-Jan-26
22	81251035103657 dt.18-JUL-25 on M/s.NDT CHEMICAL PRODUCTS- HYDERABAD	4408085.9 (FP)	81902086	DYE PENETRANT TEST KIT TO IS 12889-1989 (REAFFIRMED 2000) GROUP I. EACH KIT CONSIST OF RED DYE PENETRANT, NON AQUEOUS DEVELOPER AND PENETRANT REMOVER (SOLVENT) SUPPLIED IN AEROSOL CAN IN THE RATIO OF	1	CR:AQ	351.52	330 Nos.	15-Sep-25
					2	CR:PR	351.52	660 Nos.	15-Sep-25
					3	CR:SNPD	351.52	660 Nos.	15-Sep-25
					4	CR:NGP	351.52	660 Nos.	15-Sep-25
					5	CR:KYN	351.52	1650 Nos.	15-Sep-25
					6	CR:KYN	351.52	1650 Nos.	15-Dec-25
					7	CR:ACL BSL	351.52	1650 Nos.	15-Sep-25
					8	CR:ACL BSL	351.52	1650 Nos.	15-Dec-25
					9	CR:MTN	351.52	1980 Nos.	15-Sep-25
					10	CR:MTN	351.52	1650 Nos.	15-Dec-25

[illegible]

25	38250281103707 dt.24-JUL-25 on M/s.CONCORD CONTROL SYSTEMS LIMITED- LUCKNOW	4379369.4	33642102	Emergency lighting system for EOG type LHB AC & non AC Coaches as per RDSO's specification No. RDSO/PE/SPEC /AC/0180-2016 REV-0 TYPE-II and RDSO's drawing . No. RDSO/PE/SK/T L/0181- 2016,REV-0 sheet 1&2.	1	CR:MTN	5658.1	387 Nos.	25-Oct-25
		(FP)			2	CR:MTN	5658.1	387 Nos.	31-Jan-26
26	42254006103712 dt.24-JUL-25 on M/s.S.M.INTERNA TIONAL-MUMBAI	4010383.9	35860145	APC RECEIVER TYPE NRSSPECXUA 017/27,DRG NO.NRSAPC00 01 DT.05.04.2005 OR EQUIVALENT FOR SIEMENS RAKE	1	CR:VVH	182290.2	6 Nos.	15-Nov-25
		(FP)			2	CR:VVH	182290.2	6 Nos.	31-Dec-25
					3	CR:KALV A	182290.2	1 Nos.	15-Nov-25
					4	CR:KALV A	182290.2	1 Nos.	31-Dec-25
					5	CR:SNPD	182290.2	4 Nos.	15-Nov-25
					6	CR:SNPD	182290.2	4 Nos.	31-Dec-25

27	48251091800753 dt.25-JUL-25 on M/s.HEAD QUARTER, Gorakhpur	1278480 (FP)	75403717	Decorative Thermosetting Synthetic Resin Bonded Laminated Sheets for use in Coaching Stock to RDSO Specification No. C-K514 with Amdt. No.7 of Aug.2016 & Corrigendum-1 of June 2015 to Shade and Patter	1	CR:PR	1278.48	1000 Nos.	23-Oct-25
28	18253463103736 dt.25-JUL-25 on M/s.KHARAUJHA ENGINEERING LLP- VARANASI	556016 (FP)	16040144	LASH ADJUSTER ASSLY. DLW.DRG.No. 40118613 Alt."Bb" (DLW Pt.No. 16040144) SPEC. At CP:6- 22 Firm offer:self make	1	CR:DLS KYN	944	589 Nos.	23-Sep-25
29	50254014103741 dt.26-JUL-25 on M/s.NED ENERGY LIMITED- MEDCHAL	9461760	56158014	SEALED MAINTENANCE FREE VRLA BATTERY SET OF 60 CELLS 2V/200 AH CAPACITY EACH (STACKABLE), IN COMBINATION OF 55+5 CELLS FULLY CHARGED FOR SMPS BASED INTEGRATED POWER SUPPLY (IPS)SYSTEM, CONFORMING TO R	1	CR:CRD	236544	6 Set	31-Dec-25

		(FP)			2	CR:CRD	236544	5 Set	31-Mar-26
					3	CR:PUNE	236544	4 Set	31-Dec-25
					4	CR:PUNE	236544	4 Set	31-Mar-26
					5	CR:BSL	236544	6 Set	31-Dec-25
					6	CR:BSL	236544	5 Set	31-Mar-26
					7	CR:NGP	236544	4 Set	31-Dec-25
					8	CR:NGP	236544	4 Set	31-Mar-26
					9	CR:SUR	236544	1 Set	31-Dec-25
					10	CR:SUR	236544	1 Set	31-Mar-26
30	61253096103742 dt.26-JUL-25 on M/s.VAMA HEALTHWORLD LLP-MUMBAI	520717.79 (FP)	82666430	TAB FINERENONE MICRONIZED 10 MG. MAKE / BRAND : Kerendia	1	CR:MD/B Y	85.43	1000 Nos.	25-Sep-25
					2	CR:MD/B Y	85.43	995 Nos.	24-Mar-26
					3	CR:DRH/ BSL	85.43	250 Nos.	25-Sep-25
					4	CR:DRH/ BSL	85.43	250 Nos.	24-Mar-26
					5	CR:DRH/ Pune	85.43	1800 Nos.	25-Sep-25
					6	CR:DRH/ Pune	85.43	1800 Nos.	24-Mar-26
31	41251512103271 dt.01-JUL-25 on M/s.RETCO INDIA- JAIPUR	1010025.7 (FP)	40123170	CABLE 6 SQ MM, SIZE 84/0.3, UPTO INCLUDING 1100 VOLTS MULTISTRAND ED COPPER CONDUCTOR, FLEXIBLE SINGLE CORE, PVC INSULATED UNSHEATHED, CONFIRMING TO RDSO SPECIFICATIO N NO. RDSO/ PE/SPEC/TL/00 27-2002 (R	1	CR:MTN	58.41	14410 MTR	02-Oct-25
					2	CR:BSL	58.41	2882 MTR	02-Oct-25

32	62253960103281 dt.01-JUL-25 on M/s.K. P BIOMEDICALS- MUMBAI	904050	82250856	CEMENTED BIPOLAR SET (AS PER SPECIFICATIO N) SPECIFICATIO N: SELF CENTERIC BIPOLAR SHELL IN 1 MM INCREMENT FROM 34-54. 1] EXETER TYPE STEM 2] CENTRALISER SHOULD BE PROVIDED 3] CEMENT RESTRICTOR AND	1	CR:MD/B Y	22050	15 Nos.	02-Jul-26
		(FP)			2	CR:DRH/ BSL	22050	1 Nos.	02-Jul-26
					3	CR:DRH/ Pune	22050	10 Nos.	02-Jul-26
					4	CR:DRH/ KYN	22050	15 Nos.	02-Jul-26
33	62243961103306 dt.02-JUL-25 on M/s.VM ENTERPRISE- MUMBAI	9021484.5	82118632	TOTAL HIP REPLACEMENT IMPLANT MAKE / BRAND : JOHNSON & JOHNSON	1	CR:MD/B Y	99772.05	25 Nos.	30-Dec-25
		(PC)			2	CR:MD/B Y	99772.05	25 Nos.	28-Jun-26
					3	CR:DRH/ Pune	100822.1	5 Nos.	30-Dec-25
					4	CR:DRH/ Pune	100822.1	5 Nos.	28-Jun-26
					5	CR:DRH/ KYN	99772.05	5 Nos.	30-Dec-25
					6	CR:DRH/ KYN	99772.05	5 Nos.	28-Jun-26
					7	CR:DRH/ NGP	101347.1	10 Nos.	30-Dec-25
					8	CR:DRH/ NGP	101347.1	10 Nos.	28-Jun-26

34	85251607101593 dt.28-JUL-25 on M/s.BHARAT ELECTRICAL AND AUTOMATION- KANPUR NAGAR	920400 (FP)	45217580	Battery charger unit pre-cooling Transformer with enclosure of stainless steel input 415 V AC, 3 phase, 50 HZ, output -200 AMPS, 130 V DC for AC coaches, As per Spec. No. EDTS- 041, (Rev-B). specn:	1	CR:MTN	184080	5 Nos.	27-Aug-25
35	18252167103761 dt.28-JUL-25 on M/s.HIND ENTERPRISES- MUMBAI	521560 (FP)	18140099	CONTACTOR, 1200 Amp. DLW DRG No. 40024444, Alt."Ab" (DLW Pt.No.18140099) SPEC No.WDG4/EL/P S-09,Rev. "R1" Make- CONTACTOR 1200AMP OF CONTINENTAL MAKE PART NO:-CECM- 1700/1044	1	CR:DLS KYN	260780	2 Nos.	28-Jan-26
36	80253151103781 dt.30-JUL-25 on M/s.APAR INDUSTRIES LTD- MUMBAI	2366812.1	80090308	Transformer Oil confirming to Specification IEC-60296 and CLW Specn.No.CLW/ ES/3/0172 or Latest.	1	CR:ACL BSL	134.82	17556 LTR	23-Oct-25

		(FP)							
37	43244070103785 dt.30-JUL-25 on M/s.SUGAN ENGINEERING PRIVATE LIMITED- HOWRAH	2036090	45150254	INSULATING BASE WITH FIXING SCREW KIT FOR JUMPER PLUG ASSEMBLY AS PER RCF DRAWING NO. LW 71304 ALT 'D' AND CONFIRMING TO RDSO SPEC NO. RDSO/PE/SPEC /AC/0177-2013 REV. 1.	1	CR:MTN	11977	85 Nos.	31-Oct-25
		(FP)			2	CR:MTN	11977	85 Nos.	31-Dec-25
38	38253047103811 dt.31-JUL-25 on M/s.M S CHAIN INDUSTRIES- HOWRAH	603204.2	30326047	Pin Electroplated for ICF Bogie to RDSO SK- 93186, Alt-3, Item No. 2. Material and Specification as per drawing.	1	CR:PR	97.29	1500 Nos.	30-Nov-25
		(FP)			2	CR:MTN	97.29	4700 Nos.	30-Nov-25
39	61252092103831 dt.31-JUL-25 on M/s.MEDI SPECIALITY PHARMA- MUMBAI	1045687.7	82023750	IV RINGERS LACTATE 500 ML Make: SELF	1	CR:DRH/ NGP	39.54	4500 Nos.	01-Apr-26
		(FP)			2	CR:MD/B Y	39.54	6704 Nos.	01-Apr-26
					3	CR:DRH/ BSL	39.54	800 Nos.	01-Apr-26
					4	CR:DRH/ KYN	39.54	3000 Nos.	01-Apr-26
					5	CR:DRH/ Pune	39.54	3945 Nos.	01-Apr-26
					6	CR:DRH/ SUR	39.54	7500 Nos.	01-Apr-26
40	61254757103833 dt.31-JUL-25 on M/s.SRI SAI AGENCIES- GHAZIABAD	1197504	82111006	INSULIN DEGLUDEC (r- DNA ORIGIN)100IU/ ML IN 3ML PENFILLS Make: Tresiba Penfill	1	CR:DRH/ Pune	1209.6	140 Nos.	01-Apr-26
		(FP)			2	CR:MD/B Y	1209.6	125 Nos.	01-Apr-26

				PERMITS	3	CR:DRH/ BSL	1209.6	250 Nos.	01-Apr-26
					4	CR:DRH/ NGP	1209.6	300 Nos.	01-Apr-26
					5	CR:DRH/ KYN	1209.6	175 Nos.	01-Apr-26
41	41253956103368 dt.04-JUL-25 on M/s.REMKO WIRE INDUSTRIES PVT. LTD.- ULHASNAGAR	1719248.2	41134862	Silicone Rubber Compound XIAMETER-4250-S kit green in 22Kg.pack (Base 20kg. plus curing agent 2kg.) of Dow Corning OR Equivalent grade vide RDSO L.No.EL.2.2.8.1 Dated 25.07.12 (Suppliers shall submit	1	CR:TMW	2342.3	734 Kgs.	16-Dec-25
		(FC)							
42	61251736103387 dt.04-JUL-25 on M/s.K ENTERPRISES- MUMBAI	1016400	82029829	TAB SAROGLITAZA R 4 MG Make: LIPAGLYN 4MG	1	CR:MD/B Y	36.96	9000 Nos.	05-Mar-26
		(FP)			2	CR:DRH/ BSL	36.96	3000 Nos.	05-Mar-26
					3	CR:DRH/ Pune	36.96	3500 Nos.	05-Mar-26
					4	CR:DRH/ KYN	36.96	9000 Nos.	05-Mar-26
					5	CR:DRH/ SUR	36.96	3000 Nos.	05-Mar-26

43	43251035103400 dt.07-JUL-25 on M/s.EXIDE INDUSTRIES LIMITED.- KOLKATA	139096200	45170381	VALVE REGULATED LEAD ACID 1100AH CAPACITY BATTERIES CONFORMING TO RDSO SPECIFICATIO N NO. RDSO/PE/SPEC /AC/0009-2014 (REV. -2) PER SET OF 56 CELLS INCLUDING TRAYS, FOR AC COACHES FITTED WITH INVERTER-OP	1	CR:NGP	1433981	2 Set	30-Nov-25
					2	CR:MTN	1433981	20 Set	30-Nov-25
					3	CR:MTN	1433981	20 Set	31-Jan-26
					4	CR:MTN	1433981	27 Set	30-May-26
					5	CR:MTN	1433981	28 Set	31-Aug-26
44	43251035103401 dt.07-JUL-25 on M/s.AMARA RAJA ENERGY AND MOBILITY LIMITED-TIRUPATI	93208794	45170381	VALVE REGULATED LEAD ACID 1100AH CAPACITY BATTERIES CONFORMING TO RDSO SPECIFICATIO N NO. RDSO/PE/SPEC /AC/0009-2014 (REV. -2) PER SET OF 56 CELLS INCLUDING TRAYS, FOR AC COACHES FITTED WITH INVERTER-OP	1	CR:MTN	1433981	15 Set	30-Nov-25
					2	CR:MTN	1433981	15 Set	31-Jan-26
					3	CR:MTN	1433981	17 Set	31-May-26
					4	CR:MTN	1433981	18 Set	31-Aug-26

45	27253424103445 dt.08-JUL-25 on M/s.KRISHNA ENGINEERING WORKS-KOLKATA	565078.4	29660014	EARTH FAULT RELAY FOR AUX.CONVERT OR 415/110V CKT. HARMONIC FILTER AND CONTORL CIRCUIT (POS NO. 89.2.89.5.89.6 AND 89.7) 150 MA 43 OHM- 36/110 VOLT AS PER ABB DOCUMENT NO.HBVW 400011R0001 AND CLW SPECN.	1	CR:KYN	3870.4	22 Nos.	31-Dec-25
		(FP)			2	CR:ACL BSL	3870.4	43 Nos.	08-Oct-25
					3	CR:AQ	3870.4	38 Nos.	31-Dec-25
					4	CR:GPR PA	3870.4	43 Nos.	08-Oct-25
46	43254023103449 dt.08-JUL-25 on M/s.MARVEL ELECTRIC EQUIPMENTS PRIVATE LIMITED- MUMBAI	11651731	45029738	Rachet assembly for coupling socket assembly as per RCF Drg. No LW71330 Alt. 'A' and confirming to RDSO/PE/SPEC /AC/0177 Rev. 1- 2013.	1	CR:NGP	15939.44	4 Nos.	09-Oct-25
		(FP)			2	CR:NGP	15939.44	6 Nos.	30-Apr-26
					3	CR:MTN	15939.44	318 Nos.	09-Oct-25
					4	CR:MTN	15939.44	143 Nos.	30-Apr-26
					5	CR:MTN	15939.44	260 Nos.	31-Jul-26

47	38253797103474 dt.09-JUL-25 on M/s.SUBHAM POLES PROJECTS PVT LTD-KOLKATA	3237507	38452534	Modified Flap door arrangement- Reduced height retro-fitment of BOXNHL to RDSO Drg. No. WD23018-S-02, Alt-03, item no. 3, 4, 5a, 5b, 5c, 10, 11, 12, 13, 14, 16 & 17. Material and specification as per d	1	CR:KWV	3953	175 Set	09-Nov-25
		(FP)			2	CR:KWV	3953	175 Set	28-Feb-26
					3	CR:BSL	3953	250 Set	09-Nov-25
					4	CR:BSL	3953	219 Set	28-Feb-26
48	27253568103486 dt.09-JUL-25 on M/s.CONTINENTA L ENGINEERING WORKS PRIVATE LIMITED-KOLKATA	1784160	29960022	Contactor Filter On/Off and adaptation (Pos no 8.1 and 8.2) Type: BPS30.06S, 3000V-600A-3 HIKO- 110Vlt as per ABB product No. HSBA 433699R1494, CLW Specn. No. CLW/ES/3/0086 Alt. C, CLW Drg. No. CLW/E	1	CR:ACL BSL	446040	4 Nos.	30-Apr-26
		(FP)							

49	81252025103489 dt.09-JUL-25 on M/s.TRADEWELL- MUMBAI	1287014.4 (FP)	83096097	STRAW BOARD GRADE 'A' CONFORMING TO IS 2617/2006 Revision 2 IN SHEETS AND IN STANDARD PACKING SIZE 65 X 77.5 CMS. 91 DKG PER SHEET 1807 GSM.	1	CR:PUNE	3830.4	76 QTL.	10-Nov-25
					2	CR:PUNE	3830.4	77 QTL.	31-Aug-26
					3	CR:WAG ON/BSL	3830.4	99 QTL.	10-Nov-25
					4	CR:WAG ON/BSL	3830.4	84 QTL.	31-Aug-26
50	41251772103491 dt.10-JUL-25 on M/s.VALUE ADVERTISEMENT SERVICES-JAIPUR.	651643.2 (FP)	41133080	AIR DRYING INSULATING VARNISH PIGMENTED OIL BASED FOR USE AS FINISHING SURFACE COATING TO IS- 352 OF 1973 COLOUR GRAY TO IS SHADE No. 632 MANUFACTUR ED BY M/s. ELANTAS BECK INDIA PVT. LTD., OR EQUIVALEN	1	CR:KALV A	460.2	80 LTR	11-Nov-25
					2	CR:MTN	460.2	145 LTR	11-Nov-25
					3	CR:SNPD	460.2	1191 LTR	11-Nov-25

51	27243282103523 dt.10-JUL-25 on M/s.INDUS ENGINEERING SOLUTION- SINGRAULI	8161127.8 (FP)	29960046	AOH/IOH/POH kit for Secheron Contactor Type BPS 15.15 C/2 & BPS 30.06S as per part No. SG201176R000 20. Each set consist of 07 items, 08 Nos. as per OEM manual (Secheron) Page No. E-32 & E-33. as under	1	CR:KYN	40202.6	18 Set	10-Oct-25
					2	CR:KYN	40202.6	18 Set	31-Dec-25
					3	CR:ACL BSL	40202.6	60 Set	10-Oct-25
					4	CR:ACL BSL	40202.6	49 Set	31-Dec-25
					5	CR:GPR PA	40202.6	2 Set	10-Oct-25
					6	CR:AQ	40202.6	28 Set	10-Oct-25
					7	CR:AQ	40202.6	28 Set	31-Dec-25
52	27252177103541 dt.11-JUL-25 on M/s.KIRLOSKAR PNEUMATIC COMPANY LIMITED.-PUNE	734550 (FP)	25428068	18 TEETH PINION FOR WAG-5HA/HB LOCOS TO RDSO DRG.NO.SKDP- 3460,ALT-1 TO RDSO SPECIFICATIO N NO.MP.0.2800.0 9(REV.02)JUNE 2005	1	CR:KYN	29382	25 Nos.	31-Dec-25
53	38252276103555 dt.11-JUL-25 on M/s.S.R.ELECTRO NICS-MUMBAI	1850436.9 (FP)	30437659	Aluminium Base Moulding 'J' Type, Size: 2.5 x 67 x 2440 mm to ICF Drg. No. ICF/STD-4-3- 008 Alt-s/Nil, Item No.10. Material and Specification as per drawing.	1	CR:MTN	396.83	1867 Nos.	12-Nov-25
					2	CR:MTN	396.83	1398 Nos.	12-Nov-25
					3	CR:MTN	396.83	1398 Nos.	12-Nov-25

54	38252299103556 dt.11-JUL-25 on M/s.BIRKAN ENGINEERING INDUSTRIES Pvt. LTD-GHAZIABAD	3776472	30920530	Mirror Assembly to ICF drg. No. ICF/STD-6-3- 008, Alt - p/nil, Col.I. Packing condition as per ICF/J&T/SK- 1722. Material and Specification as per drawing.	1	CR:MTN	826	2286 Nos.	12-Oct-25
		(FP)			2	CR:MTN	826	2286 Nos.	12-Jan-26
55	56251201800636 dt.11-JUL-25 on M/s.PRINCIPAL CHIEF MATERIALS MANAGER, Perambur	861089.2	25718290	POH REPLACEMENT KIT FOR SINGLE BOTTLE VCB OF M/S SCHNEIDER ELECTRIC TYPE 22CB (PART NO.5510760) AS PER SKETCH NO.ELW/BSL/S K.NO.3011 (in 2sheets) One set consist of 34 items	1	CR:ACL BSL	86108.92	10 Set	10-Aug-25
		(FP)							

[illegible]

58	27253633103735 dt.25-JUL-25 on M/s.R.K.SALES CORPORATION- MUMBAI	799303.68 (FP)	29660051	Contactor for Time delay relay of MR blower (Pos no 54.2) as per ABB ID No.HBTB58568 3R4227, type- LP1-D12008 FW along with time delay module as per ABB ID No. 3EHP590028R0 003, Type No.TEL- LA4DT2U OR	1	CR:ACL BSL	4078.08	100 Nos.	25-Nov-25
					2	CR:ACL BSL	4078.08	96 Nos.	31-Jan-26
59	50244015103737 dt.26-JUL-25 on M/s.MICROTEX ENERGY PVT LIMITED- BANGALORE	6883430.4 (FP)	56150118	SEALED MAINTENANCE FREE VRLA BATTERY SET OF 60 CELLS 2V/300 AH CAPACITY EACH (STACKABLE), IN COMBINATION OF 55+5 CELLS, FULLY CHARGED FOR SMPS BASED INTEGRATED POWER SUPPLY (IPS)SYSTEM, CONFORMING TO	1	CR:CRD	312883.2	11 Set	31-Dec-25
					2	CR:PUNE	312883.2	4 Set	31-Dec-25
					3	CR:BSL	312883.2	4 Set	31-Dec-25
					4	CR:NGP	312883.2	1 Set	31-Dec-25
					5	CR:SUR	312883.2	2 Set	31-Dec-25

60	50254014103740 dt.26-JUL-25 on M/s.AMARA RAJA ENERGY AND MOBILITY LIMITED-TIRUPATI	6386688 (FP)	56158014	SEALED MAINTENANCE FREE VRLA BATTERY SET OF 60 CELLS 2V/200 AH CAPACITY EACH (STACKABLE), IN COMBINATION OF 55+5 CELLS FULLY CHARGED FOR SMPS BASED INTEGRATED POWER SUPPLY (IPS)SYSTEM, CONFORMING TO R	1	CR:CRD	236544	3 Set	31-Jul-25
					2	CR:CRD	236544	3 Set	30-Sep-25
					3	CR:PUNE	236544	3 Set	31-Jul-25
					4	CR:PUNE	236544	3 Set	30-Sep-25
					5	CR:BSL	236544	4 Set	31-Jul-25
					6	CR:BSL	236544	3 Set	30-Sep-25
					7	CR:NGP	236544	3 Set	31-Jul-25
					8	CR:NGP	236544	3 Set	30-Sep-25
					9	CR:SUR	236544	1 Set	31-Jul-25
					10	CR:SUR	236544	1 Set	30-Sep-25
61	27253279103305 dt.02-JUL-25 on M/s.DELCO SWITCHGEARS PVT LTD-JAIPUR	905060 (FP)	29700048	Spring Loaded Switch for Head Light (POS No. 316) as per CLW Specification No. CLW/ES/3/0075 Alt-B. Make: DELCO	1	CR:ACL BSL	7670	118 Nos.	31-Jan-26

62	42251519103307 dt.02-JUL-25 on M/s.TRIMURTI TRADING COMPANY- MUMBAI	1133862	31901049	WINDOW TYPE CURRENT TRANSFORME R, CAST RESIN, NOMINAL RATIO 75/1 A, INSULATION LEVEL-0.72/3 KV, 50Hz, BURDEN VALVE-3 VA, INSULATION CLASS-E AS PER TECHNICAL DATA OF RITZ MESSWANDLE R TYPE GSOFB 1910, DR	1	CR:KALV A	188977	6 Nos.	02-Oct-25
		(FP)							
63	38250335103332 dt.02-JUL-25 on M/s.BHASIN PACKARD ELECTRONICS PVT. LTD.- MOHALI	756734	33630446	Metering transformer, capacity-300 VA, 750V/415V, 3 phase/110V AC, 3 phase suitable for LHB type EOG power cars. Type RG- 36/82/7-TP, Make- BHASIN PACKARD/ VIMAL/ PANTRONICS/ NACEL/ RAMAYA ELECTRO GEAR	1	CR:LTT	7139	55 Nos.	02-Sep-25
		(FP)			2	CR:LTT	7139	51 Nos.	31-Dec-25

64	38253293103394 dt.07-JUL-25 on M/s.IMT CABLES PVT. LTD.-NEW DELHI	1135278 (FP)	38164413	Gasket for air brake hose coupling for brake pipe item no. 4 to RDSO Drg. no. SK- 73547, Alt.-14. Material and specification confirming to RDSO specification no. 02-ABR-02, amendment no. 4 of sept. 201	1	CR:DLS KYN	13.28	500 Nos.	08-Oct-25
					2	CR:DLS KYN	13.28	500 Nos.	31-Mar-26
					3	CR:WAG ON/BSL	13.28	27120 Nos.	08-Oct-25
					4	CR:WAG ON/BSL	13.28	48500 Nos.	31-Mar-26
					5	CR:NGP	13.28	4450 Nos.	08-Oct-25
					6	CR:NGP	13.28	4450 Nos.	31-Mar-26
65	27253240103404 dt.07-JUL-25 on M/s.P. D. STEELS- MOHALI	4312900 (FP)	2.901E+11	Aluminum Impeller for Oil Cooling blower unit Centrifugal Designed for 3- Phase locomotive as per RDSO Spec. No. RDSO/2016/EL/ SPEC/0123 Rev- 0 issued on 05/12/2016 and Drawing No. RDSO/2016/SK 6/EL/SPEC/	1	CR:SSE(A uxiliar)EL S BSL	50740	5 Nos.	07-Oct-25
					2	CR:SSE AUXILIAR Y	50740	20 Nos.	07-Oct-25

			29440014	Aluminum Impeller for Oil Cooling blower unit Centrifugal Designed for 3- Phase locomotive as per RDSO Spec. No. RDSO/2016/EL/ SPEC/0123 Rev- 0 issued on 05/12/2016 and Drawing No. RDSO/2016/SK 6/EL/SPEC/					
					3	CR:ACL BSL	50740	45 Nos.	30-Nov-25
					4	CR:AQ	50740	15 Nos.	30-Nov-25
66	75251045103530 dt.11-JUL-25 on M/s.NETAI ENGINEERING WORKS-HOWRAH	2170768.4	77033255	Paint Enamel Synthetic Exterior Finishing, Colour - White for Railway coaches confirming to IS 8662: 2024 and RDSO Amendment no. 1 (Rev. 0) for pigment content as an additional requirement to IS 8662:	1	CR:AQ	107.26	2000 LTR	06-Oct-25
		(FP)			2	CR:AQ	107.26	1816 LTR	31-Mar-26
					3	CR:MTN	107.26	8422 LTR	06-Oct-25
					4	CR:MTN	107.26	8000 LTR	31-Mar-26

67	27253654103536 dt.11-JUL-25 on M/s.R.K.SALES CORPORATION- MUMBAI	672010	29660075	Relay for control Electronic OFF/ Safety relay control electronics ON / relay Temp control Electronics (Pos no 126.5, 126.6 , 211) as per CLW Specn. No. CLW/ES/3/0066 Alt-B. One set consists of 4 ite	1	CR:ACL BSL	3953	152 Nos.	11-Nov-25
		(FP)			2	CR:AQ	3953	11 Nos.	11-Nov-25
					3	CR:GPR PA	3953	7 Nos.	11-Nov-25
68	50253021103543 dt.11-JUL-25 on M/s.PPS INTERNATIONAL PRIVATE LIMITED- GAUTAM BUDDHA NAGAR	1438656	50180010	100V,15W,4 ohms Saloon Loud Speaker with matching Transformer and 4 pin wago male connector with protective grill as per Drg No.SNPD./RS/S K//CE/59 and compatible for PIS System in Siemens AC/DC EMU an	1	CR:KALV A	3776	61 Nos.	12-Jan-26
		(FP)			2	CR:VVH	3776	320 Nos.	12-Jan-26

[illegible]

73	38251021103594 dt.15-JUL-25 on M/s.B K INDUSTRIES- BIKANER	1079700 (FP)	30020750	Fully Machined Axle Box Front Cover to ICF Drg. No. T-0-2- 633, Alt- v/5, Item No.1. Material and Specification as per drawing.	1	CR:MTN	2159.4	500 Nos.	16-Oct-25
74	42241202103641 dt.18-JUL-25 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED-HOSUR	3509960.7 (FP)	31351499	MAINTENANCE KIT FOR DUPLEX CHECK VALVE [M/S FTIL MAKE] TO PART NO 790039105 AS PER SKETCH NO EMU/MTN/BE/3 4.	1	CR:MTN	4426.18	535 Set	25-Nov-25
					2	CR:KALV A	4426.18	11 Set	25-Nov-25
					3	CR:SNPD	4426.18	247 Set	25-Nov-25
75	18253722103659 dt.18-JUL-25 on M/s.AVIBHA INDUSTRIES PRIVATE LIMITED- PALWAL	708000 (FP)	16080105	AIR DUCT ASM- LEFT BANK to DLW DRG. No. 9546222 Alt. " Jc" (DLW Pt.No.16080105) Along with part drgs. Firm offer:avibha make	1	CR:GPR PA	141600	5 Nos.	16-Oct-25

78	38253432103728 dt.25-JUL-25 on M/s.CHANDRA BROTHERS- HOWRAH	5960416 (FP)	30051149	WEARING PIECE FOR SIDE BEARER TO ICF DRG. NO. T-0-5-649 ALT-I/18. MATERIAL AND SPECIFICATIO N AS PER DRAWING.	1	CR:MTN	9086	39 Nos.	26-Oct-25
					2	CR:WB	9086	65 Nos.	31-Dec-25
					3	CR:WB	9086	66 Nos.	31-Mar-26
					4	CR:PR	9086	94 Nos.	31-Dec-25
					5	CR:PR	9086	94 Nos.	31-Mar-26
					6	CR:PUNE	9086	100 Nos.	26-Oct-25
					7	CR:PUNE	9086	100 Nos.	31-Dec-25
					8	CR:PUNE	9086	98 Nos.	31-Mar-26
79	43251150103765 dt.29-JUL-25 on M/s.EXIDE INDUSTRIES LIMITED.- KOLKATA	14729728 (FP)	45170370	DIESEL LOCO STARTER BATTERY, 64 Volt (8 Batteries of 8V each,500 Ah Capacity) Low Maintenance Lead Acid Battery, DLW Spec. No. DEL/SPN/193 Rev. R3 July- 1998 or latest & RDSO/PE/STR/ TL/0014-2010 Rev-0	1	CR:CLA	589189.1	7 Set	30-Nov-25
					2	CR:CLA	589189.1	2 Set	30-Jun-26
					3	CR:PR	589189.1	3 Set	30-Jun-26
					4	CR:DLS KYN	589189.1	7 Set	30-Nov-25
					5	CR:GPR PA	589189.1	6 Set	30-Jul-26

82	18253614103274 dt.01-JUL-25 on M/s.MACO CORPORATION INDIA PRIVATE LTD-Kolkata	1564680	17480243	Bearing Roller for GD make water Cooled compressor Model No. WLNA9BB to GD Pt. No.12C21/EMD Pt. no. 8083552 make- GARDNER DENVER USA	1	CR:GPR PA	30090	30 Nos.	02-Oct-25
		(PC)			2	CR:DLS KYN	30090	22 Nos.	02-Oct-25
83	27242434103296 dt.01-JUL-25 on M/s.MICA MOLD- JAMSHEDPUR	779543.4	25944344	Set of brush holder finger assembly for TM TAO-659A. Set comprising of (1)Brush holder finger assembly as per SKEL- 4504 ALT-3 QTY-18 Nos.and (2)Washer as per SKEL-4506 ALT-3 -QTY-36 Nos.	1	CR:ACL BSL	13676.2	57 Nos.	01-Oct-25
		(FP)							
84	27253745103300 dt.01-JUL-25 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.- MUMBAI	3961625.8	23991070	SIEMENS MAKE SET OF PROGRAMME SWITCHES, ONE SET CONSISTING OF 10 ITEMS AND 18 NOS. Annexure attached.	1	CR:ACL BSL	172244.6	23 Set	31-Dec-25
		(FP)							

85	27253279103304 dt.02-JUL-25 on M/s.PPS INTERNATIONAL PRIVATE LIMITED- GAUTAM BUDDHA NAGAR	2707510 (FP)	29700048	Spring Loaded Switch for Head Light (POS No. 316) as per CLW Specification No. CLW/ES/3/0075 Alt-B. PPS Part No. 10.40.500	1	CR:KYN	7670	84 Nos.	31-Jan-26
					2	CR:ACL BSL	7670	138 Nos.	02-Oct-25
					3	CR:GPR PA	7670	47 Nos.	31-Jan-26
					4	CR:AQ	7670	84 Nos.	31-Jan-26
86	43251085103321 dt.02-JUL-25 on M/s.PRESSTECH INDIA PRIVATE LIMITED- MUMBAI.	1352988 (FC)	45125648	SET OF SPARE PARTS FOR 25KW, 120V DC RECTIFIER- CUM- REGULATOR OF M/s. PIPL MAKE [ONE SET CONSISTING OF 3 ITEMS AND QTY. 3 NOs.] AS FOLLOWS:-1] MAGNETIC AMPLIFIER, PART No. SIG 25001 - 1 No.2] MAIN PCB	1	CR:MTN	75166	18 Set	02-Oct-25

87	43251153103369 dt.04-JUL-25 on M/s.ADITYA RUBBER INDUSTRIES- BAREILLY	700764.24	45901296	AXLE PULLEY PAD FOR 6 GROOVE AXLE PULLEY AS PER RDSO DRG. NO. SKEL- 4021 WITH GOVERNING RDSO SPECN. NO. ELPS/SPEC/TL/ O1 OF DEC. 93 WITH AMENDMENT NO. 1 AND 2. THE RUBBER PAD SHALL BE MADE OF POLYCHRORA	1	CR:NGP	285.56	55 Nos.	04-Oct-25
		(FP)			2	CR:NGP	285.56	100 Nos.	30-Apr-26
					3	CR:MTN	285.56	2299 Nos.	30-Apr-26
88	85251539101384 dt.07-JUL-25 on M/s.D BACHUBHAI AND BROTHERS- MUMBAI	1268441	30220178	Hex. Head Bolt to ICF Drg. No. T-2-2-503, Alt- p/3 or latest(Col- III) Item no-7 and M24 Nylock Nut with Disk Lock Washer to RDSO SK- 98145 Alt-11 & C.Rly. Alt-d, Item No. 19 & 20. Material and Specifica	1	CR:MTN	253.69	5000 Nos.	21-Aug-25
		(FP)							
89	43251227103473 dt.09-JUL-25 on M/s.UNITED LEADOXIDE PRODUCTS PVT	11404804	45170435	Lead acid batteries of 110 Volts, 75AH capacity, conforming to RDSO Specn. No.	1	CR:KYN	160631	13 Set	01-Oct-25

	LTD-Kundaim	(FP)		PE/EMU/SPEC/0014-2000 Rev '0' with amendment No. 1 & 2.	2	CR:KYN	160631	9 Set	30-Apr-26
					3	CR:KYN	160631	3 Set	31-Jul-26
					4	CR:ACL BSL	160631	13 Set	01-Mar-26
					5	CR:ACL BSL	160631	13 Set	30-Apr-26
					6	CR:ACL BSL	160631	13 Set	31-Jul-26
					7	CR:ACL BSL	160631	7 Set	30-Sep-26
90	61251920103830 dt.31-JUL-25 on M/s.AASTHA PHARMACEUTICALS-EAST DELHI	1361952.4 (FP)	82024339	TAB B COMPLEX WITH VIT C Make: NUTRIBEST PLUS	1	CR:MD/BY	0.68	637890 Nos.	01-Apr-26
					2	CR:DRH/BSL	0.68	400000 Nos.	01-Apr-26
					3	CR:DRH/Pune	0.68	203500 Nos.	01-Apr-26
					4	CR:DRH/KYN	0.68	331100 Nos.	01-Apr-26
					5	CR:DRH/SUR	0.68	121000 Nos.	01-Apr-26
					6	CR:DRH/NGP	0.68	300000 Nos.	01-Apr-26
91	41253912203493 dt.10-JUL-25 on M/s.SARASWATI ENTERPRISES-MUMBAI	857034 (FC)	42904328	Lauritz Knudsen Motor Protection Circuit Breaker (Mpcb), Capacity 100 KA Brand: Lauritz Knudsen (Detailed Description/Specification as per Product # 1 of GeM Contract No. GEMC- 5116877686632 21 dt.27/06	1	CR:MTN	2856.78	300 Nos.	12-Jul-25

92	79252357203503 dt.10-JUL-25 on M/s.BALAAJIE PACKAGING, KOLKATA	1025717	79332766	PROTECTED Sleep-- BALAAJIE PACKAGING Mosquito Net - BIS Specification HDPE mosquito netting round mesh Brand: PROTECTED Sleep-- BALAAJIE PACKAGING (Detailed Description/Spe cification as per Product # 1	1	CR:BSL	173	747 Nos.	07-Sep-25
		(FP)			2	CR:NGP	173	312 Nos.	07-Sep-25
					3	CR:CRD	173	4870 Nos.	07-Sep-25
93	42253160103533 dt.11-JUL-25 on M/s.LAXVEN SYSTEMS- HYDERABAD	782697.54	31670039	Micro controlled based electronic speed Indicating, Recording system type [Paperless type] confirming to RDSO Spec. No. MP.0.3700.07 [Rev.07] August , 2017. Each set consisting of following items {1}	1	CR:VVH	260899.2	1 Set	11-Dec-25
		(FP)			2	CR:KALV A	260899.2	2 Set	11-Dec-25
94	38253549103557 dt.11-JUL-25 on M/s.MAGOO ENGINEERING SERVICES- MUMBAI	2910589.9	30676782	Arrangement of Mug in AC Coaches to ICF Drg. No. ICF/SK- 6-3-481, Alt. g/nil. Material and Specification as	1	CR:MTN	133.73	2792 Nos.	12-Oct-25

		(FP)		per drawing.	2	CR:MTN	133.73	4188 Nos.	30-Nov-25
					3	CR:LTT	133.73	2498 Nos.	12-Oct-25
					4	CR:LTT	133.73	3747 Nos.	30-Nov-25
					5	CR:WB	133.73	3416 Nos.	12-Oct-25
					6	CR:WB	133.73	5124 Nos.	30-Nov-25
95	90240751703566 dt.14-JUL-25 on M/s.JINDAL STEEL AND POWER LTD.- GURGAON	38880988	90421267	Mild Steel Plates 12 x 2500 x 12500 to the Specification IS:2062:2011 Grade E 250 B0 Furnace Normalised With UST as per ASTM A435/A 435 M-90. Specification offered by M/S.JSPL As " IS;2062:2011 E 2	1	CR:MMR	7579.14	5130 QTL.	16-Oct-25
		(PC)							
96	90253070703575 dt.14-JUL-25 on M/s.STEEL AUTHORITY OF INDIA LIMITED- KOLKATA	15060080	90525358	Mild Steel Sheet 3.15 x 1250 x 4500 to the Specification IS:1079:2009 Grade HR1 Cu.	1	CR:ACL BSL	6783.82	2220 QTL.	16-Oct-25
		(FP)							

97	27251031103577 dt.14-JUL-25 on M/s.SAN ENGINEERING AND LOCOMOTIVE COMPANY LIMITED- BANGALORE	800630 (FP)	25420203	23 Teeth pinion for Traction Motor type HS- 15250A for WAP-4 LOCO as per RDSO DRG. No. SKDL- 4356, Alt-B to RDSO SPECN. No. MP.O.2800.09 [REV.02] JUNE 05.	1	CR:ACL BSL	34810	23 Nos.	30-Apr-26
98	38253509103628 dt.17-JUL-25 on M/s.TEXTMACO RAIL AND ENGINEERING LIMITED-KOLKATA	42117504 (FP)	38130713	Coupler body with shank wear plate (welded) for non- transition CBC to RDSO Drg. no. SK-62724, Alt.-31, item no. 1 & 10.Material and specification confirming to RDSO STR no. WD-70-BD-2010 (Rev. 04 of N	1	CR:BD	41536	50 Nos.	18-Oct-25
					2	CR:BD	41536	50 Nos.	15-Jan-26
					3	CR:BD	41536	50 Nos.	31-May-26
					4	CR:KWV	41536	232 Nos.	31-May-26
					5	CR:KWV	41536	233 Nos.	18-Oct-25
					6	CR:NGP	41536	49 Nos.	18-Oct-25
					7	CR:WAG ON/BSL	41536	116 Nos.	18-Oct-25
					8	CR:WAG ON/BSL	41536	117 Nos.	15-Jan-26
					9	CR:WAG ON/BSL	41536	117 Nos.	31-May-26
99	27252193103631 dt.17-JUL-25 on M/s.FILTECH INDIA -KOLKATA	2812151.2 (FP)	25480534	MODIFIED FILTER PANEL ASSLY. FOR MIO FILTER MEDIA FOR WAG 5 & 7 WAP 1 & 4 LOCOS TO CLW DRG. NO. 03/2/45/31 ALT- 6.	1	CR:ACL BSL	1993.02	1411 Nos.	30-Apr-26

100	65251094800360 dt.21-JUL-25 on M/s.OFFICE OF THE Principal Chief Materials Manager, KOLKATA	745225.64	29100203	SPHERIBLOC IMPORTED MAKE FOR AXLE GUIDE ROD AND TRACTION MOTOR SUPPORT ARM FOR WAP-7 LOCO AS PER RDSO SPEC NO. RDSO/2007/SP EC/ 0051 (REV.3) ABB DRG.NO. IA016.00005.RE V-3 AND BHC P	1	CR:GPR PA	17104.99	36 Nos.	20-Oct-25
			(FP) 29700036	SET OF SPRING LOADED SWITCH 6A- 250V. USED AS ZPT, BLDJ, BLHO [POS NO. 129,134,169.1] TYPE SBM- F/TOU/21/22/R2 0 & BLCP (POS NO-172) TYPE SBM- F/TUSO/21/22/R- 20 AS PER CLW SPECIFICATIO N NO. CLW/ES/3/0075	2	CR:GPR PA	32361.5	4 Set	20-Oct-25

[illegible]

103	18253725103666 dt.22-JUL-25 on M/s.RADIANT CORPORATION PRIVATE LIMITED-MEDAK	2430918 (FP)	18330101	E-BEAM CABLE, Size - 325/24, 355 Amp, 00AWG, 66.84sq.mm, as per Spec.EDPS - 304, to EMD DRG.No.909488 3 - D, DLW Pt.No.18330101 , (Refer Chart DLW DRG. No.9094883 Alt. Ld, DLW Pt.No.18331130) [Warran	1	CR:DLS KYN	2478	981 MTR	22-Oct-25
104	85251503101536 dt.22-JUL-25 on M/s.MARVEL ELECTRIC EQUIPMENTS PRIVATE LIMITED-MUMBAI	1513704 (FP)	45150254	INSULATING BASE WITH FIXING SCREW KIT FOR JUMPER PLUG ASSEMBLY AS PER RC F DRAWIHG NO. LW 71304 ALT "D" AND CONFIRMING TO RDSO SPEC NO. RDSO/PE/SPEC /AC/0177-20 13 REV. 1	1	CR:MTN	12614.2	120 Nos.	21-Aug-25

105	27252304103729 dt.25-JUL-25 on M/s.ORIENTAL FIBRE AND ENGINEERING INDUSTRIES- KOLKATA	2844036 (FP)	25828022	DRUM CONTACT SEGMENT ASSLY. T-TYPE FOR 1500 AMPS REVERSER. AS PER CLW DRG.NO.3TWD. 101.050 ALT-3 (SHEET NO.1) & 2TWD.101.050 ALT-7 (SHEET NO.2.). [Warranty Period: 30 Months after the date of deliver	1	CR:ACL BSL	18231	156 Nos.	25-Jan-26
106	95251010100504 dt.25-JUL-25 on M/s.VASA INDUSTRIES SAFETY LLP- PALGHAR	3213000 (FP)	79318253	Reflective safety jackets conforming to Specification No. IS 15809: 2017 or latest. [1] Only ISI marked item is acceptable. [2] Size: As per requirement. [3] Design: As per Annexure A, [4] Vertica	1	CR:NGP	267.75	12000 Nos.	08-Sep-25

107	50244015103738 dt.26-JUL-25 on M/s.AMARA RAJA ENERGY AND MOBILITY LIMITED-TIRUPATI	10950912	56150118	SEALED MAINTENANCE FREE VRLA BATTERY SET OF 60 CELLS 2V/300 AH CAPACITY EACH (STACKABLE), IN COMBINATION OF 55+5 CELLS, FULLY CHARGED FOR SMPS BASED INTEGRATED POWER SUPPLY (IPS)SYSTEM, CONFORMING TO	1	CR:CRD	312883.2	19 Set	30-Sep-25
		(FP)			2	CR:PUNE	312883.2	5 Set	30-Sep-25
					3	CR:BSL	312883.2	6 Set	30-Sep-25
					4	CR:NGP	312883.2	3 Set	30-Sep-25
					5	CR:SUR	312883.2	2 Set	30-Sep-25
108	42251597103743 dt.28-JUL-25 on M/s.INDIAN CHAIN PVT LTD- KOLKATA	1485221.2	31320727	SAFETY CHAIN COMPLETE FOR PALM PULL ROD DRG. NO. EMU/M-3-2-070, ALT-c. (1) CHAIN (LINKS) NOM.SIZE 8mm (Item No.1), QTY/SET-2 Nos. (2) HEX HEAD SCREW M8x65- 8.8 (Item No..2), QTY/SET-6 Nos. (3) HEX NU	1	CR:MTN	159.7	1410 Set	29-Oct-25
		(FP)			2	CR:MTN	159.7	3290 Set	31-Dec-25

					3	CR:SNPD	159.7	4600 Set	31-Dec-25
109	27253643103817 dt.31-JUL-25 on M/s.HIND ENTERPRISES- MUMBAI	3212196	29710145	circuit breaker to Traction Motor Blower and oil Colling unit (Pos No 53.1, 59.1)type -17,As per ABB Document No. HBTB 585554R3083 and auxiliary contact as per ABB ID NO.HBTB 585557R1200 CONFIRMING T	1	CR:ACL BSL	9204	200 Nos.	31-Oct-25
		(FP)			2	CR:ACL BSL	9204	149 Nos.	31-Dec-25
110	61252969103832 dt.31-JUL-25 on M/s.MEDI SPECIALITY PHARMA- MUMBAI	1686804	82012672	TAB AZITHROMYCI N 500 MG HINDUSTAN ANTIBIOTICS LIMITED	1	CR:DRH/ BSL	12.04	12500 Nos.	31-Oct-25
		(FP)			2	CR:DRH/ BSL	12.04	12500 Nos.	28-Feb-26
					3	CR:DRH/ Pune	12.04	10850 Nos.	31-Oct-25
					4	CR:DRH/ Pune	12.04	10850 Nos.	28-Feb-26
					5	CR:DRH/ KYN	12.04	10000 Nos.	31-Oct-25
					6	CR:DRH/ KYN	12.04	10000 Nos.	28-Feb-26
					7	CR:DRH/ SUR	12.04	14200 Nos.	31-Oct-25
					8	CR:DRH/ SUR	12.04	14200 Nos.	28-Feb-26
					9	CR:DRH/ NGP	12.04	22500 Nos.	31-Oct-25
					10	CR:DRH/ NGP	12.04	22500 Nos.	31-Mar-26

[illegible]

			29440014	Aluminum Impeller for Oil Cooling blower unit Centrifugal Designed for 3-Phase locomotive as per RDSO Spec. No. RDSO/2016/EL/SPEC/0123 Rev-0 issued on 05/12/2016 and Drawing No. RDSO/2016/SK 6/EL/SPEC/					
					3	CR:ACL BSL	50740	35 Nos.	30-Nov-25
					4	CR:AQ	50740	6 Nos.	30-Nov-25
113	43254023103450 dt.08-JUL-25 on M/s.FERROVIA TECH PRIVATE LIMITED- KOLKATA.	3370080 (FP)	45029738	Rachet assembly for coupling socket assembly as per RCF Drg. No LW71330 Alt. 'A' and confirming to RDSO/PE/SPEC/AC/0177 Rev. 1-2013.	1	CR:MTN	12036	140 Nos.	09-Nov-25
					2	CR:MTN	12036	140 Nos.	30-Apr-26
114	43251227103472 dt.09-JUL-25 on M/s.MYSORE THERMO ELECTRIC PVT LIMITED- BANGALORE	7389027.8 (FP)	45170435	Lead acid batteries of 110 Volts, 75AH capacity, conforming to RDSO Specn. No. PE/EMU/SPEC/0014-2000 Rev '0' with amendment No. 1 & 2.	1	CR:KYN	160631	8 Set	01-Oct-25
					2	CR:KYN	160631	6 Set	30-Apr-26
					3	CR:KYN	160631	2 Set	31-Jul-26
					4	CR:ACL BSL	160631	8 Set	01-Mar-26
					5	CR:ACL BSL	160631	9 Set	30-Apr-26

					6	CR:ACL BSL	160631	9 Set	31-Jul-26
					7	CR:ACL BSL	160631	4 Set	30-Sep-26
115	27253956103481 dt.09-JUL-25 on M/s.ELECTRO PLAST- GHAZIABAD	18174242 (FP)	29100010	Elastic Ring for 3 phase locomotives as per RDSO Specn. No. RDSO/2007/EL/ SPEC/0053 Rev- 2 June 2021. [Warranty Period: 30 Months after the date of delivery].	1	CR:GPR PA	32166.8	48 Nos.	09-Oct-25
					2	CR:GPR PA	32166.8	16 Nos.	30-Apr-26
					3	CR:AQ	32166.8	58 Nos.	09-Oct-25
					4	CR:AQ	32166.8	22 Nos.	30-Nov-25
					5	CR:KYN	32166.8	57 Nos.	09-Oct-25
					6	CR:KYN	32166.8	31 Nos.	30-Nov-25
					7	CR:KYN	32166.8	51 Nos.	30-Apr-26
					8	CR:ACL BSL	32166.8	97 Nos.	09-Oct-25
					9	CR:ACL BSL	32166.8	97 Nos.	30-Nov-25
					10	CR:ACL BSL	32166.8	88 Nos.	30-Apr-26
116	27251907103483 dt.09-JUL-25 on M/s.INDIA AUTO INDUSTRIES PVT. LTD.-NEW DELHI	4223574 (FP)	25108025	SET OF HYDRAULIC DAMPERS OF WAG-7 LOCO BOGIE COMPRISING OF 02 ITEMS =12NOs AS PER SKETCH No: BSL/ELW/SK.N O:9110 AS DETAILED BELOW:1) HYDRAULIC DAMPER LATERAL TO CLW DRG. NO: 06/2/15/20 ALT.1 QTY= 04 N	1	CR:KYN	103014	4 Set	09-Jan-26
					2	CR:ACL BSL	103014	37 Set	09-Jan-26

[illegible]

119	27253483103534 dt.11-JUL-25 on M/s.KAY PEE EQUIPMENTS PVT LTD-HOWRAH	914216.8 (FP)	29010044	Set of Axle Box Complete without bearings for WAG9/WAP7 locos as per CLW Specification No. CLW/MS/03/003 ALT-5. One set consisting of 03 items 03 Nos. 1) Axle box complete with earth contact as per CL	1	CR:ACL BSL	182843.4	5 Set	11-Dec-25
120	38250002103560 dt.11-JUL-25 on M/s.ANNAPURNA ENGINEERING WORKS-HOWRAH	1634800.3 (FP)	30636140	Wall Protector for lavatory pan to RDSO Drg. No. CG-K 6085, Alt.-1, Item No.- 1 to 4. Material and Specification as per drawing.	1	CR:MTN	1261.42	648 Nos.	12-Oct-25
					2	CR:MTN	1261.42	648 Nos.	30-Nov-25
121	42253049103527 dt.11-JUL-25 on M/s.ESCORTS KUBOTA LIMITED-FARIDABAD	17646845 (FP)	31316001	Non-asbestos based K type high friction brake blocks for EMUs stock as per RDSO specification No. C-9508 [rev-3] of May 2009 or latest and RDSO Drg. No. 80029 alt-4. (Warranty Period : Upto 30 months	1	CR:MTN	326.86	469 Nos.	12-Oct-25
					2	CR:MTN	326.86	469 Nos.	31-Dec-25
					3	CR:MTN	326.86	468 Nos.	30-Apr-26
					4	CR:MTN	326.86	469 Nos.	31-Aug-26
					5	CR:VVH	326.86	5307 Nos.	12-Oct-25
					6	CR:VVH	326.86	5307 Nos.	31-Dec-25
					7	CR:VVH	326.86	5307 Nos.	30-Apr-26
					8	CR:VVH	326.86	5307 Nos.	31-Aug-26
					9	CR:KALV A	326.86	2872 Nos.	12-Oct-25
					10	CR:KALV A	326.86	2872 Nos.	31-Dec-25
					11	CR:KALV A	326.86	2872 Nos.	30-Apr-26

[illegible]

124	38253084103585 dt.14-JUL-25 on M/s.MOHINDRA ENTERPRISES- JALANDHAR	614244.56 (FP)	33140753	Hex Head Bolt Kit Arrangement for Brake Head consisting 07 items to ICF Drg. No. T-3-1- 619 Alt-e/2, Item Nos. 5, 6, 9, 10, 11, 12 & 13. Material and specification as per drawing.	1	CR:SNPD	80.17	200 Nos.	31-Dec-25
					2	CR:PUNE	71.91	432 Nos.	31-Dec-25
					3	CR:WB	80.17	200 Nos.	31-Dec-25
					4	CR:MTN	71.91	7664 Nos.	31-Dec-25
125	38223370703622 dt.17-JUL-25 on M/s.NATIONAL ENGINEERING INDUSTRIES LTD.- KOLKATA	12752496 (FP)	33500071	WHEEL SET BEARING (UIC TAPER ROLLER BEARING) FOR DIA 130MM AXLE TO DRG.NO. LWSCWAC-0-2- 006 ITEM- 01,ALT e---- AND FIAT SPECN.No.TS 17.565.100.VER .01 & TS 17.565.103.VER .00 or RDSO SPEC No. RDSO/2014/C	1	CR:MTN	27966	401 Nos.	17-Oct-25
					2	CR:PR	27966	55 Nos.	17-Oct-25

126	38251011103624 dt.17-JUL-25 on M/s.TAYAL AND CO-MOHALI	26036063 (FP)	38106322	Modified Elastomeric pad (Design - A) for CASNUB bogies to RDSO Drg. no. WD-95005- S-01, Alt. - 8. Other technical requirements confirming to RDSO specification no. WD-20-MISC-95 Rev. 5 of October 2024	1	CR:KWV	1787.7	773 Nos.	18-Oct-25
					2	CR:NGP	1787.7	2383 Nos.	21-Jul-25
					3	CR:NGP	1787.7	2383 Nos.	31-Dec-25
					4	CR:WAG ON/BSL	1787.7	2000 Nos.	18-Oct-25
					5	CR:WAG ON/BSL	1787.7	1758 Nos.	31-Dec-25
					6	CR:BD	1787.7	2267 Nos.	18-Oct-25
					7	CR:BD	1787.7	3000 Nos.	31-Dec-25
127	27252355103632 dt.17-JUL-25 on M/s.METRO STEEL INDUSTRIES- SURAT	1140588 (FP)	25109250	Set of connecting strip Assly. with modified brake hanger lever of WAP-1/4 Loco bogies.(1) Connecting strip Assembly as per CLW Drg.No. 03/3/19/53 Alt-5- Ref.1 & 3 Qty=08 Nos. (2) Connecting strip Asse	1	CR:ACL BSL	95049	12 Set	17-Jan-26

128	50244015103739 dt.26-JUL-25 on M/s.NED ENERGY LIMITED- MEDCHAL	16582810 (FP)	56150118	SEALED MAINTENANCE FREE VRLA BATTERY SET OF 60 CELLS 2V/300 AH CAPACITY EACH (STACKABLE), IN COMBINATION OF 55+5 CELLS, FULLY CHARGED FOR SMPS BASED INTEGRATED POWER SUPPLY (IPS)SYSTEM, CONFORMING TO	1	CR:CRD	312883.2	14 Set	31-Mar-26
					2	CR:CRD	312883.2	13 Set	30-Jun-26
					3	CR:PUNE	312883.2	5 Set	31-Mar-26
					4	CR:PUNE	312883.2	4 Set	30-Jun-26
					5	CR:BSL	312883.2	6 Set	31-Mar-26
					6	CR:BSL	312883.2	5 Set	30-Jun-26
					7	CR:NGP	312883.2	2 Set	31-Mar-26
					8	CR:NGP	312883.2	1 Set	30-Jun-26
					9	CR:SUR	312883.2	2 Set	31-Mar-26
					10	CR:SUR	312883.2	1 Set	30-Jun-26
129	10251033103760 dt.28-JUL-25 on M/s.SIGNOTRON (INDIA) PVT.LTD.- KOLKATA	849600 (FP)	12102076	1.5 HP AC FUEL PUMP MOTOR, WITH BUILT IN INVERTER, SUPPLY VOLTAGE - 72 VDC. to DLW DRG. No. AM 003 , Alt. "R3" with DLW SPEC. No. DEL/SPN/182- R2, RDSO. SPEC. No.MP.0.24.00. 20 (Rev.02) Jan- 2019 & M	1	CR:GPR PA	70800	6 Nos.	28-Dec-25
					2	CR:CLA	70800	6 Nos.	28-Dec-25

130	27251208103762 dt.28-JUL-25 on M/s.MA KALI INDUSTRIES- HOWRAH	537844 (FP)	23168663	BRAKE RELEASE SWITCH AND SANDING SWITCH AS PER CLW DRG NO.0/2/65/110 ALT-3.	1	CR:ACL BSL	3127	172 Nos.	31-Oct-25
131	18253649103276 dt.01-JUL-25 on M/s.MACO CORPORATION INDIA PRIVATE LTD-Kolkata	1094450 (FP)	17380110	LOW PRESSURE SUCTION VALVE ASSLY. for GD and ELGI make Water Cooled Air Compressor to GD Pt. No. 203VEH306A / EMD Pt. o.9319947 OR ELGI Pt. No. B013901070006 . make- GARDNER DENVER USA	1	CR:GPR PA	31270	24 Nos.	31-Dec-25
					2	CR:DLS KYN	31270	11 Nos.	31-Dec-25
132	27253939103279 dt.01-JUL-25 on M/s.GALAXY INSTRUMENT- KOLKATA	4416740 (FP)	29508095	SET OF MOVING COIL METERS FOR WAG-9 LOCO. COMPRISING OF 03 ITEMS IN 12 NOS. EACH SET AS PER SKETCH NO. ELS/AQ/WAG- 9/SK. No. 0035, REV.01.	1	CR:KYN	58115	3 Set	01-Oct-25
					2	CR:KYN	58115	3 Set	31-Dec-25
					3	CR:ACL BSL	58115	19 Set	01-Oct-25
					4	CR:ACL BSL	58115	30 Set	31-Dec-25
					5	CR:GPR PA	58115	5 Set	01-Oct-25
					6	CR:GPR PA	58115	8 Set	31-Dec-25
					7	CR:AQ	58115	3 Set	01-Oct-25
					8	CR:AQ	58115	5 Set	31-Dec-25

133	61252468103316 dt.02-JUL-25 on M/s.KEPSPHARM A-MUMBAI	988622.54 (PC)	82117708	RANIBIZUMAB 0.23 ML/2.3 MG MAKE / BRAND : RanizuRel	1	CR:MD/B Y	7604.79	40 Nos.	01-Sep-25
					2	CR:MD/B Y	7604.79	40 Nos.	28-Feb-26
					3	CR:DRH/ KYN	7604.79	25 Nos.	01-Sep-25
					4	CR:DRH/ KYN	7604.79	25 Nos.	28-Feb-26
134	43251033103320 dt.02-JUL-25 on M/s.VINAYAK FOUNDERS PRIVATE LIMITED- KOLKATA	3901788 (FP)	45110293	AXLE PULLEY COMPLETE 6 GROOVE TO RDSO DRG. No. SKEL-3652 Alt-3 AND RDSO SPECN. No. ELPS/SPEC/TL/ 13 [MARCH 98], BORE OF PULLEY 180mm SUITABLE FOR 16.25T AXLE AS PER COL.-I	1	CR:MTN	17735.4	110 Nos.	03-Oct-25
					2	CR:MTN	17735.4	110 Nos.	31-Mar-26

135	10251992103365 dt.04-JUL-25 on M/s.PBW BEARINGS PRIVATE LIMITED- RAJKOT	986863.5	10150018	MAIN BEARING SHELL (Intermediate Thin wall upper & lower) To DLW DRG.No.14B - 72083 - 3 Alt. "h" (DLW Pt.No.10150018) With PL.No.1009126 9 Alt. "f" DLW SPEC. No. MISC - 663 - R1, 31PD5703A - R6 make-P	1	CR:CLA	7310.1	135 Nos.	05-Oct-25
		(FP)							
136	41251003103386 dt.04-JUL-25 on M/s.NANDRATAN FOUNDRY AND ENGINEERING WORKS PVT LTD- MUMBAI	2435697	40120296	Earthing Cable Complete conforming to RCF Drg. No. LW- 71245 Alt- d. Material as per drawing & RCF Specification No. EDTS-101, Rev-C, Amendment-2, Corrg.- 7, Annexure-1. OWN MAKE	1	CR:LTT	1168.2	724 Nos.	30-Sep-25
		(FP)			2	CR:LTT	1168.2	725 Nos.	31-Dec-25
					3	CR:PUNE	1168.2	100 Nos.	30-Sep-25
					4	CR:PUNE	1168.2	101 Nos.	31-Dec-25
					5	CR:BSL	1168.2	40 Nos.	30-Sep-25
					6	CR:BSL	1168.2	35 Nos.	31-Dec-25
					7	CR:SUR	1168.2	180 Nos.	30-Sep-25
					8	CR:SUR	1168.2	180 Nos.	31-Dec-25

137	38250324103396 dt.07-JUL-25 on M/s.POOJA SALES CORPORATION- YAMUNA NAGAR	1723980 (FP)	33566203	Door Arrangements R.H and L.H for LHB AC Coaches to RCF's Drg. No. LA51100, Alt.- 'b'. Material and Specification as per Drawing.	1	CR:MTN	57466	30 Set	31-Dec-25
138	18242055103426 dt.07-JUL-25 on M/s.ELIXIR ENGINEERING- BANGALORE	1062000 (FC)	18140063	GF AC CONTACTOR - 2 POLE, 100 Amps., 230 Volt AC. DLW. DRG.No. 8330937 Alt."Ca" (DLW Pt.No.18140063) Accepted Description- ELIXIR DRAWING TO ELIXIR PN. 111 99 00. REQUEST TO MENTION ELIXIR PN. 111 99 0	1	CR:DLS KYN	106200	10 Nos.	07-Oct-25

[illegible]

[illegible]

144	27251900103511 dt.10-JUL-25 on M/s.PHOENIX RUBBER WORKS- HOWRAH	753132.64 (FP)	25108013	Side Bearer (RUBBER SPRING) for WAG-7 Loco as per RDSO Drg. No SKVL-127 ALT-10.	1	CR:KYN	4954.82	152 Nos.	10-Jan-26
145	38250001103519 dt.10-JUL-25 on M/s.CHEMIN SPRINGS INDIA PRIVATE LIMITED- HARIDWAR	1003328 (FP)	33500666	Primary Spring for LHB Non-AC Coaches (Inner) to FIAT Drg. No. LG 01101 Alt-b and conforming to RDSO Spec. No. RDSO/2017/CG- 01 Rev.02 of February-2023 along with RDSO L. No. SV.FIAT.Spring, Dated 11/1	1	CR:PR	7016.28	115 Nos.	31-Dec-25
					2	CR:MTN	7016.28	28 Nos.	31-Dec-25

146	43251148103532 dt.11-JUL-25 on M/s.IC ELECTRICALS COMPANY PRIVATE LIMITED- NEW DELHI	11298500	45030868	BRUSHLESS ALTERNATOR OF 25 KW, 110/130 V DC WITHOUT ANY TYPE OF RECTIFIER CUM REGULATING UNIT BUT WITH OTHER ACCESSORIES AS PER RDSO SPECIFICATIO N NO. RDSO/PE/SPEC /AC/0056-2014 (REV-1) . LENGTH OF IND	1	CR:MTN	451940	20 Nos.	12-Oct-25
		(FP)			2	CR:MTN	451940	5 Nos.	31-May-26
147	27253820103538 dt.11-JUL-25 on M/s.MBCOM POWERTECH PRIVATE LIMITED- HOWRAH	662286.8	29610102	SET OF BLOCKING DIODES ILLUMINATION TEST (POSITION NO. 123) & ITS ACCESSORIES AS PER CLW SPECN.NO. CLW/ES/3/0055 , ALT-H, ONE SET CONSISTS OF 04 ITEMS AGGREGATING TO 17 PIECES AS FOLLOW: (1) DIODE BLOC	1	CR:ACL BSL	4979.6	133 Set	31-May-26
		(FP)							

148	42251079103539 dt.11-JUL-25 on M/s.ASCO INDUSTRIES- MUMBAI	694272.75 (FP)	31110058	SOLE BAR (LONGITUDINA L) TO J&T/MTN DRG. NO. MISC SK-5021 ALT. 1 MATERIAL AND SPECIFICATIO N AS PER DRAWING.	1	CR:MTN	6369.47	109 Nos.	11-Oct-25
149	50253105103544 dt.11-JUL-25 on M/s.NOTOFIRE PRIVATE LIMITED- NOIDA GAUTAM BUDHA NAGAR	932749.88 (FP)	56468064	Led Signal Lighting Units for Subsidiary Colour Light Signals Calling ON for Railway Signalling to Specification No. RDSO/SPN/153/ 2023 Revision 5.0 Make: ATLANTA TELE CABLES	1	CR:PUNE	6960.82	28 Nos.	30-Sep-25
					2	CR:CRD	6960.82	40 Nos.	30-Sep-25
					3	CR:BSL	6960.82	59 Nos.	30-Sep-25
					4	CR:SUR	6960.82	7 Nos.	30-Sep-25
150	27253298103551 dt.11-JUL-25 on M/s.SUNDEEP ENGINEERING CORPORATION- LUCKNOW	3805500 (FP)	29310015	Set of All- Steel Lock Nut F.S. All- Steel for 3 Phase Loco as per ELW Sketch No. ELS/BSL/3- Ph/SK.NO. 301 ALT-2R. One set consists of 05 items Qty- 532 Nos. Material should be as per CLW Specn. No. CL	1	CR:KYN	88500	4 Set	11-Oct-25
					2	CR:KYN	88500	2 Set	31-Jul-26
					3	CR:KYN	88500	2 Set	30-Apr-26
					4	CR:ACL BSL	88500	13 Set	11-Oct-25
					5	CR:ACL BSL	88500	5 Set	30-Apr-26
					6	CR:ACL BSL	88500	5 Set	31-Jul-26
					7	CR:GPR PA	88500	4 Set	11-Oct-25
					8	CR:GPR PA	88500	2 Set	31-Jul-26
					9	CR:GPR PA	88500	2 Set	30-Apr-26

					10	CR:AQ	88500	4 Set	11-Oct-25
151	90240795703568 dt.14-JUL-25 on M/s.STEEL AUTHORITY OF INDIA LIMITED-KOLKATA	30246775 (FP)	90411912	M.S Plate 20 mm Thick x 2500 mm width x 12500 mm to the specification IS:2062/11 Grade E250 BO furnace normalised with UST as per ASTM A435/A 435 M-90.	1	CR:MMR	7431.64	4070 QTL.	16-Oct-25
152	18253721103592 dt.14-JUL-25 on M/s.AVIBHA INDUSTRIES PRIVATE LIMITED-PALWAL	708000 (FP)	16080063	DUCT ASSEMBLY.. ... AIR - TURBOCHARGER - RIGHT BANK to DLW DRG. No. 9546655 " Kb" (DLW Pt.No.16080063) Firm offer:AVIBHA make	1	CR:GPR PA	141600	5 Nos.	12-Sep-25

153	27253146103597 dt.15-JUL-25 on M/s.NATIONAL ENGINEERING INDUSTRIES LTD.- KOLKATA	1338120	25019028	END AXLE BOXE WITH PLAIN END COVER WITH BEARING FOR WAP-1 & WAP4 LOCOS AS PER NEI DRG NO.X- 122 REV-K COMPRISING OF PART NO.1 TO 11,11A & 12 TO 22 (TOTAL 23 PARTS IN ONE AXLE BOX) OR FAG DRG.NO. 901- 26	1	CR:ACL BSL	74340	18 Nos.	15-Oct-25
		(FP)							
154	38251011103626 dt.17-JUL-25 on M/s.BASANT RUBBER FACTORY PVT LTD-MUMBAI	14466068	38106322	Modified Elastomeric pad (Design - A) for CASNUB bogies to RDSO Drg. no. WD-95005- S-01, Alt. - 8. Other technical requirements confirming to RDSO specification no. WD-20-MISC-95 Rev. 5 of October 2024	1	CR:WAG ON/BSL	1787.7	4000 Nos.	31-Dec-25
		(FP)			2	CR:WAG ON/BSL	1787.7	4092 Nos.	18-Oct-25

155	38250353103633 dt.17-JUL-25 on M/s.SETON ELECTRICAL PRODUCTS- MUMBAI	1493926 (FP)	33645632	High Voltage HRC fuse with striker 3.6 KV AC, current rating 20A, breaking capacity 40-50 KA as per cat no.3.6 WDOH20 of EATON BUSSMANN or cat no .K3PG20A of GE power controls confirming to BS 2692 fo	1	CR:LTT	3531.74	212 Nos.	18-Oct-25
					2	CR:LTT	3531.74	211 Nos.	31-Dec-25
156	81244511103655 dt.18-JUL-25 on M/s.RATIONAL BUSINESS CORPORATION PVT LTD-SONIPAT	3289412.3 (FP)	83057468	(MVB Item) (N) Description : Denoting No. COM T 12/13 B, EXCESS FARE TICKET (EFT) in size 6 Inch X 4.25 Inch (BOOKS), with 150 lvs.(50 Sets) having One side print 58 GSM IR Logo White Water Mark Secur	1	CR:STY	41.18	39937 Nos.	19-Sep-25
					2	CR:STY	41.18	39938 Nos.	30-Jun-26

[illegible]

159	43251138103706 dt.24-JUL-25 on M/s.D. S. ENGINEERING- HOWRAH	720078.48	45124012	SUSPENSION HANGER PIN AND SPLIT COTTER FOR 25 KW TRANSOM MOUNTED ALTERNATOR TO RDSO DRG. NO. SKEL-3943, (REV.2)-2016 , NOTE: THE YEAR OF MANUFACTURI NG AND FIRMS NAME SHOULD BE EMBOSSSED ON THE CENTRE	1	CR:PUNE	869.66	28 Nos.	24-Oct-25
		(FP)			2	CR:MTN	869.66	800 Nos.	24-Oct-25
160	43251032103711 dt.24-JUL-25 on M/s.NSS STORES SUPPLY AGENCY PRIVATE LIMITED- HOWRAH	3015995	45014334	AXLE PULLEY COMPLETE 4 GROOVE TO 4.5 KW ALTERNATOR FOR 16.25 T AXLE AS PER DRG NO. SKEL 3883 ALT 5, CONFIRMING TO RDSO SPEN NO. ELPS/SPEC/TL/ 13[MARCH 98]. make: NSSA	1	CR:MTN	13962.94	216 Nos.	28-Feb-26
		(FP)							

161	27253939103278 dt.01-JUL-25 on M/s.SETT AND DE- KOLKATA	2905750 (FP)	29508095	SET OF MOVING COIL METERS FOR WAG-9 LOCO. COMPRISING OF 03 ITEMS IN 12 NOS. EACH SET AS PER SKETCH NO. ELS/AQ/WAG- 9/SK. No. 0035, REV.01.	1	CR:KYN	58115	2 Set	01-Oct-25
					2	CR:KYN	58115	2 Set	31-Dec-25
					3	CR:ACL BSL	58115	13 Set	01-Oct-25
					4	CR:ACL BSL	58115	20 Set	31-Dec-25
					5	CR:GPR PA	58115	3 Set	01-Oct-25
					6	CR:GPR PA	58115	5 Set	31-Dec-25
					7	CR:AQ	58115	2 Set	01-Oct-25
					8	CR:AQ	58115	3 Set	31-Dec-25
162	62254154103280 dt.01-JUL-25 on M/s.KEPS MEDICARE- MUMBAI	894812.8 (FP)	82121029	DISPOSABLE STERILE RUBBER LATEX GLOVES, BEEDED,ROUG H TEXTURED SURFACE, PREPOWDERE D BIO ABSORBABLE CORN STARCH POWDER CONFIRMING TO IS:13422/ISI MARKED OF GAMMA /ETO STERILIZED SIZE: 6.5 MAKE / BRAND:	1	CR:MD/B Y	10.4	20000 Nos.	31-Aug-25
					2	CR:MD/B Y	10.4	20000 Nos.	27-Feb-26
					3	CR:DRH/ BSL	10.4	4000 Nos.	31-Aug-25
					4	CR:DRH/ BSL	10.4	4000 Nos.	27-Feb-26
					5	CR:DRH/ Pune	10.4	1500 Nos.	31-Aug-25
					6	CR:DRH/ Pune	10.4	1500 Nos.	27-Feb-26
					7	CR:DRH/ KYN	10.4	7500 Nos.	31-Aug-25
					8	CR:DRH/ KYN	10.4	7500 Nos.	27-Feb-26
					9	CR:DRH/ SUR	10.4	2500 Nos.	31-Aug-25
					10	CR:DRH/ SUR	10.4	2500 Nos.	27-Feb-26
					11	CR:DRH/ NGP	10.4	7500 Nos.	31-Aug-25
					12	CR:DRH/ NGP	10.4	7500 Nos.	27-Feb-26

163	27251154103298 dt.01-JUL-25 on M/s.S.K.ENGINEE RING ENTERPRISE- HOWRAH	798506	23159145	Pneumatic Horn type B7-36 (Low tone) as per CLW drawing No. 0/2/65/109 Alt-3, Component Part No.70010/4. EACH UNIT SHOULD BE EMBOSS/ENGR AVED WITH MAKERS NAME, MONTH, YEAR & BATCH NO. OF MANUFACTURI NG	1	CR:KYN	3953	11 Nos.	01-Oct-25
		(FP)			2	CR:ACL BSL	3953	191 Nos.	01-Oct-25
164	27253000103318 dt.02-JUL-25 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED-HOSUR	31265280	23880016	High reach Pantograph for electric locos as per specification No. RDSO/2007/EL/ SPEC/0054 Rev.3, Amendment.2 dated 17.01.2025. Accepted offer: High Reach Pantograph for Electric loco as per RDSO Spec.	1	CR:ACL BSL	651360	30 Nos.	31-Jan-26
		(FP)			2	CR:ACL BSL	651360	18 Nos.	30-Apr-26

165	85251664801368 dt.03-JUL-25 on M/s.ICF Headquartes, Chennai	2738507	31010120	ROUGH TURNED AXLES FOR AC- DC EMU MOTOR COACH AS PER RWF DRG.NO.RWF- A-0-087. as per Drg.No. LETTER NO.RR/PR/208 DT.26/09/2008.(ICF PL 31020264)	1	CR:MTN	136925.4	20 Nos.	01-Oct-25
		(FC)							
166	42251199103347 dt.03-JUL-25 on M/s.TRIMURTI TRADING COMPANY- MUMBAI	4188410	31351487	AOH kit for various type of magnet valves of Rotex make as per sketch No. EMU/MTN/BE/3 6-R. (One set consists of 19 items having 40 Nos per set)	1	CR:MTN	9145	93 Set	04-Oct-25
		(PC)			2	CR:MTN	9145	140 Set	31-Dec-25
					3	CR:KALV A	9145	10 Set	04-Oct-25
					4	CR:KALV A	9145	14 Set	31-Dec-25
					5	CR:SNPD	9145	80 Set	04-Oct-25
					6	CR:SNPD	9145	121 Set	31-Dec-25
167	42254006103709 dt.24-JUL-25 on M/s.ANIL METAL AND WIRE INDUSTRIES- MUMBAI.	908600	35860145	APC RECEIVER TYPE NRSSPECXUA 017/27,DRG NO.NRSAPC00 01 DT.05.04.2005 OR EQUIVALENT FOR SIEMENS RAKE	1	CR:VVH	181720	2 Nos.	24-Oct-25
		(FP)			2	CR:VVH	181720	1 Nos.	31-Dec-25
					3	CR:SNPD	181720	1 Nos.	24-Oct-25

					4	CR:SNPD	181720	1 Nos.	31-Dec-25
168	27252244103725 dt.25-JUL-25 on M/s.RIVER ENGINEERING PVT LTD-NEW DELHI	707882	23563801	CONTACT SYSTEM COMPLETE TO M/S ADTRANZ's PART.NO. S- 25,DRG.NO.HA GT-225519 R1.OR AAL PT.NO.G-25 SPARE FOR TAP CHANGER TYPE NO. 32.	1	CR:KYN	101126	1 Nos.	31-Dec-25
		(FP)			2	CR:ACL BSL	101126	6 Nos.	31-Dec-25
169	85251693101579 dt.25-JUL-25 on M/s.NETAI ENGINEERING WORKS-HOWRAH	858945.6	77033255	Paint Enamel Synthetic Exterior Finishing, Colour - White for Railway coaches confirming to IS 8662: 2024 and RDSO Amendment no. 1 (Rev. 0) for pigment content as an additional requirement to IS 8662:	1	CR:MTN	107.37	8000 LTR	24-Aug-25
		(FP)							
170	61251555103829 dt.31-JUL-25 on M/s.KEPSPHARM A-MUMBAI	1648290	82026385	INJ OMALIZUMAB 150 MG RELIANCE LIFE SCIENCES	1	CR:DRH/ BSL	8767.5	3 Nos.	30-Sep-25
		(FP)			2	CR:MD/B Y	8767.5	30 Nos.	30-Sep-25
					3	CR:MD/B Y	8767.5	30 Nos.	31-Dec-25
					4	CR:DRH/ KYN	8767.5	62 Nos.	30-Sep-25
					5	CR:DRH/ KYN	8767.5	63 Nos.	31-Dec-25

171	85251665801372 dt.04-JUL-25 on M/s.OFFICE OF THE Principal Chief Materials Manager, KOLKATA	4155002.8	33500400	Secondary Spring Outer for Generator Car Side-2 to FIAT Drg. No.1268836 Ver.01R and conforming to RDSO Specification No. RDSO/2017/CG- 01 Rev-02 of February 2023 along with RDSO Letter No. SV.FIAT. Spr	1	CR:MTN	58819.64	30 Nos.	12-Oct-25
			(FP) 33500691	Secondary Spring (Outer) for LHB Non-AC Coaches to RCF Drg. No. LG05101, Alt-c and conforming to RDSO Spec. No. RDSO/2017/CG- 01 Rev. 02 of February 2023. RDSO L. No. SV.FIAT. Spring dated 11-06- 2019.	2	CR:MTN	59760.34	40 Nos.	12-Oct-25
172	27251971103403 dt.07-JUL-25 on M/s.MGM RUBBER COMPANY- KOLKATA	837521.05	25102126	Bonded Rubber Sandwich mounting for nose suspension of traction motor as per RDSO Drg.No.SKEL49 97 Alt- O and to RDSO Specification No. RDSO/2014/EL/ SPEC/0115 [Rev -0].	1	CR:ACL BSL	2300.88	364 Nos.	07-Jan-26
		(FP)							

173	27253251103407 dt.07-JUL-25 on M/s.SCHAEFFLER INDIA LIMITED- VADODARA	14505968 (FP)	29010020	Cylindrical Roller Axle Box Bearing unit for WAP-7/WAG-9 loco, CRU-150 OR RB-5080 with greasing hole arrangement. Accepted offer as per firms offer: Cylindrical Roller Axle Box Bearing unit for WAP-7/	1	CR:KYN	25857.34	6 Nos.	31-Oct-25
					2	CR:ACL BSL	25857.34	150 Nos.	07-Oct-25
					3	CR:ACL BSL	25857.34	150 Nos.	31-Oct-25
					4	CR:ACL BSL	25857.34	114 Nos.	30-Apr-26
					5	CR:TMW	25857.34	48 Nos.	31-Oct-25
					6	CR:GPR PA	25857.34	70 Nos.	31-Oct-25
					7	CR:AQ	25857.34	23 Nos.	31-Oct-25
174	41253959103492 dt.10-JUL-25 on M/s.VENUS ELECTRONICS AND CONTROLS PVT LTD-MUMBAI	1242911.7 (FP)	41150028	Half overlap polyimide covered copper conductor for 4601 AZ armature equalizer coil bare conductor nominal size 3.8[+/- (0.05) mm W X 1.1 [+/- 0.03) mm T X 0.4 (+/_0.1) mm radius at corners maximum co	1	CR:TMW	4725.9	263 Kgs.	01-Dec-25
175	61251030103545 dt.11-JUL-25 on M/s.MEDI SPECIALITY PHARMA- MUMBAI	1507522.8 (PX)	82012167	CEFIXIME 200 MG Make: HAL	1	CR:DRH/ BSL	6.62	60000 Nos.	12-Mar-26
					2	CR:DRH/ Pune	6.62	20650 Nos.	12-Mar-26
					3	CR:DRH/ KYN	6.62	39500 Nos.	12-Mar-26
					4	CR:DRH/ SUR	6.62	47600 Nos.	12-Mar-26

								Canc Qty:140	
					5	CR:DRH/ NGP	6.62	60000 Nos.	12-Mar-26
176	61251582103547 dt.11-JUL-25 on M/s.KEPSPHARM A-MUMBAI	1409945.6 (FP)	82026890	ETANACEPT 50 MG Make: Brand Name EtanerRel 50mg	1	CR:MD/B Y	3147.2	88 Nos.	12-Mar-26
					2	CR:DRH/ BSL	3147.2	75 Nos.	12-Mar-26
					3	CR:DRH/ Pune	3147.2	15 Nos.	12-Mar-26
					4	CR:DRH/ KYN	3147.2	270 Nos.	12-Mar-26
177	62253832103548 dt.11-JUL-25 on M/s.GEN WORLD MEDICAL DEVICES- MUMBAI	1275745.8 (FP)	82243039	PARIETEX OPTIMIZED COMPOSITE MESH - 15 CM, CIRCULAR Specifications- 3 Diamentional polyester mesh with micro- porosity, X stich macro-porosity of 4.8X2.0 MM, thickness of 1.7 MM, surface density of 78	1	CR:MD/B Y	28349.91	40 Nos.	12-Jan-26
					2	CR:DRH/ Pune	28349.91	5 Nos.	12-Jan-26
178	38251075103558 dt.11-JUL-25 on M/s.KUNDAN PRECISION COMPONENTS PVT LTD- PARWANOO	1015222.9 (FP)	30010901	Protective Tube Complete for Axle Box Guide Arrangement to ICF Drg. No. T-0- 1-610 Alt-x/13, Col-II or alternatively Injection Moulded Polyacetal Protective Tube to ICF Drg. No. T-0-1-648 Alt- f/Nil as	1	CR:PUNE	262.2	81 Nos.	12-Oct-25
					2	CR:PUNE	262.2	82 Nos.	31-Dec-25
					3	CR:WB	262.2	382 Nos.	12-Oct-25
					4	CR:WB	262.2	382 Nos.	31-Dec-25
					5	CR:MTN	262.2	687 Nos.	12-Oct-25
					6	CR:MTN	262.2	687 Nos.	31-Dec-25

[illegible]

181	90240627703564 dt.14-JUL-25 on M/s.STEEL AUTHORITY OF INDIA LIMITED- KOLKATA	8853540 (FP)	90221035	IS MEDIUM CHANNELS SIZE 100 X 50 MM TO IS:2062/2011 GRADE E 250 Cu.	1	CR:ACL BSL	72.57	122000 Kgs.	14-Nov-25
182	90240903703569 dt.14-JUL-25 on M/s.STEEL AUTHORITY OF INDIA LIMITED- KOLKATA	7431640 (FP)	90426277	Mild Steel Plates 40 x 1800 x 12500 to the Specification IS:2062:2011 Grade E 250 B0 Furnace Normalised With UST as per ASTM A435/A 435 M-90.	1	CR:MMR	7431.64	1000 QTL.	16-Oct-25
183	90250667703570 dt.14-JUL-25 on M/s.STEEL AUTHORITY OF INDIA LIMITED- KOLKATA	43725620 (FP)	90402443	Mild Steel Plates 5 x 1250 x 6300 to the Specification IS:2062:2011 Grade E 250 BR Cu.	1	CR:ACL BSL	6842.82	4520 QTL.	16-Oct-25
					2	CR:KWV	6842.82	1870 QTL.	16-Oct-25
184	42251659103578 dt.14-JUL-25 on M/s.POLYHOSE INDIA PRIVATE LIMITED-CHENNAI	2841438.8 (FP)	31357106	Air Brake Hose Coupling for Feed Pipe to RDSO Drg.No. WD-81027-S- 01, Alt-14. Material and specification: RDSO Spec.No. 02-ABR-02 with Amendment-4 of Sept.2016, Appendix-F. (Warranty Period : 1 Into 30	1	CR:MTN	1584.74	126 Nos.	15-Oct-25
					2	CR:MTN	1584.74	167 Nos.	31-Dec-25
					3	CR:MTN	1584.74	126 Nos.	31-May-26
					4	CR:KWV	1584.74	200 Nos.	15-Oct-25
					5	CR:KWV	1584.74	188 Nos.	31-Dec-25

				Micro controlled based electronic speed Indicating, Recording system type [Paperless type] confirming to RDSO Spec. No. MP.0.3700.07 [Rev.07] August , 2017. Each set consisting of following items {1}	6	CR:KVV	1584.74	104 Nos.	31-May-26
					7	CR:ACL BSL	1584.74	104 Nos.	15-Oct-25
					8	CR:ACL BSL	1584.74	139 Nos.	31-Dec-25
					9	CR:ACL BSL	1584.74	104 Nos.	31-May-26
					10	CR:LTT	1584.74	223 Nos.	31-Dec-25
					11	CR:PUNE	1584.74	108 Nos.	15-Oct-25
					12	CR:WB	1584.74	204 Nos.	31-May-26
185	42253160103598 dt.15-JUL-25 on M/s.AUTOMETER S ALLIANCE LTD-NOIDA	2348092.6	31670039	Micro controlled based electronic speed Indicating, Recording system type [Paperless type] confirming to RDSO Spec. No. MP.0.3700.07 [Rev.07] August , 2017. Each set consisting of following items {1}	1	CR:VVH	260899.2	5 Set	16-Oct-25
		(FP)			2	CR:KALV A	260899.2	4 Set	16-Oct-25
186	61254899103613 dt.16-JUL-25 on M/s.M H MEDICUS PRIVATE LIMITED-MUMBAI	1124496.8	82112408	TAB DYDROGESTE RONE 10 MG Make: Duphomark.	1	CR:MD/B Y	17.58	12000 Nos.	17-Mar-26
		(FP)			2	CR:DRH/ BSL	17.58	10000 Nos.	17-Mar-26
					3	CR:DRH/ Pune	17.58	900 Nos.	17-Mar-26
					4	CR:DRH/ KYN	17.58	15000 Nos.	17-Mar-26
					5	CR:DRH/ SUR	17.58	6050 Nos.	17-Mar-26
					6	CR:DRH/ NGP	17.58	20000 Nos.	17-Mar-26
187	27253298103618 dt.17-JUL-25 on M/s.R S TECHNOLOGIES-KOLKATA	3805500	29310015	Set of All- Steel Lock Nut F.S. All-Steel for 3 Phase Loco as per ELW Sketch No. ELS/BSL/3-Ph/SK.NO. 301 ALT-2R. One set consists of 05 items Qty-	1	CR:KYN	88500	4 Set	17-Oct-25
		(FP)			2	CR:KYN	88500	2 Set	30-Apr-26
					3	CR:KYN	88500	2 Set	31-Jul-26

				532 Nos. Material should be as per CLW Specn. No. CL	4	CR:ACL BSL	88500	13 Set	17-Oct-25
					5	CR:ACL BSL	88500	5 Set	30-Apr-26
					6	CR:ACL BSL	88500	5 Set	31-Jul-26
					7	CR:GPR PA	88500	4 Set	17-Oct-25
					8	CR:GPR PA	88500	2 Set	30-Apr-26
					9	CR:GPR PA	88500	2 Set	31-Jul-26
					10	CR:AQ	88500	4 Set	17-Oct-25
188	75251045103698 dt.23-JUL-25 on M/s.RAHUL PAINTS- LUCKNOW	4226337.3	77033255	Paint Enamel Synthetic Exterior Finishing, Colour - White for Railway coaches confirming to IS 8662: 2024 and RDSO Amendment no. 1 (Rev. 0) for pigment content as an additional requirement to IS 8662:	1	CR:AQ	107.26	4904 LTR	22-Oct-25
		(FP)			2	CR:AQ	107.26	4000 LTR	31-Mar-26
					3	CR:MTN	107.26	15498 LTR	22-Oct-25
					4	CR:MTN	107.26	15000 LTR	31-Mar-26
189	43251150103766 dt.29-JUL-25 on M/s.UNITED LEADOXIDE PRODUCTS PVT LTD-Kundaim	10016215	45170370	DIESEL LOCO STARTER BATTERY, 64 Volt (8 Batteries of 8V each,500 Ah Capacity) Low Maintenance Lead Acid Battery, DLW Spec. No. DEL/SPN/193 Rev. R3 July- 1998 or latest & RDSO/PE/STR/ TL/0014-2010 Rev-0	1	CR:PR	589189.1	2 Set	30-Sep-26

		(FP)			2	CR:DLS KYN	589189.1	4 Set	31-Oct-25
					3	CR:GPR PA	589189.1	11 Set	30-Oct-25
190	85251548101643 dt.31-JUL-25 on M/s.ASCO INDUSTRIES- MUMBAI	807037.4	30427629	Body Side Panel Plate to MISC SK-2952 Alt-7, Ref.2. Material and Specification as per drawing	1	CR:MTN	1614.07	500 Nos.	20-Aug-25
		(FP)							
191	18253706103277 dt.01-JUL-25 on M/s.KAPTRONICS PRIVATE LIMITED- BANGALORE	2135800	17450391	54 Inch Dia. Cooling Fan Assly. RDSO.Spec.No. MP.0.24.00.55 (Rev.01) Oct- 2009 make- kaptronics	1	CR:DLS KYN	1067900	2 Nos.	02-Oct-25
		(FP)							
192	27251635103297 dt.01-JUL-25 on M/s.CONCEPT RAIL ENGINEERS PVT LTD-KOLKATA	600667.2	23330788	TENSION BOLT FOR MAIN SPRING OF PANTOGRAPH TYPE AM-12 TO DRG. NO. ELW/BSL/4/F- 97.046. Description changed as per BSL letter No. BSL/ACL/L- IV/19 dT. 02/3/2010.	1	CR:KYN	330.4	134 Nos.	30-Nov-25
		(FP)			2	CR:ACL BSL	330.4	1684 Nos.	30-Nov-25

193	81251011203382 dt.04-JUL-25 on M/s.RATIONAL BUSINESS CORPORATION PVT LTD-SONIPAT	574421.64	83057870	PRE-PRINTED CARBONLESS GATE PASS COM./P35 (B) IN CONTINUOUS STATIONERY SIZE10 inch X7inch X3 PLY WITH PERFORATION ON TWO SIDE, SHOULD BE WATERMARK WITH INDIAN RAILWAY LOGO IN SMALL SIZE IN AN INTRICAT	1	CR:STY	2423.72	237 Set	03-Sep-25
		(FP)							
194	42251659103398 dt.07-JUL-25 on M/s.VAISHNO RUBBER INDUSTRIES PVT LTD-MORADABAD	7445403.5	31357106	Air Brake Hose Coupling for Feed Pipe to RDSO Drg.No. WD-81027-S- 01, Alt-14. Material and specification: RDSO Spec.No. 02-ABR-02 with Amendment-4 of Sept.2016, Appendix-F.	1	CR:MTN	1729.88	301 Nos.	08-Oct-25
		(FP)			2	CR:MTN	1729.88	402 Nos.	31-Dec-25
					3	CR:MTN	1729.88	363 Nos.	31-May-26
					4	CR:LTT	1729.88	168 Nos.	31-May-26
					5	CR:ACL BSL	1729.88	276 Nos.	08-Oct-25
					6	CR:ACL BSL	1729.88	495 Nos.	31-Dec-25
					7	CR:ACL BSL	1729.88	250 Nos.	31-May-26
					8	CR:KWV	1729.88	510 Nos.	08-Oct-25
					9	CR:KWV	1729.88	680 Nos.	31-Dec-25
					10	CR:KWV	1729.88	510 Nos.	31-May-26
					11	CR:WB	1729.88	204 Nos.	08-Oct-25
					12	CR:PUNE	1729.88	145 Nos.	31-Dec-25
195	42251659103399 dt.07-JUL-25 on M/s.VIRTUE RUBBER TECH- HARIDWAR	4963025.7	31357106	Air Brake Hose Coupling for Feed Pipe to RDSO Drg.No. WD-81027-S- 01, Alt-14.	1	CR:MTN	1729.88	182 Nos.	08-Oct-25

		(FP)		Material and specification: RDSO Spec.No. 02-ABR-02 with Amendment-4 of Sept.2016, Appendix-F.	2	CR:MTN	1729.88	244 Nos.	31-Dec-25
					3	CR:MTN	1729.88	182 Nos.	31-May-26
					4	CR:LTT	1729.88	168 Nos.	08-Oct-25
					5	CR:ACL BSL	1729.88	110 Nos.	08-Oct-25
					6	CR:ACL BSL	1729.88	145 Nos.	31-Dec-25
					7	CR:ACL BSL	1729.88	110 Nos.	31-May-26
					8	CR:KWV	1729.88	405 Nos.	08-Oct-25
					9	CR:KWV	1729.88	539 Nos.	31-Dec-25
					10	CR:KWV	1729.88	405 Nos.	31-May-26
					11	CR:WB	1729.88	271 Nos.	31-Dec-25
					12	CR:PUNE	1729.88	108 Nos.	31-May-26
196	38254970103423 dt.07-JUL-25 on M/s.AVADH RAIL INFRA LIMITED- LUCKNOW	2531100	33538384	Air Spring Assembly (140 KN Capacity) for mainline LHB GS Coaches for FIAT type Bogies to RDSO specification no. RDSO/CG/S/23 002 Rev. nil of April 2023 or latest.	1	CR:MTN	194700	13 Nos.	07-Oct-25
		(FP)							

197	27254594103457 dt.08-JUL-25 on M/s.G.B EQUIPMENT SYSTEMS LIMITED- DEHRADUN	1279049.2	29048333	SET OF DAMPERS (SHOCK ABSORBERS) FOR WAP-7 LOCO AS PER CLW SPECN NO. CLW/MS/3/SPE C/ELDO- BOGIE/002 (REV. NIL) AND CLW DRG. NO. 1209-01.215- 014, ALT-2 COMPRISING OF :- (1) AXLE DAMPER, QTY- 08 NOS, (2)	1	CR:KYN	319762.3	4 Set	08-Dec-25
198	27254594103458 dt.08-JUL-25 on M/s.KNORR- BREMSE INDIA PVT. LTD.- PALWAL	4543000	29048333	SET OF DAMPERS (SHOCK ABSORBERS) FOR WAP-7 LOCO AS PER CLW SPECN NO. CLW/MS/3/SPE C/ELDO- BOGIE/002 (REV. NIL) AND CLW DRG. NO. 1209-01.215- 014, ALT-2 COMPRISING OF :- (1) AXLE DAMPER, QTY- 08 NOS, (2)	1	CR:KYN	324500	9 Set	08-Dec-25
		(FP)			2	CR:ACL BSL	324500	3 Set	08-Dec-25
					3	CR:GPR PA	324500	1 Set	08-Dec-25
					4	CR:AQ	324500	1 Set	08-Dec-25

199	27253529103485 dt.09-JUL-25 on M/s.RIVER ENGINEERING PVT LTD-NEW DELHI	1831478	23842283	AUX. CAM SWITCH COMPLETE FOR SMGR AS per AAL item No.M713 & Drg. No. 9910383855002 or BT part No. A6331 & BT Drg. No. AM 400 660 R1 or ELMEX TYPE NO.3, CAMSWT (PART NO. EX406.1) FOR SMGR.	1	CR:KYN	1298	923 Nos.	31-Jan-26
		(FP)			2	CR:ACL BSL	1298	488 Nos.	31-Jan-26
200	18252077103524 dt.10-JUL-25 on M/s.MACO CORPORATION INDIA PRIVATE LTD-Kolkata	587905.5	17380212	SUCTION VALVE ASSLY.HIGH PRESSURE for GD make Water Cooled Air Compressor Model No.WLNA9BB to GD Pt.No.202VEG3 06A/EMD Pt.No.9319946 Firm offer:GARDNER DENVER USA	1	CR:GPR PA	45223.5	13 Nos.	10-Oct-25
		(FC)							
201	27251900103510 dt.10-JUL-25 on M/s.FRONTIER ALLOY STEELS LTD- KANPUR	901777.24	25108013	Side Bearer (RUBBER SPRING) for WAG-7 Loco as per RDSO Drg. No SKVL-127 ALT-10.	1	CR:KYN	4954.82	182 Nos.	10-Jan-26

		(FP)							
202	27252721103521 dt.10-JUL-25 on M/s.POWER MICA INSULATORS- KOLKATA	5055120	25928077	HOT MOULDING MICANITE INSULATING FRAME FOR SL- 30 AS PER Drg. No. 3TMW/DRG/SL/ 001. [Duration period of shelf life-06 months.]	1	CR:TMW	280.84	9000 Pairs	10-Oct-25
		(FP)			2	CR:TMW	280.84	9000 Pairs	01-Apr-26
203	27253570103535 dt.11-JUL-25 on M/s.FLOWTECH PUMPS AND MOTORS- BANGALORE	505040	29530015	Oil Pump Converter as per CLW Specn. No. CLW/ES/3/0107 ALT F	1	CR:ACL BSL	126260	4 Nos.	31-Dec-25
		(FP)							
204	75251047103540 dt.11-JUL-25 on M/s.ANAND ARC LTD.-MUMBAI	810439.34	76016833	COPPER COATED M.S. SOLID WIRE FOR MIG/MAG WELDING WITH CO2 SHIELDING GAS UNDER CLASS-1 & 1A SIZE 1.2MM. SPECIFICATIO N NO: IRSM- 46/2020, IS: 6419/2004. Make : SELF	1	CR:MMR	105.02	4424 Kgs.	11-Oct-25
		(FP)			2	CR:SNPD	105.02	189 Kgs.	11-Oct-25
					3	CR:MTN	105.02	3104 Kgs.	11-Oct-25

205	61251167103546 dt.11-JUL-25 on M/s.MEDI SPECIALITY PHARMA- MUMBAI	1676270.4 (FP)	82020103	ATORVASTATI N 20 MG Make: TAB ATORVASTATI N 20 MG	1	CR:MD/B Y	1.18	211900 Nos.	12-Mar-26
					2	CR:DRH/ BSL	1.18	200000 Nos.	12-Mar-26
					3	CR:DRH/ KYN	1.18	690000 Nos.	12-Mar-26
					4	CR:DRH/ SUR	1.18	98500 Nos.	12-Mar-26
					5	CR:DRH/ NGP	1.18	225000 Nos.	12-Mar-26
206	90240752703567 dt.14-JUL-25 on M/s.STEEL AUTHORITY OF INDIA LIMITED- KOLKATA	48681879 (PC)	90411559	Mild Steel Plates 16 x 2500 x 12500 to the Specification IS:2062:2011 Grade E 250 B0 Furnace Normalised With UST as per ASTM A435/A 435 M-90.	1	CR:MMR	74323.48	655 MT	16-Oct-25
207	27251031103576 dt.14-JUL-25 on M/s.G.G.AUTOM OTIVE GEARS LTD.- DEWAS	1496830 (FP)	25420203	23 Teeth pinion for Traction Motor type HS- 15250A for WAP-4 LOCO as per RDSO DRG. No. SKDL- 4356, Alt-B to RDSO SPECN. No. MP.O.2800.09 [REV.02] JUNE 05.	1	CR:ACL BSL	34810	43 Nos.	30-Apr-26

208	38242579103593 dt.15-JUL-25 on M/s.S.R.ELECTRO NICS-MUMBAI	1106122.6 (FP)	30431773	Cover moulding size: 40 x 2.5 x 2440 mm long without holes to ICF Drg. no. WGFSCZAC-4- 3-017, Alt. - Nil, item no. 20. Material and specification as per drawing.	1	CR:MTN	234.35	2360 Nos.	16-Oct-25
					2	CR:MTN	234.35	2360 Nos.	31-Oct-25
209	61251090103611 dt.16-JUL-25 on M/s.MEDI SPECIALITY PHARMA- MUMBAI	1592938.4 (FP)	82011941	AMOXYCILLIN 1000 MG+SOD CLAVULANATE 200 MG Make: Amoxycillin Sod and Clavulanate 1200 mg	1	CR:MD/B Y	89.57	8465 Nos.	17-Mar-26
					2	CR:DRH/ BSL	89.57	1000 Nos.	17-Mar-26
					3	CR:DRH/ Pune	89.57	1400 Nos.	17-Mar-26
					4	CR:DRH/ KYN	89.57	2940 Nos.	17-Mar-26
					5	CR:DRH/ SUR	89.57	980 Nos.	17-Mar-26
					6	CR:DRH/ NGP	89.57	3000 Nos.	17-Mar-26
210	61254793103612 dt.16-JUL-25 on M/s.MEDI SPECIALITY PHARMA- MUMBAI	1344485 (FP)	82111544	CALCIUM CARBONATE 500 MG WITH D3 Make: HAL	1	CR:MD/B Y	0.58	555265 Nos.	17-Mar-26
					2	CR:DRH/ BSL	0.58	200000 Nos.	17-Mar-26
					3	CR:DRH/ Pune	0.58	262000 Nos.	17-Mar-26
					4	CR:DRH/ KYN	0.58	525000 Nos.	17-Mar-26
					5	CR:DRH/ SUR	0.58	166260 Nos.	17-Mar-26
					6	CR:DRH/ NGP	0.58	600000 Nos.	17-Mar-26

211	27251898103616 dt.17-JUL-25 on M/s.VARDHMAN INDUSTRIAL FASTNERS-DELHI	2990592	25328013	Pin arrangement as per RDSO Drg. No. SKVL- 703 ALT-2 Set consisting of 03 items 56 Nos.[1] Equalizer Pin Ref.1 = 12 Nos. 2] Pin Ref.2 = 16 Nos. 3] Flat bended cotter Ref.10 = 28 Nos.	1	CR:KYN	67968	3 Set	30-Apr-26
					2	CR:ACL BSL	67968	41 Set	30-Apr-26
212	85251707801495 dt.17-JUL-25 on M/s.OFFICE OF THE Principal Chief Materials Manager, KOLKATA	1955689.6	30120160	CENTRE STIFFENER FOR HEAD STOCK TO ICF DRG. NO. T-1-2- 513, ALT. n/30, ITEM NO. 2 [SEAMLESS TUBE]. MATERIAL SPECIFICATIO N AS PER DRG.	1	CR:MTN	2644.73	30 Nos.	25-Oct-25
			30542698	FRP Window Assembly 2'0" wide to Drg. No. RDSO/Sketch- 96070, Alt-1 (expect item 4 to 7) with RDSO Specn. No. RDSO/2007/CG- 02, Rev.01 of 2008 with amdt- 02 of Aug/2016 instead of RDSO Specn C- 9403, the	2	CR:MTN	3746.03	100 Nos.	25-Oct-25

30636140	Wall Protector for lavatory pan to RDSO Drg.no. -CG-K 6085,alt.-1,item no.-1 to 4.	3	CR:MTN	995.6	150 Nos.	25-Oct-25
30638720	SOAP DISH [STAINLESS STEEL] TO DRG. NO. ICF/SK- 585/COL.II, ALT- r/37. MATERIAL AND SPECIFICATIO N AS PER DRAWING.	4	CR:MTN	79.87	200 Nos.	25-Oct-25
30640234	STAINLESS STEEL FOLDABLE BOTTLE HOLDER TO ICF DRG. NO. ICF/STD-6-4- 018, ALT-j/3. MATERIAL AND SPECIFICATIO N AS PER J4 GRADE OF M/s Jindal or SSLN- 1 grade of SAIL or equivalent..	5	CR:MTN	66.05	3000 Nos.	25-Oct-25
30646005	STAINLESS STEEL SWIVEL TYPE COAT HOOK [THREE PRONGED]TO DRG. NO. ICF/STD-6-4- 010, ALT-q/2. MATERIAL AND SPECIFICATIO N AS PER DRAWING.	6	CR:MTN	70.14	1000 Nos.	25-Oct-25

30648920	UNIFIED NOTICE FOR FIRE PREVENTION AND SAFETY [VINYL FILM] TO ICF DRG. NO. ICF/STD-6- 4-022 ALT- k/NIL. ITEM NO. 1. MATL AND SPECN AS PER DRG.	7	CR:MTN	26.54	300 Nos.	25-Oct-25
30922525	HANGER FOR BOGIE BOLSTER SUSPENSION TO IRS PART DRG. NO.C/BE- 4501, ALT.- 10 & SK - 92057 FOR BG. MATL.& SPECN. RDSO'S STR NO. C- K105/2001 WITH AMENDMENT NO. 2 OF 2003, ICF DRG. NO. T- 0-5-639, ALT- G/11	8	CR:MTN	1314	100 Nos.	25-Oct-25
33500423	PRIMARY BUMP STOP FOR FLAT IR BOGIE DRAWING NO.: LW 01102, ALT - 'D', AND SPECIFICATIO N NO. TS- 17.531.100 AND TS-17.617.100 as per Drg.No. RCF.DRG.NO. LW01102, ALT.'D' specn: RCF.DRG.NO. LW01102, ALT.'	9	CR:MTN	140.53	400 Nos.	25-Oct-25

			33502191	Secondary Lateral Damper for FIAT bogies fitted with air spring to Drg. No. RDSO/CG/DRG/21049, Alt-2 conforming to RDSO specification No. RDSO/CG-18005 Rev. 01. This item is restricted for procurement	10	CR:MTN	5823.89	30 Nos.	25-Oct-25
			72202774	HSS DRILL PARALLEL SHANK SUPPER JOBBER DRILL SIZE: 4.5 MM DIA AS PER IS : 5101-1991 M35 (HSS WITH 5 PERCENT COBALT & 63-66 HRC) MAKE J.K.FILES & TOOLS OR MIRANDA OR ADDISON ONLY.	11	CR:MTN	58.28	1000 Nos.	25-Oct-25
			75403717	Decorative Thermosetting Synthetic Resin Bonded Laminated Sheets for use in Coaching Stock to RDSO Specification No. C-K514 with Amdt. No.7 of Aug.2016 & Corrigendum-1 of June 2015 to Shade and Patter	12	CR:MTN	1279.14	500 Nos.	25-Oct-25

213	38251011103625 dt.17-JUL-25 on M/s.PRAG INDUSTRIES (INDIA) PVT. LTD.- LUCKNOW	17358567 (FP)	38106322	Modified Elastomeric pad (Design - A) for CASNUB bogies to RDSO Drg. no. WD-95005- S-01, Alt. - 8. Other technical requirements confirming to RDSO specification no. WD-20-MISC-95 Rev. 5 of October 2024	1	CR:WAG ON/BSL	1787.7	4710 Nos.	31-Dec-25
					2	CR:WAG ON/BSL	1787.7	5000 Nos.	18-Oct-25
214	38230252703667 dt.22-JUL-25 on M/s.SCHAEFFLER INDIA LIMITED- VADODARA	21837033 (FP)	30027068	DOUBLE ROW SELF ALIGNING SPHERICAL ROLLER BEARING NO 22326 C/C3 CONFORMING TO RDSO SPECN. C-8527 (REV.1) WITH AMENDMENT SLIP NO. 1&2 SUITABLE FOR 16.25 TONNES AND 13 TONNES AXLE WITH GUARANTEE AS PER	1	CR:MTN	14490.4	1500 Nos.	31-Dec-25
					2	CR:PR	14490.4	7 Nos.	31-Dec-25

215	38240252703668 dt.22-JUL-25 on M/s.SCHAEFFLER INDIA LIMITED- VADODARA	8505864.8	30027068	DOUBLE ROW SELF ALIGNING SPHERICAL ROLLER BEARING NO 22326 C/C3 CONFORMING TO RDSO SPECN. C-8527 (REV.1) WITH AMENDMENT SLIP NO. 1&2 SUITABLE FOR 16.25 TONNES AND 13 TONNES AXLE WITH GUARANTEE AS PER	1	CR:MTN	14490.4	587 Nos.	31-Dec-25
		(FP)							
216	38251245103681 dt.22-JUL-25 on M/s.COSMOS CORPORATION- MUMBAI	509760	33408294	Angle Centre Lavatory Side Partition to MTN MISC. SK. No.- 2226 Alt-3. Material and specification as per drawing	1	CR:MTN	318.6	1600 Nos.	20-Sep-25
		(FP)							

217	27253845103714 dt.24-JUL-25 on M/s.MBCOM POWERTECH PRIVATE LIMITED- HOWRAH	635076 (FP)	29690080	Auxiliary transformer 415V/110V (Pos no 67) 15KVA/1000V-415/110V ABB Document No-3EHP590064R0015 as per CLW Spec no CLW/ES/3/0098 Alt-B.	1	CR:ACL BSL	70564	9 Nos.	31-Jan-26
218	27253269103734 dt.25-JUL-25 on M/s.MACKAIL AND COMPANY PVT LTD-KOLKATA	636704.4 (FP)	29250067	Membrane for Hurth Coupling as per ABB Part No. 0501317975 & ABB Drg. No. IA011-00234 ALT-4 or RDSO approved Drg. No. MCPL/HC-2306/11.01 Rev-0 with RDSO Specn. No. RDSO/2010/EL/SPEC/0107 Rev-1.	1	CR:ACL BSL	12484.4	51 Nos.	25-Oct-25

219	18253301103759 dt.28-JUL-25 on M/s.MACO CORPORATION INDIA PRIVATE LTD-Kolkata	1097570.6	17380200	HP PISTON Assembly consists of 4 items. 1) HP Piston, to GD Pt.No. 300WLN015/EM D Pt No. 40181295, Qty = 01/Kit. 2) HP Piston Roller Bearing to GD Pt No 12GD19/EMD Pt No. 8422002 Qty = 02/Kit. 3) Pist	1	CR:DLS KYN	91464.22	10 Nos.	29-Oct-25
		(FP)			2	CR:GPR PA	91464.22	2 Nos.	29-Oct-25
220	85251627101628 dt.30-JUL-25 on M/s.DARSHAN ENTERPRISES- NEW DELHI	755790	33553300	High Capacity 500 AMP, 750 Volt Inter Vehicular Coupler (IV coupler) for LHB AC EOG Coaches confirming RDSO spec. no. RDSO/ PE/ SPEC/ AC/0177- 2013 (Rev. 1) specn: RDSO/ PE/ SPEC/ AC/0177-2013 (Rev. 1	1	CR:MTN	251930	3 Set	29-Aug-25
		(FP)							

221	38253462103813 dt.31-JUL-25 on M/s.FLEXO FOAM PVT LTD- GURGAON	548700	30660695	Set of Densified Thermal Bonded Polyester Blocks for ACCN coaches to RDSO STR No. C-K607 Rev.2, Amdt.1 of August 2016. A set consist of 104 Nos. to 1) Drg. No. AE61457 Alt-d, (32 Nos.), Item No. 01 -	1	CR:MTN	109740	5 Set	30-Sep-25
-----	--	--------	----------	---	---	--------	--------	-------	-----------