

Depot : All Depots

Section : ALL

[illegible]

3	272545941034 59 dt.08-JUL-25 on M/s.ESCORTS KUBOTA LIMITED- FARIDABAD	24013000 (FP)	290114870010	SET OF DAMPERS (SHOCK ABSORBERS) FOR WAP-7 LOCO AS PER CLW SPECN NO. CLW/MS/3/SPEC/ELDO-BOGIE/002 (REV. NIL) AND CLW DRG. NO. 1209-01.215-014, ALT-2 COMPRISING OF :- (1) AXLE DAMPER, QTY-08 NOS, (2)	1	CR:Sr. Section Engineer	324500.00	4 Set	08-Oct-25
					2	CR:SR.DME [D] PA	324500.00	2 Set	08-Oct-25
					3	CR:Bogie(HR)	324500.00	4 Set	08-Oct-25
			29048333	SET OF DAMPERS (SHOCK ABSORBERS) FOR WAP-7 LOCO AS PER CLW SPECN NO. CLW/MS/3/SPEC/ELDO-BOGIE/002 (REV. NIL) AND CLW DRG. NO. 1209-01.215-014, ALT-2 COMPRISING OF :- (1) AXLE DAMPER, QTY-08 NOS, (2)					
					4	CR:KYN	324500.00	20 Set	08-Oct-25
					5	CR:KYN	324500.00	7 Set	08-Dec-25
					6	CR:ACLSL	324500.00	12 Set	08-Oct-25
					7	CR:ACLSL	324500.00	6 Set	08-Dec-25
					8	CR:GPR PA	324500.00	10 Set	08-Oct-25
					9	CR:AQ	324500.00	9 Set	08-Oct-25

4	932553381007 76 dt.09-JUL-25 on M/s.STAR ENGINEERING AND SERVICES- JALGAON	1359800.1 (FC)	469032588738	Battery Operated Brushless Chainsaw machine as per attached Technical Specifications. FIRM OFFER MAKE BRAND- HONDA IS ACCEPTED.	1	CR:SE(PW AY) , [STORES]	67990.01	20 Nos.	23-Aug-25
5	742553352003 95 dt.09-JUL-25 on M/s.M/S VEVTECH SOLUTIONS MUMBAI, MUMBAI	999520 (FP)	781555310018	STOWAGE Heavy Duty Longspan Storage System 2 Tier Brand: STOWAGE (Detailed Description/Spe cification as per Product # 1 of GeM Contract No. GEMC- 5116877723163 48 dt.06/06/2025)	1	CR:DY.CM E SNPD	124940.00	8 Nos.	21-Jun-25
6	482556031007 31 dt.14-JUL-25 on M/s.HEMALAT HAA HI TECH INDUSTRIES- CUDDALORE	557568.12 (FP)	334322380016	Water Tank Assembly LH (390 Litres) as per RCF Drg. No. LG 63106, Alt.-g. make - HEMALATHAA	1	CR:ELECT RIC LOCO REPAIR	46464.01	12 Nos.	28-Aug-25

[illegible]

[illegible]

12	952551642004 35 dt.04-JUL-25 on M/s.STATIONARY BATTERIES WORKS-NAGPUR	7262200 (FP)	430802430010	Testo 3.5? Colour Touchscreen Thermal imager 300000 Pixel Brand: Testo (Detailed Description/Specification as per Product # 1 of GeM Contract No. GEMC-511687779162101 dt.18/06/2025)	1	CR:Sr. Section Engineer	660200.00	11 Nos.	16-Sep-25
13	912557461007 80 dt.04-JUL-25 on M/s.THE INDIA THERMIT CORPORATION LIMITED-KANPUR	1594416 (FP)	60110776	welding portion for Fusion welding of Rails by Alumino Thermic process for 52Kg (90 UTS) rails with 25 mm gap using CAP/Oxy LPG/Oxy propane preheating with 3 piece mould (Zr-Washed) manually pressed/c	1	CR:Sr. Section Engineer	1993.02	800 Nos.	02-Sep-25

14	952551131004 62 dt.10-JUL-25 on M/s.OVERSEAS COMMERCIAL CORPORATION-PUNE	1562603.2 (FP)	469029209372	Gearless hand operated pulling and lifting machine 3.2 tonne capacity (Tirfor), Lifting 3.2 T and pulling 5.2 T capacity with telescopic operating handle with 16.3 mm dia and 20 mtr rope length ISI ma	1	CR:Sr. Section Engineer	19532.54	80 Nos.	08-Sep-25
15	562553161006 44 dt.15-JUL-25 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.-MUMBAI	614246.43 (FP)	299810570018	Soft mount assembly for under slung compressor to M/s. Elgi part no. 070300920 for model No. RR20100CG(M) of WAG-9 Electric Locomotive. FIRMS OFFER, MAKE/BRAND:- ELGI MAKE SOFT MOUNT ASSY.;COMPR ESSOR	1	CR:SSE(Auxiliar)ELS BSL	16601.25	37 Nos.	15-Nov-25
16	922557171007 13 dt.18-JUL-25 on M/s.TEJAS ENTERPRISES-THANE	1720900.2 (FP)	560405260010	SIC CARD FOR FRAUSCHER MSDAC ACS 2000. FRAUSCHER Make.	1	CR:Sr. Section Engineer	57761.00	4 Nos.	14-Jan-26

[illegible]

18	742553552004 32 dt.19-JUL-25 on M/s.A.N ENTERPRISES, PUNE	932160 (FP)	781556310014	STOWAGE Heavy Duty Longspan Storage System Single Tier Brand: STOWAGE (Detailed Description/Specification as per Product # 1 of GeM Contract No. GEMC-511687717752100 dt.14/06/2025)	1	CR:DY.CME SNPD	116520.00	8 Nos.	29-Jun-25
19	852560541015 34 dt.22-JUL-25 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED-HOSUR	1445358.4 (FP)	31905067	THIRD YEAR MAINTENANCE SPARES MUST CHANGE KIT FOR AIR GENERATION AND TREATMENT UNIT (AGTU) FOR M/S FAIVELEY MAKE MAIN AIR COMPRESSOR USED IN THREE PHASE EMU AS PER THE ANNEXURE ATTACHED	1	CR:SSE/Aux Sec EMU MTN	144535.84	10 Set	08-Apr-26

20	852560201015 41 dt.22-JUL-25 on M/s.HIND ENTERPRISES-MUMBAI	1416000 (FP)	359200040011	KEY MULTIPLIER 3EYP400655R0 001, DRG. NO. PCE/BT/KM/001 REV.1	1	CR:SSE/ POH (Electrical)	141600.00	10 Nos.	22-Nov-25
21	912557391007 59 dt.01-JUL-25 on M/s.AMIABLE IMPEX-MUMBAI	1125720 (FP)	60250379	Goods, Manufacture and Supply of Portions for fusion welding of 60Kg/60E1 (R260 Grade) rail and 60 Kg (90UTS) rail with 25mm gap by Alumino Thermit Process using compressed Air Petrol System/Oxy LPG/	1	CR:Sr. Section Engineer	2124.00	530 Nos.	30-Aug-25
22	912557591007 77 dt.03-JUL-25 on M/s.GANPATI INDUSTRIAL PVT. LTD.-RAIPUR	850544 (FP)	60090110	Joggled Fishplates Bolt type for BG 60 Kg rail to RDSO's Drg. No. T-5849, IRS Spn. T12021(First Revision) with latest Alt. & Spn. if any, as on date of closing of tender. Note One set of Joggle Fish P	1	CR:Sr. Section Engineer	6254.00	136 Pairs	01-Sep-25

23	912557621007 78 dt.03-JUL-25 on M/s.SS ENTERPRISES-PUNE	843570.2 (FP)	330402930013	Supply and fitment of items for carrying out modification in 27 M FP Bypass Pipe. One set consists of the following items 1. 25mm bore pipe 11.5 Mtrs. Long. 2. 25 mm bore Pipe 15.5 Mtrs. Long. 3. 25m	1	CR:Sr. Section Engineer	15337.64	40 Set	01-Sep-25
					2	CR:Sr. Section Engineer	15337.64	15 Set	01-Sep-25
24	512551622033 59 dt.04-JUL-25 on M/s.SUPERTECH RAIL INFRAPROJECTS PRIVATE LIMITED-PUNE	36259807 (FP)	601900400012P A	Goods, Manufacture and supply of Wider Pre-Stressed Concrete Sleeper for 25T axle load for 60kg(UIC)/60E1/52kg running rails with 60kg UIC)/60E1/52kg guard rail for use on ballasted deck bridges as per	1	CR:SSE/PWAY/KASH TI	4165.40	2246 Nos.	04-Sep-27

601900400012S UR	Goods, Manufacture and supply of Wider Pre- Stressed Concrete Sleeper for 25T axle load for 60kg(UIC)/60E1 /52kg running rails with 60kg UIC)/60E1/52kg guard rail for use on ballasted desk bridges as pe	2	CR:SSE/P WAY/KASH TI	4165.40	646 Nos.	04-Sep-27
60190103SUR	Goods, Manufacture and supply of Wider Pre- Stressed Concrete Sleeper for 25T axle load for 60kg(UIC)/60E1 /52kg running rails with 60kg UIC)/60E1/52kg guard rail for use on ballasted desk bridges as pe	3	CR:SSE/P WAY/KASH TI	4165.40	100 Nos.	04-Sep-27

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

601900830020B SL	Goods, Manufacture and supply of Wider Pre- Stressed Concrete Sleeper for 25T Axle load for 60kg(UIC)/60E1 /52kg Running rails with 60kg UC)/60E1/52kg Guard rail on bridge approaches as per RDSO Drg.No.	2	CR:SSE/W KS/SLEEP ER/MO	45548.00	28 Set	04-Sep-27
601900830020P A	Goods, Manufacture and supply of Wider Pre- Stressed Concrete Sleeper for 25T Axle load for 60kg(UIC)/60E1 /52kg Running rails with 60kg UC)/60E1/52kg Guard rail on bridge approaches as per RDSO Drg.No.	3	CR:SSE/W KS/SLEEP ER/MO	45548.00	48 Set	04-Sep-27

601900830020S UR	Goods, Manufacture and supply of Wider Pre- Stressed Concrete Sleeper for 25T Axle load for 60kg(UIC)/60E1 /52kg Running rails with 60kg UC)/60E1/52kg Guard rail on bridge approaches as per RDSO Drg.No.					
		4	CR:SSE/W KS/SLEEP ER/MO	45548.00	2 Set	04-Sep-27
		5	CR:SSE/W KS/SLEEP ER/MO	45548.00	15 Set	04-Sep-27
6019N0830020B ND	Goods, Manufacture and supply of Wider Pre- Stressed Concrete Sleeper for 25T Axle load for 60kg(UIC)/60E1 /52kg Running rails with 60kg UC)/60E1/52kg Guard rail on bridge approaches as per RDSO Drg.No.					
		6	CR:SSE/W KS/SLEEP ER/MO	45548.00	28 Set	04-Sep-27

			6019N0830020B SL	Goods, Manufacture and supply of Wider Pre- Stressed Concrete Sleeper for 25T Axle load for 60kg(UIC)/60E1 /52kg Running rails with 60kg UC)/60E1/52kg Guard rail on bridge approaches as per RDSO Drg.No.	7	CR:SSE/W KS/SLEEP ER/MO	45548.00	44 Set	04-Sep-27
			6019N830020BN D	Goods, Manufacture and supply of Wider Pre- Stressed Concrete Sleeper for 25T Axle load for 60kg(UIC)/60E1 /52kg Running rails with 60kg UC)/60E1/52kg Guard rail on bridge approaches as per RDSO Drg.No.	8	CR:SSE/W KS/SLEEP ER/MO	45548.00	76 Set	04-Sep-27

42	852557011013 85 dt.07-JUL-25 on M/s.JINENDRA ENTERPRISE-MUMBAI	1699200 (FP)	731803260022	(For Vande Bharat) Nord Lock washer NLO series DP* Carbon Steel suitable for Bolt Dia. M20 Part No. NLI1307IRDE02 0003M.	1	CR:TROLL EY REPAIR SHOP	169.92	10000 Nos.	21-Aug-25
43	742553342003 91 dt.07-JUL-25 on M/s.PURVA ENTERPRISE-MUMBAI	870800 (FP)	781555360010	STOWAGE Heavy Duty Longspan Storage System 2 Tier Brand: STOWAGE (Detailed Description/Specification as per Product # 1 of GeM Contract No. GEMC-5116877690581 07 dt.05/06/2025)	1	CR:DY.CM E SNPD	124400.00	7 Nos.	20-Jun-25
44	032550482000 98 dt.10-JUL-25 on M/s.VISHNU CABLE INDUSTRIES-DELHI	7456050	40XXN1	AVERCAB 01 120 4 Aluminium Armoured cable Brand: AVERCAB (Detailed Description/Specification as per Product # 1 of GeM Contract No. GEMC-5116877124405 14 dt.07/07/2025)	1	CR:SR. SECT. ENGG.(CO NS	497.07	15000 MTR	05-Sep-25

[illegible]

[illegible]

50	852458161016 27 dt.29-JUL-25 on M/s.HITACHI ENERGY INDIA LIMITED-VADODARA	6148980 (FP)	357300670018	25KV/2 X 625KVA under 855 V, 1250 KVA, Oil cooled transformer for Medha EMU rake type-LOT 1250, Nominal Line Voltage 25KV at Frequency 50Hz, Make-ABB as per Annexure-A attached	1	CR:SSE/POH (Electrical)	6148980.00	1 Nos.	29-Mar-26
51	962552632004 63 dt.07-JUL-25 on M/s.STATIONARY BATTERIES WORKS-NAGPUR	620000 (FP)	823100080035	METSL TFT Display Cardiac Monitor with defibrillator Brand: METSL (Detailed Description/Specification as per Product # 1 of GeM Contract No. GEMC-511687757526437 dt.30/06/2025)	1	CR:DMO SUR	155000.00	4 Nos.	25-Jul-25

[illegible]

[illegible]

				quantity stock rails with elastic fastener	4	CR:SE(PW AY) , [STORES]	763050.19	5 Set	30-May-26
					5	CR:SE(PW AY) , [STORES]	763050.19	5 Set	30-May-26
					6	CR:SE(PW AY) , [STORES]	763050.19	7 Set	30-May-26
					7	CR:SE(PW AY) , [STORES]	763050.19	35 Set	30-May-26
					8	CR:SE(PW AY) , [STORES]	763050.19	25 Set	30-May-26
					9	CR:SE(PW AY) , [STORES]	763050.19	8 Set	30-Jan-26
			601605210384	Goods, Manufacture & Supply of 10125 mm curved switches with ZU-1-60 / 60 E1A1 Thick web Grade 880 class A tongue rails and 60E1, R- 260 Grade, class A/B prime quality stock rails with elastic fastener					
					10	CR:SE(PW AY) , [STORES]	763050.19	10 Set	30-May-26

63	512551642033 62 dt.04-JUL-25 on M/s.SUPERTECH RAIL INFRAPROJECTS PRIVATE LIMITED-PUNE	10339396 (FP)	6019N830020BND	Goods, Manufacture and supply of Wider Pre-Stressed Concrete Sleeper for 25T Axle load for 60kg(UIC)/60E1/52kg Running rails with 60kg UC)/60E1/52kg Guard rail on bridge approaches as per RDSO Drg.No.	1	CR:SSE/PWAY/KASH TI	45548.00	227 Set	04-Sep-27
64	912555671007 86 dt.04-JUL-25 on M/s.POOJA TRADING AND CO.-PUNE	2426316 (FP)	781547910016	Aluminium 03 Seater benches with intermediate Arm and high quality PU-Furniture as per attached spec and drawing	1	CR:SR.DCM PUNE PA	52746.00	46 Nos.	02-Sep-25

67	922557252007 10 dt.18-JUL-25 on M/s.SPACE PLANNERS-MUMBAI	888000 (FP)	781513690019	Space Planners 2-Bay Push Pull Type Mobile Storage Compactors Brand: Space Planners (Detailed Description/Spe cification as per Product # 1 of GeM Contract No. GEMC- 5116877622607 19 dt.11/07/2025)	1	CR:Sr.Com manding Office	222000.00	4 Nos.	09-Sep-25
68	932557961008 20 dt.23-JUL-25 on M/s.AGROMA CH SPARES CORPORATION-MUMBAI	1354640 (FP)	20308931109	PROPORTIONA L CONTROL VALVE for UNI, MFI machines. Part No.: HYA16- RPE2- 150.DSO728/10 SUB. part No.: HYA16-RPE2- 150.DSO728, Make: PLASSER/REX ROTH, Note:- Material supplied by firm should be fitted on m	1	CR:SSE [TMD] BSL	338660.00	4 Nos.	20-Nov-25

71	922556401006 52 dt.01-JUL-25 on M/s.TEJAS ENTERPRISES-THANE	3242792.2 (FP)	560404960011	Wheel Sensors RSR 180 with 15 Mtrs cable and protection tube 14.8 Mtr length for frauscher make MSDAC.	1	CR:Sr. Section Engineer	176276.66	6 Nos.	28-Dec-25
			560408250014	DESCRIPTION : Wheel Sensors with protection tube of frauscher make MSDAC type RSR180 (with BBIK-M-12-GS05 fixing) along with cable length of 5 Mtr.					
					2	CR:Sr. Section Engineer	165364.02	7 Nos.	28-Dec-25
			560408280018	DESCRIPTION : Wheel Sensors with protection tube of Frauscher make MSDAC type RSR 180 (with BBIK-M-12-GS05 fixing) along with cable length of 10 MTRS					
72	922556291006 55 dt.02-JUL-25 on M/s.MODSONI C	512651 (FP)			3	CR:Sr. Section Engineer	171264.02	6 Nos.	28-Dec-25
			509040315510	TR PROBE BASE-MAKE MODOSONIC	1	CR:SE(PW AY) [U.S.F.D] B	1003.00	50 Nos.	31-Aug-25

	INSTRUMENTS MANUFACTURING COMPANY PRIVATE LIMITED- AHMEDABAD		603264370378	Angle Probe Base (MODSONIC)	2	CR:SE(PW AY) [U.S.F.D] B	448.40	100 Nos.	31-Aug-25
			603279860034	PKBB-3 : Probe Cable BNC to BNC 3 Mtrs. Long for single rail tester-9 channel (B- scan)	3	CR:SE(PW AY) [U.S.F.D] B	1805.40	50 Nos.	31-Aug-25
			603279870015	PKBB-2 : Probe Cable BNC to BNC 2 mtr. Long.	4	CR:SE(PW AY) [U.S.F.D] B	1492.70	50 Nos.	31-Aug-25
			603279950011	Probe Roller with clamp attachment	5	CR:SE(PW AY) [U.S.F.D] B	2324.60	100 Nos.	31-Aug-25
			81741721061	Clutch Wire for Single Rail Tester- 9 Channel (B- Scan)	6	CR:SE(PW AY) [U.S.F.D] B	507.40	40 Nos.	31-Aug-25
73	912557941007 70 dt.02-JUL- 25 on M/s.TEJAS ENTERPRISES- THANE	1060761 (FP)	569045180047	Supply of MSDAC spare consisting of each set- (A)- COM-AdC -Qty- 04 Nos. (B)-IO- EXB -Qty- 03 Nos. Make- FRAUSCHER	1	CR:SIGNA L INSPECTO R PA	1060761.00	1 Set	29-Dec-25

74	912558381008 68 dt.16-JUL-25 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI	759861	564680661427	Supply of LED signal lighting unit with build in current regulator retrofitable in existing CLS unit as per RDSO specification no. RDSO/SPN/199 /2010 with latest amendment for Main Signal ? Yellow.	1	CR:SIGNAL INSPECTOR PA	9381.00	50 Nos.	14-Sep-25
		(FP)	564680661429	Supply of LED signal lighting unit with build in current regulator retrofitable in existing CLS unit as per RDSO specification no. RDSO/SPN/199 /2010 with latest amendment for Main Signal ? Yellow.	2	CR:SIGNAL INSPECTOR PA	9381.00	31 Nos.	14-Sep-25

75	922557381007 21 dt.21-JUL-25 on M/s.VOESTALP INE VAE VKN INDIA PVT.LTD- SONIPAT	1345200	600102130134	Manufacture and supply of Thick Web Switch Expansion Joint (TWSEJ) 60Kg. as per RDSO Drg. No. T-8822 (Alt-04) consisting of Machined thick Web grade 880 class A tongue rails of ZU - 1 - 60/60 E1A1 rai	1	CR:SE(PW AY) , [STORES]	336300.00	1 Set	19-Sep-25
		(FP)	60060244	Manufacture and supply of Thick Web Switch Expansion Joint (TWSEJ) 60Kg. as per RDSO Drg. No. T-8822 (Alt-04) consisting of Machined thick Web grade 880 class A tongue rails of ZU - 1 - 60/60 E1A1 rai	2	CR:SE(PW AY) , [STORES]	336300.00	3 Set	19-Sep-25

[illegible]

[illegible]

80	962555302005 10 dt.31-JUL-25 on M/s.MEERA ENTERPRISES-SOLAPUR	846000 (FP)	521600010057	Zenix Intel Core i3-12100 All in One PC Brand: Zenix (Detailed Description/Specification as per Product # 1 of GeM Contract No. GEMC-511687738964833 dt.29/07/2025)	1	CR:DRM [C] SUR	47000.00	18 Nos.	13-Aug-25
81	512551662033 27 dt.02-JUL-25 on M/s.CARBONAI RE INDUSTRIES MADRAS PRIVATE LIMITED-CHENNAI	1267319.4 (FP)	601602810017	Goods, Manufacture and Supply of End Cut High Viscous Nylon-66 Insulating Liner (HVN Liner) for Fish Plated Joint to RDSO Drg. No. T-3706 with alteration-8 (End Cut conforming to sketch i.e. RDSO drg.	1	CR:DY. CE (C) Bhusaval	49.49	20000 Nos.	02-Jan-26

			601602810017B	Goods, Manufacture and Supply of End Cut High Viscous Nylon- 66 Insulating Liner (HVN Liner) for Fish Plated Joint to RDSO Drg. No. T-3706 with alteration-8 (End Cut conforming to sketch i.e. RDSO drg.	2	CR:DY. CE (C) Bhusaval	49.49	3588 Nos.	02-Jan-26
			601602810017D	Goods, Manufacture and Supply of End Cut High Viscous Nylon- 66 Insulating Liner (HVN Liner) for Fish Plated Joint to RDSO Drg. No. T-3706 with alteration-8 (End Cut conforming to sketch i.e. RDSO drg.	3	CR:DY. CE (C) Bhusaval	49.49	2020 Nos.	02-Jan-26

82	962552662004 64 dt.07-JUL-25 on M/s.VA INFOSOLUTIONS INDIA PRIVATE LIMITED, Peeragarhi	955752 (FP)	669085400102	fox-trot Intel Core i5-12400 All in One PC Brand: fox-trot (Detailed Description/Specification as per Product # 1 of GeM Contract No. GEMC-511687707714179 dt.02/07/2025)	1	CR: COS/D RM/W/SUR	39823.00	24 Nos.	16-Aug-25
83	932558621007 73 dt.08-JUL-25 on M/s.RAIL AUTOCOM TECHNOLOGIES PRIVATE LIMITED- NOIDA	1028370 (FP)	541500220054	Highly Galvanised anti vibration self locking nut bolt with re-usable washer lock arrangement at any torque for P-bracket as per drawing attached. FIRM OFFER MAKE BRAND- RACTECHS IS ACCEPTED.	1	CR: Sr. Section Engineer	1239.00	830 Set	07-Aug-25

[illegible]

[illegible]

			335501090019	Articulated Spheroelastic Rubber Bearing (Silent Block) as per ESCORT Drawing No: SK-1532 for ESCORT Make AAR-H Tight Lock Coupler for LHB Coaches and Confirming to RDSO Specification No.- RDSO/2011/C					
					2	CR:Sr.CDO LTT	34810.00	25 Nos.	26-Oct-25
89	932559822008 46 dt.30-JUL-25 on M/s.KIRAN FURNITURE-BHUSAWAL	578200 (FP)	781555890011	Eezy Modular Work Stations with Double Seater T shape Cluster with Curvilinear Top Brand: Eezy (Detailed Description/Specification as per Product # 1 of GeM Contract No. GEMC-5116877811327 57 dt.29/07/	1	CR:Sr. Section Engineer	115640.00	5 Nos.	12-Sep-25

90	952553121005 13 dt.31-JUL-25 on M/s.TEAM ENGINEERS ADVANCE TECHNOLOGIES INDIA PRIVATE LIMITED-HYDERABAD	771720 (FP)	509900660012	E1 to ethernet converter ,One E1 interface & four Ethernet interface. AC and DC Ordering options. Make Tech route TD-CNV-E1-4ETH or similar model of tech route, MROTEK Model no-PINE IEI/4FE/AC/DC or	1	CR:Sr. Section Engineer	6431.00	120 Nos.	29-Sep-25
91	272532401034 04 dt.07-JUL-25 on M/s.P. D. STEELS-MOHALI	4312900 (FP)	290114960011	Aluminum Impeller for Oil Cooling blower unit Centrifugal Designed for 3-Phase locomotive as per RDSO Spec. No. RDSO/2016/EL/SPEC/0123 Rev-0 issued on 05/12/2016 and Drawing No. RDSO/2016/SK 6/EL/SPEC/	1	CR:SSE(Auxiliar)ELS BSL	50740.00	5 Nos.	07-Oct-25
					2	CR:SSE AUXILIARY	50740.00	20 Nos.	07-Oct-25

			29440014	Aluminum Impeller for Oil Cooling blower unit Centrifugal Designed for 3- Phase locomotive as per RDSO Spec. No. RDSO/2016/EL/ SPEC/0123 Rev- 0 issued on 05/12/2016 and Drawing No. RDSO/2016/SK 6/EL/SPEC/					
					3	CR:ACL BSL	50740.00	45 Nos.	30-Nov-25
					4	CR:AQ	50740.00	15 Nos.	30-Nov-25
92	562553311006 09 dt.07-JUL- 25 on M/s.MENO TECH INDUSTRIES- VARANASI	532416 (FP)	245500340027	Set of terminal block (screw type) as per specification No CLW/ES/3/0645 for 3 phase loco as per Annexure- A. One set Consist of 07 items and 07 Nos. FIRM'S OFFER MAKE/BRAND: MTI only	1	CR:SSE BA PANEL/EL W/BSL	33276.00	16 Set	05-Oct-25

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

102	562461011005 88 dt.03-JUL-25 on M/s.KNORR BREMSE INDIA PVT LTD- PALWAL	5064333.4 (FP)	238801020031	Set of spares LP cylinder, LP piston along with disc valves (LP & HP) for Oil free Compressor Model VV270-T AS PER ANNEXURE Attached. FIRM'S OFFER MAKE/BRAND:- Set of Spares for LP Cylinder, LP Piston	1	CR:AUXILI ARIES OVERHAU L	1266083.36	4 Set	03-Mar-26
103	742553652003 89 dt.03-JUL-25 on M/s.UNIQUE INDUSTRIES- MUMBAI	999640 (FP)	781556300010	STOWAGE Heavy Duty Longspan Storage System Single Tier Brand: STOWAGE (Detailed Description/Spe cification as per Product # 1 of GeM Contract No. GEMC- 5116877830131 02 dt.14/06/2025)	1	CR:DY.CM E SNPD	124955.00	8 Nos.	29-Jun-25

104	562553001006 33 dt.11-JUL- 25 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.- MUMBAI	563804	257000520026	Programme Switch HRAVT, M/s. Siemens Drg.no. 3LAO- 250-4YW/121 W to be used in SIV fitted loco as per CLW Specn. No. CLW/ES/S-1 Alt. ZB (Sheet 25C) or latest. FIRM'S OFFER :- SIEMENS MAKE PROGRAMME SWI	1	CR:LIGHT FITTING	14095.10	40 Nos.	11-Dec-25
		(FP)							
105	922557121007 00 dt.14-JUL- 25 on M/s.SANROK ENTERPRISES- FARIDABAD.	535248	459012020121	Relay Communication card (VLP) Sanrok Part no. VLP-400 for fire detection with alarm system.	1	CR:JR.EN GINEER COACHIN G	178416.00	3 Nos.	12-Sep-25
		(FP)							

[illegible]

			609008550010	Manufacturing fabrication and supply of triangular box type retro-reflective hectometer sign boards as shown in the attached drawing made up of thermoset plastic toughened moulding composite sheets of					
					2	CR:SE(PW AY) , [STORES]	8796.90	140.04 SQM	13-Sep-25
108	912558391008 61 dt.16-JUL-25 on M/s.GENERAL AUTO ELECTRIC CORPORATION-MUMBAI	855441	53981030133	Supply of LED signal lighting unit with build in current regulator retrofittable in existing CLS unit as per RDSO specification no. RDSO/SPN/199 /2010 with latest amendment for Main Signal ? Green.	1	CR:SIGNA L INSPECTO R PA	10561.00	50 Nos.	14-Sep-25
		(FP)							

			539810301335	Supply of LED signal lighting unit with build in current regulator retrofittable in existing CLS unit as per RDSO specification no. RDSO/SPN/199/2010 with latest amendment for Main Signal ? Green.					
					2	CR:SIGNAL INSPECTOR PA	10561.00	31 Nos.	14-Sep-25
109	852561221015 44 dt.23-JUL-25 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.-MUMBAI	1360164.3 (FP)	357101120018	VANDE BHARAT - IOH REPLACEMENT KIT FOR 22CB VCB OF VANDE BHARAT VERSION 2.0 PART CODE NO. MFR38246_S OF SCHNEIDER ELECTRIC AS PER ATTACHED ANNEXURE 'A'. ACCEPTED MAKE- SCHNIEDER ONLY. MATERIAL SHALL B	1	CR:Sr. Section Engineer	85010.27	16 Set	23-Jan-26

110	742553241004 63 dt.26-JUL-25 on M/s.HIND ENTERPRISES-MUMBAI	873200 (FP)	357100970018	AC EARTHING SWITCH FOR VCB 25Kv, 400A, Type PCE.VES.25.4 Part No. PCE/WAGES/023/01-C	1	CR:SSE/POH (Electrical)	436600.00	2 Nos.	26-Oct-25
111	512551622033 57 dt.04-JUL-25 on M/s.BEMCO SLEEPERS LTD-MUMBAI	16628277 (FP)	6019N0400012B ND	Goods, Manufacture and supply of Wider Pre-Stressed Concrete Sleeper for 25T axle load for 60kg(UIC)/60E1/52kg running rails with 60kg UIC)/60E1/52kg guard rail for use on ballasted desk bridges as pe	1	CR:SSE/W ORKS/NGN	4165.40	3992 Nos.	04-Sep-27

[illegible]

			601900830020B SL	Goods, Manufacture and supply of Wider Pre- Stressed Concrete Sleeper for 25T Axle load for 60kg(UIC)/60E1 /52kg Running rails with 60kg UC)/60E1/52kg Guard rail on bridge approaches as per RDSO Drg.No.	3	CR:SSE/W ORKS/NGN	45548.00	6 Set	04-Sep-27
			6019N0830020B SL	Goods, Manufacture and supply of Wider Pre- Stressed Concrete Sleeper for 25T Axle load for 60kg(UIC)/60E1 /52kg Running rails with 60kg UC)/60E1/52kg Guard rail on bridge approaches as per RDSO Drg.No.	4	CR:SSE/W ORKS/NGN	45548.00	11 Set	04-Sep-27

114	852558051013 90 dt.07-JUL-25 on M/s.HIND ENTERPRISES-MUMBAI	1096532.7 (FP)	350302160015	Type - B Jumper plug with 8.7 mtr. cable for IV coupler of 1600 HP DEMU to AMPHENOL part no. 488-IVC-1600HP-JP-B-24S-L8700.	1	CR:SSE/POH (Electrical	219306.54	5 Nos.	07-Jan-26
115	852469531014 08 dt.08-JUL-25 on M/s.BAJAJ PLASTIC WORKS-SAHARANPUR	827706.28 (FP)	45138722	Contactor for 60 KVA Transformer (K44) current rating 200 Amps , Voltage rating 415 V AC , Main Pole : 4 NO , Aux. Contact : 1NO + 1NC Control Voltage : 168-300V AC With surge suppressor confirming	1	CR:SHOP SUPDT.AIR CONDI	11185.22	74 Nos.	06-Oct-25

[illegible]

[illegible]

[illegible]

122	922556371006 99 dt.11-JUL-25 on M/s.ELDYNE ELECTRO SYSTEMS PRIVATE LIMITED- KOLKATA	2635412	560404860016	Supply of spare SK 30H double rail contact with 4 mtr, Integral cable for MSDAC suitable for Eldyne make as per RDSO Specn.No.RDS O/SPN/176/201 3 Ver-3. Make /Brand : Eldyne Electro systems Pvt Ltd.	1	CR:Sr. Section Engineer	210040.00	4 Set	08-Nov-25
		(FP)	560404900014	SK 30H double rail contact with 8 meter cable for Eldyne make Multi/Single Section Digital axle counter as per RDSO Specification no.RDSO/SPN/ 176/2013 VER.3 or latest and manufacturer specification. M	2	CR:Sr. Section Engineer	224860.80	4 Nos.	08-Nov-25

			569000810017	SK 30H Double Rail Contact with 5.5 meter cable for Multisection Digital Axle Counter (MSDAC) as per RDSO specification RDSO/SPN/176 /2013. MAKE M/S ELDYNE ELECTRO SYSTEMS PVT LTD.VERSION 1 OR LATEST.					
					3	CR:Sr. Section Engineer	223952.20	4 Nos.	08-Nov-25
123	482553361007 29 dt.14-JUL-25 on M/s.SANROK ENTERPRISES-FARIDABAD	892080 (FP)	331305650016	Balanced Draft Gear as per SANROK Drawing No-1ED-1014 and Confirming to RDSO Specification No. RDSO/2011/CG-03 Rev.01. make - SANROK	1	CR:ELECTRIC LOCO REPAIR	148680.00	6 Nos.	12-Sep-25

124	912558371008 65 dt.16-JUL-25 on M/s.GENERAL AUTO ELECTRIC CORPORATION- MUMBAI	731718	560603048486	Supply of LED signal lighting unit with build in current regulator retrofitable in existing CLS unit as per RDSO specification no. RDSO/SPN/199 /2010 with latest amendment for Main Signal ? Red.	1	CR:SIGNAL INSPECTOR PA	9381.00	50 Nos.	14-Sep-25
		(FP)	560603048487	Supply of LED signal lighting unit with build in current regulator retrofitable in existing CLS unit as per RDSO specification no. RDSO/SPN/199 /2010 with latest amendment for Main Signal ? Red.	2	CR:SIGNAL INSPECTOR PA	9381.00	28 Nos.	14-Sep-25

125	912554871008 70 dt.17-JUL-25 on M/s.SUNITA BIOTECH-GAUTAMBUDH NAGAR	2554631.6 (FP)	469039191510	Double Ended Jumper Plug Assembly 500A (Male coupler attached at both end of jumper cable), with 1.65 meters cable in length for RNCC cross feeder as per ICF drawing No.-ICF/SK3-7-1-095	1	CR:SSE(TL-AC)PA	196510.12	13 Nos.	31-Aug-25
126	742553141004 19 dt.17-JUL-25 on M/s.SETH TRADERS PRIVATE LIMITED-MUMBAI	748462.2 (FP)	358802830013	Procurement of Teflon tube with Stainless steel fittings part no 909010013900 drawing no 4-B09.4724 For SCHUNK make pantograph WBL 23.03. To be purchased from SCHUNK India pvt. ltd. or its authorised	1	CR:SSE/Brake Equipment	24948.74	30 Nos.	17-Jan-26

127	512551702036	10759768	601100340501	Goods, Manufacturing and Supply of High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-8751 alteration-3 with latest alteration for use with Wider PSC sleeper to drg. No. RT-8746 and	1	CR:SE(PW AY) , [STORES]	54.80	49023 Nos.	18-Jan-26
		(FP)	601100340501C	Goods, Manufacturing and Supply of High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-8751 alteration-3 with latest alteration for use with Wider PSC sleeper to drg. No. RT-8746 and	2	CR:SE(PW AY) , [STORES]	54.80	28705 Nos.	18-Jan-26

601100340562	Goods, Manufacturing and Supply of High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-8751 alteration-3 with latest alteration for use with Wider PSC sleeper to drg. No. RT-8746 and	3	CR:SE(PW AY) , [STORES]	54.80	1145 Nos.	18-Jan-26
601100340562A	Goods, Manufacturing and Supply of High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-8751 alteration-3 with latest alteration for use with Wider PSC sleeper to drg. No. RT-8746 and	4	CR:SE(PW AY) , [STORES]	54.80	26058 Nos.	18-Jan-26

601100340562B	Goods, Manufacturing and Supply of High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-8751 alteration-3 with latest alteration for use with Wider PSC sleeper to drg. No. RT-8746 and	5	CR:SE(PW AY) , [STORES]	54.80	3628 Nos.	18-Jan-26
601100340562C	Goods, Manufacturing and Supply of High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-8751 alteration-3 with latest alteration for use with Wider PSC sleeper to drg. No. RT-8746 and	6	CR:SE(PW AY) , [STORES]	54.80	2192 Nos.	18-Jan-26

601100340562D	Goods, Manufacturing and Supply of High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-8751 alteration-3 with latest alteration for use with Wider PSC sleeper to drg. No. RT-8746 and	7	CR:SE(PW AY) , [STORES]	54.80	5644 Nos.	18-Jan-26
601100340562E	Goods, Manufacturing and Supply of High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-8751 alteration-3 with latest alteration for use with Wider PSC sleeper to drg. No. RT-8746 and	8	CR:SE(PW AY) , [STORES]	54.80	7128 Nos.	18-Jan-26

			60110612	Goods, Manufacturing and Supply of High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-8751 alteration-3 with latest alteration for use with Wider PSC sleeper to drg. No. RT-8746 and	9	CR:SE(PW AY) , [STORES]	54.80	62947 Nos.	18-Jan-26
			601200031071	Goods, Manufacturing and Supply of High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-8751 alteration-3 with latest alteration for use with Wider PSC sleeper to drg. No. RT-8746 and	10	CR:SE(PW AY) , [STORES]	54.80	9879 Nos.	18-Jan-26

[illegible]

			60190152	Goods, Manufacture & Supply of 10125 mm curved switches with ZU-1-60 / 60 E1A1 Thick web Grade 880 class A tongue rails and 60E1, R- 260 Grade, class A/B prime quality stock rails with elastic fastener					
					3	CR:SE(PW AY) , [STORES]	#####	13 Set	30-Jan-26
					4	CR:SE(PW AY) , [STORES]	#####	15 Set	30-Jan-26
					5	CR:SE(PW AY) , [STORES]	#####	33 Set	30-Jan-26
130	512551812038 02 dt.30-JUL- 25 on M/s.R.V. RAIL PRODUCTS PVT. LTD.- RAIPUR	19415838 (FP)	60060761	Goods, Manufacture & Supply of 6400 mm curved switches with ZU-1- 60 / 60 EIAI Thick web Grade 880 class A tongue rails and 60E1, R- 260 Grade, class A/B prime quality stock rails with elastic fastener	1	CR:SE(PW AY) , [STORES]	497842.00	5 Set	30-Jan-26
					2	CR:SE(PW AY) , [STORES]	497842.00	20 Set	30-Jan-26

			60111409	Goods, Manufacture & Supply of 6400 mm curved switches with ZU-1- 60 / 60 EIAI Thick web Grade 880 class A tongue rails and 60E1, R- 260 Grade, class A/B prime quality stock rails with elastic fastener					
					3	CR:SE(PW AY) , [STORES]	497842.00	14 Set	30-Jan-26
131	512551392033 22 dt.02-JUL- 25 on M/s.VIKAS EXTRUSIONS- MOHALI	1995037.8	6011N0922BND	Goods, Manufacturing and Supply of 6mm thick Nylon Cord Reinforced Grooved Rubber Sole Plate for placing beneath rails at 1 in 8.5, 60Kg Turnout conforming to RDSO Drawing No.: RT-4865 (latest alterat	1	CR:SE(PW AY) , [STORES]	14077.40	1 Set	02-Oct-25
		(FP)							

6011N1290BND	Goods, Manufacturing and Supply of 6mm thick Nylon Cord Reinforced Grooved Rubber Sole Plate for placing beneath rails at 1 in 8.5, 60Kg Turnout conforming to RDSO Drawing No.: RT-4865 (latest alterat					
		2	CR:SE(PW AY) , [STORES]	14077.40	2 Set	02-Oct-25
		3	CR:SE(PW AY) , [STORES]	14077.40	2 Set	02-Oct-25
6016637BSL	Goods, Manufacturing and Supply of 6mm thick Nylon Cord Reinforced Grooved Rubber Sole Plate for placing beneath rails at 1 in 8.5, 60Kg Turnout conforming to RDSO Drawing No.: RT-4865 (latest alterat					
		4	CR:SE(PW AY) , [STORES]	14018.40	60 Set	02-Oct-25
		5	CR:SE(PW AY) , [STORES]	14018.40	7 Set	02-Jan-26

			6016N012BND	Goods, Manufacturing and Supply of 6mm thick Nylon Cord Reinforced Grooved Rubber Sole Plate for placing beneath rails at 1 in 8.5, 60Kg Turnout conforming to RDSO Drawing No.: RT-4865 (latest alterat					
					6	CR:SE(PW AY) , [STORES]	14077.40	21 Set	02-Jan-26
					7	CR:SE(PW AY) , [STORES]	14077.40	48 Set	02-Oct-25
			6018N69BND	Goods, Manufacturing and Supply of 6mm thick Nylon Cord Reinforced Grooved Rubber Sole Plate for placing beneath rails at 1 in 8.5, 60Kg Turnout conforming to RDSO Drawing No.: RT-4865 (latest alterat					
					8	CR:SE(PW AY) , [STORES]	14077.40	1 Set	02-Oct-25

132	272532401034 06 dt.07-JUL-25 on M/s.AIR CONTROL AND CHEMICAL ENGINEERING CO LTD-AHMEDABAD	2841440 (FP)	290114960011	Aluminum Impeller for Oil Cooling blower unit Centrifugal Designed for 3-Phase locomotive as per RDSO Spec. No. RDSO/2016/EL/SPEC/0123 Rev-0 issued on 05/12/2016 and Drawing No. RDSO/2016/SK 6/EL/SPEC/	1	CR:SR.DM E [D] PA	50740.00	5 Nos.	07-Oct-25
					2	CR:Sr. Section Engineer	50740.00	10 Nos.	07-Oct-25
			29440014	Aluminum Impeller for Oil Cooling blower unit Centrifugal Designed for 3-Phase locomotive as per RDSO Spec. No. RDSO/2016/EL/SPEC/0123 Rev-0 issued on 05/12/2016 and Drawing No. RDSO/2016/SK 6/EL/SPEC/					
					3	CR:ACL BSL	50740.00	35 Nos.	30-Nov-25
					4	CR:AQ	50740.00	6 Nos.	30-Nov-25

[illegible]

135	512551702036 54 dt.18-JUL-25 on M/s.POLYSET PLASTICS PVT. LTD.-MUMBAI	7173215.3 (FP)	601100340501B	Goods, Manufacturing and Supply of High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-8751 alteration-3 with latest alteration for use with Wider PSC sleeper to drg. No. RT-8746 and	1	CR:SE(PW AY) , [STORES]	54.80	43388 Nos.	18-Jan-26
			601100340562	Goods, Manufacturing and Supply of High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-8751 alteration-3 with latest alteration for use with Wider PSC sleeper to drg. No. RT-8746 and	2	CR:SE(PW AY) , [STORES]	54.80	30900 Nos.	18-Jan-26

			601605260156	Goods, Manufacturing and Supply of High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-8751 alteration-3 with latest alteration for use with Wider PSC sleeper to drg. No. RT-8746 and	3	CR:SE(PW AY) , [STORES]	54.80	44264 Nos.	18-Jan-26
			602590521190	Goods, Manufacturing and Supply of High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-8751 alteration-3 with latest alteration for use with Wider PSC sleeper to drg. No. RT-8746 and	4	CR:SE(PW AY) , [STORES]	54.80	12348 Nos.	18-Jan-26

136	852558461015 32 dt.22-JUL-25 on M/s.JINENDRA ENTERPRISE-MUMBAI	1338120 (FP)	731803280010	(For Vande Bharat) Nord Lock washer NLO series DP* Carbon Steel suitable for Bolt Dia. M24 Part No. NLI2196IRDE02 400M.	1	CR:TROLL EY REPAIR SHOP	297.36	4500 Nos.	21-Aug-25
137	802550242037 05 dt.24-JUL-25 on M/s.NAYARA ENERGY LIMITED-MUMBAI	303290772 (PC)	921100482244	High Speed Diesel (HSD) Oil confirming to IS: 1460 (Latest Revision), Note : The supply of the products will be subject to deviations/relaxations as may be authorized by MOP & NG from time to time. Ho	1	CR:SSE(TL- AC)PA	123943.92	2447 KLTR	31-Mar-26

138	032550682001 00 dt.29-JUL-25 on M/s.LASER POWER AND INFRA PRIVATE LIMITED-KOLKATA	4277675 (FP)	400703250030	laser XLPE Cable Working Voltage from 3.3 kV to 33 kV Size 300 sq. mm Brand: laser (Detailed Description/Specification as per Product # 1 of GeM Contract No. GEMC-511687789038535 dt.23/07/2025)	1	CR:SR. SECT. ENGG./ T D	1711.07	2500 MTR	21-Oct-25
139	512551812038 00 dt.30-JUL-25 on M/s.AANJANEY RAIL PRIVATE LIMITED-KOLKATA	36840308 (FP)	60111409	Goods, Manufacture & Supply of 6400 mm curved switches with ZU-1- 60 / 60 EIAI Thick web Grade 880 class A tongue rails and 60E1, R-260 Grade, class A/B prime quality stock rails with elastic fastener	1	CR:SE(PWAY) , [STORES]	497842.00	12 Set	30-May-26

			601200690030	Goods, Manufacture & Supply of 6400 mm curved switches with ZU-1- 60 / 60 EIAI Thick web Grade 880 class A tongue rails and 60E1, R- 260 Grade, class A/B prime quality stock rails with elastic fastener	2	CR:SE(PW AY) , [STORES]	497842.00	14 Set	30-May-26
			601200690042	Goods, Manufacture & Supply of 6400 mm curved switches with ZU-1- 60 / 60 EIAI Thick web Grade 880 class A tongue rails and 60E1, R- 260 Grade, class A/B prime quality stock rails with elastic fastener	3	CR:SE(PW AY) , [STORES]	497842.00	48 Set	30-Dec-25

140	912558081009 44 dt.31-JUL-25 on M/s.CBS TECHNOLOGIES PVT LTD-DELHI	979999.44 (FP)	100603230077	Supply, installation & commissioning of Disc stack type centrifuge oil filtering system with heating arrangement for crank case lubricating oil of Diesel locomotives at PADX, as per detailed specifica	1	CR:SR.DME [D] PA	979999.44	1 Nos.	14-Sep-25
141	852561928013 74 dt.04-JUL-25 on M/s.PCMM, Modern Coach Factory, Raebareli	2791278.2 (FC)	335104130013	Supply of high tensile AAR H type tight lock coupler complete with transition screw coupling and balance draft gear and all other associated components as per RDSO specification RDSO/2009/CG-22 Rev-01	1	CR:L.V.B. SHOP MTN	279127.82	6 Nos.	12-Oct-25
					2	CR:L.V.B. SHOP MTN	279127.82	4 Nos.	12-Oct-25

142	852558061013 89 dt.07-JUL-25 on M/s.HIND ENTERPRISES-MUMBAI	1172920 (FP)	350302140016	Plate for Plug Connector of 1600 HP DEMU to AMPHENOL part no. 488-ICF-1600HP-MP-PLUG-LCA.	1	CR:SSE/POH (Electrical)	234584.00	5 Nos.	07-Jan-26
143	852555191014 07 dt.08-JUL-25 on M/s.B. KHANDELWAL METAL CORPORATION-MUMBAI	1181711 (FP)	357301040018	VOLTAGE TRANSFORMER HAVING RATIO VOLTAGE 25000/200V, VOLTAGE FACTOR-1, 5Un/30s, FREQUENCY-50Hz. +/- 4 Hz. SUITABLE FOR OUTDOOR USE AS PER STE TYPE-TVM/38-E, MAKE-STE	1	CR:SSE/ETL Sec EMU MTN	1181711.00	1 Nos.	08-Mar-26
144	912555721008 18 dt.10-JUL-25 on M/s.MOHINDRA ENTERPRISES-JALANDHAR	629836.8 (FP)	602303406566	M.S. Bolts & Nuts of size 25 X 380 mm as per RDSO drawing No. T-11533 with latest alterations as on date of tender opening, confirming to specification IRS T-23: 2021 corrigendum 5 of OCT 87 with late	1	CR:Sr. Section Engineer	157.46	4000 Nos.	08-Oct-25

[illegible]

147	852559331015 38 dt.22-JUL-25 on M/s.TRIMURTI TRADING COMPANY-MUMBAI	1208910 (FP)	351604390016	AOH KIT FOR ROTEX MAKE APPLICATION/HOLDING MAGNET VALVES TO MODEL-3258/3259 AS PER ANNEXURE ATTCHED. ONE SET CONSISTS OF 10 ITEMS HAVING 18 NOS. PER SET.	1	CR:SSE/Aux Sec EMU MTN	4029.70	300 Set	20-Sep-25
148	912558901009 05 dt.22-JUL-25 on M/s.SAI ENTERPRISES-DEOGHAR	946124 (FP)	727902815155	PL no83056798 Eco-Friendly Packing (Bed roll cover) size 43X34 CMC with D cut made from Non-woven Polypropylene fabric \GSM-60 GSM conforming to specification IS: 15891 with Latest \Revision /Amendmen	1	CR:Sr. Section Engineer	2.49	380000 Nos.	21-Aug-25

149	742553611004 46 dt.22-JUL-25 on M/s.VIVID METRAWATT-VASAI EAST	703280 (FP)	727000870018	Supply and commissioning of Induction Heater [16 KVA] as per specification attached.	1	CR:SSE/ Wheel /SNPD POH	351640.00	2 Nos.	05-Sep-25
150	482556851007 52 dt.24-JUL-25 on M/s.SHANKAR ENGINEERS-HOWRAH.	545868 (FP)	30040127	Bracket for anchor link for bolster to ICF Drg. No. T-0-4-613 alt q/10. To be procured from ICF approved sources only make - SE	1	CR:ELECTRIC LOCO REPAIR	454.89	1200 Nos.	22-Sep-25
151	512551662033 25 dt.02-JUL-25 on M/s.SHETH AND COMPANY-MUMBAI	1900979.2 (FP)	601602810017B	Goods, Manufacture and Supply of End Cut High Viscous Nylon-66 Insulating Liner (HVN Liner) for Fish Plated Joint to RDSO Drg. No. T-3706 with alteration-8 (End Cut conforming to sketch i.e. RDSO drg.	1	CR:DY. CE (C) Bhusaval	49.49	8412 Nos.	02-Jan-26

			601602810017C	Goods, Manufacture and Supply of End Cut High Viscous Nylon-66 Insulating Liner (HVN Liner) for Fish Plated Joint to RDSO Drg. No. T-3706 with alteration-8 (End Cut conforming to sketch i.e. RDSO drg.					
					2	CR:DY. CE (C) Bhusaval	49.49	30000 Nos.	02-Jan-26
152	912557691007 71 dt.02-JUL-25 on M/s.TEJAS ENTERPRISES-THANE	1060761 (FP)	569045180059	Supply of MSDAC spare consisting of each set- (A)-COM-AdC -Qty- 04 Nos. (B)-IO-EXB -Qty- 03 Nos. Make-FRAUSCHER	1	CR:SIGNA L INSPECTO R PA	1060761.00	1 Set	29-Dec-25

153	712550221033 93 dt.05-JUL-25 on M/s.TIRUMAL A ENGINEERING-CHANDAULI	1121000 (FP)	6590N01	Design, Fabrication, supply, installation, commissioning and prove out of the Computerised Load Sensing Device, Automatic Pressure Modification Device (APM/EL-60 Valve) and Escorts Ratio Valve (ERV)	1	CR:WAGON SHOP KWV	1121000.00	1 Nos.	03-Nov-25
154	562550871006 27 dt.11-JUL-25 on M/s.PERFECT GEARS-MUMBAI	10066486 (FP)	250202300010	Gear Box Case Machined Complete for WAP-5 Locomotive as per CLW Drg No.1210-01-113-004 Alt-2 or Latest. FIRM'S OFFER MAKE/BRAND: PERFECT GEARS ONLY	1	CR:BOGIE AC LOCO W/SHOP	838873.80	12 Nos.	11-Nov-25

[illegible]

		(FP)							
160	502552181038 26 dt.31-JUL-25 on M/s.ASDIN ENTERPRISES-MUMBAI	1445010.3 (FP)	5679N001	Top cover, Side plate, Bracket and Rivet for S.S Post Box type Location Box as per Drg no. WPLB -05 or WPLB - 05/1 & WPLB- 05A or WPLB- 05A/1 (01 Set - 01 cap, 02 no cap side plate, & 12 no cap bra	1	CR:CWM(S &T) WS BYCULLA	3416.10	423 Set	09-Nov-25
161	962553961004 45 dt.01-JUL-25 on M/s.PUJARA ENGINEERS-NEW DELHI	1355112 (FP)	600503960099	Manufacturing and Supply of Electronic Toe Load Measuring Device Model No. PE/ETLM/4G as per attached specifications-Annexure A	1	CR:SE(PWAY) , [P.WAY DE	225852.00	6 Nos.	30-Aug-25

[illegible]

164	482557578007 19 dt.10-JUL-25 on M/s.PCMM, Modern Coach Factory, Raebareli	1685208.8 (FP)	33640968	SWITCH PLATE ASSEMBLIES FOR LHB EOG AC2TIER & AC3TIER COACHES as per Drg.No. EDML064, REV- B,TAB-1.OR LATEST, Packing Instruction - PI041	1	CR:CWM / PR	6635.99	9 Set	08-Sep-25
			33641729	70AH,110V, VRLA MAINTENANCE FREE MONOBLOCK BATTERY SET (WITH 9 MODULES OF 12V EACH),FAC,PR ECHARGED as per Drg.No. RDSO/PE/SPE C/AC/0009- 2014, REV-2 OR LATEST.	2	CR:CWM / PR	108332.63	10 Set	08-Sep-25

33642394	LED Light fitting for Berth Reading Light (Transverse Lower Berth) RHS for LHB Coaches Type-F3(2Watt) as per Drg.No. RDSO/PE/Spec/ TL/0091-2016, Rev-1 As per Drawing LW 76095 Type	3	CR:CWM / PR	1631.43	35 Nos.	08-Sep-25
33642400	LED Light fitting for Berth Reading Light (Transverse Lower Berth) LHS for LHB Coaches Type-F4(2Watt) as per Drg.No. RDSO/PE/Spec/ TL/0091-2016, Rev-1 As per Drawing LW 76096 Type	4	CR:CWM / PR	1480.25	35 Nos.	08-Sep-25

33642412	LED Light fitting for Berth Reading Light (Longitudinal) for LHB Coaches Type- F1 (2Watt) as per Drg.No. RDSO/PE/Spec/ TL/0091-2016, Rev-1 As per Drawing LW 76093 Type	5	CR:CWM / PR	1357.50	54 Nos.	08-Sep-25
33642424	LED Light fitting for Berth Reading Light (Upper Berth) for LHB Coaches Type- F2 (2Watt) as per Drg.No. RDSO/PE/Spec/ TL/0091-2016, Rev-1 As per Drawing LW 76094 Type	6	CR:CWM / PR	1716.52	72 Nos.	08-Sep-25
33642450	LED Light Fitting for Passanger Area (Cabin) for LHB AC Type coaches as per Drg.No. RDSO/PE/Spec/ TL/0091-2016, Rev-1 As per Drawing LW 76090 Type					

		7	CR:CWM / PR	2421.73	80 Nos.	08-Sep-25
33642461	LED Light fitting for Toilet Indication in LHB AC Coches, Type- H1(1Watt) as per Drg.No. RDSO/PE/Spec/ TL/0091-2016, Rev-1 As per Drawing LW 76097 Type					
		8	CR:CWM / PR	2590.57	14 Nos.	08-Sep-25
42981827	COPPER CRIMPING SOCKET FOR 25SQMM E BEAM CABLE as per Drg.No. EDTS200,AM-1, ITEM NO. 14 OR Latest, Packing Instruction - PI001, Quality Plan - QEQ 0065					
		9	CR:CWM / PR	29.58	100 Nos.	08-Sep-25
42983526	COPPER CRIMPING SOCKET FOR 25SQMM CABLE as per Drg.No. EDTS200, Rev- 0, AM-1, Corr.- 2, ITEM NO-13 OR Latest, Packing Instruction - PI001, Quality Plan - QEQ 0065					

[illegible]

167	862553151002 88 dt.17-JUL-25 on M/s.ADITIYA ENTERPRISES-JAMALPUR	722998.98 (FP)	731303170019	Set of industrial screw tightening & Opening kit as per attached Annexure.	1	CR:SR.DE E, [TRS] KYN	7229.99	100 Set	01-Sep-25
168	852563051015 24 dt.21-JUL-25 on M/s.ESCORTS KUBOTA LIMITED-FARIDABAD	868480 (FP)	335104230019	Supporting Device for Escorts part no SK 465 Alt. 05 of LHB coaches AAR H type center buffer coupler to RDSO Spec. No. RDSO/2011/CG-03 Rev 03.	1	CR:L.V.B. SHOP MTN	21712.00	40 Nos.	19-Oct-25
169	852563061015 25 dt.21-JUL-25 on M/s.ESCORTS KUBOTA LIMITED-FARIDABAD	875796 (FP)	335104210010	MANUAL UNCOUPLING DEVICE AS PER ESCORTS PART No. SK-466 For CBC of LHB COACHES CONFORMING TO RDSO SPEC. NO. RDSO/2011/CG-03 REV-03.	1	CR:L.V.B. SHOP MTN	21894.90	40 Nos.	19-Oct-25

170	512552272038 18 dt.31-JUL-25 on M/s.INDUSTRIAL COMPONENTS INDUSTRIES-KOLKATA	14544975	601200030947	[Goods, Manufacturing and Supply of Combination High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-3707 & RDSO/T-3708 alteration-8 with latest alteration and confirming to IRS speci	1	CR:SE(PWAY) , [STORES]	153.11	9220 Set	31-Jan-26
		(FP)	601200030996	[Goods, Manufacturing and Supply of Combination High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-3707 & RDSO/T-3708 alteration-8 with latest alteration and confirming to IRS speci	2	CR:SE(PWAY) , [STORES]	153.11	1000 Set	31-Jan-26

601200031370	[Goods, Manufacturing and Supply of Combination High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-3707 & RDSO/T-3708 alteration-8 with latest alteration and confirming to IRS speci	3	CR:SE(PW AY) , [STORES]	153.11	3246 Set	31-Jan-26
601200110530	[Goods, Manufacturing and Supply of Combination High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-3707 & RDSO/T-3708 alteration-8 with latest alteration and confirming to IRS speci	4	CR:SE(PW AY) , [STORES]	153.11	19646 Set	31-Jan-26

601603720048	[Goods, Manufacturing and Supply of Combination High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-3707 & RDSO/T-3708 alteration-8 with latest alteration and confirming to IRS speci	5	CR:SE(PW AY) , [STORES]	153.11	664 Set	31-Jan-26
601603720050	[Goods, Manufacturing and Supply of Combination High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-3707 & RDSO/T-3708 alteration-8 with latest alteration and confirming to IRS speci	6	CR:SE(PW AY) , [STORES]	153.11	6118 Set	31-Jan-26

602590520469	[Goods, Manufacturing and Supply of Combination High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-3707 & RDSO/T-3708 alteration-8 with latest alteration and confirming to IRS speci	7	CR:SE(PW AY) , [STORES]	153.11	10621 Set	31-Jan-26
602590520755	[Goods, Manufacturing and Supply of Combination High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-3707 & RDSO/T-3708 alteration-8 with latest alteration and confirming to IRS speci	8	CR:SE(PW AY) , [STORES]	153.11	6576 Set	31-Jan-26

602590520780	[Goods, Manufacturing and Supply of Combination High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-3707 & RDSO/T-3708 alteration-8 with latest alteration and confirming to IRS speci	9	CR:SE(PW AY) , [STORES]	153.11	2674 Set	31-Jan-26
602590520962	[Goods, Manufacturing and Supply of Combination High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-3707 & RDSO/T-3708 alteration-8 with latest alteration and confirming to IRS speci	10	CR:SE(PW AY) , [STORES]	153.11	3080 Set	31-Jan-26

			602590521115	[Goods, Manufacturing and Supply of Combination High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-3707 & RDSO/T-3708 alteration-8 with latest alteration and confirming to IRS speci	11	CR:SE(PW AY) , [STORES]	153.11	570 Set	31-Jan-26
			602590521206	[Goods, Manufacturing and Supply of Combination High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-3707 & RDSO/T-3708 alteration-8 with latest alteration and confirming to IRS speci	12	CR:SE(PW AY) , [STORES]	153.11	6585 Set	31-Jan-26
					13	CR:SE(PW AY) , [STORES]	153.11	25000 Set	31-Jan-26

171	922556041006 54 dt.01-JUL-25 on M/s.BENSON MARINE SERVICES PVT LTD-MUMBAI	2679780 (FP)	309807380021	Filler Spout Assy.; Part No. 150A19600. Make - B. Hepworth & Co. Ltd. suitable for Vande Bharat Express.	1	CR:TSE/M M/WB	35488.50	20 Nos.	01-Nov-25
			310501480022	Relay Control Box; Part No. HE0714-04. Make - B. Hepworth & Co. Ltd. suitable for Vande Bharat Express.					
					2	CR:TSE/M M/WB	224642.50	4 Nos.	01-Nov-25
			331800300028	120NM 110V Panto Linkage RH; Part No. S613256VM. Make - B. Hepworth & Co. Ltd. suitable for Vande Bharat Express.					
					3	CR:TSE/M M/WB	133930.00	4 Nos.	01-Nov-25
			603239170341	120NM 110V Panto Linkage LH; Part No. S613255VM. Make - B. Hepworth & Co. Ltd. suitable for Vande Bharat Express.					
					4	CR:TSE/M M/WB	133930.00	4 Nos.	01-Nov-25

172	912554871008 20 dt.10-JUL-25 on M/s.SUGAN ENGINEERING PRIVATE LIMITED-HOWRAH	556134 (FP)	469039191510	Double Ended Jumper Plug Assembly 500A (Male coupler attached at both end of jumper cable), with 1.65 meters cable in length for RNCC cross feeder as per ICF drawing No.-ICF/SK3-7-1-095	1	CR:SSE(TL-AC)PA	185378.00	3 Nos.	24-Aug-25
173	742553842004 09 dt.14-JUL-25 on M/s.ROYAL FURNITURE, MUMBAI	920000 (FP)	781555890011	NCR Modular Work Stations with Double Seater Rectangular shape Cluster with Side By Side sitting Brand: NCR (Detailed Description/Specification as per Product # 1 of GeM Contract No. GEMC-511687744381	1	CR:DY.CME SNPD	115000.00	8 Nos.	11-Aug-25

174	562554241006 43 dt.15-JUL- 25 on M/s.TANCO ENGINEERING- NOIDA	509760 (FP)	29370036	Set of bushes for brake rigging and bogie frame of WAP-7/WAG- 9 Loco as per RDSO Drg. Nos SKVL 586 and SKVL 582 Alt 4. Each Set comprising of 21 items, 472 Nos. as per Annexure -A . attached. Material t	1	CR:SSE(H. Rep)ELS BSL	84960.00	6 Set	15-Dec-25
175	922554741007 11 dt.18-JUL- 25 on M/s.INDIA TRADERS- PUNE	1255231.4 (FP)	617900260013	Fixing of above EMU/MEMU HALT boards in PSC sleepers in track which includes drilling of required holes in sleepers in situ of 8 mm dia with self tapping screws and other required hardware, including	1	CR:SE(PW AY) , [STORES]	295.00	382 Nos.	16-Sep-25

			901306110012	Manufacturing fabrication and supply of triangular box type retro-reflective EMU/MEMU HALT sign boards as shown in the attached drawing made up of thermoset plastic toughened moulding composite sheets					
					2	CR:SE(PW AY) , [STORES]	8796.90	129.8 8 SQM	16-Sep-25
176	852559241015 33 dt.22-JUL-25 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.- MUMBAI	1207597.8 (FP)	351200290012	ELGI MAKE OIL FREE AIR COMPRESSOR MODEL NO.RR10070OF WITH AIR DRYER, ELGI PART NO. S07130 OF 5533-34 BT EMU RAKE.	1	CR:SSE/Au x Sec EMU MTN	1207597.75	1 Nos.	22-Jan-26
177	852562961015 76 dt.24-JUL-25 on M/s.KNORR-BREMSE INDIA PVT. LTD.- PALWAL	1062000 (FP)	869072810013	Speed Sensor KBI Part no STN31451/1200 10U for Vande Bhart Train	1	CR:L.V.B. SHOP MTN	53100.00	20 Nos.	24-Jan-26

178	952552871005 03 dt.25-JUL-25 on M/s.ASKA EQUIPMENTS PRIVATE LIMITED- ROORKEE	1342350.3 (FP)	421900490412	PORTABLE LED LIGHT TOWER WITH GENSET, LED Light Tower as per attached specification. Make:- ASKA,Model: SHAPESHIFTE R LED 180-360 (2)	1	CR:SE(PW AY) , [STORES]	447450.10	3 Set	08-Sep-25
179	612550101037 63 dt.29-JUL-25 on M/s.K ENTERPRISES- MUMBAI	515692.8 (FP)	82053327	Inj. Ustekinumab 90mg/1ml MAKE / BRAND : STELARA 90MG	1	CR:DMO BSL	85948.80	3 Nos.	28-Sep-25
					2	CR:DMO BSL	85948.80	3 Nos.	26-Jan-26
180	562554341007 07 dt.31-JUL-25 on M/s.SETH TRADERS PRIVATE LIMITED- MUMBAI	597438.72 (FP)	299811720024	Ball bearing (upper bearing) - DIN 625-6303-2 RS-90% KLB TOPAS NB 152, SCHUNK Part No.9090100224 00, SCHUNK Drawing No. TOPAS NB 152 FIRM'S OFFER MAKE/BRAND:- schunk only	1	CR:AUXILI ARY PANTO	4148.88	144 Nos.	31-Jan-26

[illegible]

[illegible]

185	742553542004 15 dt.17-JUL-25 on M/s.A.N ENTERPRISES, PUNE	997720 (FP)	781556320019	STOWAGE Heavy Duty Longspan Storage System Single Tier Brand: STOWAGE (Detailed Description/Spe cification as per Product # 1 of GeM Contract No. GEMC- 5116877725982 09 dt.14/06/2025)	1	CR:DY.CM E SNPD	124715.00	8 Nos.	29-Jun-25
186	602550031036 65 dt.21-JUL-25 on M/s.V.M.ENTE RPRISE- MUMBAI	967600 (FP)	653000440015	Pneumatic Vertical angle grinder 6 Inch, Product No. CP 3330 SALAVET, Handle - Double grip angle type, Speed - 6000 RPM, Wheel cup - 150 mm, Air Inlet - 1/2" , Weight - 5.8 Kg. approx., Product along	1	CR:SR.S.E. [MILL WRIGHT]	96760.00	10 Nos.	27-Oct-25

187	852558621015 35 dt.22-JUL-25 on M/s.BHARAT HEAVY ELECTRICALS LTD-BHOPAL	1277822 (FP)	316800220015	Supply of Gear Case Assembly (Top And Bottom) for Traction Motor Type IM3601 AZ of AC BHEL Rake from OEM or its authorized dealers only.	1	CR:SSE/POH (Electrical)	98294.00	13 Set	22-Jan-26
188	852559321015 37 dt.22-JUL-25 on M/s.TRINITY HOUSE (INDIA) PVT. LTD.-MUMBAI	1407621.9 (FP)	313504650014	Reciprocating air cooled, oil free, under slung, main air compressor, model no: RR20070 OF (M) with dryer as per ELGI TPL NO: S07116 & HSN code: 8414809. Make: ELGI for 3-ph EMU & MEMU rakes.	1	CR:SSE/Aux Sec EMU MTN	1407621.93	1 Nos.	22-Jan-26

189	912558921009 04 dt.22-JUL-25 on M/s.AVDESH TRACKS PRIVATE LIMITED-MOHALI	1081465.3 (FP)	60090110	: Joggle fish plates 60kg to RDSO Drg.No.T-5849 (Alt-1) per set consist of two Fishplates two clamps to Drg. No.RDSO T-5854 and two clamps to Drg.No. RDSO T-5854/1 and two bolts and nuts to Drg. No. T	1	CR:Sr. Section Engineer	5517.68	196 Set	20-Sep-25
190	922557591007 30 dt.24-JUL-25 on M/s.TAYAL AND CO-MOHALI	3876300 (FP)	335014170022	Brake Application Valve for automatic smoke and fire detection system as per RDSO/2008/CG-04 Make Tayal & Co.	1	CR:JR.EN GINEER COACHIN G	69620.00	15 Nos.	22-Sep-25
			469039921135	DC to DC convertor required for FSDS system as per RDSO/2008/CG-04 make Tayal & Co.	2	CR:JR.EN GINEER COACHIN G	31860.00	30 Nos.	22-Sep-25

			479900271080	Battery (24V) for automatic smoke and fire detection system as per RDSO/2008/CG-04 Suitable for make Tayal and Co.	3	CR:JR.EN GINEER COACHIN G	14160.00	75 Nos.	22-Sep-25
			860100800242	Aspiration smoke detector required for FSDS system as per RDSO/2008/CG-04 make Tayal & Co.	4	CR:JR.EN GINEER COACHIN G	271400.00	3 Nos.	22-Sep-25
191	912558032007 95 dt.07-JUL-25 on M/s.GAlaxy Enterprises, PUNE	984750 (FP)	469030131139	Lens Point Hand Held Search Light , Type - LED 10 Watt Brand: Lens Point (Detailed Description/Specification as per Product # 1 of GeM Contract No. GEMC-511687780104684 dt.26/06/2025)	1	CR:CCCO R/DD	1313.00	750 Nos.	11-Jul-25

[illegible]

[illegible]

196	922551791007 20 dt.21-JUL-25 on M/s.KALIMATA VYAPAAR PVT LTD-KOLKATA	1817436 (FP)	601602240018	Manufacture and Supply of Elastic Rail Clips (ERC) Marked for Narrow Gauge Sleepers to RDSO Drg.No.T-3722 (lat.alt.) confirming to IRS Specification: IRS-T-31-1992 with Corrigendum No.4 of December 20	1	CR:SE(PW AY) , [STORES]	90.87	20000 Nos.	19-Sep-25
197	742553662004 38 dt.22-JUL-25 on M/s.SHIVAM ENTERPRISE-THANE	996000 (FP)	781556280010	STOWAGE Heavy Duty Longspan Storage System Single Tier Brand: STOWAGE (Detailed Description/Specification as per Product # 1 of GeM Contract No. GEMC-5116877083217 33 dt.14/06/2025)	1	CR:DY.CM E SNPD	124500.00	8 Nos.	29-Jun-25

198	932558532008 21 dt.23-JUL-25 on M/s.B.S SURGICAL, Patiala	635000 (FP)	823114010012	BSS--B.S SURGICAL ETO Sterilizer with Stainless Steel: SS 304 grade Brand: BSS--B.S SURGICAL (Detailed Description/Specification as per Product # 1 of GeM Contract No. GEMC-5116877287566 95 dt.18/07/20	1	CR:DMO BSL	635000.00	1 Set	16-Sep-25
199	852561191015 88 dt.28-JUL-25 on M/s.JINENDRA ENTERPRISE-MUMBAI	732780 (FP)	731803660012	Nord Lock washer NLO series DP* Carbon Steel suitable for Bolt Dia. M22 Part No.NLI12804IR DE02200M.,	1	CR:TROLL EY REPAIR SHOP	244.26	3000 Nos.	27-Aug-25

200	512551882038 04 dt.30-JUL-25 on M/s.CALCUTTA SPRINGS LIMITED-KOLKATA	23392910	60060268	Goods, Manufacture & Supply of 10125 mm curved switches with ZU-1-60 / 60 E1A1 Thick web Grade 880 class A tongue rails and 60E1, R-260 Grade, class A/B prime quality stock rails with elastic fastener	1	CR:SE(PW AY) , [STORES]	754610.00	15 Set	30-Jan-26
		(FP)	60190152	Goods, Manufacture & Supply of 10125 mm curved switches with ZU-1-60 / 60 E1A1 Thick web Grade 880 class A tongue rails and 60E1, R-260 Grade, class A/B prime quality stock rails with elastic fastener	2	CR:SE(PW AY) , [STORES]	754610.00	16 Set	30-Jan-26

201	512551392033 23 dt.02-JUL-25 on M/s.SHAH ELASTROMER-HOWRAH	8702417.4	60166370012BS L	Goods, Manufacturing and Supply of 6mm thick Nylon Cord Reinforced Grooved Rubber Sole Plate for placing beneath rails at 1 in 8.5, 60Kg Turnout conforming to RDSO Drawing No.: RT-4865 (latest alterat	1	CR:SE(PW AY) , [STORES]	15198.40	192 Set	02-Oct-25
			(FP)						
			6016637BSL	Goods, Manufacturing and Supply of 6mm thick Nylon Cord Reinforced Grooved Rubber Sole Plate for placing beneath rails at 1 in 8.5, 60Kg Turnout conforming to RDSO Drawing No.: RT-4865 (latest alterat					
					2	CR:SE(PW AY) , [STORES]	15198.40	8 Set	02-Oct-25
					3	CR:SE(PW AY) , [STORES]	15198.40	67 Set	02-Jan-26

6016N012BND	Goods, Manufacturing and Supply of 6mm thick Nylon Cord Reinforced Grooved Rubber Sole Plate for placing beneath rails at 1 in 8.5, 60Kg Turnout conforming to RDSO Drawing No.: RT-4865 (latest alterat	4	CR:SE(PW AY) , [STORES]	15328.20	57 Set	02-Oct-25
6016N06BND	Goods, Manufacturing and Supply of 6mm thick Nylon Cord Reinforced Grooved Rubber Sole Plate for placing beneath rails at 1 in 8.5, 60Kg Turnout conforming to RDSO Drawing No.: RT-4865 (latest alterat	5	CR:SE(PW AY) , [STORES]	15328.20	55 Set	02-Oct-25

6016N12BND	Goods, Manufacturing and Supply of 6mm thick Nylon Cord Reinforced Grooved Rubber Sole Plate for placing beneath rails at 1 in 8.5, 60Kg Turnout conforming to RDSO Drawing No.: RT-4865 (latest alterat	6	CR:SE(PW AY) , [STORES]	15328.20	23 Set	02-Oct-25
6016N12BNDD	Goods, Manufacturing and Supply of 6mm thick Nylon Cord Reinforced Grooved Rubber Sole Plate for placing beneath rails at 1 in 8.5, 60Kg Turnout conforming to RDSO Drawing No.: RT-4865 (latest alterat	7	CR:SE(PW AY) , [STORES]	15328.20	18 Set	02-Oct-25

6016N25BND	Manufacture and Supply of 6mm thick Nylon Cord Reinforced Grooved Rubber Sole Plate for fan shaped Turnout for 60 kg Rails 1 in 8.5 to RDSO'S Drg. No. T-4865/Alteration 7 with IRS specification for Ra	8	CR:SE(PW AY) , [STORES]	15328.20	40 Set	02-Oct-25
6016N53BND	Goods, Manufacturing and Supply of 6mm thick Nylon Cord Reinforced Grooved Rubber Sole Plate for placing beneath rails at 1 in 8.5, 60Kg Turnout conforming to RDSO Drawing No.: RT-4865 (latest alterat	9	CR:SE(PW AY) , [STORES]	15328.20	12 Set	02-Oct-25

[illegible]

			601900400012B SL	Goods, Manufacture and supply of Wider Pre- Stressed Concrete Sleeper for 25T axle load for 60kg(UIC)/60E1 /52kg running rails with 60kg UIC)/60E1/52kg guard rail for use on ballasted desk bridges as pe	3	CR:SSE/W ORKS/BTB R	4165.40	2276 Nos.	04-Sep-27
					4	CR:SSE/W ORKS/BTB R	4165.40	1213 Nos.	04-Sep-27
			6019N0400012B ND	Goods, Manufacture and supply of Wider Pre- Stressed Concrete Sleeper for 25T axle load for 60kg(UIC)/60E1 /52kg running rails with 60kg UIC)/60E1/52kg guard rail for use on ballasted desk bridges as pe	5	CR:SSE/W ORKS/BTB R	4165.40	839 Nos.	04-Sep-27

203	852555051013 80 dt.07-JUL-25 on M/s.ANUPAM ENTERPRISES-KOLKATA	589056 (FP)	770303010029	Top coat : Fluoropolymer (FLUOROETHYLENE) with h shade to RAL7012 to be done as per Japanese Industrial Standard JIS K 5659:2008-Class-1.	1	CR:PAINT SHOP MTN	453.12	1300 LTR	06-Aug-25
204	852557751013 93 dt.07-JUL-25 on M/s.SANROK ENTERPRISES-FARIDABAD	3207027.6 (FP)	869905830014	(RSP ITEM) SUPPLY & INSTALLATION OF BRAKE APPLICATION VALVE FOR AUTOMATIC SMOKE/FIRE DETECTION WITH ALARM SYSTEM TO CONVERT INTO STANDALONE AUTOMATIC SMOKE/FIRE DETECTION AS PER RDSO SPEC NO. RDSO/200	1	CR:FITTING SHOP MTN	160351.38	20 Nos.	05-Sep-25

205	932556562007 77 dt.09-JUL-25 on M/s.SANCHAR WIRELESS COMMUNICATIONS LIMITED-NEW DELHI	523082.2 (FP)	52050040	SCS 2300 MAh Li-ion Spare Battery Packs For Transreceiver Brand: SCS (Detailed Description/Specification as per Product # 1 of GeM Contract No. GEMC-5116877378747 09 dt.07/07/2025)	1	CR:Sr. Section Engineer	572.30	914 Nos.	21-Aug-25
206	852552521014 86 dt.15-JUL-25 on M/s.HYLOC HYDROTECHNICS PRIVATE LIMITED-BELGAUM	1873250 (FP)	305905710019	Flange joint 20mm NB (Equipment to equipment) as per Drg No. ICF/SK3 3-5-004 Alt d. Note: Item to be procured only from RCF approved vendors for Stainless steel pipes and Double ferrule fittings (SPE	1	CR:L.V.B. SHOP MTN	749.30	2500 Nos.	13-Sep-25

207	852555071014 91 dt.15-JUL-25 on M/s.BOSTON EXPORT AND ENGINEERING COMPANY- PALGHAR	634368 (FP)	313600540017	STAINLESS STEEL DOUBLE FERRULE FITTING- MALE ELBOW 1/2" OD X 1/2" BSPT (MALE) TO ICF DRAWING No: ICF/STD-3-5-023 ITEM No: 06	1	CR:SSE/ET L Sec EMU MTN	188.80	3360 Nos.	14-Aug-25
208	742552811004 13 dt.15-JUL-25 on M/s.SETH TRADERS PRIVATE LIMITED- MUMBAI	833434 (FP)	25881577	Metalized Carbon Strips Suitable for High Reach Pantograph with ADD provision as per spec. no. RDSO/2014/EL/ SPEC/0114, rev.0, date may 2014. Grade offered:P5696	1	CR:SSE/Brake Equipment	23812.40	35 Nos.	15-Jan-26

209	862553191002 87 dt.17-JUL- 25 on M/s.PROTOCO L ONE IT LABS PVT. LTD.- MUMBAI	788004 (FP)	650305970015	Motorized hydraulic press machine for mounting and dismounting of axle box bearing components type CRU 150 of WAP-7 and RB-5020 of conventional locomotives with standard accessories and Technical spec	1	CR:SR.DE E, [TRS] KYN	394002.00	2 Nos.	01-Sep-25
210	852558281015 94 dt.28-JUL- 25 on M/s.GURIA INDUSTRIES-HOWRAH	1340008 (FP)	33650421	BATTERY BOX ASSEMBLY SCHEDULE OF INFRASTRUCTURAL REQUIREMENTS FOR STAINLESS STEEL BATTERY BOX COMPLETE AS PER SPECIFICATION NO : MDST 141 REV.01 AS PER DRG NO. CC91205 ALT a .	1	CR:SR.SECT. ENGINEER ,	33500.20	40 Nos.	11-Sep-25

[illegible]

[illegible]

215	562553321006 50 dt.15-JUL-25 on M/s.EIC INDIA-KOLKATA	586238.16 (FP)	291701320024	LED based Driver and assistant desk illumination lamp as per CLW specn. No. CLW/ES/3/0042 Alt.D. Technical Specification: 1) Operating voltage 18 to 30 V DC, with normal voltage of 24 VDC. 2) High and	1	CR:LIGHT FITTING	2571.22	228 Nos.	15-Nov-25
216	932558191008 07 dt.18-JUL-25 on M/s.NEENU TECH PRIVATE LIMITED-GAUTAM BUDH NAGAR	662953.5 (FP)	869077950019	Battery-operated Re-Chargeable Tri-colour LED torch with Red, Green Flashing, and white(Dim and Bright) LED Lights with ON/OFF and color adjustable Buttons as per RDSO Specification No. RDSO/SPN/195 /2	1	CR:DRM [OPERATING] BSL	584.10	1135 Nos.	01-Sep-25

217	912461431008 91 dt.22-JUL-25 on M/s.HINDUSTAN COMPOSITES LIMITED-MUMBAI	896800 (FP)	38143392	Non Asbestos K Type Brake Block for Freight Stock for wheel diameter 840mm as per drawing no WD-15023 S-01 and as per RDSO specification no.-WD-14-ABR-2019.	1	CR:SSE/C &W)DD	896.80	1000 Nos.	20-Sep-25
218	912557581008 93 dt.22-JUL-25 on M/s.MARVEL ELECTRIC EQUIPMENTS PRIVATE LIMITED-MUMBAI	854320 (FP)	45140066	Blind Socket Assembly with locking arrangement suitable for Inter Vehicular Coupler (ZS coupling 500A , 750V) for LHB type AC coaches confirming to RDSO Specification No. RDSO/PE/SPE	1	CR:SSE(TL-AC)PA	42716.00	20 Nos.	05-Sep-25

219	922555621007 39 dt.29-JUL-25 on M/s.RAD HYDROMATIC SOLUTIONS-UDUPI	2357050 (FP)	3000100015	Supply, Installation and commissioning of pinion mounting and dismounting machine along with concomitant accessories, Capacity-2500 Bar as per annexure attached.	1	CR:SR.DE E, [TRS] KYN	2357050.00	1 Nos.	27-Oct-25
220	912558491009 45 dt.31-JUL-25 on M/s.AVDESH TRACKS PRIVATE LIMITED-MOHALI	4770348.2 (FP)	60110685	Glued Joint for 60 kg Rail on PSC sleeper conforming to RDSO Drg. No. T-2572 (latest alteration) as per specification IRS/ Manual of Glued Insulated Rail Joints (1998) Corrigendum No. 6 of Sep 2016 (	1	CR:Sr. Section Engineer	46768.12	102 Nos.	29-Sep-25

221	912557611007 58 dt.01-JUL- 25 on M/s.YORKS FASHIONS PVT LTD-NEW DELHI	525577.5 (FP)	794700012932	Raincoat (waterproof) with attached Cap/hood and separate waterproof trouser with full sleeves. 705 nos [100 nos of M (40) size ,300 nos of XL (42) size and 205 nos of XXL (44),100 nos of XXXL (46) si	1	CR:SR. DOM PUNE PA	745.50	705 Nos.	04-Aug-25
222	852559461014 93 dt.16-JUL- 25 on M/s.GEM ENGINEERING INDUSTRIES INDIA PRIVATE LIMITED- RANGAREDDY	577728 (FP)	331632630014	Male Stud Connector to ERMETO Part No. GE22LLR3/4KE GCF or Equivalent and confirming to RCF Drawing No. LW36189. Item 12, Alt. Nil.	1	CR:L.V.B. SHOP MTN	141.60	4080 Nos.	15-Aug-25

223	512551702036 53 dt.18-JUL-25 on M/s.PARASNA TH ENTERPRISES-NEW DELHI	554622.7 (FP)	601200031071	Goods, Manufacturing and Supply of High Viscous Nylon-66 Insulating Liner (HVN Liner) to Drg. No. RDSO/T-8751 alteration-3 with latest alteration for use with Wider PSC sleeper to drg. No. RT-8746 and	1	CR:SE(PW AY) , [STORES]	54.80	10121 Nos.	18-Jan-26
224	852562581015 26 dt.21-JUL-25 on M/s.MEDHA BOGIES PRIVATE LIMITED-RANGA REDDY	694961 (FP)	850509730010	CONTROL ARM BEARING BUSH EJECTION FIXTURE Part No.SPMAET18 BOGIE1146 for Vande Bharat Coaches	1	CR:CWM WHEEL SHOP MTN	347480.50	2 Nos.	21-Apr-26

225	922557641007 28 dt.23-JUL-25 on M/s.G.B. SPRINGS PRIVATE LIMITED-DEHRADUN	1029432 (FP)	17410137	Spring-Single coil for WDG4D Locomotives (as per RDSO Drawing no. SK.VL-755 Alt. 02 or latest/ DLW part no. 17410137). Note: 1. ITEMS MUST BE PROCURED FROM DLW/BLW APPROVED SOURCE. 2. WARRANTY CERTIFI	1	CR:Sr. Section Engineer	21446.50	48 Nos.	21-Sep-25
226	852561821015 49 dt.23-JUL-25 on M/s.TIMKEN INDIA LIMITED-JAMSHEDPUR	4122787.8 (FP)	31020951	CTRB Bearing for VB/Train set to SKF Drg no. BT2-8555 CA or TIMKEN Drg No.E59773	1	CR:CWM WHEEL SHOP MTN	32209.28	128 Nos.	22-Aug-25

227	912555651009 19 dt.24-JUL-25 on M/s.ICONET SERVICES-CHENNAI	2454400 (FP)	522006930089	Supply of Digital DMR 25 W VHF set with SMPS Power supply unit, (12V, 10Amp) with charger, 6.5db gain Omni directional Diamond Antenna and 30 meter co-axial cable RG-213 with connectors at both end as	1	CR:SR.SECTION ENGINEER (	37760.00	65 Set	22-Sep-25
228	852561161015 95 dt.28-JUL-25 on M/s.SETH TRADERS PRIVATE LIMITED-MUMBAI	824584 (FP)	310500380019	AIR PRESSURE HOSE FOR THE SCHUNK PANTOGRAPH WBL 22.03 PART NO.9090100125 00 AND DRAWING NO.TFL 6 X 4 FROM M/S SCHUNK CARBON TECHNOLOGY INDIA PVT. LTD. FOR BT, MEDHA & AC EMU RAKES. PAC IN FAVOUR OF M/S	1	CR:SSE/Aux Sec EMU MTN	2061.46	400 MTR	28-Jan-26

[illegible]

461905430041	Parallel Clamp (157- 65/107/150) (RI no. 1031-3) Complete Assembly as per RDSO Drawing no. ETI/OHE/P/103 0-3 Rev-A or latest and RDSO spec. no. TI/SPC/OHE/Fitt ings/0130 with A&C clip no. 1 or latest.	2	CR:Sr. Section Engineer	277.30	250 Set	29-Oct-25
461905430053	Parallel Clamp (157- 65/107/150) (RI no. 1031-3) Complete Assembly as per RDSO Drawing no. ETI/OHE/P/103 0-3 Rev-A or latest and RDSO spec. no. TI/SPC/OHE/Fitt ings/0130 with A&C clip no. 1 or latest	3	CR:Sr. Section Engineer	277.30	400 Set	29-Oct-25

461905430077	Parallel Clamp (157- 65/107/150) (RI no. 1031-3) Complete Assembly as per RDSO Drawing no. ETI/OHE/P/103 0-3 Rev-A or latest and RDSO spec. no. TI/SPC/OHE/Fitt ings/0130 with A&C clip no. 1 or latest.	4	CR:Sr. Section Engineer	277.30	1000 Set	29-Oct-25
461905430089	Parallel Clamp (157- 65/107/150) (RI no. 1031-3) Complete Assembly as per RDSO Drawing no. ETI/OHE/P/103 0-3 Rev-A or latest and RDSO spec. no. TI/SPC/OHE/Fitt ings/0130 with A&C clip no. 1 or latest.	5	CR:Sr. Section Engineer	277.30	200 Set	29-Oct-25

461905430090	Parallel Clamp (157- 65/107/150) (RI no. 1031-3) Complete Assembly as per RDSO Drawing no. ETI/OHE/P/103 0-3 Rev-A or latest and RDSO spec. no. TI/SPC/OHE/Fitt ings/0130 with A&C clip no. 1 or latest	6	CR:Sr. Section Engineer	277.30	50 Set	29-Oct-25
461905430107	Parallel Clamp (157- 65/107/150) (RI no. 1031-3) Complete Assembly as per RDSO Drawing no. ETI/OHE/P/103 0-3 Rev-A or latest and RDSO spec. no. TI/SPC/OHE/Fitt ings/0130 with A&C clip no. 1 or latest.	7	CR:Sr. Section Engineer	277.30	1000 Set	29-Oct-25

			461905430119	Parallel Clamp (157-65/107/150) (RI no. 1031-3) Complete Assembly as per RDSO Drawing no. ETI/OHE/P/1030-3 Rev-A or latest and RDSO spec. no. TI/SPC/OHE/Fittings/0130 with A&C clip no. 1 or latest.					
					8	CR:Sr. Section Engineer	277.30	50 Set	29-Oct-25
231	91255564100833 dt.11-JUL-25 on M/s.BANSAL UDYOG-JALANDHAR CITY	623512	601202180018	Point & Xings Bolts with Nuts(25X330) Drg. No. T-11528 M.S. Bolts & Nuts of size 25 X 330 mm as per RDSO drawing No. T-11528 with latest alterations as on date of tender opening, confirming to specif	1	CR:Sr. Section Engineer	155.88	4000 Nos.	08-Dec-25
		(FP)							

232	952550491004 71 dt.16-JUL-25 on M/s.B L HEALTH AND SAFETY PRIVATE LIMITED-NEW DELHI	803997.72 (FP)	821501070018	Railway Emergency Medical box as per specification attached. Make: As per offer.	1	CR:MS NGP	267999.24	3 Boxes	14-Sep-25
233	742553681004 45 dt.22-JUL-25 on M/s.NAGINA INDUSTRIAL CORPORATION-SECUNDERABAD	649000 (FP)	359900450015	Cordless impact wrench as per Annexure A attached. Material to be procured from OEM or their authorized dealer only and authorization certificate from OEM required.	1	CR:SSE/Trolley/SNPD POH	32450.00	20 Nos.	05-Sep-25